

**2003**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates**

**Special Locality Report**

**165**

Town of Appomattox

Prepared By

**Virginia Department of Transportation  
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Mobility Management Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Secondary Route

## Special Routes



Bus - Business Route  
Bypas - Bypass Route



Truck - Truck Route  
ALT - Alternate Route  
Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
 Mobility Management Division  
 2003  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Appomattox

Route	Length	AADT	QA	Year
<b>Town of Appomattox</b>				
From: CL Appomattox				
(24) (460) 0.71	15000	N	2003	
To: BUS US 460				
(24) (460) 0.72	11000	G	2003	
To: E RT 460				
From: US 460 East Intersection				
(131) 1.06	3500	G	2003	
To: Bus US 460				
(131) (460) Bus 0.07	13000	N	2003	
To: CFUS 460/JB-165/STREET/NCL APPOMATTOX				
From: WCL Appomattox				
(460) 0.71	15000	N	2003	
To: Bus US 460				
(460) 0.72	11000	G	2003	
To: SR 24, SR 131				
(460) 1.87	9100	G	2003	
To: Bus US 460				
(460) 0.26	11000	G	2003	
To: ECL Appomattox				
From: WCL Appomattox				
(460) Bus 0.03	13000	N	2003	
To: NCL Appomattox, SR 131				
(460) Bus 0.07	13000	N	2003	
To: SR 131; 06-1012				
(460) Bus 0.71	9400	G	2003	
To: SR 131				
(460) Bus 0.47	4400	G	2003	
To: ECL Appomattox				
From: NCL Appomattox				
(631) (06) 0.47	1200	G	2003	
To: US 460 BUS; SR 131				
From: SCL Appomattox				
(635) (06) 0.07	3000	G	2003	
To: US 460 BUS				
From: SCL Appomattox				
(641) (06) 0.29	680	R	03/18/2002	
To: 06-727				
From: 06-631				
(662) (06) 0.17	120	R	04/10/2002	
To: Dead End				
From: WCL Appomattox				
(691) (06) 0.01	1500	N	2003	
To: 06-1008				
(691) (06) 0.55	1100	G	2003	
To: SR 131				
From: SCL Appomattox				
(727) (06) 0.22	4700	G	2003	
To: 06-641				
(727) (06) 0.21	5400	G	2003	
To: 06-1001				
(727) (06) 0.11	6000	G	2003	
To: SR 131 SOUTH				

Route	Length	AADT	QA	Year
<b>Town of Appomattox</b>				
From: SR 131 NORTH				
(727) (06) 0.19	5100	G	2003	
To: US 460 BUS				
(727) (06) 0.06	5400	R	04/15/2002	
To: 06-1004				
From: Dead End				
(748) (06) 0.22	140	R	1999	
To: SR 131				
From: Dead End				
(1001) (06) 0.03	840	R	1999	
To: 06-727				
(1001) (06) 0.46	1300	G	2003	
To: ECL Appomattox				
From: Dead End				
(1002) (06) 0.07	230	R	1999	
To: 06-727 NORTH				
(1002) (06) 0.17	1600	G	2003	
To: SCL Appomattox; 06-1043				
From: SR 131				
(1003) (06) 0.09	1000	R	1999	
To: 06-1018				
(1003) (06) 0.06	880	R	1999	
To: 06-1016				
(1003) (06) 0.15	580	R	1999	
To: 06-1008				
(1003) (06) 0.11	320	R	1999	
To: Dead End				
From: US 460				
(1004) (06) 0.20	840	R	1999	
To: 06-1009				
(1004) (06) 0.07	700	R	1999	
To: 06-727				
(1004) (06) 0.02	490	R	1999	
To: 06-1021				
(1004) (06) 0.20	500	R	1999	
To: 06-631				
From: US 460				
(1005) (06) 0.05	480	R	1999	
To: 06-1019				
(1005) (06) 0.07	450	R	1999	
To: SR 131				
From: US 460				
(1006) (06) 0.06	130	R	04/10/2002	
To: 06-1026				
(1006) (06) 0.05	80	R	04/10/2002	
To: 06-1007				
From: 06-631				
(1007) (06) 0.08	70	R	04/10/2002	
To: 06-1006				
(1007) (06) 0.12	80	R	04/10/2002	
To: 06-1025				
From: 06-691				
(1008) (06) 0.52	2700	G	2003	
To: SR 131				

Virginia Department of Transportation  
 Mobility Management Division  
 2003  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Appomattox

Route	Length	AADT	QA	Year
<b>Town of Appomattox</b>				
From: 06-1004				
1009 06	0.55	300	R	1999
To: 06-1040				
From: 06-1040				
1009 06	0.06	190	R	1999
To: 06-1041				
From: 06-1041				
1009 06	0.02	9	R	1999
To: Dead End				
From: Dead End				
1010 06	0.18	110	R	04/10/2002
To: Dead End				
From: SR 24				
1011 06	0.06	80	R	1999
To: Dead End				
From: US 460; SR 131				
1012 06	0.14	560	R	1999
To: 0.14 MN US 460				
From: 0.14 MN US 460				
1012 06	0.25	280	R	1999
To: 06-1014				
From: 06-1014				
1012 06	0.07	130	R	1999
To: Dead End				
From: SR 131				
1013 06	0.07	2100	R	04/10/2002
To: 06-1019				
From: 06-1019				
1013 06	0.02	2200	R	04/10/2002
To: US 460				
From: SR 24				
1014 06	0.10	340	R	1999
To: 06-1012				
From: 06-1012				
1014 06	0.04	210	R	1999
To: Dead End				
From: 06-641				
1015 06	0.36	140	R	1999
To: Dead End				
From: 06-1003				
1016 06	0.13	130	R	1999
To: 06-1008				
From: 06-1003				
1018 06	0.18	100	R	1999
To: 06-1008				
From: 06-1030				
1019 06	0.10	110	R	04/10/2002
To: 06-1005				
From: 06-1005				
1019 06	0.07	250	R	04/10/2002
To: 06-1013				
From: 06-1037				
1020 06	0.13	130	R	04/08/2002
To: 06-691				
From: 06-691				
1020 06	0.07	220	R	04/08/2002
To: Dead End				
From: 06-1004				
1021 06	0.16	150	R	1999
To: Dead End				
From: US 460				
1022 06	0.10	190	R	1999
To: Dead End				

Route	Length	AADT	QA	Year
<b>Town of Appomattox</b>				
From: 06-1008				
1023 06	0.07	300	R	04/08/2002
To: 06-1038				
From: 06-1038				
1023 06	0.31	320	R	04/08/2002
To: SR 131				
From: US 460				
1025 06	0.06	280	R	04/10/2002
To: 06-1026				
From: 06-1026				
1025 06	0.06	200	R	04/10/2002
To: 06-1007				
From: 06-1007				
1025 06	0.07	180	R	04/10/2002
To: 06-1027				
From: 06-1006				
1026 06	0.12	30	R	04/10/2002
To: 06-1025				
From: 06-1031				
1027 06	0.04	40	R	04/10/2002
To: 06-1042				
From: 06-1042				
1027 06	0.13	40	R	04/10/2002
To: 06-1025				
From: 06-1025				
1027 06	0.10	180	R	04/10/2002
To: Dead End				
From: SR 24				
1028 06	0.11	80	R	1999
To: Dead End				
From: SR 131				
1030 06	0.07	600	R	04/10/2002
To: 06-1019				
From: 06-1019				
1030 06	0.08	570	R	04/10/2002
To: US 460				
From: 06-1027				
1031 06	0.19	80	R	04/10/2002
To: US 460				
From: 06-1056				
1033 06	0.20	240	R	04/10/2002
To: 06-1001				
From: 06-727				
1036 06	0.16	120	R	04/10/2002
To: Dead End				
From: Dead End				
1037 06	0.11	70	R	04/08/2002
To: 06-691				
From: 06-691				
1037 06	0.06	50	R	04/08/2002
To: 06-1020				
From: Dead End				
1038 06	0.06	60	R	04/08/2002
To: 06-1023				
From: SR 131				
1039 06	0.06	1400	R	04/10/2002
To: 06-1058				
From: 06-1058				
1039 06	0.11	1000	R	04/10/2002
To: 06-727				
From: Dead End				
1040 06	0.06	50	R	04/10/2002
To: 06-1009				



Virginia Department of Transportation  
 Mobility Management Division  
 2003  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Appomattox

Route	Length	AADT	QA	Year
<b>Town of Appomattox</b>				
From: 1040 06	06-1009	0.15	130	R 04/10/2002
To: 1040 06	Dead End			
From: 1041 06	Dead End	0.06	60	R 04/10/2002
To: 1041 06	06-1009			
From: 1042 06	06-1027	0.19	60	R 04/10/2002
To: 1042 06	US 460			
From: 1043 06	SCL Appomattox	0.11	390	R 04/10/2002
To: 1043 06	06-1056			
From: 1043 06	06-1044	0.14	470	R 04/10/2002
To: 1043 06	06-1044			
From: 1043 06	06-1044	0.07	800	R 04/10/2002
To: 1043 06	06-1001			
From: 1044 06	06-1043	0.06	680	R 04/10/2002
To: 1044 06	Dead End			
From: 1056 06	06-727	0.17	90	R 04/10/2002
To: 1056 06	06-1033			
From: 1056 06	06-1033	0.06	100	R 04/10/2002
To: 1056 06	06-1043			
From: 1058 06	06-727	0.09	450	R 04/10/2002
To: 1058 06	06-1059			
From: 1058 06	06-1059	0.08	400	R 04/10/2002
To: 1058 06	06-1039			
From: 1059 06	SR 131	0.03	510	R 04/15/2002
To: 1059 06	06-1060			
From: 1059 06	06-1060	0.01	290	R 04/15/2002
To: 1059 06	0.01 MN 06-1060			
From: 1059 06	0.01 MN 06-1060	0.07	330	R 04/15/2002
To: 1059 06	06-1058			
From: 1060 06	06-1059	0.08	820	R 04/10/2002
To: 1060 06	SR 131			
From: 1060 06	SR 131	0.15	430	R 04/10/2002
To: 1060 06	Dead End			
From: 1061 06	Dead End	0.08	60	R 04/10/2002
To: 1061 06	06-631			
From: 1062 06	06-9021	0.02	80	R 04/10/2002
To: 1062 06	Dead End			
From: 1070 06	Lee Grant Ave	0.06	20	R 04/08/2002
To: 1070 06	Dead End			
From: 9020 06	US 460	0.14	250	R 1999
To: 9020 06	SR 131 E Harrell			
From: 9021 06	06-1004	0.04	340	R 1999
To: 9021 06	06-1062			

Route	Length	AADT	QA	Year
<b>Town of Appomattox</b>				
From: 9021 06	06-1062	0.07	830	R 1999
To: 9021 06	US 460			
From: 9021 06	US 460	0.06	600	R 1999
To: 9021 06	Cul-de-Sac			
From: 9583 06	06-1008	0.23	720	R 1999
To: 9583 06	06-1008			