

**2011**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**41**

Halifax County  
Town of South Boston  
Town of Halifax  
Town of Scottsburg  
Town of Virgilina

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
34 Hodges St	From: North Main St	Town of South Boston	0.54	2000	G	98%	1%	1%	0%	0%	0%	C	NA	2200	G	
	To: US 360 John Randolph Blvd															
40 Stage Coach Rd	From: Pittsylvania County Line	Halifax County	4.16	730	G	85%	2%	2%	2%	9%	0%	F	NA	780	G	
	To: 41-638 Bull Creek Rd															
40 Stage Coach Rd	From: 41-638 Bull Creek Rd	Halifax County	5.96	810	F	91%	1%	1%	1%	6%	0%	C	0.083	F	820	F
	To: US 501 North of Halifax															
40 501 L P Bailey Memorial Hwy	From: US 501 Halifax	Halifax County	0.97	4700	F	90%	1%	1%	1%	8%	0%	C	0.081	F	4800	F
	To: Campbell County Line															
49 96 Florence Ave	From: North Carolina State Line	Town of Virgilina (Maint: 41)	0.13	1600	F	91%	1%	1%	1%	6%	0%	F	0.095	F	1700	F
	To: SR 96 Seventh St															
49 Seventh St	From: SR 96 Florence Ave	Town of Virgilina (Maint: 41)	0.47	690	F	91%	1%	1%	1%	6%	0%	C	0.094	F	700	F
	To: ECL Virgilina															
49	From: Halifax County	Halifax County	2.05	690	N	91%	1%	1%	1%	6%	0%	N	0.094	N	700	N
	To: Mecklenburg County Line															
57 Chatham Rd	From: Pittsylvania County Line	Halifax County	3.53	660	F	89%	1%	1%	1%	8%	0%	F	0.087	F	680	F
	To: 41-844 Tune Trail															
57 Chatham Rd	From: 41-844 Tune Trail	Halifax County	1.64	950	F	89%	1%	1%	1%	8%	0%	C	0.085	F	970	F
	To: 41-845 Ed Mason Lane															
57 Chatham Rd	From: Halifax County	Halifax County	3.62	1300	F	89%	1%	1%	1%	8%	0%	F	0.086	F	1300	F
	To: 41-676 Asbury Church Rd															
57 Chatham Rd	From: Halifax County	Halifax County	4.06	1700	F	89%	1%	1%	1%	8%	0%	F	0.08	F	1700	F
	To: SR 360 Mountain Rd															
58 360 Philpott Rd	From: Pittsylvania County Line	Halifax County	3.48	8700	F	85%	1%	1%	1%	12%	0%	F	0.071	F	8700	F
	To: SR 119 Delila															
58 360 Philpott Rd	From: SR 119 Calvary Rd	Halifax County	6.58	9100	F	85%	1%	1%	1%	12%	0%	F	0.069	F	9000	F
	To: 41-658 Turbeville Rd															
58 360 Philpott Rd	From: 41-658 Turbeville Rd; Melon Rd	Halifax County	9.25	8400	A	85%	1%	1%	1%	12%	0%	C	0.099	A	8400	A
	To: US 501 Huell Matthews Hwy															
58 360 Bill Tuck Hwy	From: Town of South Boston	Town of South Boston	0.18	13000	F	85%	1%	1%	1%	12%	0%	F	0.082	F	13000	F
	To: ECL South Boston															
58 360 Bill Tuck Hwy	From: Halifax County	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	0%	N	0.082	N	13000	N
	To: US 360 John Randolph Blvd															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
58 Bill Tuck Hwy	Halifax County	From: US 360 John Randolph Blvd To: 41-601 Rockchoal Rd	5.00	7200	F	85%	1%	1%	1%	12%	0%	F	0.073	F	7200	F
58 Bill Tuck Hwy	Halifax County	From: 41-601 Buckshoal Rd To: Mecklenburg County Line	5.57	5500	F	85%	1%	1%	1%	12%	0%	F	0.071	F	5500	F
92 Clover Rd	Halifax County	From: Charlotte County Line To: NCL Clover	4.19	460	G	95%	0%	1%	1%	3%	0%	F	NA		470	G
92 Clover Rd	Clover (Maint: 41)	From: NCL Clover To: 41-746; 41-1001	0.47	460	N	95%	0%	1%	1%	3%	0%	N	NA		470	N
92 Clover Rd	Clover (Maint: 41)	From: 41-746; 41-1001 To: SCL Clover	0.33	460	N	95%	0%	1%	1%	3%	0%	N	NA		470	N
92 Clover Rd	Halifax County	From: SCL Clover To: US 360 South of Clover	0.80	460	N	95%	0%	1%	1%	3%	0%	N	NA		470	N
96 Virgilina Rd	Halifax County	From: US 501 S of Cluster Springs To: WCL Virgilina	7.11	1400	F	84%	1%	1%	1%	13%	0%	C	0.092	F	1400	F
96	Town of Virgilina (Maint: 41)	From: WCL Virgilina To: N SR 49	0.59	1400	N	84%	1%	1%	1%	13%	0%	N	0.092	N	1400	N
96 49 Florence Ave	Town of Virgilina (Maint: 41)	From: N SR 49 To: North Carolina State Line	0.13	1600	F	91%	1%	1%	1%	6%	0%	F	0.095	F	1700	F
119 Calvary Rd	Halifax County	From: North Carolina State Line To: US 58 Philpott Rd	3.08	680	F	88%	0%	1%	1%	11%	0%	C	0.125	F	690	F
129 North Main St	Town of South Boston	From: US 501 P; Wilborn Ave; Main St To: US 501 Broad St	0.09	2900	F	97%	1%	1%	1%	1%	0%	F	0.096	F	3100	F
129 North Main St	Town of South Boston	From: US 501 Broad St To: SR 34 Hodges St	0.38	4500	F	97%	1%	1%	1%	1%	0%	C	0.092	F	4700	F
129 North Main St	Town of South Boston	From: SR 34 Hodges St To: Edmunds St	0.16	5400	F	97%	1%	1%	1%	1%	0%	F	0.099	F	5800	F
129 North Main St	Town of South Boston	From: Edmunds St To: College St	0.19	6100	F	99%	1%	0%	0%	0%	0%	F	0.093	F	6500	F
129 North Main St	Town of South Boston	From: College St To: Hamilton Blvd	0.63	5800	F	99%	1%	0%	0%	0%	0%	F	0.096	F	6100	F
129 North Main St	Town of South Boston	From: Hamilton Blvd To: NCL South Boston	0.88	9900	F	99%	1%	0%	0%	0%	0%	C	0.096	F	11000	F
129 Old Halifax Rd	Halifax County	From: NCL South Boston To: US 501 Centerville	0.85	14000	F	99%	0%	0%	0%	0%	0%	C	0.086	F	14000	F



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: US 501 P; Main St																
304 Seymour Dr	Town of South Boston	0.08	2500	G	97%	1%	1%	1%	1%	0%	F	NA		2700	G	
To: US 501 Broad St																
From: US 501 Broad St																
304 Seymour Dr	Town of South Boston	0.38	3000	F	97%	1%	1%	1%	1%	0%	C	0.091	F	3200	F	
To: Marshall St																
From: Marshall St																
304 Seymour Dr	Town of South Boston	0.25	2600	G	97%	1%	1%	1%	1%	0%	F	NA		2800	G	
To: US 360 John Randolph Blvd																
From: SR 360 Bethel Rd																
344 Scottsburg Rd	Halifax County	1.58	1100	F	91%	0%	1%	2%	6%	0%	F	0.084	F	1100	F	
To: NCL Scottsburg																
From: NCL Scottsburg																
344	Town of Scottsburg (Maint: 41)	0.75	1100	N	91%	0%	1%	2%	6%	0%	N	0.084	N	1100	N	
To: 41-720 Green Level Rd																
From: 41-720 Green Level Rd																
344 McDonald Rd	Town of Scottsburg (Maint: 41)	0.42	710	F	91%	0%	1%	2%	6%	0%	C	0.090	F	730	F	
To: ECL Scottsburg																
From: ECL Scottsburg																
344	Halifax County	7.35	710	N	91%	0%	1%	2%	6%	0%	N	0.090	N	730	N	
To: Staunton River State Park																
From: Staunton River State Park																
344 McDonald Rd	Halifax County	2.18	200	F	91%	0%	1%	2%	6%	0%	F	0.125	F	210	F	
To: End of Route																
From: SR 360 Mountain Rd																
349 Edmunds Blvd	Town of Halifax (Maint: 41)	0.12	690	F	96%	2%	1%	0%	0%	0%	C	0.135	F	710	F	
To: US 501 Main St																
From: US 501 Main St																
360 58 Philpott Rd	Halifax County	3.48	8700	F	85%	1%	1%	1%	12%	0%	F	0.071	F	8700	F	
To: SR 119 Delila																
From: SR 119 Delila																
360 58 Philpott Rd	Halifax County	6.58	9100	F	85%	1%	1%	1%	12%	0%	F	0.069	F	9000	F	
To: 41-658 Turbeville Rd; Melon Rd																
From: 41-658 Turbeville Rd; Melon Rd																
360 58 Philpott Rd	Halifax County	9.25	8400	A	85%	1%	1%	1%	12%	0%	C	0.099	A	8400	A	
To: US 501 Huell Mathews Hwy																
From: US 501 Huell Mathews Hwy																
360 58 Bill Tuck Hwy	Town of South Boston	0.18	13000	F	85%	1%	1%	1%	12%	0%	F	0.082	F	13000	F	
To: CL South Boston																
From: CL South Boston																
360 58 Bill Tuck Hwy	Halifax County	0.52	13000	N	85%	1%	1%	1%	12%	0%	N	0.082	N	13000	N	
To: E US 58																
From: E US 58																
360 John Randolph Blvd	Halifax County	0.45	11000	F	86%	1%	1%	2%	11%	0%	F	0.082	F	10000	F	
To: SCL South Boston																
From: SCL South Boston																
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.16	11000	F	86%	1%	1%	2%	11%	0%	F	0.082	F	10000	F	
To: SR 304 Seymour Dr																
From: SR 304 Seymour Dr																
360 John Randolph Blvd	Town of South Boston	0.52	11000	F	86%	1%	1%	2%	11%	0%	F	0.081	F	10000	F	
To: SR 34 Hodges St																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
360 John Randolph Blvd	Town of South Boston	0.44	12000	F	86%	1%	1%	2%	11%	0%	F	0.08	F	12000	F	
360 John Randolph Blvd	Town of South Boston (Maint: 41)	0.09	8400	F	86%	1%	1%	2%	11%	0%	F	0.082	F	8100	F	
360 James D Hagood Hwy	Halifax County	1.43	7600	F	86%	1%	1%	2%	11%	0%	F	0.079	F	7400	F	
360 James D Hagood Hwy	Halifax County	5.28	6000	G	86%	1%	1%	2%	11%	0%	F	NA		5800	G	
360 James D Hagood Hwy	Halifax County	2.40	7900	F	86%	1%	1%	2%	11%	0%	F	0.078	F	7700	F	
360 James D Hagood Hwy	Halifax County	2.79	6100	F	86%	1%	1%	2%	11%	0%	F	0.08	F	6000	F	
360 James D Hagood Hwy	Halifax County	2.73	5500	F	86%	1%	1%	2%	11%	0%	F	0.078	F	5300	F	
360 Mountain Rd	Halifax County	5.11	1000	F	95%	1%	1%	1%	3%	0%	C	0.096	F	1000	F	
360 Mountain Rd	Halifax County	5.65	2000	F	95%	1%	1%	1%	3%	0%	F	0.088	F	2100	F	
360 Mountain Rd	Halifax County	2.57	5100	F	95%	1%	1%	1%	3%	0%	F	0.084	F	5200	F	
360 Mountain Rd	Halifax County	0.30	2000	N	94%	0%	1%	1%	4%	0%	N	0.087	N	2100	N	
360 Mountain Rd	Town of Halifax (Maint: 41)	1.72	2000	F	94%	0%	1%	1%	4%	0%	C	0.087	F	2100	F	
360 501 Main St	Town of Halifax (Maint: 41)	0.78	8600	F	97%	0%	0%	0%	2%	0%	F	0.082	F	8800	F	
360 Bethel Rd	Town of Halifax (Maint: 41)	0.26	4100	G	92%	0%	1%	1%	6%	0%	C	NA		4400	G	
360 Bethel Rd	Halifax County	6.19	2600	F	89%	0%	1%	2%	7%	0%	C	0.083	F	2600	F	
501 Huell Matthews Hwy	Halifax County	2.46	3000	F	89%	0%	1%	1%	10%	0%	F	0.083	F	3100	F	
501 Huell Matthews Hwy	Halifax County	3.84	4100	F	89%	0%	1%	1%	10%	0%	C	0.089	F	4200	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
501	Huell Matthews Hwy	From: 41-658 Cluster Springs Rd To: Halifax County	4.64	5400	F	89%	0%	1%	1%	10%	0%	F	0.082	F	5600	F
501	Main St	From: US 58, US 360; SCL South Boston To: Town of South Boston	0.53	18000	F	97%	0%	0%	0%	2%	0%	C	0.088	F	18000	F
501	Broad St	From: US 501 P; Broad St To: US 501 P Main St	0.09	8300	F	97%	0%	0%	0%	2%	0%	F	0.095	F	8800	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		15000	F	97%	0%	0%	0%	2%	0%	F	0.089	F	16000	F
501	Broad St	From: SR 304 Seymour Dr To: Town of South Boston	0.22	8000	F	97%	0%	0%	0%	2%	0%	C	0.096	F	8500	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	F	97%	0%	0%	0%	2%	0%	C	NA		16000	F
501	Broad St	From: SR 129 North Main St To: Town of South Boston	0.26	6100	F	97%	0%	0%	0%	2%	0%	F	0.089	F	6500	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	F	97%	0%	0%	0%	2%	0%	F	NA		14000	F
501	Broad Street	From: Third St To: Town of South Boston	0.18	5900	F	97%	0%	0%	0%	2%	0%	C	0.09	F	6200	F
501	Broad Street	From: Edmunds St To: Town of South Boston	0.41	6000	F	97%	0%	0%	0%	2%	0%	F	0.089	F	6400	F
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	F	97%	0%	1%	0%	2%	0%	F	0.086	F	15000	F
501	Wilborn Ave	From: US 501 P Wilborn Ave To: US 501 P; Broad St	0.51	14000	G	97%	0%	0%	0%	2%	0%	F	NA		16000	G
501	Halifax Rd	From: Hamilton Blvd To: Town of South Boston	0.69	16000	F	97%	0%	0%	0%	2%	0%	F	0.085	F	17000	F
501	Halifax Rd	From: Old NCL South Boston To: Town of South Boston	0.79	17000	F	97%	0%	0%	0%	2%	0%	F	0.091	F	18000	F
501	Halifax Rd	From: SR 129 N, Old Halifax Rd To: Town of South Boston	0.38	22000	F	97%	0%	0%	0%	2%	0%	F	0.094	F	22000	F
501	Halifax Rd	From: NCL South Boston To: Halifax County	0.36	12000	F	96%	0%	1%	1%	2%	0%	C	0.080	F	12000	F
501	Main St	From: SCL Halifax To: Town of Halifax (Maint: 41)	1.56	11000	F	96%	0%	1%	1%	3%	0%	C	0.081	F	11000	F
501	360 Main St	From: SR 360 S, Mountain Rd To: Town of Halifax (Maint: 41)	0.78	8600	F	97%	0%	0%	0%	2%	0%	F	0.082	F	8800	F
501	L P Bailey Memorial Hwy	From: SR 360 N, Bethel Rd To: Town of Halifax (Maint: 41)	0.67	5000	F	87%	1%	2%	1%	9%	0%	F	0.086	F	5100	F
501	L P Bailey Memorial Hwy	From: ECL Halifax To: Halifax County	6.56	4500	F	87%	1%	2%	1%	9%	0%	F	0.075	F	4600	F
		To: 41-642 Meadville Rd, Liberty Rd														

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
501 L P Bailey Memorial Hwy	From:	41-642 Meadville Rd, Liberty Rd															
	Halifax County	5.85	3400	F	87%	1%	2%	1%	9%	0%	C	0.078	F	3500	F		
501 L P Bailey Memorial Hwy	To:	41-603 Cody Rd															
	Halifax County	2.57	2800	F	87%	1%	2%	1%	9%	0%	F	0.081	F	2900	F		
501 L P Bailey Memorial Hwy	From:	41-645 State Shed Rd															
	Halifax County	4.90	3100	F	87%	1%	2%	1%	9%	0%	F	0.075	F	3200	F		
501 40 L P Bailey Memorial Hwy	To:	SR 40 Stage Coach Rd															
	Halifax County	0.97	4700	F	90%	1%	1%	1%	8%	0%	C	0.081	F	4800	F		
501 Main St	From:	US 501 Broad St															
	Town of South Boston	0.07	7100	F	97%	0%	1%	0%	2%	0%	F	0.089	F	7500	F		
501 Main St	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		15000	F	97%	0%	0%	0%	2%	0%	F	0.089	F	16000	F		
	To:	SR 304 Seymour Dr															
501 Main St	From:	SR 304 Seymour Dr															
	Town of South Boston	0.18	7500	F	97%	0%	1%	0%	2%	0%	C	0.088	F	8000	F		
501 Wilborne Ave	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	F	97%	0%	0%	0%	2%	0%	C	NA		16000	F		
	To:	SR 129 North Main St															
501 Wilborne Ave	From:	SR 129 North Main St															
	Town of South Boston	0.26	7300	F	97%	0%	1%	0%	2%	0%	F	0.088	F	7800	F		
501 Wilborne Ave	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		13000	F	97%	0%	0%	0%	2%	0%	F	NA		14000	F		
	From:	Third St															
501 Wilborne Ave	From:	Third St															
	Town of South Boston	0.57	8500	F	97%	0%	1%	0%	2%	0%	F	0.083	F	9000	F		
501 Wilborne Ave	To:	US 501 Broad Street															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(F831) Keystone Mill Rd	0.06	120	R								NA		NA			09/08/2008
(F1064)	0.19	60	R								NA		NA			08/13/2008
(600) Black Walnut Rd	4.55	300	R								NA		NA			08/04/2011
(600) Black Walnut Rd	1.39	260	R								NA		NA			08/04/2011
(601) Stevens Rd	0.31	90	R								NA		NA			07/14/2011
(601) Bucksheal Rd	0.40	600	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.60	610	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.20	380	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	160	R								NA		NA			08/11/2008
(601) Bucksheal Rd	1.00	140	R								NA		NA			08/11/2008
(601) Virgie Cole Rd	1.51	100	R								NA		NA			08/11/2008
(602) N Fork Church Rd	2.10	110	F	92%	3%	1%	3%	1%	0%	F	0.119	F	110	F		2011
(602) North Fork Church Rd	3.80	300	F	92%	3%	1%	3%	1%	0%	F	0.144	F	310	F		2011
(602) Hitesburg Church Rd	2.80	330	F	92%	3%	1%	3%	1%	0%	C	0.111	F	330	F		2011
(603) Cody Rd	3.73	1000	F	91%	1%	1%	1%	6%	0%	F	0.09	F	1000	F		2011
(603) Cody Rd	2.35	1600	F	91%	1%	1%	1%	6%	0%	C	0.083	F	1600	F		2011
(603) Volens Rd	3.50	460	F	93%	0%	1%	0%	6%	0%	F	0.084	F	470	F		2011
(603) Volens Rd	1.41	750	F	93%	0%	1%	0%	6%	0%	F	0.091	F	770	F		2011
(603) Lenning Rd	3.65	730	F	93%	0%	1%	0%	6%	0%	C	0.088	F	740	F		2011
(603) Hunting Creek Rd	5.20	500	F	93%	0%	1%	0%	6%	0%	F	0.105	F	510	F		2011
(603) Hunting Creek Rd	2.64	550	F	93%	0%	1%	0%	6%	0%	F	0.095	F	560	F		2011
(604) Rip Rap Rd	1.50	120	R								NA		NA			08/13/2008
(604) Rip Rap Rd	0.75	60	R								NA		NA			08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(604) Rip Rap Rd	0.55	60	R									NA		NA		08/13/2008
			From:	41-933 Wise Loftis Rd												
			To:	41-733 East Hitesburg Rd												
(604) Rip Rap Rd	0.20	0	R									NA		NA		07/12/2011
			From:	Mecklenburg County Line												
			To:	41-607 Rodgers Chapel Rd												
(605) Mill Rd	2.38	130	R									NA		NA		08/04/2008
			From:	41-746 Mt Laurel Rd												
			To:	Dead End												
(606) Rice School Rd	0.50	10	R									NA		NA		08/13/2008
			From:	41-735 Gills Mtn Rd												
(606) Rice School Rd	0.60	70	R									NA		NA		08/13/2008
			From:	41-604 Rip Rap Rd												
(606) Rice School Rd	0.55	140	R									NA		NA		08/13/2008
			From:	41-933 Wise Loftis Rd												
(606) Rice School Rd	0.65	170	R									NA		NA		08/13/2008
			From:	41-602 Hitesburg Church Rd												
(607) Rodgers Chapel Rd	4.96	1300	F	97%	0%	1%	0%	2%	0%	C	0.092	F		1400	F	2011
			From:	US 360 James D Hagood Hwy												
			To:	41-746 Mt Laurel Rd												
(608) Cole Lane	1.70	230	R									NA		NA		08/11/2011
			From:	41-610 Clays Mill Rd												
			To:	Dead End: Gap												
(608) Rev Coleman Rd	1.70	290	R									NA		NA		08/04/2008
			From:	41-607 Rodgers Chapel Rd												
			To:	41-610 Clays Mill Rd												
(609) Abbott Hill Rd	2.10	240	R									NA		NA		08/04/2008
			From:	41-611 Hundley Rd												
(609) Abbott Hill Rd	1.30	430	R									NA		NA		08/04/2008
			From:	41-621 S, Newbill School Rd												
			To:	41-621 N, Newbill School Rd												
(609) West Store Rd	2.30	220	R									NA		NA		07/30/2008
			From:	41-603 Hunting Creek Rd												
			To:	41-603 Hunting Creek Rd												
(610) Murphy Grove Rd	1.67	190	R									NA		NA		08/06/2008
			From:	US 501 S, L P Bailey Mem Hwy												
			To:	US 501 N, L P Bailey Mem Hwy												
(610) Crystal Hill Rd	4.60	390	F	98%	0%	2%	0%	1%	0%	F	0.098	F		400	F	2011
			From:	41-626 N, Howard P Johnson Hwy												
			To:	41-626 S, Howard P Anderson Rd												
(610) Clays Mill Rd	2.00	220	F	98%	0%	2%	0%	1%	0%	F	0.127	F		230	F	2011
			From:	41-615 Winns Creek Rd												
(610) Clays Mill Rd	2.35	330	F	98%	0%	2%	0%	1%	0%	F	0.098	F		330	F	2011
			From:	41-614 Burton Rd												
(610) Clays Mill Rd	2.39	770	F	98%	0%	2%	0%	1%	0%	C	0.098	F		790	F	2011
			From:	SR 360 Bethel Rd												
			To:	SR 360 Bethel Rd												
(611) Hundley Rd	2.43	280	R									NA		NA		08/04/2008
			From:	41-610 Clays Mill Rd												
			To:	41-948 S, Talley Loop												
(611) Hundley Rd	0.60	240	R									NA		NA		08/04/2008
			From:	41-609 Abbott Hill Rd												
			To:	41-609 Abbott Hill Rd												
(612) Clays Mill School Rd	1.30	410	R									NA		NA		08/23/2011
			From:	41-610 Clays Mill Rd												
			To:	1.30 MN 41-610												
(612) Clays Mill School Rd	0.60	60	R									NA		NA		08/23/2011
			From:	1.30 MN 41-610												
			To:	Dead End												

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(613) Marions Trail	0.70	230	R								NA			NA		08/11/2011
						From: 41-626 Howard P Johnson Hwy										
						To: 41-893 James Trail										
(613) Marions Trail	0.28	110	R								NA			NA		08/11/2011
						From: Dead End; Gap										
(613) Wagstaff Lane	0.45	870	R								NA			NA		08/04/2008
						From: 41-614 W, Burton Rd										
(613) Wagstaff Lane	0.36	940	R								NA			NA		08/11/2011
						From: 41-614 E, Burton Rd										
(613) Wagstaff Lane	0.30	190	R								NA			NA		08/04/2008
						From: SR 360 W, Bethel Rd										
						To: SR 360 E, Bethel Rd										
(613) Terrys Bridge Rd	3.30	340	F	98%	0%	1%	0%	0%	0%	C	0.095	F		340	F	2011
						From: US 360 James D Hagwood Hwy										
(613) Terrys Bridge Rd	2.74	660	F	93%	0%	0%	1%	5%	0%	F	0.12	F		670	F	2011
						To: WCL Scottsburg										
<b>Town of Scottsburg</b>																
(613) Terrys Bridge Rd	0.28	770	F	93%	0%	0%	1%	5%	0%	C	0.107	F		790	F	2011
						From: WCL Scottsburg										
						To: SR 344 Scottsburg Rd										
<b>Halifax County</b>																
(614) Love Shop Rd	2.07	2500	F	96%	1%	1%	2%	0%	0%	C	0.090	F		2500	F	2011
						From: 41-716 Rodgers Chapel Rd										
						To: 41-651 Cowford Rd										
(614) Love Shop Rd	1.90	2000	F	96%	1%	1%	2%	0%	0%	F	0.099	F		2000	F	2011
						From: SR 360 Bethel Rd										
(614)	0.31	750	R								NA			NA		08/04/2008
						To: 41-613 E, Wagstaff Lane										
						From: 41-613 W, Wagstaff Lane										
(614) Burton Rd	2.25	590	R								NA			NA		08/11/2011
						To: 41-610 Clays Mill Rd										
(615) Tucker Rd	2.30	210	R								NA			NA		08/11/2011
						From: US 501, L P Bailey Mem Hwy										
						To: 41-626 S, Howard P Johnson Hwy										
(615) Winns Creek Rd	2.30	410	R								NA			NA		08/11/2011
						From: 41-626 N, Howard P Johnson Hwy; Howard P Anderson										
						To: 41-610 Clays Mill Rd										
(616) Neals Corner Rd	2.50	150	R								NA			NA		07/30/2008
						From: 41-603 Hunting Creek Rd										
(616) Neals Corner Rd	0.50	120	R								NA			NA		07/30/2008
						From: 41-780 Lloyds Mill Rd										
(616) Neals Corner Rd	1.10	80	R								NA			NA		07/30/2008
						From: 41-617 Cove Rd										
						To: 41-746 Mt Laurel Rd										
(617) Cove Rd	0.90	110	R								NA			NA		07/28/2008
						From: 41-616 Neals Corner Rd										
(617) Cove Rd	2.00	40	R								NA			NA		07/28/2008
						From: 41-618 Chester Rd										
(617) Cove Rd	1.45	70	R								NA			NA		08/04/2011
						From: 41-623 Mortons Ferry Rd										
(617) Cove Rd	0.01	60	R								NA			NA		08/04/2011
						From: 1.45 MN 41-623										
						To: Dead End										
(618) Chester Rd	1.60	100	R								NA			NA		08/04/2011
						From: 41-617 Cove Rd										
						To: 41-623 Mortons Ferry Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(619) Hardings Mill Rd	2.90	110	R									NA		NA		08/04/2011
(620) Narrow Bridge Rd	0.20	50	R									NA		NA		08/04/2011
(621) Bradley Creek Rd	3.30	120	R									NA		NA		07/30/2008
(621) Beaver Pond Rd	1.10	110	R									NA		NA		07/30/2008
(621) Beaver Pond Rd	2.00	110	R									NA		NA		07/30/2008
(621) Chilsolm Trail	0.80	100	R									NA		NA		07/30/2008
(621) Chilsolm Trail	0.90	80	R									NA		NA		07/30/2008
(621) Hodges St	1.40	80	R									NA		NA		07/30/2008
(621) Newbill School Rd	3.40	150	F	99%	0%	0%	0%	1%	0%	C	0.124	F		150	F	2011
(621) Newbill School Rd	0.83	190	F	99%	0%	0%	0%	1%	0%	F	0.112	F		190	F	2011
(621) Newbill School Rd	3.30	220	F	99%	0%	0%	0%	1%	0%	F	0.105	F		230	F	2011
(622) Waltman Trail	1.00	80	R									NA		NA		08/04/2008
(623) Mortons Ferry Rd	2.72	180	R									NA		NA		07/28/2008
(623) Mortons Ferry Rd	0.24	200	R									NA		NA		07/28/2008
(623) Mortons Ferry Rd	1.01	200	R									NA		NA		08/04/2011
(623) Mortons Ferry Rd	2.47	150	R									NA		NA		08/04/2011
(623) Mortons Ferry Rd	1.09	90	R									NA		NA		08/04/2011
(623) Mortons Ferry Rd	0.65	10	R									NA		NA		07/28/2008
(624) Coles Ferry Rd	2.40	190	R									NA		NA		08/04/2011
(624) Coles Ferry Rd	5.48	160	R									NA		NA		08/04/2011
(624) Lake Conner Rd	1.50	80	R									NA		NA		08/04/2011
(625) Ellis Creek Rd	1.60	60	R									NA		NA		07/28/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(626) Shiloh Church Rd	3.11	220	F	97%	1%	1%	0%	1%	0%	C	0.111	F		230	F	2011
						From: US 501, L P Bailey Mem Hwy										
						To: 41-632 Hog Wallow Rd										
(626) Clarkton Rd	4.10	220	F	97%	1%	1%	0%	1%	0%	F	0.111	F		230	F	2011
						From: 41-625 Ellis Creek Rd										
						To: 41-603 E, Hunting Creek Rd										
(626) Clarkton Rd	4.70	210	F	97%	1%	1%	0%	1%	0%	C	0.109	F		220	F	2011
						From: 41-603 W, Hunting Creek Rd										
						To: 41-610 S, Clays Mill Rd										
(626) Howard P Anderson Rd	3.30	830	F	94%	0%	0%	1%	4%	0%	F	0.089	F		850	F	2011
						From: 41-615 N, Winns Creek Rd										
						To: SR 360 Bethel Rd										
(627) Armistead Rd	2.40	60	R									NA		NA		07/28/2008
						From: 41-603 Lenning Rd										
						To: 41-644 Stoney Ridge Rd										
(628) Chestnut Rd	4.90	320	R									NA		NA		08/02/2011
						From: 41-647 Leda Grove Rd										
						To: US 501, L P Bailey Mem Hwy										
(629) Henrys Trail	0.70	150	R									NA		NA		07/28/2008
						From: Dead End										
						To: 41-603 Lenning Rd										
(630) Doctor Merritt Rd	0.60	120	R									NA		NA		08/04/2011
						From: 41-603 Lenning Rd										
						To: 41-631 Railroad Dr										
(630) Doctor Merritt Rd	0.80	60	R									NA		NA		08/04/2011
						From: Dead End										
						To: 41-644 Nathalie Rd										
(631) Railroad Dr	0.60	70	R									NA		NA		07/28/2008
						From: 41-630 Doctor Merritt Rd										
						To: 41-626 Clarkton Rd										
(632) Hog Wallow Rd	4.61	580	F	96%	0%	1%	0%	2%	0%	C	0.098	F		590	F	2011
						From: US 501; SR 40 LP Bailey Hwy										
						To: 41-634 Elder Rd										
(633) Turkey Track Lane	1.50	110	R									NA		NA		08/04/2011
						From: Dead End										
						To: 41-632 Hog Wallow Rd										
(634) Elder Rd	1.30	20	R									NA		NA		07/28/2008
						From: 41-633 Turkey Track Lane										
(634) Elder Rd	0.40	110	R									NA		NA		07/28/2008
						From: 41-636 Childrey Church Rd										
(635) Loop Rd	2.50	80	R									NA		NA		08/02/2011
						From: SR 360 Mtn Rd										
						To: 41-665 Nunnleys Bridge Rd										
(636) Thorntons Rd	1.50	250	R									NA		NA		07/28/2008
						From: SR 40 Stage Coach Rd										
						To: 41-645 State Shed Rd										
(636) Thorntons Rd	1.62	80	R									NA		NA		07/28/2008
						From: 1.62 ME 41-645										
(636) Thorntons Rd	0.07	90	R									NA		NA		07/28/2008
						From: US 501 N, L P Bailey Mem Hwy										
						To: US 501 S, L P Bailey Mem Hwy										
(636) Childrey Church Rd	1.26	270	R									NA		NA		07/28/2008
						From: 41-634 Elder Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(636) Childrey Rd	0.80	210	R											NA		07/28/2008
(637) Cherry Creek Rd	1.80	80	R											NA		07/28/2008
(638) Bull Creek Rd	0.80	170	R											NA		07/28/2008
(638) Bull Creek Rd	0.90	110	R											NA		07/28/2008
(638) Bull Creek Rd	3.79	230	R											NA		07/28/2008
(638) Perth Rd	1.50	180	R											NA		07/28/2008
(639) Rock Barn Rd	1.20	250	R											NA		07/28/2008
(639) Rock Barn Rd	0.40	180	R											NA		07/28/2008
(639) Rock Barn Rd	2.50	170	R											NA		07/28/2008
(640) Buffalo Rd	1.00	290	R											NA		07/28/2008
(640) Buffalo Rd	2.10	250	F	95%	1%	2%	0%	2%	0%	C	0.099	F		260	F	2011
(640) Buffalo Rd	3.20	180	R											NA		07/28/2008
(641) Lower Liberty Rd	3.30	180	R											NA		07/30/2008
(642) Meadville Rd	3.02	700	F	94%	0%	1%	1%	3%	0%	C	0.099	F		710	F	2011
(642) Liberty Rd	4.69	720	F	95%	1%	1%	1%	2%	0%	C	0.084	F		740	F	2011
(643) McKendree Church Rd	0.10	20	R											NA		08/06/2008
(643) MeKendree Church Rd	0.40	70	R											NA		08/06/2008
(643) Cedar Fork Rd	0.50	130	R											NA		08/04/2008
(644) Nathalie Rd	1.20	760	F	93%	1%	1%	1%	4%	0%	C	0.093	F		780	F	2011
(644) Stoney Ridge Rd	2.75	110	R											NA		07/28/2008
(644) Stoney Ridge Rd	0.60	100	R											NA		07/28/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
(645) Acorn Rd	3.01	620	F	90%	0%	2%	2%	6%	0%	C	0.090	F		630	F	2011	
						From: 41-644											
						To: US 501 S, L P Bailey Mem Hwy											
(645) State Shed Rd	2.42	250	R									NA		NA		07/28/2008	
						From: US 501 N, L P Bailey Mem Hwy											
						To: 41-636 Thorntons Rd											
(646) Rabat Rd	2.08	220	R									NA		NA		07/28/2008	
						From: 41-645 Acorn Rd											
(646) Rabat Rd	0.34	290	R									NA		NA		07/28/2008	
						From: 41-811 Matts Trail											
						To: 41-626 Shiloh Church Rd											
(647) Leda Grove Rd	4.01	210	F	97%	3%	0%	0%	0%	0%	F	0.107	F		220	F	2011	
						From: 41-667 Leda Rd											
						To: 41-603 East Cody Rd											
(647) Tobacco Rd	2.18	230	F	97%	3%	0%	0%	0%	0%	F	0.142	F		240	F	2011	
						From: 41-603 West Cody Rd											
						To: 41-649 Golden Leaf Rd											
(647) Tobacco Rd	1.70	250	F	97%	3%	0%	0%	0%	0%	C	0.108	F		250	F	2011	
						From: SR 40 Stage Coach Rd											
						To: 41-696 Henderson Rd											
(648) Mason Chapel Rd	3.70	80	R									NA		NA		08/13/2008	
						From: 41-699 Mt Caramel Rd											
(649) Old Concord Rd	1.20	150	R									NA		NA		07/30/2008	
						From: 41-667 Leda Rd											
						To: 41-786 Runaway Rd											
(649) Old Concord Rd	1.50	140	R									NA		NA		07/30/2008	
						From: 41-603 S, Cody Rd											
						To: 41-603 N, Cody Rd											
(649)	2.90	210	R									NA		NA		07/28/2008	
						From: 41-647 Tobacco Rd											
						To: 71-650 Jennings Rd; 71-667 Hermosa Rd											
(650) Mulberry Rd	0.09	150	N									NA		NA		07/30/2008	
						From: 41-667 Leda Rd											
(650) Mulberry Rd	1.21	150	R									NA		NA		07/30/2008	
						From: 41-657 Felix Rd											
(650) Mulberry Rd	1.00	250	R									NA		NA		07/30/2008	
						From: 41-640 Buffalo Rd											
(650) Mulberry Rd	0.60	130	R									NA		NA		07/28/2008	
						From: 41-603 Cody Rd											
						To: 41-603 Cody Rd											
<b>Town of Halifax</b>																	
(651) Cowford Rd	0.11	960	F	94%	0%	1%	4%	1%	0%	F	0.096	F		980	F	2011	
						From: US 501 Main St											
						To: ECL Halifax											
<b>Halifax County</b>																	
(651) Cowford Rd	2.21	1000	F	94%	0%	1%	4%	1%	0%	C	0.114	F		1000	F	2011	
						From: ECL Halifax											
						To: 41-614 Love Shop Rd											
<b>Town of Halifax</b>																	
(652) Academy St	0.44	80	R									NA		NA		09/08/2008	
						From: Dead End											
						To: SCL Halifax											
<b>Halifax County</b>																	
(652)	1.52	170	R									NA		NA		08/19/2002	
						From: SCL Halifax											
						To: SR 360 Mountain Rd											

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(653) Ball Park Loop	1.60	110	R			From: SR 360 EAST; 41-903					NA			NA		09/08/2008
(653) Ball Park Loop	1.90	190	R			To: 41-880 Burns Trail					NA			NA		09/08/2008
(654) Singi Rd	2.73	6300	F	99%	0%	From: SR-360 W, Mountain Rd				C	0.090	F		6500	F	2011
(655) Blane Rd	1.20	540	F	97%	1%	From: SR 360 Mountain Rd				C	0.110	F		560	F	2011
(656) Hackberry Rd	3.05	470	F	97%	0%	To: US 501 Halifax Rd				C	0.099	F		480	F	2011
(657) Felix Rd	1.80	80	R			From: 41-711 Harmony Rd					NA			NA		07/30/2008
(658) Melon Rd	1.80	240	R			To: 41-658 Turbeville Rd					NA			NA		08/13/2008
(658)	3.76	410	N	96%	0%	From: US 58 Philpott Rd				N	0.098	N		420	N	2011
(658) Melon Rd	0.42	410	F	96%	0%	To: 41-662 Ashton Hall Rd				F	0.098	F		420	F	2011
(658) Melon Rd	3.84	690	F	96%	0%	From: 41-662 Goodes Rd				C	0.117	F		710	F	2011
(658) Turbeville Rd	2.80	390	F	98%	0%	To: 41-691 Stebbins Rd				F	0.113	F		390	F	2011
(658) Turbeville Rd	1.96	400	F	98%	0%	From: US-58 W, Philpott Rd				F	0.096	F		410	F	2011
(658) Cluster Springs Rd	0.63	1100	F	98%	0%	To: 41-773 Jeffress Trail				F	0.104	F		1100	F	2011
(658) Cluster Springs Rd	3.56	1200	F	98%	0%	From: 41-797 Traynham Grove Rd				F	0.096	F		1200	F	2011
(658) Cluster Springs Rd	0.80	1800	F	98%	0%	To: 41-708 Cedar Grove Rd				C	0.09	F		1800	F	2011
(658) Cherry Hill Church Rd	3.52	520	F	93%	4%	From: 41-704 S, Black Walnut Church Rd				F	0.126	F		530	F	2011
(658) Grady T Cole Mem Lane	0.12	180	G	93%	4%	To: US 501 Huell Matthews Hwy				C	NA			200	G	2011
(658) Virgie Cole Rd	3.80	300	G	93%	4%	From: 41-744 S, East Hyco Rd				F	NA			320	G	2011
(659) Brooklyn Rd	1.58	280	F	98%	0%	To: 41-744 N, East Hyco Rd				F	0.110	F		290	F	2011
(659) River Rd	3.72	320	F	98%	0%	From: 41-741 W, Wallace Cole Rd				F	0.103	F		320	F	2011
(659) River Rd	3.89	320	F	98%	0%	To: 41-741 E, Wallace Cole Rd				F	0.110	F		330	F	2011
(659) River Rd	1.74	570	F	98%	0%	From: 41-683 Oak Level Rd				C	0.097	F		580	F	2011
						To: US 58 E; 41-601										
						From: Pittsylvania County Line										
						To: 41-688 Goodes Rd										
						From: 41-691 Stebbins Rd										
						To: 41-683 Oak Level Rd										
						From: 41-681 Union Church Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(659) River Rd	5.48	830	F	99%	0%	0%	0%	0%	0%	F	0.09	F		850	F	2011
						From: 41-681 Union Church Rd										
						To: 41-682 S. Berry Hill Rd										
(659) River Rd	0.09	2400	F	99%	0%	0%	0%	0%	0%	F	0.093	F		2500	F	2011
						From: 41-682 N. Old Grubby Rd										
						To: 41-654 Sinai Rd										
(660) Glass Mill Rd	0.45	60	R								NA			NA		08/04/2008
						From: Pittsylvania County Line										
						To: 41-661 High Point Rd										
(660) Glass Mill Rd	0.40	90	R								NA			NA		08/04/2008
						From: 41-662 Birch Elmo Rd										
						To: Pittsylvania County Line										
(661) High Point Rd	0.50	80	R								NA			NA		08/04/2008
						From: 41-660 Glass Mill Rd										
						To: SR 360 Mtn Rd										
(662) Birch Elmo Rd	0.80	170	R								NA			NA		08/04/2008
						From: 41-684 Hummingbird Lane										
(662) Birch Elmo Rd	1.00	100	R								NA			NA		08/04/2008
						From: 41-660 Glass Mill Rd										
(662) Birch Elmo Rd	3.80	110	R								NA			NA		08/11/2008
						From: 41-685 Lewis Ferrell Rd										
(662) Birch Elmo Rd	0.40	220	R								NA			NA		08/11/2008
						From: 41-659 E. River Rd										
						To: 41-659 W. River Rd										
(662) Ashton Hall Rd	2.40	80	F	98%	0%	1%	0%	2%	0%	C	0.179	F		80	F	2011
						From: 41-658 Melon Rd										
						To: SR 360 Mtn Rd										
(663) Carlbrook Rd	2.10	60	R								NA			NA		08/04/2008
						From: 41-684 Hummingbird Lane										
						To: Pittsylvania County Line										
(664) Johns Run Rd	2.00	30	R								NA			NA		08/04/2008
						From: 41-675; 41-807										
						To: 41-676 Thompson Store Rd										
(665) Nunnleys Bridge Rd	0.70	220	R								NA			NA		08/02/2011
						From: 41-635 Loop Rd										
(665) Nunnleys Bridge Rd	1.90	170	R								NA			NA		08/02/2011
						From: 41-675 Ridgeway Rd										
						To: 41-667 Leda Rd										
(666) East Elkhorn Rd	0.50	250	R								NA			NA		08/02/2011
						From: 41-702 Logan Rd										
(666) East Elkhorn Rd	2.00	240	R								NA			NA		08/02/2011
						From: Pittsylvania County Line										
						To: SR 57 Chatham Rd										
(667) Leda Rd	2.65	270	F	92%	2%	2%	0%	4%	0%	F	0.094	F		280	F	2011
						From: 41-753 Beulah Rd										
(667) Leda Rd	3.71	190	F	92%	2%	2%	0%	4%	0%	C	0.109	F		200	F	2011
						From: 41-647 Leda Grove Rd										
(667) Pumping Hill Rd	3.48	210	F	92%	2%	2%	0%	4%	0%	F	0.13	F		210	F	2011
						From: 41-650 Mulberry Rd										
						To: 41-603 Cody Rd										
(668) Tower Lane	0.51	80	R								NA			NA		07/28/2008
						From: SR 40; 41-640										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(668) Straightstone Rd	0.69	740	F	85%	0%	2%	0%	13%	0%	C	0.098	F		760	F	2011
(669) Evergreen Rd	0.60	70	R								NA			NA		07/28/2008
(670) Sandy Ridge Rd	1.00	130	R								NA			NA		07/28/2008
(670) Sandy Ridge Rd	3.90	70	R								NA			NA		07/28/2008
(671) News Ferry Trail	0.90	70	R								NA			NA		08/06/2008
(671) Jones Ferry Rd	3.50	120	R								NA			NA		08/06/2008
(671) High View Rd	2.00	250	R								NA			NA		08/06/2008
(671) Swain Rd	2.90	140	R								NA			NA		08/06/2008
(672) Jones Trail	2.00	180	R								NA			NA		07/30/2008
(672) Plato Rd	1.10	100	R								NA			NA		07/30/2008
(672) Jones Trail	1.00	120	R								NA			NA		07/30/2008
(673) Farmer Trail	0.85	50	R								NA			NA		08/04/2008
(673) Farmer Trail	0.05	20	R								NA			NA		08/04/2008
(674) Blue Rock Rd	1.70	140	R								NA			NA		07/28/2011
(674) Blue Rock Trail	0.90	50	R								NA			NA		07/28/2011
(675) Ridgeway Rd	0.60	110	R								NA			NA		08/02/2011
(675) Ridgeway Rd	1.80	100	R								NA			NA		08/02/2011
(675) Ridgeway Rd	2.05	150	R								NA			NA		08/02/2011
(675) Ridgeway Rd	0.95	200	R								NA			NA		08/02/2011
(675) Ridgeway Rd	1.20	30	R								NA			NA		08/04/2008
(676) Thompson Store Rd	2.70	550	R								NA			NA		08/02/2011
(676) Thompson Store Rd	0.80	310	R								NA			NA		07/28/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(676) Ashbury Church Rd	2.60	310	R								NA			NA		07/28/2011
(676) Ashbury Church Rd	1.14	500	R								NA			NA		07/28/2011
(677) Wilson Mem Trail	1.00	140	R								NA			NA		08/04/2008
(677) Wilson Mem Trail	1.40	320	R								NA			NA		08/04/2008
(677) Ridge Rd	1.60	360	R								NA			NA		07/28/2011
(677) Ridge Rd	1.60	140	R								NA			NA		07/28/2011
(678) Grubby Rd	0.80	720	F	99%	0%	1%	0%	0%	0%	C	0.101	F		730	F	2011
(678) Grubby Rd	3.50	220	R								NA			NA		09/08/2008
(679) Deer Run Rd	1.60	180	R								NA			NA		08/06/2008
(679) Union Grove Rd	1.70	330	R								NA			NA		08/06/2008
(680) Pleasant Grove Rd	3.00	90	R								NA			NA		08/06/2008
(680) Pleasant Grove Rd	1.40	240	R								NA			NA		08/06/2008
(681) Union Church Rd	2.90	110	R								NA			NA		08/06/2008
(681) Union Church Rd	0.45	530	R								NA			NA		08/06/2008
(681) Union Church Rd	2.15	400	F	99%	0%	0%	0%	0%	0%	C	0.099	F		410	F	2011
(682) Old Grubby Rd	3.17	780	F	99%	0%	0%	0%	0%	0%	F	0.110	F		800	F	2011
(682) Berry Hill Rd	1.06	2200	F	99%	0%	0%	0%	0%	0%	C	0.088	F		2200	F	2011
(683) Oak Level Rd	1.00	260	R								NA			NA		08/11/2008
(683) Oak Level Rd	3.80	160	R								NA			NA		08/11/2008
(683) Oak Level Rd	0.80	440	R								NA			NA		08/06/2008
(683) Oak Level Rd	1.50	670	R								NA			NA		08/06/2008
(684) Hummingbird Lane	1.80	130	R								NA			NA		08/04/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(684) Hummingbird Lane	1.80	240	R			From: 41-663 Carlbrook Rd					NA		NA			08/04/2008
						To: 41-683 Oak Level Rd										
(685) Lewis Ferrell Rd	4.70	170	R			From: 41-662 Birch Elmo Rd					NA		NA			08/06/2008
						To: 41-683; 41-771										
(686) Mercy Seat Rd	1.30	90	R			From: 41-689 Wooding Rd					NA		NA			07/26/2011
						To: 41-658										
(686) Mercy Seat Rd	0.60	80	R			From: Dead End					NA		NA			07/26/2011
						To: Dead End										
(687) Fire Tower Trail	0.16	140	R			From: 41-708 Cedar Grove Rd					NA		NA			07/19/2011
						To: Dead End										
(688) Kerns Mill Rd	3.08	320	R			From: Pittsylvania County Line					NA		NA			08/11/2008
						To: 41-658 Melon Rd										
(688) Kerns Mill Rd	1.90	100	R			From: 41-659 River Rd; Brooklyn Rd					NA		NA			08/11/2008
						To: Dead End										
(689) Wooding Rd	0.62	30	R			From: 0.62 ME Dead End					NA		NA			08/11/2008
						To: 41-686 Mercy Seat Rd										
(689) Wooding Rd	2.00	70	R			From: 41-658					NA		NA			07/26/2011
						To: 41-603 Cody Rd										
(690) Handy Bottom Trail	1.80	90	R			From: Dead End					NA		NA			08/02/2011
						To: 41-658 Melon Rd										
(691) Stebbins Rd	2.00	220	R			From: 41-659 River Rd					NA		NA			07/26/2011
						To: Dead End										
(692) Richardson Lane	0.45	70	R			From: 41-751 Storys Creek Rd					NA		NA			08/11/2008
						To: North Carolina State Line WEST										
(693) Pointer Rd	0.64	580	R			From: 41-764 New Haven Rd					NA		NA			07/19/2011
						To: 41-829 Foster Rd; Samuel Rd										
(693) Pointer Rd	3.09	220	R			From: North Carolina State Line EAST					NA		NA			07/19/2011
						To: US 58; SR 119										
(694) Medley Rd	1.00	100	R			From: 1.00 ME US 58					NA		NA			07/19/2011
						To: Dead End										
(695) Buckskin Trail	0.30	80	R			From: Dead End					NA		NA			07/28/2008
						To: 41-624 Coles Ferry Rd										
(696) Henderson Rd	0.20	50	R			From: North Carolina State Line					NA		NA			07/19/2011
						To: 41-712 Williamson Rd										
(696) Henderson Rd	1.90	120	R			From: 41-648 Mason Chapel Rd					NA		NA			07/19/2011
						To: Dead End										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(696) Henderson Rd	0.50	160	R								NA			NA		07/19/2011
			From: 41-648 Mason Chapel Rd													
			To: 41-697 Coleman Dr													
(696) Henderson Rd	0.61	210	R								NA			NA		07/19/2011
			From: US 58 Philpott Rd													
			To: Dead End													
(697) Coleman Dr	0.60	20	R								NA			NA		08/13/2008
			From: 41-696 Henderson Rd													
(697) Coleman Dr	1.40	60	R								NA			NA		07/19/2011
			From: 41-779 Hudson Dr													
(697) Coleman Dr	1.80	210	R								NA			NA		07/19/2011
			From: 41-699 Mt Caramel Rd													
(698) Henrys Mill Rd	1.90	130	R								NA			NA		08/04/2008
			From: Pittsylvania County Line													
			To: SR 360 Mountain Rd													
(699)	0.40	560	R								NA			NA		08/13/2008
			From: North Carolina State Line													
(699) Mt Caramel Rd	2.90	440	F	98%	0%	0%	0%	1%	0%	F	0.114	F		450	F	2011
			From: 41-700 McGees Mill Rd													
(699) Wilkins Rd	3.00	380	F	98%	0%	0%	0%	1%	0%	C	0.108	F		390	F	2011
			From: 41-751 Piney Grove Rd													
			To: US 58 Philpott Rd													
(700) McGees Mill Rd	0.30	600	F	95%	1%	1%	0%	3%	0%	C	0.099	F		610	F	2011
			From: North Carolina State Line													
			To: 41-699 Mt Caramel Rd													
(701) Mill Pond Rd	1.90	120	R								NA			NA		08/13/2008
			From: 41-711 Alton Post Office Rd													
			To: 41-699 Wilkins Rd													
(702) Logan Rd	3.70	100	R								NA			NA		08/02/2011
			From: Pittsylvania County Line													
			To: 41-666 East Elkhorn Rd													
(703) Sandy Beach Rd	0.83	220	R								NA			NA		08/11/2008
			From: US 58 Philpott Rd													
(703) Sandy Beach Rd	1.39	170	R								NA			NA		08/11/2008
			From: 41-881 Country Store Rd													
			To: 41-951													
(704) Black Walnut Church Rd	0.43	570	R								NA			NA		08/20/2008
			From: US 501 Huell Matthews Hwy													
			To: 41-658 S, Cluster Springs Rd													
(704) Old Cluster Springs Rd	3.23	500	G	98%	1%	1%	0%	0%	0%	F	NA			540	G	2011
			From: 41-658 North, Cluster Springs Rd													
(704) Old Cluster Springs Rd	1.90	1300	G	98%	1%	1%	0%	0%	0%	C	NA			1400	G	2011
			From: 41-706 Bold Springs Rd													
			To: US 58 Philpott Rd													
(705) Link Puryear Rd	2.40	220	R								NA			NA		08/20/2008
			From: 41-706 Bold Springs Rd													
			To: 41-704 Old Cluster Springs Rd													
(706) Bold Springs Rd	0.50	360	R								NA			NA		08/20/2008
			From: 41-658 Cluster Springs Rd													
(706) Bold Springs Rd	0.90	320	R								NA			NA		08/20/2008
			From: 41-705 Link Puryear Rd													
(706) Bold Springs Rd	3.70	430	R								NA			NA		08/20/2008
			From: 41-809 German Creek Rd													
			To: 41-704 Old Cluster Springs Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(707) Paradise Rd	0.60	250	R									NA		NA		08/13/2008
(707) Paradise Rd	2.07	340	R									NA		NA		08/13/2008
(708) Cedar Grove Rd	0.08	340	R									NA		NA		08/20/2008
(708) Cedar Grove Rd	2.80	270	R									NA		NA		08/20/2008
(708) Cedar Grove Rd	1.00	490	R									NA		NA		08/20/2008
(709) Blanes Mill Lane	0.80	30	R									NA		NA		07/30/2008
(710) Bethel Hill Rd	2.10	70	R									NA		NA		08/20/2008
(711) Alton Post Office Rd	3.83	420	F	97%	1%	0%	0%	1%	0%	F	0.123	F		430	F	2011
(711) Harmony Rd	4.10	260	F	97%	1%	0%	0%	1%	0%	C	0.127	F		270	F	2011
(711) Harmony Rd	0.20	270	F	97%	1%	0%	0%	1%	0%	F	0.117	F		280	F	2011
(711) Denniston Rd	2.79	210	F	97%	1%	0%	0%	1%	0%	F	0.117	F		210	F	2011
(712) Williamson Rd	2.32	70	R									NA		NA		08/13/2008
(713) Turner Trail	0.70	50	R									NA		NA		08/13/2008
(714) Woodsdale Rd	1.30	370	R									NA		NA		08/13/2008
(715) Red Level Church Rd	1.15	90	R									NA		NA		08/11/2011
(715) Williams Rd	0.50	100	R									NA		NA		08/11/2011
(716) Rodgers Chapel Rd	3.03	1400	F	89%	0%	1%	8%	2%	0%	C	0.096	F		1400	F	2011
(716) Wolf Trap Rd	2.50	520	F	99%	0%	0%	0%	0%	0%	C	0.104	F		530	F	2011
(716)	2.20	290	R									NA		NA		08/06/2008
(716) Mosely Ferry Trail	5.10	30	R									NA		NA		08/06/2008
(716) Dryburg Rd	4.15	200	F	94%	0%	0%	4%	2%	0%	F	0.127	F		200	F	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(716) Dryburg Rd	1.45	350	F	94%	0%	0%	4%	2%	0%	F	0.103	F		360	F	2011
						From: 41-803 Allen Trail										
						To: 41-721 Ashcake Creek Rd										
(716) Dryburg Rd	1.78	510	F	94%	0%	0%	4%	2%	0%	C	0.104	F		520	F	2011
						From: US 360 James D Hagood Hwy										
						To: SCL Clover										
(716) Mosely Ferry Rd	0.95	840	F	94%	0%	1%	1%	3%	0%	C	0.096	F		850	F	2011
<b>Clover</b>																
(716) Mosely Ferry Rd	0.17	860	F	94%	0%	1%	1%	3%	0%	F	0.091	F		880	F	2011
						From: SCL Clover										
						To: SR 92; 41-1004, S Main St										
<b>Halifax County</b>																
(717) Hazelwood Mill Trail	0.25	60	R								NA			NA		08/04/2008
						From: 41-716 Dryburg Rd										
						To: Dead End										
(718) Snow Hill Rd	2.50	80	R								NA			NA		08/13/2008
						From: 41-707 Paradise Rd										
						To: 41-658 Cluster Springs Rd										
(719) Allens Mill Rd	3.70	30	R								NA			NA		08/06/2008
						From: SR 344										
						To: 41-716 Dryburg Rd										
<b>Town of Scottsburg</b>																
(720) Green Level Rd	0.46	390	R								NA			NA		08/06/2008
						From: SR 344; 41-724										
						To: ECL Scottsburg										
<b>Halifax County</b>																
(720) Green Level Rd	0.70	350	R								NA			NA		07/29/2002
						From: ECL Scottsburg										
						To: 41-827 Lee Syd Moore Rd										
(720) Green Level Rd	4.60	130	R								NA			NA		08/06/2008
						From: 41-721 Ashe Cake Creek Rd; Piney Creek Rd										
(720) Guill Town Rd	0.70	120	R								NA			NA		08/04/2008
						From: 41-722 Heath Rd										
(720) Guill Town Rd	1.10	140	R								NA			NA		08/04/2008
						From: US 360; SR 92										
						To: US 360 James D Hagood Hwy										
(721) Piney Creek Rd	0.25	160	R								NA			NA		08/06/2008
						From: 0.25 MW US 360										
(721) Piney Creek Rd	1.42	100	R								NA			NA		08/04/2008
						From: 41-722 Heath Rd										
(721) Piney Creek Rd	0.79	100	R								NA			NA		08/04/2008
						From: 41-720 Guill Town Rd; Green Level Rd										
(721) Ashe Cake Creek Rd	1.10	70	R								NA			NA		08/04/2008
						From: 1.10 MW 41-720										
(721) Ashe Cake Creek Rd	0.60	70	R								NA			NA		08/04/2008
						From: 41-716 Dryburg Rd										
						To: 41-721 Piney Creek Rd										
(722) Heath Rd	1.10	50	R								NA			NA		08/11/2011
						From: 41-720 Guill Town Rd										
						To: Dead End										
(723) Brad Smith Trail	1.50	90	R								NA			NA		08/04/2011
						From: 41-603 Hunting Creek Rd										
						To: SR 344 N, Scottsburg Rd										
(724) Drybridge Rd	0.15	190	R								NA			NA		08/06/2008
						From: 41-878 John B Scott Trail										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(724) Drybridge Rd	1.54	50	R			From: 41-878 John B Scott Trail					NA			NA		08/06/2008
						To: NCL Scottsburg										
<b>Town of Scottsburg</b>																
(724) Drybridge Rd	0.36	50	R			From: NCL Scottsburg					NA			NA		08/06/2008
						To: 0.36 MS of NCL										
(724) Drybridge Rd	0.17	70	R			From: SR 344 S; 41-720					NA			NA		08/06/2008
						To: SR 344 S; 41-720										
<b>Halifax County</b>																
(725) Charlie Lawson Rd	0.29	90	R			From: North Carolina State Line					NA			NA		08/25/2008
						To: SR 96 Virgilina Rd										
(726) Coleman Rd	2.30	250	R			From: 41-716 Mosely Ferry Trail					NA			NA		08/06/2008
						To: SR 344										
(727) North Nichols Ferry Trail	1.00	70	R			From: Dead End					NA			NA		08/06/2008
						To: 41-716 Wolf Trap Rd										
(728) Sams Trail	0.45	80	R			From: Dead End					NA			NA		07/30/2008
						To: 41-642 Liberty Rd										
(729) Bellevue Rd	2.72	1500	F	99%	0%	From: 41-716; 41-1323 Dan River Church Rd				C	0.092	F		1600	F	2011
						To: US 360 James D Hagood Hwy										
(729) Daniels Trail	0.77	300	R			From: Dead End					NA			NA		08/23/2011
						To: Dead End										
(730) Ramble Rd	4.48	300	R			From: US 58 E, Bill Tuck Hwy					NA			NA		07/14/2011
						To: US 58 W, Bill Tuck Hwy										
(730) Ramble Rd	0.16	80	R			From: 41-601 Bucksheal Rd					NA			NA		07/14/2011
						To: US 58 Bill Tuck Hwy										
(731) Pools Mill Trail	0.30	40	R			From: Dead End					NA			NA		08/13/2008
						To: Dead End										
(732) Aarons Creek Rd	3.60	430	F	93%	2%	From: 41-602 Hitesburg Church Rd				C	0.117	F		440	F	2011
						To: US 58 Bill Tuck Hwy										
(733) East Hitesburg Rd	1.80	60	R			From: 41-604 Rip Rap Rd					NA			NA		08/13/2008
						To: 41-602 Hitesburg Church Rd										
(733) East Hitesburg Rd	2.10	160	R			From: 41-734 S, Red Bank Rd					NA			NA		08/11/2008
						To: 41-734 N, Red Bank Rd										
(733) West Hitesburg Rd	0.80	60	R			From: 41-737 Hudson Rd					NA			NA		08/25/2008
						To: 41-737 Hudson Rd										
<b>Town of Virgilina</b>																
(734) Florence Ave	0.56	790	F	94%	1%	From: SR 49; SR 96 Seventh St				C	0.099	F		800	F	2011
						To: NCL Virgilina										
<b>Halifax County</b>																
(734) Red Bank Rd	3.27	480	F	94%	1%	From: NCL Virgilina				F	0.112	F		490	F	2011
						To: 41-602 Hitesburg Church Rd										
(734) Red Bank Rd	0.17	230	R			From: 41-736 Bowen Rd					NA			NA		08/11/2008
						To: 41-736 Bowen Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(734) Red Bank Rd	2.22	170	R									NA		NA		08/11/2008
(734) Red Bank Rd	1.11	80	R									NA		NA		08/11/2008
(734) Hogan Rd	0.70	100	R									NA		NA		08/11/2008
(735) Gills Mountain Rd	2.20	90	R									NA		NA		08/13/2008
(736) Bowen Rd	2.20	70	R									NA		NA		08/13/2008
(737) Hudson Rd	0.30	110	R									NA		NA		08/13/2008
(737) Hudson Rd	2.10	90	R									NA		NA		08/25/2008
(737) Hudson Rd	2.10	190	R									NA		NA		08/25/2008
(738) Cemetery Rd	0.80	60	R									NA		NA		08/25/2008
(738) Cemetery Rd	3.70	140	R									NA		NA		08/25/2008
(738) Kingswood Rd	0.79	140	R									NA		NA		08/25/2008
(738) Kingswood Rd	3.82	110	R									NA		NA		08/25/2008
(739) T N Snow Rd	2.81	140	R									NA		NA		07/30/2008
(740) Christie Rd	0.56	170	R									NA		NA		07/14/2011
(740) Chistie Rd	0.26	270	R									NA		NA		07/14/2011
(740) Wilson Rd	1.55	210	R									NA		NA		07/14/2011
(740) Wilson Rd	2.75	140	R									NA		NA		07/14/2011
(741) Lowery Rd	4.22	180	R									NA		NA		08/25/2008
(741) Wallace Cole Rd	0.20	650	G	97%	1%	1%	1%	0%	0%	C	NA		690	G		2011
(741)	0.22	530	R									NA		NA		08/19/2008
(742) Alphonse Dairy Rd	1.29	670	R									NA		NA		08/11/2008
(742) Alphonse Dairy Rd	0.90	150	R									NA		NA		08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(743) Ponderosa Rd	2.20	400	R									NA		NA		07/14/2011
(744) Stewart Trail	0.86	60	R									NA		NA		07/14/2011
(744) Stewart Trail	0.04	90	R									NA		NA		07/14/2011
(744) Shady Grove Church Rd	2.71	200	R									NA		NA		07/14/2011
(744) East Hyco Rd	3.71	560	G	99%	0%	0%	0%	0%	0%	F		NA	600	G		2011
(744) East Hyco Rd	3.34	1700	F	99%	0%	0%	0%	0%	0%	C	0.097	F	1800	F		2011
(744) Riverdale Dr	0.13	270	R									NA		NA		09/08/2008
(744) Riverdale Dr	0.41	320	R									NA		NA		09/08/2008
(745) Loftis Rd	1.20	390	R									NA		NA		08/19/2008
<b>Clover</b>																
(746) Mt Laurel Rd	0.48	970	F	96%	1%	1%	1%	2%	0%	C	0.087	F	990	F		2011
<b>Halifax County</b>																
(746) Mt Laurel Rd	4.15	610	F	96%	1%	1%	1%	2%	0%	F	0.09	F	620	F		2011
(746) Mt Laurel Rd	3.92	560	F	93%	0%	1%	1%	6%	0%	C	0.097	F	570	F		2011
(746) Mt Laurel Rd	0.38	630	F	96%	1%	1%	1%	2%	0%	F	0.101	F	640	F		2011
(747) Flints Rock Rd	1.06	210	R									NA		NA		07/14/2011
(747) Solomon Rd	2.10	190	R									NA		NA		07/14/2011
(748) Slick Rock Rd	2.50	100	R									NA		NA		07/28/2008
(749) Woods Creek Lane	1.20	190	R									NA		NA		08/11/2011
(750) Long Branch Lane	0.90	120	R									NA		NA		08/11/2011
(751) Piney Grove Rd	1.80	220	R									NA		NA		07/19/2011
(751) Piney Grove Rd	0.45	180	R									NA		NA		08/11/2008
(751) Storys Creek Rd	2.95	120	R									NA		NA		08/11/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(751) Storys Creek Rd	0.80	260	R			From: 41-692 Richardson Lane					NA		NA			08/11/2008
						To: 41-658 Melon Rd										
(752) Ham Tuck Trail	1.10	30	R			From: Dead End					NA		NA			08/11/2008
						To: 41-751 Storys Creek Rd										
(753) Beulah Rd	2.60	120	R			From: 41-667 Leda Rd					NA		NA			07/30/2008
						To: 41-899 Coleman Trail										
(753) Beulah Rd	2.00	180	R			From: SR 57 Chatham Rd					NA		NA			07/30/2008
						To: 41-644 Stoney Ridge Rd										
(754) Cora Watts Trail	0.65	30	R			From: Dead End					NA		NA			07/28/2008
						To: 41-643 MeKendree Church Rd										
(755) Bradley Rd	0.20	120	R			From: US 501, L P Bailey Mem Hwy					NA		NA			08/02/2011
						To: SR 57 Chatham Rd										
(756) Cheerful Lane	0.55	130	R			From: 41-882 Dixon Trail					NA		NA			08/02/2011
						To: 41-675 Ridgeway Rd										
(756) Cheerful Lane	0.25	40	R			From: Dead End					NA		NA			07/28/2008
						To: 41-786 Runaway Rd										
(757) Beales Lane	1.70	60	R			From: 41-603 Cody Rd					NA		NA			07/30/2008
						To: Dead End										
(757) Beales Lane	0.30	130	R			From: 41-623 Mortons Ferry Rd					NA		NA			07/30/2008
						To: US 501 Huell Matthews Hwy										
(758) Crossroads Trail	0.50	80	R			From: Dead End					NA		NA			07/28/2008
						To: 41-623 Mortons Ferry Rd										
(759) Horseshoe Trail	1.68	170	R			From: SR 360 Bethel Rd					NA		NA			07/14/2011
						To: Dead End										
(760) Ferry Trail	0.50	60	R			From: 41-621 Beaver Pond Rd					NA		NA			08/11/2011
						To: Dead End										
(761) Boxwood Rd	1.40	50	R			From: 41-851 Old Rd					NA		NA			07/30/2008
						To: US 501, L P Bailey Mem Hwy										
(761) Boxwood Rd	0.60	120	R			From: SR 96 W, Virgilina Rd					NA		NA			08/02/2011
						To: 41-886 Watts Trail										
(762) Zion Hill Church Loop	0.30	90	R			From: SR 96 E, Virgilina Rd					NA		NA			07/14/2011
						To: 41-677 Ridge Rd										
(762) Zion Hill Church Loop	0.30	60	R			From: North Carolina State Line					NA		NA			07/14/2011
						To: 41-693 Pointer Rd										
(763) Pine Ridge Trail	0.70	170	R			From: Dead End					NA		NA			07/28/2011
						To: 41-693 Pointer Rd										
(764) Vir Drive	0.64	230	R			From: Dead End					NA		NA			07/19/2011
						To: 41-693 Pointer Rd										
(764) Pine Tree Rd	0.25	590	R			From: Dead End					NA		NA			07/19/2011
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(765) Clinton Rd	1.19	20	R									NA		NA		07/30/2008
(765) Clinton Rd	1.00	60	R									NA		NA		07/30/2008
(766) Waltman Rd	1.10	80	R									NA		NA		07/30/2008
(767) Brandon Chapel Rd	0.55	170	R									NA		NA		07/19/2011
(768) Hendricks Rd	0.75	80	R									NA		NA		07/19/2011
(769) New Bethel Rd	1.10	100	R									NA		NA		07/19/2011
(770) High Rock Trail	1.20	80	R									NA		NA		08/04/2008
(771) Deer Ridge Trail	0.80	80	R									NA		NA		08/06/2008
(772) Pierces Trail	1.15	60	R									NA		NA		07/30/2008
(773) Jeffress Trail	1.17	150	R									NA		NA		07/19/2011
(774) Peaks Trail	0.80	60	R									NA		NA		07/30/2008
(775) Newton Farm Rd	1.39	300	R									NA		NA		08/19/2008
(776) Wilborn Rd	2.65	40	R									NA		NA		08/13/2008
(777) Jennings Lane	1.30	140	R									NA		NA		07/28/2008
(778) Green Valley Rd	4.80	180	R									NA		NA		08/04/2011
(779) Hudson Dr	0.80	250	R									NA		NA		07/19/2011
(780) Blounts Crossing Trail	1.00	60	R									NA		NA		08/04/2011
(780) Lloyds Mill Rd	1.40	100	R									NA		NA		08/04/2011
(781) Deer View Trail	1.75	70	R									NA		NA		07/26/2011



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(782)	2.25	160	R								NA			NA		08/06/2008
From: SR 344 McDonald Rd																
To: Dead End																
(783)	Golf Course Rd	1.30	1200	F	99%	0%	1%	0%	0%	0%	C	0.11	F	1200	F	2011
From: US 501 Main St; Halifax Rd																
To: 41-651 Cowford Rd																
(784)	Mason Trail	1.70	50	R							NA			NA		07/28/2008
From: 41-626 Clarkton Rd																
To: Dead End																
(785)	Depot Lane	0.32	50	R							NA			NA		08/04/2011
From: 41-626 Clarkton Rd																
To: Dead End																
(786)	Runaway Rd	1.20	70	R							NA			NA		07/30/2008
From: 41-649 Old Concord Rd																
To: 41-757 Beales Lane																
(787)	Fowler Trail	0.65	80	R							NA			NA		08/11/2008
From: 41-703 Sandy Beach Rd																
To: Dead End																
(788)	St Mark Church Rd	0.40	60	R							NA			NA		08/13/2008
From: Dead End																
To: 41-711 Alton Post Office Rd																
(789)	Lacks Town Rd	1.00	220	R							NA			NA		08/11/2011
From: 41-746 Mt Laurel Rd																
To: Dead End																
(790)	Old Cedar Trail	1.30	30	R							NA			NA		07/30/2008
From: Dead End																
To: 41-609 West Store Rd																
(791)	Leighwood Trail	0.39	320	R							NA			NA		07/28/2011
From: SR 57 Chatham Rd																
To: 41-840 Sweeney Trail																
(791)	Leighwood Trail	0.60	220	R							NA			NA		07/28/2011
From: 0.60 ME 41-840																
To: Dead End																
(791)	Leighwood Trail	0.60	110	R							NA			NA		07/28/2011
From: Dead End																
To: 41-658 Melon Rd																
(792)	Wade Pond Rd	1.95	140	R							NA			NA		08/11/2008
From: 41-658 Melon Rd																
To: Dead End																
(793)	Duck Trail	0.44	70	R							NA			NA		07/28/2011
From: SR 360 Mountain Rd																
To: 0.44 MS SR 360																
(793)	Duck Trail	0.36	50	R							NA			NA		07/28/2011
From: 0.44 MS SR 360																
To: Dead End																
(794)	White Oak Forks Rd	0.26	200	R							NA			NA		08/25/2008
From: 41-734 S. Red Bank Rd																
To: 41-733 West Hitesburg Rd																
(794)	White Oak Forks Rd	1.00	310	R							NA			NA		08/25/2008
From: 41-733 West Hitesburg Rd																
To: 41-601 Bucksheal Rd																
(795)	Alchie Lane	1.40	230	R							NA			NA		07/30/2008
From: Dead End																
To: US 501, L P Bailey Mem Hwy																
(796)	Dabney Warren Rd	1.50	60	R							NA			NA		08/13/2008
From: North Carolina State Line																
To: 41-711 Harmony Rd																
(797)	Traynham Grove Rd	2.70	290	R							NA			NA		08/13/2008
From: 41-711 Harmony Rd																
To: 41-658 Cluster Springs Rd; Turbeville Rd																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(798) Three M Lane	0.90	30	R								NA			NA		08/11/2008
(799) Alex Lane	0.40	90	R								NA			NA		07/28/2008
(800) Three Fork Trail	0.50	80	R								NA			NA		07/30/2008
(802) Myers Rd	0.40	150	R								NA			NA		08/11/2008
(802) Myers Rd	0.75	130	R								NA			NA		08/11/2008
(803) Allen Trail	2.30	100	R								NA			NA		08/04/2008
(804) Stovall Trail	0.50	100	R								NA			NA		08/04/2008
(805) Boyds Ferry Trail	0.30	50	R								NA			NA		08/11/2008
(806) Walker Trail	0.31	60	R								NA			NA		08/06/2008
(807) Dunn Trail	0.80	50	R								NA			NA		08/04/2008
(808) McCulloch Lane	0.52	70	R								NA			NA		08/02/2011
(808) McCulloch Lane	0.48	130	R								NA			NA		08/02/2011
(809) German Creek Rd	1.90	220	R								NA			NA		08/20/2008
(810) Davmunds Trail	0.70	240	R								NA			NA		08/11/2008
(811) Matts Trail	0.90	140	R								NA			NA		08/04/2011
(812) Willie Moore Trail	0.20	60	R								NA			NA		07/28/2011
(812) Willie Moore Trail	0.01	50	R								NA			NA		07/28/2011
(813) Library Lane	0.20	30	R								NA			NA		09/08/2008
(814) Younger Rd	0.80	20	R								NA			NA		08/06/2008
(814) Younger Rd	0.50	70	R								NA			NA		08/06/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(815) Tinsley Trail	0.15	10	R			From: 41-640 Buffalo Rd					NA			NA		07/28/2008
						To: Dead End										
(816) Petes Trail	0.80	50	R			From: Dead End					NA			NA		08/11/2011
						To: 41-607 Rodgers Chapel Rd										
(817) Arthur Ware Trail	0.70	170	R			From: Dead End					NA			NA		08/19/2008
						To: 41-658 Cherry Hill Church Rd										
(818) Covington Trail	0.50	20	R			From: 41-746 Mt Laurel Rd					NA			NA		07/30/2008
						To: Dead End										
(819) Jennys Ruff Trail	1.00	60	R			From: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						To: Dead End										
(820) Jeremy Creek Rd	2.60	50	R			From: Pittsylvania County Line					NA			NA		03/22/2010
						To: 41-659 River Rd										
(821) Shady Lane	0.60	130	R			From: Dead End					NA			NA		08/06/2008
						To: US 360; 41-716										
(822) Jesses Lane	0.38	120	R			From: SR 40 Stage Coach Rd					NA			NA		07/28/2008
						To: Dead End										
(824) Wilkerson Rd	0.91	30	R			From: SR 49 WEST					NA			NA		08/13/2008
						To: SR 49 EAST										
(825) Wilkerson Trail	0.70	45	R			From: Dead End					NA			NA		08/20/2008
						To: 41-655 Blane Rd										
(826) Hendricks Rd	0.80	70	R			From: Dead End					NA			NA		08/06/2008
						To: 41-643; 41-814										
(827) Lee Syd Moore Rd	1.50	80	R			From: SR 344					NA			NA		08/06/2008
						To: 41-720 Green Level Rd										
(828) Bethel Trail	0.70	50	R			From: Dead End					NA			NA		08/06/2008
						To: 41-659 River Rd										
(829) Samuel Rd	0.30	20	R			From: Dead End					NA			NA		08/13/2008
						To: 41-693 Pointer Rd										
(829) Foster Rd	0.71	160	R			From: 41-693 Pointer Rd					NA			NA		07/19/2011
						To: SR 119 Calvary Rd										
(830) Clark Jordan Trail	0.40	70	R			From: Dead End					NA			NA		08/20/2008
						To: US 501 Huell Matthews Hwy										
(831) Carr	0.50	110	R			From: 41-615 Tucker Rd					NA			NA		08/04/2008
						To: Dead End										
(833) Meadville Trail	0.38	60	R			From: 41-642 Meadville Rd					NA			NA		08/04/2008
						To: Dead End										
(834) Luethels Lane	0.63	70	R			From: Dead End					NA			NA		07/28/2008
						To: 41-632 Hog Wallow Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(835) Sawmill Trail	1.00	40	R			From: 41-753 Beulah Rd					NA			NA		07/30/2008
						To: Dead End										
(836) Scale Rd	1.00	47	R			From: US 58 Philpott Rd					NA			NA		08/11/2008
						To: Dead End										
(837) Billys Lane	1.00	100	R			From: 41-681 Union Church Rd					NA			NA		08/06/2008
						To: Dead End										
(838) Lilborn Trail	0.75	110	R			From: 41-748 Slick Rock Rd					NA			NA		07/30/2008
						To: Dead End										
(839) Piney Ridge Rd	0.50	150	R			From: 41-645 Acorn Rd					NA			NA		07/28/2008
						To: Dead End										
(840) Sweeney Trail	0.70	100	R			From: Dead End					NA			NA		08/06/2008
						To: 41-791 Leighwood Trail										
(841) Garretts Trail	0.80	20	R			From: 41-746 Mt Laurel Rd					NA			NA		07/30/2008
						To: Dead End										
(842) Bessie Marion Trail	0.25	120	R			From: Dead End					NA			NA		08/06/2008
						To: 41-610 Murphy Grove Rd										
(843) Millstone Church Trail	0.52	70	R			From: US 501, L P Bailey Mem Hwy					NA			NA		08/02/2011
						To: Dead End										
(844) Tune Trail	0.60	30	R			From: SR 57 Chatham Rd					NA			NA		08/04/2008
						To: Dead End										
(845) Ed Mason Lane	0.30	60	R			From: Dead End					NA			NA		07/30/2008
						To: SR 57 Chatham Rd										
(846) Toms Trail	1.00	50	R			From: Dead End					NA			NA		07/30/2008
						To: 41-621 Newbill School Rd										
(847) Cherry St	0.06	510	R			From: US 501 Halifax Rd					NA			NA		08/25/2011
						To: 41-1313 First St										
(848) Fox Trail	0.63	80	R			From: Dead End					NA			NA		09/08/2008
						To: 41-682 Old Grubby Rd										
(849) Coon Trail	0.30	50	R			From: Dead End					NA			NA		08/04/2008
						To: 41-662 Birch Elmo Rd										
(850) Owen Walker Rd	0.62	50	R			From: Dead End					NA			NA		08/13/2008
						To: 41-711 Harmony Rd										
(851) Old Rd	0.22	20	R			From: US 501, L P Bailey Mem Hwy					NA			NA		08/19/2008
						To: 41-761 Boxwood Rd										
(852) Hunters Lane	0.82	100	R			From: 41-744 East Hyc0 Rd					NA			NA		08/19/2008
						To: Dead End										
(853) Covered Bridge Trail	0.50	110	R			From: US 58 Bill Tuck Hwy					NA			NA		07/14/2011
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(854) Belt Blvd	0.15	100	R									NA		NA		08/30/2011
(854) Belt Blvd	0.09	90	R									NA		NA		08/30/2011
(854) Cage Trail	1.20	570	R									NA		NA		08/06/2008
(855) Fort Hill Trail	0.28	50	R									NA		NA		07/30/2008
(856) Quarles School Trail	0.60	40	R									NA		NA		07/28/2008
(857) Maplewood Dr	0.33	110	R									NA		NA		09/08/2008
(858) Whilow Trail	0.45	70	R									NA		NA		08/19/2008
(859) Farm Rd	0.60	290	R									NA		NA		07/26/2011
(860) Cherry Hill Trail	0.50	70	R									NA		NA		08/06/2008
(861) Browns Trail	0.80	40	R									NA		NA		07/30/2008
(862) Christie Circle	0.54	10	R									NA		NA		08/25/2008
(863) Comer Trail	0.48	50	R									NA		NA		08/25/2008
(864) Cousin Lane	1.60	60	R									NA		NA		07/30/2008
(865) Whitt Loop	0.50	70	R									NA		NA		08/19/2008
(866) Woody Loop	0.40	20	R									NA		NA		08/20/2008
(867) Paul James Rd	0.65	120	R									NA		NA		08/11/2011
(868) Crute Lane	0.50	160	R									NA		NA		08/04/2008
(869) Bates Trail	0.15	60	R									NA		NA		07/30/2008
(870) Terry Trail	0.35	70	R									NA		NA		07/30/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(871) Buck Horace Trail	0.80	90	R				From: Dead End				NA			NA		08/02/2011
							To: 41-642 Liberty Rd									
(872) Carter Trail	0.99	50	R				From: 41-656 Hackberry Rd				NA			NA		07/26/2011
							To: Dead End									
(873) Conner Evans Trail	0.32	80	R				From: Dead End				NA			NA		08/13/2008
							To: 41-707 Paradise Rd									
(874) Vaughn Lane	0.20	20	R				From: Dead End				NA			NA		08/04/2008
							To: 41-610 Clays Mill Rd									
(875) Moormans Lane	0.35	10	R				From: 41-621 Chilsolm Trail				NA			NA		07/30/2008
							To: Dead End									
(876) South Nichols Ferry Trail	0.65	30	R				From: 41-730 Ramble Rd				NA			NA		08/11/2008
							To: Dead End									
(877) Pine Lane	0.14	130	R				From: US 501 Halifax Rd				NA			NA		08/25/2011
							To: Dead End									
(878) John B Scott Trail	0.65	140	R				From: 41-724 Drybridge Rd				NA			NA		08/06/2008
							To: Dead End									
(879) Plywood Trail	0.75	340	R				From: Dead End				NA			NA		08/06/2008
							To: US 360 James D Hagood Hwy									
(880) Burns Trail	0.15	50	R				From: 41-653 Ball Park Loop				NA			NA		07/28/2011
							To: Dead End									
(881) Country Store Rd	0.10	90	R				From: US 58 Philpott Rd				NA			NA		08/11/2008
							To: 41-703 Sandy Beach Rd									
(882) Dixon Trail	0.90	6	R				From: 41-756 Cheerful Lane				NA			NA		08/04/2008
							To: Dead End									
(883) Meadow Dr	0.12	40	R				From: Dead End				NA			NA		08/11/2008
							To: 41-651 Cowford Rd									
(884) Powell Rd	0.11	220	R				From: 41-1314 Cheverly Dr				NA			NA		08/25/2011
							To: 41-1315 Valley Dr									
(884) Powell Rd	0.23	660	R				From: 41-1309 Rosehill Dr				NA			NA		08/25/2011
							To: US 501; SR 129									
(884) Powell Rd	0.17	3000	R				From: 41-744 Shady Grove Church Rd				NA			NA		08/25/2011
							To: Dead End									
(885) Florida Trail	0.50	60	R				From: 41-762 Zion Hill Church Loop				NA			NA		08/19/2008
							To: Dead End									
(886) Watts Trail	0.25	30	R				From: SR 96 E; 41-896				NA			NA		08/19/2008
							To: SR 96 W, Virgilina Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(888) Easley Hill Trail	1.40	130	R			From: 41-642 Meadville Rd					NA			NA		08/04/2008
						To: Dead End										
(889) Griffin Trail	0.80	30	R			From: 41-602 Hitesburg Church Rd					NA			NA		08/13/2008
						To: Dead End										
(890) Phillips Trail	1.25	60	R			From: Dead End					NA			NA		08/11/2008
						To: 41-601 Bucksheal Rd										
(891) Pine Height Trail	0.20	510	R			From: SR 360 Mountain Rd					NA			NA		08/06/2008
						To: 41-1501 Height Trail										
(891) Pine Height Trail	0.25	280	R			From: Dead End					NA			NA		08/06/2008
						To: Dead End										
(892) Chaffin Trail	0.65	60	R			From: Dead End					NA			NA		08/04/2008
						To: 41-626 Howard P Johnson Hwy										
(893) James Trail	0.60	90	R			From: 41-613 Marions Trail					NA			NA		08/11/2011
						To: Dead End										
(894) Whitt Farm Trail	0.40	60	R			From: 41-744 Shady Grove Church Rd					NA			NA		07/14/2011
						To: Dead End										
(895) Old Roxboro Rd	0.93	180	R			From: Dead End					NA			NA		07/14/2011
						To: US 501 Huell Matthews Hwy										
(896) Reaves Loop	0.40	40	R			From: SR 96 W; 41-887					NA			NA		08/19/2008
						To: SR 96 E, Virgilina Rd										
(897) White Lane	0.35	150	R			From: Dead End					NA			NA		08/11/2008
						To: 41-658 Melon Rd										
(898) Paul Pry Trail	0.35	60	R			From: 41-676 Ashbury Church Rd					NA			NA		07/30/2008
						To: Dead End										
(899) Coleman Trail	1.10	50	R			From: 41-753 Beulah Rd					NA			NA		07/30/2008
						To: Dead End										
(901) Wild Turkey Run	0.80	60	R			From: SR 360 Mountain Rd					NA			NA		09/08/2008
						To: Dead End										
(902) Hunters Trail	0.70	50	R			From: Dead End					NA			NA		07/30/2008
						To: 41-739, T N Snow Rd										
(903) Halls Trail	0.70	120	R			From: Dead End					NA			NA		09/08/2008
						To: SR 360; 41-653										
(904) Dogwood Trail	0.30	30	R			From: US 501 Huell Matthews Hwy					NA			NA		08/19/2008
						To: Dead End										
(905) Jimmys Trail	1.15	30	R			From: US 501, L P Bailey Mem Hwy					NA			NA		07/30/2008
						To: Dead End										
(906) Moores Trail	0.30	20	R			From: 41-626 Clarkton Rd					NA			NA		07/28/2008
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
907	Thornton Jim Trail	0.20	60	R							NA			NA		07/30/2008
908	Gilmore Trail	0.30	5	R							NA			NA		08/13/2008
909	Boodie Trail	1.42	40	R							NA			NA		08/20/2008
910	Hatcher Trail	0.45	30	R							NA			NA		08/06/2008
911	Emergency Rd	0.20	20	R							NA			NA		08/13/2008
912	Frog Pond Trail	0.60	20	R							NA			NA		07/28/2008
913	John Puryear Trail	0.50	40	R							NA			NA		08/19/2008
914	Easley Crossing Trail	1.35	80	R							NA			NA		08/23/2011
915	White Oak Trail	0.77	60	R							NA			NA		07/30/2008
916	Pitt Trail	0.48	50	R							NA			NA		08/04/2008
917	Drive In Rd	0.23	160	R							NA			NA		07/28/2008
918	Williams Trail	0.75	220	R							NA			NA		08/06/2008
919	Eastover Dr	0.43	240	R							NA			NA		08/11/2008
920	Faulkner Loop	0.45	20	R							NA			NA		06/25/2008
921	Clements Trail	0.30	50	R							NA			NA		07/30/2008
922	Landfill Lane	0.11	360	R							NA			NA		08/04/2008
923	Barker Trail	0.75	20	R							NA			NA		08/13/2008
924	Dr Lacy Trail	0.25	140	R							NA			NA		07/28/2008
925	Carrington Trail	0.22	60	R							NA			NA		08/19/2008



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(926) Carl Henderson Trail	0.60	20	R			From: SR 360 Mountain Rd					NA			NA		08/04/2008
						To: Dead End										
(927) Throckmorton Trail	0.80	80	R			From: SR 344					NA			NA		08/06/2008
						To: Dead End										
(928) Shelton Rd	0.40	60	R			From: Dead End					NA			NA		08/25/2008
						To: 41-658 Virgie Cole Rd										
(929) Humps Trail	0.25	60	R			From: Dead End					NA			NA		08/11/2008
						To: US 58 Philpott Rd										
(930) Cassada Lane	0.41	70	R			From: 41-654 W, Singi Rd					NA			NA		09/08/2008
						To: 41-654 E, Singi Rd										
(931) Industrial Park Rd	0.51	1300	R			From: US 58 Philpott Rd					NA			NA		09/08/2008
						To: Dead End										
(931) Industrial Park Rd	0.12	1200	R			From: 41-939 Fulp Industrial Rd					NA			NA		09/08/2008
						To: Dead End										
(932) Laprade Manie Trail	0.55	80	R			From: Dead End					NA			NA		07/28/2008
						To: 41-626 Shiloh Church Rd										
(933) Wise Loftis Rd	1.10	30	R			From: 41-606 Rice School Rd					NA			NA		08/13/2008
						To: 41-604 Rip Rap Rd										
(934) Weatherford Loop Rd	0.17	6	R			From: SR 57 S, Chatham Rd					NA			NA		08/06/2008
						To: SR 57 N, Chatham Rd										
(935) Good Trail	0.30	140	R			From: Dead End					NA			NA		08/06/2008
						To: 41-716 Wolf Trap Rd										
(936) McNear Trail	0.71	40	R			From: Dead End					NA			NA		08/04/2008
						To: 41-673 Farmer Trail										
(937) Cliborne Trail	0.44	70	R			From: Dead End					NA			NA		08/04/2008
						To: 41-626 Howard P Anderson Rd										
(938) Mallard Lane	0.13	240	R			From: 41-654 Singi Rd					NA			NA		09/08/2008
						To: Dead End										
(939) Fulp Industrial Rd	0.93	570	R			From: 41-931 Industrial Park					NA			NA		09/08/2008
						To: US 58 Philpott Rd										
(940) Fan Park Dr	0.25	120	R			From: Dead End					NA			NA		09/09/2008
						To: 41-654 Singi Rd										
(941) Indian Jim Trail	0.35	50	R			From: Dead End					NA			NA		08/02/2011
						To: 41-808 McCulloch Lane										
(942) Tuck Airport Rd	0.64	90	R			From: Dead End					NA			NA		08/06/2008
						To: 41-716 Wolf Trap Rd										
(943) Railroad Trail	0.08	20	R			From: Pittsylvania County Line					NA			NA		08/11/2008
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(944) Fox Den Trail	0.25	80	R									NA		NA		08/23/2011
(945) Hankins Loop Rd	0.32	20	R									NA		NA		08/06/2008
(946) Dawson Trail	0.55	150	R									NA		NA		07/19/2011
(948) Talley Loop	0.29	70	R									NA		NA		08/04/2008
(949) Propst Trail	0.20	40	R									NA		NA		08/19/2008
(950) Herbert Allen Trail	0.25	40	R									NA		NA		08/11/2008
(951) Confroy Dr	0.13	600	R									NA		NA		07/14/2011
(952) Confroy Dr	0.80	380	R									NA		NA		07/14/2011
(953) Robert Wilkins Trail	0.50	30	R									NA		NA		08/25/2008
(954) Milner Lane	0.71	60	R									NA		NA		08/02/2011
(955) Hite Lane	0.21	50	R									NA		NA		08/11/2008
(957) Ace Dr	0.49	110	R									NA		NA		09/08/2008
(959) King Village Trail	0.88	120	R									NA		NA		08/18/2011
(960) Elmer Barker Trail	0.43	40	R									NA		NA		08/06/2008
(963) Healey Lane	0.07	5	R									NA		NA		09/08/2008
(964)	0.10	20	R									NA		NA		09/08/2008
(965) John Logan Trail	0.41	40	R									NA		NA		07/30/2008
(980) Chaney Lane	0.04	1300	R									NA		NA		08/04/2008
(985) New Haven Rd	0.21	30	R									NA		NA		08/13/2008

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(990) Newman Dr	0.13	30	R									NA		NA		08/20/2008
<b>Clover</b>																
(1001) East Church St	0.08	180	R									NA		NA		08/04/2008
(1002) Short St	0.09	570	F	94%	1%	1%	1%	4%	0%	C	0.127	F		580	F	2011
(1003) North Gayle St	0.15	90	R									NA		NA		08/11/2011
(1003) North Gayle St	0.10	50	R									NA		NA		08/11/2011
<b>Halifax County</b>																
(1004) Coleman Ave	0.30	50	R									NA		NA		08/03/2008
<b>Clover</b>																
(1004) Coleman Ave	0.11	70	R									NA		NA		08/11/2011
(1005) Delaware St	0.23	210	R									NA		NA		08/11/2011
(1006) Tanyard Branch Trail	0.05	220	R									NA		NA		08/11/2011
<b>Halifax County</b>																
(1030) Brook Run	0.51	410	R									NA		NA		08/18/2011
(1035) Occoneechee Trail	0.52	190	R									NA		NA		07/28/2011
(1036) Lakeshore Dr	0.47	NA										NA		NA		
(1036) Lakeshore Dr	0.27	180	R									NA		NA		07/28/2011
(1040) Chestnut Creek Rd	0.31	100	R									NA		NA		07/28/2011
<b>Town of Halifax</b>																
(1101) Mimosa Dr	0.08	100	R									NA		NA		08/18/2011
(1101) Mimosa Dr	0.15	170	R									NA		NA		08/18/2011
(1102) Cedar Lane	0.06	40	R									NA		NA		08/18/2011
(1102) Cedar Lane	0.08	130	R									NA		NA		08/18/2011
(1102) Cedar Lane	0.23	250	R									NA		NA		08/18/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1103) Oak Lane	0.06	20	R								NA			NA		08/18/2011
(1103) Oak Lane	0.10	90	R								NA			NA		08/18/2011
(1103) Oak Lane	0.11	50	R								NA			NA		08/18/2011
(1104) Pine Rd	0.10	30	R								NA			NA		08/18/2011
(1104) Pine Rd	0.06	49	R								NA			NA		08/18/2011
(1104) Pine Rd	0.11	50	R								NA			NA		08/18/2011
(1105) Maple Ave	0.10	450	R								NA			NA		08/16/2011
(1105) Maple Ave	0.11	270	R								NA			NA		08/16/2011
(1105) Maple Ave	0.02	250	R								NA			NA		08/16/2011
(1105) Maple Ave	0.09	110	R								NA			NA		08/16/2011
(1105) Maple Ave	0.02	10	R								NA			NA		08/16/2011
(1106) Church St	0.08	210	R								NA			NA		09/08/2008
(1107) Elam St	0.12	60	R								NA			NA		08/16/2011
(1107) Elam St	0.03	170	R								NA			NA		08/16/2011
(1108) Craddock St	0.18	220	R								NA			NA		08/16/2011
(1109) Harding St	0.06	70	R								NA			NA		08/16/2011
(1110) Houston St	0.16	230	R								NA			NA		08/19/2008
(1111) Cemetery St	0.04	1000	R								NA			NA		08/11/2008
(1111) Cemetery St	0.06	110	R								NA			NA		08/16/2011
(1112) Hedderly St	0.22	90	R								NA			NA		08/16/2011
(1113) Lakeside Dr	0.03	90	R								NA			NA		08/16/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(1114) Lakeside Dr	0.05	110	R								NA		NA			08/16/2011
(1114) Lakeside Dr	0.08	40	R								NA		NA			08/16/2011
(1115) Buena Vista Dr	0.51	120	R								NA		NA			08/16/2011
(1116) Poplar Lane	0.11	30	R								NA		NA			08/18/2011
(1117) Ash St	0.06	30	R								NA		NA			08/18/2011
(1118) Snead Lane	0.13	170	R								NA		NA			08/16/2011
(1119) Canterbury Dr	0.73	330	R								NA		NA			08/16/2011
(1120) Green St	0.08	490	R								NA		NA			08/16/2011
<b>Halifax County</b>																
(1121) Banister St	0.19	70	R								NA		NA			08/16/2011
<b>Town of Halifax</b>																
(1122) Mary Bethune St	0.05	490	R								NA		NA			08/11/2008
(1123) Back St	0.03	140	R								NA		NA			08/16/2011
(1124) Back St	0.22	140	R								NA		NA			08/16/2011
(1127)	0.13	NA									NA		NA			
<b>Halifax County</b>																
(1130) Crews Trail	0.17	50	R								NA		NA			07/26/2011
<b>Town of Virginia</b>																
(1201) Tenth St	0.10	90	R								NA		NA			07/12/2011
(1201) Tenth St	0.13	60	R								NA		NA			07/12/2011
(1202) Ninth St	0.10	70	R								NA		NA			07/12/2011
(1202) Ninth St	0.09	70	R								NA		NA			07/12/2011
(1202) Ninth St	0.01	60	R								NA		NA			07/12/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Virgilina</b>																
1202 Ninth St	0.11	60	R			From: 0.01 ME 41-1209					NA			NA		07/12/2011
						To: Dead End										
1203 Eighth St	0.07	6	R			From: 41-1207 Alabama St					NA			NA		08/13/2008
1203 Eighth St	0.36	100	R			From: 41-1205 Carolina St					NA			NA		07/12/2011
						To: 41-1208 Ohio St										
1204 Sixth St	0.09	20	R			From: 41-1205 Carolina St					NA			NA		08/13/2008
						To: SR 49 Florence Ave										
1205 Carolina St	0.16	110	R			From: North Carolina State Line					NA			NA		08/13/2008
1205 Carolina St	0.28	70	R			From: SR 96					NA			NA		08/13/2008
						To: 41-1201 Tenth St										
1206 Nevada St	0.10	10	R			From: SR 49 Seventh St					NA			NA		08/13/2008
						To: 41-1203 Eighth St										
1207 Alabama St	0.09	10	R			From: SR 96					NA			NA		08/13/2008
						To: 41-1203 Eighth St										
1208 Ohio St	0.10	50	R			From: 41-1203 Eighth St					NA			NA		07/12/2011
						To: SR 49 Seventh St										
1209 Colorado St	0.09	60	R			From: SR 49 Seventh St					NA			NA		07/12/2011
1209 Colorado St	0.10	40	R			From: 41-1203 Eighth St					NA			NA		07/12/2011
						To: 41-1202 Ninth St										
1210 Tennessee St	0.09	10	R			From: Dead End					NA			NA		08/13/2008
						To: SR 96										
<b>Halifax County</b>																
1220 Union Ave	0.20	80	R			From: 41-734 Red Bank Rd					NA			NA		08/13/2008
						To: Dead End										
1301 Holly Court	0.12	250	R			From: 41-729 Bellevue Rd					NA			NA		08/23/2011
1301 Holly Court	0.20	130	R			From: 41-1302 Quail Lane					NA			NA		08/23/2011
						To: 41-802 Myers Rd										
1302 Quail Lane	0.13	70	R			From: 41-1301 Holly Court					NA			NA		08/23/2011
						To: 41-1303 Highland Hills Dr										
1303 Highland Hills Dr	0.12	190	R			From: 41-729 Bellevue Rd					NA			NA		08/23/2011
1303 Highland Hills Dr	0.14	70	R			From: 41-1302 Quail Lane					NA			NA		08/23/2011
						To: Dead End										
1304 Edgewood Dr	0.09	260	R			From: 41-614 Love Shop Rd					NA			NA		08/06/2008
						To: Dead End										
1305 Hedgeway Dr	0.16	150	R			From: Dead End					NA			NA		08/06/2008
						To: 41-1304 Edgewood Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1306) White Oak Dr	0.04	320	R			From: US 501 Halifax Rd					NA			NA		08/25/2011
(1306) White Oak Dr	0.32	130	R			From: 41-1307 S, Sycamore Rd					NA			NA		08/25/2011
						To: 41-1307 N, Sycamore Rd										
(1307) Sycamore Rd	0.10	60	R			From: Dead End					NA			NA		08/25/2011
(1307) Sycamore Rd	0.08	130	R			From: 41-1306 S, White Oak Dr					NA			NA		08/25/2011
						To: 41-1306 N, White Oak Dr										
(1308) West Oak Dr	1.03	350	R			From: 41-614 N, Love Shop Rd					NA			NA		08/23/2011
						To: 41-614 S, Love Shop Rd										
(1309) Rosehill Dr	0.08	1200	R			From: 41-884 Powell Rd					NA			NA		08/25/2011
						To: Dead End										
(1312) Red Oak Pl	0.06	60	R			From: 41-1305 Hedgeway Dr					NA			NA		08/06/2008
						To: Dead End										
(1313) First St	0.02	70	R			From: Dead End					NA			NA		08/25/2011
(1313) First St	0.13	320	R			From: 41-847 Cherry St					NA			NA		08/25/2011
						To: Dead End										
(1314) Cheverly Dr	0.11	70	R			From: 41-1316 Alta Lane					NA			NA		08/25/2011
						To: 41-884 Powell Rd										
(1315) Valley Dr	0.16	220	R			From: Dead End					NA			NA		08/25/2011
(1315) Valley Dr	0.13	300	R			From: 41-1316 Alta Lane					NA			NA		08/25/2011
						To: 41-884 Powell Rd										
(1316) Alta Lane	0.07	50	R			From: 41-1314 Cheverly Dr					NA			NA		08/25/2011
						To: 41-1315 Valley Dr										
(1317) Turkey Run Rd	0.36	80	R			From: Cul-de-Sac					NA			NA		08/11/2008
						To: 41-802 Myers Rd										
(1320) Laura Court	0.08	200	R			From: 41-716 Rodgers Chapel Rd					NA			NA		08/23/2011
(1320) Laura Court	0.07	70	R			From: 41-1321 Fordland Dr					NA			NA		08/23/2011
						To: Cul-de-Sac										
(1321) Fordland Dr	0.14	100	R			From: 41-1320 Laura Court					NA			NA		08/23/2011
(1321) Fordland Dr	0.03	240	R			From: 41-1322 David St					NA			NA		08/23/2011
(1321) Fordland Dr	0.11	130	R			From: 41-1324 Evergreen Trail					NA			NA		08/23/2011
						To: 41-1323 Greenway Lane										
(1322) David St	0.07	210	R			From: 41-716 Rodgers Chapel Rd					NA			NA		08/23/2011
						To: 41-1321 Fordland Dr										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Halifax County</b>																
(1323) Greenway Lane	0.09	150	R			From: 41-716; 41-729 To: 41-1321 Fordland Dr					NA			NA		08/23/2011
(1324) Evergreen Trail	0.37	150	R			From: 41-1321 Fordland Dr To: Cul-de-Sac					NA			NA		08/23/2011
(1330) Wildflower Dr	0.08	430	R			From: 41-659 River Rd To: 41-1331 S, Greenfield Rd					NA			NA		07/26/2011
(1330) Wildflower Dr	0.29	150	R			From: 41-1331 S, Greenfield Rd To: 41-1331 N, Greenfield Rd					NA			NA		07/26/2011
(1331) Greenfield Rd	0.05	30	R			From: Cul-de-Sac To: 41-1330 N, Wildflower Dr					NA			NA		07/26/2011
(1331) Greenfield Rd	0.30	90	R			From: 41-1330 N, Wildflower Dr To: 41-1332 Aster Place					NA			NA		07/26/2011
(1331) Greenfield Rd	0.07	190	R			From: 41-1332 Aster Place To: 41-1330 S, Wildflower Dr					NA			NA		07/26/2011
(1331) Greenfield Rd	0.19	70	R			From: 41-1330 S, Wildflower Dr To: 41-682 Old Grubby Rd					NA			NA		07/26/2011
(1332) Aster Place	0.06	80	R			From: Cul-de-Sac To: 41-1331 Greenfield Rd					NA			NA		07/26/2011
(1336) Westside Dr	0.13	500	R			From: 41-1338 Lincoln Dr To: 41-1337 East Forest Trail					NA			NA		07/26/2011
(1336) Westside Dr	0.21	1000	R			From: 41-1337 East Forest Trail To: 41-1339 Cathy Sue Lane					NA			NA		07/26/2011
(1336) Westside Dr	0.06	1200	R			From: 41-1339 Cathy Sue Lane To: 41-654 Singi Rd					NA			NA		07/26/2011
(1337) East Forest Trail	0.06	110	R			From: Dead End To: 41-1336 Westside Dr					NA			NA		07/26/2011
(1337) West Forest Trail	0.05	60	R			From: 41-1336 Westside Dr To: Dead End					NA			NA		07/26/2011
(1338) Lincoln Dr	0.33	450	R			From: Cul-de-Sac To: 41-1336 Westside Dr					NA			NA		07/26/2011
(1339) Cathy Sue Lane	0.13	180	R			From: Cul-de-Sac To: 41-1336 Westside Dr					NA			NA		07/26/2011
(1349) Sunshine Dr	0.27	860	R			From: US 501 Main St To: Cul-de-Sac					NA			NA		08/16/2011
(1401) Seven Oaks Dr	0.08	110	R			From: Dead End To: 41-1404 Pine Court					NA			NA		08/30/2011
(1401) Seven Oaks Dr	0.08	240	R			From: 41-1404 Pine Court To: 41-1403 Ratliff Dr					NA			NA		08/30/2011
(1401) Seven Oaks Dr	0.08	640	R			From: 41-1403 Ratliff Dr To: 41-1402 Cedar Court					NA			NA		08/30/2011
(1401) Seven Oaks Dr	0.17	670	R			From: 41-1402 Cedar Court To: US 58 Bill Tuck Hwy					NA			NA		08/30/2011



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Halifax County</b>																	
1402 Cedar Court	0.05	30	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011	
						To: Cul-de-Sac											
1403 Ratliff Dr	0.22	120	R			From: Dead End					NA			NA		08/30/2011	
1403 Ratliff Dr	0.07	390	R			From: 41-1406 Eanes Dr					NA			NA		08/30/2011	
1403 Elm Court	0.04	50	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011	
						To: Dead End											
1404 Pine Court	0.05	90	R			From: 41-1401 Seven Oaks Dr					NA			NA		08/30/2011	
						To: Dead End											
1405 Memorial Dr	0.34	190	R			From: Dead End					NA			NA		08/30/2011	
						To: 41-744 Riverdale Dr											
1406 Eanes Dr	0.08	240	R			From: Dead End					NA			NA		08/30/2011	
						To: 41-1403 Ratliff Dr; Elm Court											
1407 Watlington Dr	0.20	110	R			From: Dead End					NA			NA		08/11/2008	
						To: 41-1406 Eanes Dr											
1410 Shepherds Gate Rd	0.27	310	R			From: 41-854 Belt Blvd					NA			NA		08/30/2011	
						To: US 360 James D Hagood Hwy											
1501 Height Trail	0.14	150	R			From: 41-1502 Pine Trail					NA			NA		07/28/2011	
						To: 41-891 Pine Height Trail											
1502 Pine Trail	0.06	30	R			From: Cul-de-Sac					NA			NA		07/28/2011	
						To: 41-1501 Height Trail											
1502 Pine Trail	0.08	60	R			From: Dead End					NA			NA		07/28/2011	
						To: Dead End											
9180 High School Circle	0.88	1800	R			From: Halifax High School					NA			NA		03/08/2011	
						To: SR 129 Old Halifax Rd											
9181 Clays Mill School Dr	0.12	460	R			From: Cul-de-Sac					NA			NA		03/15/2011	
						To: 41-612 Clays Mill School Rd											
<b>Town of Virgilina</b>																	
9182 Virgilina School Rd	0.09	0	R			From: 41-1220 Union Ave					NA			NA		03/15/2011	
						To: Cul-de-Sac											
<b>Halifax County</b>																	
9183 Meadville School Loop	0.10	150	R			From: SR 57 Chatham Rd					NA			NA		03/08/2011	
						To: SR 57 Chatham Rd											
9184 S of Dan School Rd	0.08	0	R			From: 41-658 Cherry Hill Church Rd					NA			NA		03/15/2011	
						To: 41-658 Cherry Hill Church Rd											
9185 School House Rd	0.16	0	R			From: Dead End					NA			NA		03/08/2011	
						To: 41-658 Melon Rd											
9187 Volens School Rd	0.06	0	R			From: US 501, L P Bailey Mem Hwy					NA			NA		03/08/2011	
						To: US 501, L P Bailey Mem Hwy											

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Halifax</b>																
(9188) Halifax Elementary Dr	0.05	0	R									NA		NA		03/08/2011
<b>Halifax County</b>																
(9189) Scottsburg School Trail	0.11	300	R									NA		NA		03/15/2011
(9509) Middle School Circle	0.43	1200	R									NA		NA		03/08/2011
(9509) Middle School Circle	0.16	1300	R									NA		NA		03/08/2011
(9822) Sydnor Jennings Rd	0.06	300	R									NA		NA		03/08/2011
(9823) Cluster Springs School Rd	0.09	0	R									NA		NA		03/15/2011
(9823) Cluster Springs School Rd	0.17	0	R									NA		NA		03/15/2011
(9848) Sinai Elementary Dr	0.08	740	R									NA		NA		03/08/2011
(9949) Wilson Mem School Loop	0.06	0	R									NA		NA		03/08/2011
<b>Town of South Boston</b>																
(130) Railroad Ave	0.36	430	G	92%	0%	1%	7%	0%	0%	C	NA			470	G	2011
(130) Railroad Avenue	0.18	560	G	92%	0%	1%	7%	0%	0%	F	NA			600	G	2011
(130) Riley Ave	0.16	850	G	98%	1%	1%	0%	0%	0%	C	NA			920	G	2011
(130) Seymour Dr	0.11	640	G	92%	1%	2%	5%	0%	0%	C	NA			700	G	2011
(130) Vaughan St	0.35	980	G	98%	1%	1%	0%	0%	0%	C	NA			1100	G	2011
(130) Webster St	0.61	860	F	98%	1%	1%	0%	0%	0%	C	0.091	F		910	F	2011
(130) Third St	0.14	390	G	97%	0%	2%	0%	0%	0%	C	NA			420	G	2011
(130) Berry Hill Rd	1.13	1700	G	99%	0%	1%	0%	0%	0%	C	NA			1900	G	2011
(130) Berry Hill Rd	0.20	2400	G	99%	0%	1%	0%	0%	0%	F	NA			2600	G	2011
(130) Edmunds St	0.06	2500	G	99%	0%	1%	0%	0%	0%	F	NA			2700	G	2011
(130) Edmunds St	0.45	1600	G	97%	0%	1%	1%	0%	0%	C	NA			1800	G	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Halifax Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of South Boston</b>																
4700 130 Edmunds St	0.54	1300	From:	US 501 Wilborn Ave				C	NA					1400	G	2011
			To:	SR 29; North Main St												
4701 130 Marshall Ave	0.15	700	From:	Seymour Dr				F	0.128	F				750	F	2011
			To:	Fenton St												
4701 130 Marshall Ave	0.41	890	From:	Fenton St				C	NA					970	G	2011
			To:	Hodges St												
4702 130 Hamilton Blvd	0.37	3200	From:	SCL South Boston				C	0.101	F				3400	F	2011
			To:	Wilborn Ave												
4702 130 Hamilton Blvd	0.70	5600	From:	SR 129 North Main St				C	0.096	F				6000	F	2011
			To:	US 360 John Randolph Blvd												
4704 130 College St	0.80	1200	From:	North Main St				C	NA					1300	G	2011
			To:	Cavalier Blvd												
4710 130 Jeffress St	0.20	780	From:	North Main St				C	NA					850	G	2011
			To:	Jeffress St												
4710 130 Fenton St	0.19	580	From:	Jeffress St				C	NA					630	G	2011
			To:	Marshall Ave												
4713 130 Watkins Ave	0.61	2200	From:	Edmunds St				C	0.094	F				2300	F	2011
			To:	Seymour Dr												
Carrington St		NA	From:	Watkins Ave					NA					NA		
			To:	Noblin Ave												
College St		530	From:	Llewellyn Avenue					0.103	F				530	F	2011
			To:	Washington Avenue												
Greenway Dr		360	From:	Wilborn Ave					NA					360	G	2011
			To:	Norwood Ave												
Ridge St		330	From:	Spring Avenue					0.118	F				330	F	2011
			To:	Alderson Avenue												
Robin Hood Rd		430	From:	Halifax Rd					NA					430	G	2011
			To:	Nottingham Dr												