

**2016**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**  
where available

**Special Locality Report**  
**278**  
Town of Parksley

Information in this report is included in Report  
**01**  
(Accomack County)

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

---

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypass - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Parksley

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
176 Bennett St	From:	SR 316 Cossatt Ave															
	Town of Parksley (Maint: 01)	0.38	2800	G	95%	2%	2%	0%	1%	0%	C	0.107		0.592	2900	G	
	To:	ECL Parksley															
316 Cossatt Ave	From:	SCL Parksley															
	Town of Parksley (Maint: 01)	0.07	3600	N	97%	0%	1%	1%	1%	0%	N	0.098		0.603	3700	N	
316 Cossatt Ave	From:	SR 176 Parkesley Rd															
	Town of Parksley (Maint: 01)	0.61	2700	G	97%	0%	1%	1%	1%	0%	F	0.104		0.731	2800	G	
	To:	NCL Parksley															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Parksley</b>																
From: WCL Parksley																
(673/01) Bennett St	0.21	910	G	99%	0%	1%	0%	1%	0%	F	0.103	0.636	940	G	2016	
To: 01-763 Jones Ave																
From: SR 316 Cossatt Ave																
(673/01) Bennett St	0.20	1200	G	99%	0%	1%	0%	1%	0%	F	0.105	0.585	1200	G	2016	
To: WCL Parksley																
From: 01-1820; Staunton Ave																
(674/01) Maxwell St	0.10	220	N								NA		NA		09/07/2011	
To: 01-1820 Maxwell St																
From: 01-1810 Chadbourne St																
(674/01) Staunton Ave	0.06	150	R								NA		NA		09/07/2011	
To: 01-1819 Adelaide St																
From: 01-1803 Staunton Ave																
(674/01) Adelaide St	0.10	310	R								NA		NA		07/07/2011	
To: 01-763 Jones Ave																
From: 01-1823 Wilson Ave																
(674/01) Adelaide St	0.10	400	R								NA		NA		07/07/2011	
To: SR 316 Cossatt Ave																
From: 01-1812 W, Patton St																
(674/01) Adelaide St	0.03	550	R								NA		NA		07/07/2011	
To: 01-1812 E, Dunne Ave																
From: 01-1805 Browne Ave																
(674/01) Adelaide St	0.10	700	R								NA		NA		07/07/2011	
To: 01-1806 Sea Side Ave																
From: 01-678 County Rd																
(674/01) Adelaide St	0.15	590	R								NA		NA		07/07/2011	
To: SCL Parksley																
From: 01-1824 Willis St																
(763/01) Jones Ave	0.01	420	R								NA		NA		08/16/2011	
To: 01-673 Bennett St																
From: 01-1814 Catherine St																
(763/01) Jones Ave	0.06	410	R								NA		NA		08/16/2011	
To: 01-1808 Mary St																
From: 01-674 Adelaide St																
(763/01) Jones Ave	0.06	420	R								NA		NA		08/16/2011	
To: 01-1810 Chadbourne St																
From: 01-1820 Maxwell St																
(763/01) Jones Ave	0.06	350	R								NA		NA		08/03/2011	
To: 01-1813 Collen St																
From: 01-1811 Gertrude St																
(763/01) Jones Ave	0.06	320	R								NA		NA		08/03/2011	
To: Dead End; Gap																
From: 01-1824 Willis St																
(1803/01) Staunton Ave	0.01	180	R								NA		NA		06/23/2011	
To: 01-673 Bennett St																
From: 01-1811 Gertrude St																
(1803/01) Staunton Ave	0.06	310	R								NA		NA		06/23/2011	



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Parksley</b>																
1803 01 Staunton Ave	0.06	300	R			From 01-673 Bennett St					NA			NA		06/23/2011
1803 01 Staunton Ave	0.07	180	R			To 01-1814 Catherine St					NA			NA		06/23/2011
1803 01 Staunton Ave	0.06	310	R			From 01-1808 Mary St					NA			NA		06/23/2011
						To 01-674 Adelaide St										
1804 01 Cooke St	0.06	1700	R			From 01-1812 Dunne Ave					NA			NA		07/14/2011
						To 01-1805 Browne Ave										
1804 01 Cooke St	0.03	1500	R			From 01-1805 W, Browne Ave					NA			NA		07/14/2011
						To 01-1805 E, Virginia Ave					NA			NA		07/14/2011
1804 01 Cooke St	0.06	670	R			From 01-1806 Sea Side Ave					NA			NA		07/14/2011
						To 01-1817 Hickman Ave					NA			NA		07/14/2011
1804 01 Cooke St	0.07	370	R			From 01-678 County Rd					NA			NA		07/14/2011
						To SR 176 Bennett St										
1805 01 Virginia Ave	0.08	380	R			From 01-1804 E, Cooke St					NA			NA		07/14/2011
						To 01-1804 W, Cooke St										
1805 01 Browne Ave	0.10	260	R			From 01-674 Adelaide St					NA			NA		07/14/2011
						To 01-1810 Chadbourne St					NA			NA		07/14/2011
1805 01 Browne Ave	0.07	210	R			From 01-1820 Maxwell St					NA			NA		07/14/2011
						To 01-1813 Callen St					NA			NA		07/14/2011
1805 01 Browne Ave	0.06	40	R			From 01-1811 Gertrude St					NA			NA		07/14/2011
						To SR 176 Bennett St										
1806 01 Sea Side Ave	0.08	190	R			From 01-1804 Cooke St					NA			NA		07/12/2011
						To 01-674 Adelaide St					NA			NA		07/12/2011
1807 01 Woodland Ave	0.06	90	R			From 01-673 Bennett St					NA			NA		07/12/2011
						To 01-1814 Catherine St					NA			NA		07/12/2011
1807 01 Woodland Ave	0.07	120	R			From 01-1808 Mary St					NA			NA		07/12/2011
						To 01-1819 Adelaide St					NA			NA		07/12/2011
1807 01 Woodland Ave	0.07	60	R			From 01-1810 Chadbourne St					NA			NA		07/12/2011
						To 01-1807 Woodland Ave										
1808 01 Mary St	0.10	120	R			From 01-1803 Gap					NA			NA		06/23/2011
						To 01-763 Gap					NA			NA		06/23/2011
1808 01 Mary St	0.10	350	R			From 01-1823 Wilson Ave					NA			NA		06/23/2011
						To SR 316 Cossatt Ave										

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Parksley</b>																
1810 01 Chadbourne St	0.10	60	R			From 01-1807 Woodland Ave					NA			NA		07/13/2011
						To 01-674 Staunton Ave										
1810 01 Chadbourne St	0.10	180	R			From 01-674 Adelaide St					NA			NA		07/13/2011
						To 01-763 Jones Ave										
1810 01 Chadbourne St	0.10	180	R			From 01-763 Jones Ave					NA			NA		07/13/2011
						To 01-1823 Wilson Ave										
1810 01 Chadbourne St	0.10	260	R			From 01-1823 Wilson Ave					NA			NA		07/13/2011
						To SR 316 Cossatt Ave										
1810 01 Chadbourne St	0.01	60	R			From SR 316 Cossatt Ave					NA			NA		07/13/2011
						To 01-1812 Patton St										
1810 01 Chadbourne St	0.10	210	R			From 01-1812 Patton St					NA			NA		07/13/2011
						To 01-1805 Browne Ave										
1811 01 Gertrude St	0.10	120	R			From 01-763 Jones Ave					NA			NA		07/13/2011
						To 01-1823 Wilson Ave										
1811 01 Gertrude St	0.10	120	R			From 01-1823 Wilson Ave					NA			NA		07/13/2011
						To SR 316 Gap										
1811 01 Gertrude St	0.10	50	R			From SR 316 Gap					NA			NA		07/13/2011
						To 01-1812 Gap										
						To 01-1805 Browne Ave										
1812 01 Dunne Ave	0.10	530	R			From SR 176 Bennett St					NA			NA		07/13/2011
						To 01-1804 Cooke St										
1812 01 Dunne Ave	0.10	2800	R			From 01-1804 Cooke St					NA			NA		07/13/2011
						To 01-674 E, Adelaide St										
1812 01 Patton Ave	0.07	240	R			From 01-674 W, Adelaide St					NA			NA		07/13/2011
						To 01-1810 Chadbourne St										
1812 01 Patton Ave	0.07	180	R			From 01-1810 Chadbourne St					NA			NA		07/13/2011
						To 01-1820 Maxwell St										
1812 01 Patton Ave	0.07	190	R			From 01-1820 Maxwell St					NA			NA		07/13/2011
						To 01-1813 Callen St										
1812 01 Patton Ave	0.06	120	R			From 01-1813 Callen St					NA			NA		07/13/2011
						To 01-1811 Gertrude St										
1812 01 Patton Ave	0.05	20	R			From 01-1811 Gertrude St					NA			NA		07/13/2011
						To Dead End										
1813 01 Callen St	0.10	90	R			From 01-763 Jones Ave					NA			NA		07/12/2011
						To 01-1823 Wilson Ave										
1813 01 Callen St	0.10	160	R			From 01-1823 Wilson Ave					NA			NA		07/12/2011
						To SR 316 Cossatt Ave; Gap										
1813 01 Callen St	0.10	80	R			From SR 316 Cossatt Ave; Gap					NA			NA		07/12/2011
						To 01-1812 Patton Ave; Gap										
						To 01-1805 Browne Ave										
1814 01 Catherine St	0.10	170	R			From 01-1807 Woodland Ave					NA			NA		07/12/2011
						To 01-1803 Staunton Ave										
1814 01 Catherine St	0.10	370	R			From 01-1803 Staunton Ave					NA			NA		07/12/2011
						To 01-763 Jones Ave										
1814 01 Catherine St	0.10	170	R			From 01-763 Jones Ave					NA			NA		07/12/2011
						To 01-1823 Wilson Ave										
1814 01 Catherine St	0.10	220	R			From 01-1823 Wilson Ave					NA			NA		07/12/2011
						To SR 316 Cassatt Ave										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Town of Parksley

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Parksley</b>																
1817 01 Hickman Ave	0.08	260	R								NA		NA			06/23/2011
1819 01 Adelaide St	0.10	360	R								NA		NA			06/23/2011
1820 01 Maxwell St	0.10	420	R								NA		NA			06/23/2011
1820 01 Maxwell St	0.10	450	R								NA		NA			06/23/2011
1820 01 Maxwell St	0.10	620	R								NA		NA			06/23/2011
1820 01 Maxwell St	0.10	120	R								NA		NA			09/07/2011
1821 01 White St	0.10	90	R								NA		NA			07/14/2011
1822 01 Pine St	0.10	100	R								NA		NA			07/14/2011
1823 01 Wilson Ave	0.06	470	R								NA		NA			07/14/2011
1823 01 Wilson Ave	0.07	400	R								NA		NA			07/14/2011
1823 01 Wilson Ave	0.06	560	R								NA		NA			07/14/2011
1823 01 Wilson Ave	0.06	520	R								NA		NA			07/14/2011
1823 01 Wilson Ave	0.06	390	R								NA		NA			07/14/2011
1823 01 Wilson Ave	0.06	530	R								NA		NA			07/12/2011
1823 01 Wilson Ave	0.06	380	R								NA		NA			07/12/2011
1823 01 Wilson Ave	0.05	110	R								NA		NA			07/12/2011
1824 01 Willis St	0.10	110	R								NA		NA			07/12/2011