

**2016**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**US**

Federal

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

---

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypass - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Federal

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
4 Buggs Island Rd	Mecklenburg County (Maint: US )	From: South End of John H. Kerr Dam To: North End of John H. Kerr Dam	0.53	900	N	96%	0%	1%	0%	1%	0%	N	0.114	0.555	910	N
48 Blue Ridge Parkway	Grayson County (Maint: US )	From: North Carolina State Line To: SR 89 Skyline Hwy	1.13	560	O								NA		NA	
48 Blue Ridge Parkway	Grayson County (Maint: US )	From: SR 89 Skyline Hwy To: Grayson County Line	3.56	560	O								NA		NA	
48 Blue Ridge Parkway	Carroll County (Maint: US )	From: Grayson County Line To: US 52	12.75	660	O								NA		NA	
48 Blue Ridge Parkway	Carroll County (Maint: US )	From: US 52 To: Patrick County Line	15.59	890	O								NA		NA	
48 Blue Ridge Parkway	Patrick County (Maint: US )	From: Carroll County Line To: US 58	6.33	690	O								NA		NA	
48 Blue Ridge Parkway	Patrick County (Maint: US )	From: US 58 To: Floyd County Line	0.42	1000	O								NA		NA	
48 Blue Ridge Parkway	Floyd County (Maint: US )	From: Patrick County Line To: Patrick County Line	5.92	1000	O								NA		NA	
48 Blue Ridge Parkway	Patrick County (Maint: US )	From: Patrick County Line To: Floyd County Line	0.88	820	O								NA		NA	
48 Blue Ridge Parkway	Floyd County (Maint: US )	From: Floyd County Line To: Patrick County Line	5.23	820	O								NA		NA	
48 Blue Ridge Parkway	Floyd County (Maint: US )	From: SR 8 To: Franklin County Line	11.62	550	O								NA		NA	
48 Blue Ridge Parkway	Franklin County (Maint: US )	From: Franklin County Line To: Floyd County Line	1.51	550	O								NA		NA	
48 Blue Ridge Parkway	Floyd County (Maint: US )	From: Floyd County Line To: Franklin County Line	16.05	510	O								NA		NA	
48 Blue Ridge Parkway	Floyd County (Maint: US )	From: US 221 To: Roanoke County Line	0.03	510	O								NA		NA	
48 Blue Ridge Parkway	Roanoke County (Maint: US )	From: Roanoke County Line To: Floyd County Line	14.69	510	O								NA		NA	
48 Blue Ridge Parkway	Roanoke County (Maint: US )	From: US 220 To: Urban Boundary	2.12	2400	O								NA		NA	
48 Blue Ridge Parkway	Roanoke County (Maint: US )	From: Urban Boundary To: SR 24	6.67	2400	O								NA		NA	

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Federal

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
48 Blue Ridge Parkway	From: SR 24 Roanoke County (Maint: US )	3.64	2400	0												
	To: Botetourt County Line															
48 Blue Ridge Parkway	From: Roanoke County Line Botetourt County (Maint: US )	2.97	2400	0												
	To: US 221, US 460															
48 Blue Ridge Parkway	From: Botetourt County (Maint: US )	12.72	530	0												
	To: Bedford County Line															
48 Blue Ridge Parkway	From: Botetourt County Line Bedford County (Maint: US )	2.18	530	0												
	To: SR 43															
48 Blue Ridge Parkway	From: Bedford County (Maint: US )	1.80	840	0												
	To: Botetourt County Line															
48 Blue Ridge Parkway	From: Bedford County Line Botetourt County (Maint: US )	3.11	840	0												
	To: SR 43															
48 Blue Ridge Parkway	From: Botetourt County (Maint: US )	11.28	290	0												
	To: Bedford County Line															
48 Blue Ridge Parkway	From: Botetourt County Line Bedford County (Maint: US )	10.61	290	0												
	To: US 501															
48 Blue Ridge Parkway	From: Bedford County (Maint: US )	0.19	520	0												
	To: Amherst County Line															
48 Blue Ridge Parkway	From: Bedford County Line Amherst County (Maint: US )	2.38	520	0												
	To: SR 130															
48 Blue Ridge Parkway	From: Amherst County (Maint: US )	15.86	280	0												
	To: Rockbridge County Line															
48 Blue Ridge Parkway	From: Amherst County Line Rockbridge County (Maint: US )	0.15	280	0								0.162	0.637			
	To: US 60															
48 Blue Ridge Parkway	From: Rockbridge County (Maint: US )	18.29	300	0												
	To: Nelson County Line															
48 Blue Ridge Parkway	From: Rockbridge County Line Nelson County (Maint: US )	0.08	300	0												
	To: SR 56															
48 Blue Ridge Parkway	From: Nelson County (Maint: US )	11.09	390	0												
	To: Augusta County Line															
48 Blue Ridge Parkway	From: Nelson County Line Augusta County (Maint: US )	15.97	480	0												
	To: US 250															
48 Skyline Dr	From: Augusta County (Maint: US )	18.17	390	0												
	To: Albemarle County Line															



Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Federal

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
48 Skyline Dr	From: Augusta County Line Albemarle County (Maint: US )	3.65	390	0												
	To: Rockingham County Line															
48 Skyline Dr	From: Albemarle County Line Rockingham County (Maint: US )	8.44	390	0												
	To: Greene County Line															
48 Skyline Dr	From: Rockingham County Line Greene County (Maint: US )	2.08	390	0												
	To: Rockingham County Line															
48 Skyline Dr	From: Greene County Line Rockingham County (Maint: US )	3.26	390	0												
	To: Greene County Line															
48 Skyline Dr	From: Rockingham County Line Greene County (Maint: US )	1.33	390	0												
	To: Rockingham County Line															
48 Skyline Dr	From: Greene County Line Rockingham County (Maint: US )	1.93	390	0												
	To: Greene County Line															
48 Skyline Dr	From: Rockingham County Line Greene County (Maint: US )	1.01	390	0												
	To: Rockingham County Line															
48 Skyline Dr	From: Greene County Line Rockingham County (Maint: US )	0.10	390	0												
	To: US 33															
48 Skyline Dr	From: Rockingham County (Maint: US )	2.69	800	0												
	To: Greene County Line															
48 Skyline Dr	From: Rockingham County Line Greene County (Maint: US )	1.33	800	0												
	To: Rockingham County Line															
48 Skyline Dr	From: Greene County Line Rockingham County (Maint: US )	2.53	800	0												
	To: Page County Line															
48 Skyline Dr	From: Rockingham County Line Page County (Maint: US )	7.77	800	0												
	To: Madison County Line															
48 Skyline Dr	From: Page County Line Madison County (Maint: US )	14.77	800	0												
	To: Rappahannock County Line															
48 Skyline Dr	From: Madison County Line Rappahannock County (Maint: US )	4.99	800	0												
	To: Page County Line															
48 Skyline Dr	From: Rappahannock County Line Page County (Maint: US )	0.06	800	0												
	To: US 211															
48 Skyline Dr	From: Page County (Maint: US )	3.01	650	0												
	To: Rappahannock County Line															

Virginia Department of Transportation  
Traffic Engineering Division  
2016  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Federal

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
48 Skyline Dr	From: Page County Line	Rappahannock County (Maint: US )	4.41	650	O											
	To: Page County Line															
48 Skyline Dr	From: Rappahannock County Line	Page County (Maint: US )	2.09	650	O											
	To: Rappahannock County Line															
48 Skyline Dr	From: Page County Line	Rappahannock County (Maint: US )	5.92	650	O											
	To: Warren County Line															
48 Skyline Dr	From: Rappahannock County Line	Warren County (Maint: US )	1.69	650	O											
	To: Rappahannock County Line															
48 Skyline Dr	From: Warren County Line	Rappahannock County (Maint: US )	3.87	650	O											
	To: Warren County Line															
48 Skyline Dr	From: Rappahannock County Line	Warren County (Maint: US )	10.47	650	O											
	To: US 340; Front Royal															
143 Ingalls Rd	From: US 258 Mercury Blvd	City of Hampton (Maint: US )	0.28	4600	G	99%	0%	0%	0%	0%	C	0.135	0.915	4900	G	
	To: Begin State Maintenance															
90003 Colonial Parkway	From: Jamestown Visitor Center	James City County (Maint: US )	8.05	2400	O											
	To: Williamsburg Corporate Limit															
90003 Colonial Parkway	From: James City County Line	City of Williamsburg (Maint: US )	3.20	4700	O							0.091	0.649			
	To: York County Line															
90003 Colonial Parkway	From: Williamsburg Corporate Limit	York County (Maint: US )	10.77	6000	O											
	To: US 17															
90003 Colonial Parkway	From: US 17	York County (Maint: US )	0.59	2200	O											
	To: 99-1020, Moore House Rd; Yorktown Visitor Center															
90004 Dulles Access Rd	From: Washington Dulles International Airport	Loudoun County (Maint: US )	0.71	NA												
	To: Fairfax County Line															
90004 Dulles Access Rd	From: Loudoun County Line	Fairfax County (Maint: US )	12.94	30000	G							0.099	0.52	30000	G	
	To: SR 267 Dulles Toll Road, McLean															
90005 George Washington Memorial Parkway	From: SR 235 Mount Vernon Memorial Hwy	Fairfax County (Maint: US )	8.44	16000	O											
	To: SCL Alexandria															
90005 George Washington Memorial Parkway	From: 1st Street	City of Alexandria (Maint: US )	1.81	49000	O							0.076	0.619			
	To: NCL Alexandria															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2016  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Federal

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
90005 George Washington Memorial Parkway	From: NCL Alexandria	5.56	62000	O													
	To: Arlington County (Maint: US )																
90005 George Washington Memorial Parkway	From: 00-6741 Spout Run Parkway	3.10	71000	O													
	To: Arlington County (Maint: US )																
90005 George Washington Memorial Parkway	From: Fairfax County Line	4.62	53000	O													
	To: Arlington County Line																
90005 George Washington Memorial Parkway	From: Fairfax County (Maint: US )																
	To: I-495 Capital Beltway																