

2018
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Special Locality Report
139
Town of Wytheville

Information in this report is included in Report
98
(Wythe County)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

-  Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

-  Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
-  ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Wytheville

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: WCL Wytheville															
11 W Lee Hwy	Town of Wytheville	0.29	4100	G	98%	1%	0%	0%	1%	0%	C	0.106	F	0.644	4400	G
	To: 24th St															
11 W Lee Hwy	Town of Wytheville	2.03	7400	F	98%	1%	1%	0%	0%	0%	C	0.098	F	0.512	7900	F
	To: US 21 Main St															
	From: 12th St															
11 21 Main St	Town of Wytheville	0.31	5600	F	98%	1%	0%	0%	1%	0%	F	0.088	F	0.537	5900	F
	To: 4th St															
	From: US 21, 4th St															
11 Main St	Town of Wytheville	0.33	6300	F	98%	1%	0%	0%	1%	0%	F	0.085	F	0.518	6800	F
	To: 5th St															
11 Main St	Town of Wytheville	0.20	6300	F	98%	0%	1%	0%	1%	0%	F	0.087	F	0.527	6700	F
	To: 11th St															
11 E Main St	Town of Wytheville	0.50	9400	G	98%	0%	1%	0%	1%	0%	C	0.085	F	0.522	10000	G
	To: Liberty St															
11 E Main St	Town of Wytheville	0.78	8500	G	98%	0%	1%	0%	1%	0%	F	0.089	F	0.578	9300	G
	To: 139-3 Lithia Rd															
11 E Main St	Town of Wytheville (Maint: 98)	0.08	8500	N	98%	0%	1%	0%	1%	0%	N	0.089	F	0.578	9300	N
	To: I-81															
	From: 4US-00011-P(U)/US-00011-N072A(R)/TO RT 81 NOR															
11 11 Ramp to I-81 N at Exit 73	Town of Wytheville (Maint: 98)	0.27	See US 11 for directional traffic volume estimates for this segment.													
	To: IS-00081-N(R)/US-00011-N072A(R)/FROM RT 11															
	From: I-81															
11 81 77 52	Town of Wytheville (Maint: 98)	0.96	See I-81 for directional traffic volume estimates for this segment.													
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			53000	G	71%	1%	1%	1%	25%	2%	C	0.106	B	0.540	51000	G
	To: NCL Wytheville															
	From: US 11															
North 11 Ramp to I-81 N at Exit 73	Town of Wytheville (Maint: 98)	0.27	3300	G								0.097	F		3300	G
	To: I-81 N															
	From: US 11															
North 11 Ramp to I-81 S at Exit 73	Town of Wytheville (Maint: 98)	0.42	1200	G								0.084	F		1200	G
	To: I-81 S															
	From: SCL Wytheville															
21 Grayson St	Town of Wytheville	0.93	4200	F	97%	0%	0%	1%	1%	0%	C	0.098	F	0.669	4400	F
	To: Main St															
	From: Grayson St															
21 Main St	Town of Wytheville	0.49	6200	F	97%	0%	0%	1%	1%	0%	F	0.094	F	0.646	6600	F
	To: US 11, W Lee Hwy; 12th St															
	From: W Lee Hwy; 12th St															
21 11 Main St	Town of Wytheville	0.31	5600	F	98%	1%	0%	0%	1%	0%	F	0.088	F	0.537	5900	F
	To: 4th Street															
	From: US 11 Main St															
21 4th St	Town of Wytheville	0.53	13000	F	98%	0%	1%	0%	1%	0%	F	0.1	F	0.578	14000	F
	To: W Ridge Rd															























Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Wytheville

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: W Ridge Rd																
21 4th St	Town of Wytheville	0.40	14000	F	98%	0%	1%	0%	1%	0%	C	0.089	F	0.512	15000	F
To: Tazewell St																
21 4th St	Town of Wytheville	0.12	16000	F	98%	0%	1%	0%	1%	0%	F	0.085	F	0.514	17000	F
To: I-81: US 52																
From: US 11																
52 81 77 11	Town of Wytheville (Maint: 98)	0.93														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			53000	G	71%	1%	1%	1%	25%	2%	C	0.106	B	0.540	51000	G
To: NCL Wytheville																
From: US 11																
52 81 77	Town of Wytheville (Maint: 98)	1.29														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			50000	A	71%	1%	1%	1%	25%	2%	F	0.114	A	0.509	47000	A
To: US 11																
From: US 11																
52 81	Town of Wytheville (Maint: 98)	1.99														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			31000	A	79%	1%	1%	1%	17%	1%	F	0.107	A	0.54	30000	A
To: I-77 Wytheville																
From: US 11																
52 81	Ramp I-81 S Exit 70 to US 21; US 58	Town of Wytheville (Maint: 98)	0.27													
See I-81 for directional traffic volume estimates for this segment.																
To: IS-00081-S(B)/IS-00081-S070A(R)/TO RTS 52 , 2																
From: Maintenance Break																
52 4th St	Town of Wytheville	1.89	2700	F	98%	0%	1%	1%	1%	0%	C	0.095	F	0.555	2900	F
To: WCL Wytheville																
From: US 21; US 58																
52 Ramp to I-81 N at Exit 70	Town of Wytheville (Maint: 98)	0.15	4200	G								0.092	F		4200	G
To: I-81 N																
From: US 21; US 58																
52 Ramp to I-81 S at Exit 70	Town of Wytheville (Maint: 98)	0.16	1900	G								0.089	F		1900	G
To: I-81 S																
From: NCL Wytheville																
North South 77 81 11 52	Town of Wytheville (Maint: 98)	0.93	25000	G	75%	1%	1%	1%	21%	2%	C	0.116	B		24000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			53000	G	71%	1%	1%	1%	25%	2%	C	0.106	B	0.540	51000	G
To: US 11																
From: US 11																
North South 77 81 52	Town of Wytheville (Maint: 98)	1.29	24000	A	75%	1%	1%	1%	21%	2%	F	0.118	A		23000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			50000	A	71%	1%	1%	1%	25%	2%	F	0.114	A	0.509	47000	A
To: I-81 Wytheville																
From: I-81 South																
North 77 Ramp I-81 S Exit 72 to I-77 N at Exit 40	Town of Wytheville (Maint: 98)	0.28	12000	G	71%	1%	1%	1%	25%	2%	F	0.082	F		10000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			22000	G	72%	1%	1%	1%	24%	2%	F	0.070	F	0.554	20000	G
To: I-77 North																
From: I-81 Wytheville																
North 77	Town of Wytheville (Maint: 98)	0.31	14000	A	71%	1%	1%	1%	25%	2%	F	0.13	A		13000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			29000	A	72%	1%	1%	1%	24%	2%	F	0.125	A	0.537	26000	A
To: Peppers Ferry Rd																

Virginia Department of Transportation
Traffic Engineering Division
2018
Annual Average Daily Traffic Volume Estimates By Section of Route
Town of Wytheville

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 77	From: Peppers Ferry Rd Town of Wytheville (Maint: 98)	0.23	14000	A	71%	1%	1%	1%	25%	2%	F	0.131	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	72%	1%	1%	1%	24%	2%	F	0.124	A	0.535	27000	A
	To: NCL Wytheville															
North 77 Ramp	From: I-77 North Town of Wytheville (Maint: 98)	0.13	1800	G								0.114	F		1800	G
	To: Peppers Ferry Rd															
South 77 North 81 11 52	From: NCL Wytheville Town of Wytheville (Maint: 98)	0.96	28000	A	67%	1%	1%	1%	29%	2%	C	0.115	A		26000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		53000	G	71%	1%	1%	1%	25%	2%	C	0.106	B	0.540	51000	G
	To: US 11															
South 77 North 81 52	From: US 11 Town of Wytheville (Maint: 98)	0.82	26000	A	67%	1%	1%	1%	29%	2%	F	0.118	A		24000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	A	71%	1%	1%	1%	25%	2%	F	0.114	A	0.509	47000	A
	To: I-81 Wytheville															
South 77 Ramp I-77 S Exit 40 to 81 N Exit 72	From: I-81 N Town of Wytheville (Maint: 98)	0.66	11000	G	73%	1%	1%	1%	22%	2%	F	0.073	F		9300	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		22000	G	72%	1%	1%	1%	24%	2%	F	0.070	F	0.554	20000	G
	To: I-77 S															
South 77	From: I-81 Wytheville Town of Wytheville (Maint: 98)	0.49	15000	A	73%	1%	1%	1%	22%	2%	F	0.137	A		13000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	72%	1%	1%	1%	24%	2%	F	0.125	A	0.537	26000	A
	To: NCL Wytheville															
South 77 Ramp From I-77 S Exit 40 to I-81 S at Exit 72	From: I-77 S Town of Wytheville (Maint: 98)	0.22	2700	G	73%	1%	1%	1%	22%	2%	F	0.098	F		2300	G
	To: I-81 S															
South 77 Ramp	From: I-77 South Town of Wytheville (Maint: 98)	0.33	2300	G								0.09	F		2300	G
	To: I-77 South Exit 41B															
South 77 Ramp	From: I-77-S041B FROM RT 77 Town of Wytheville (Maint: 98)	0.03	NA									NA			NA	
	To: 139-5258 FROM RT 77															
South 77 Ramp	From: I-77-S041A FROM RT 77 Town of Wytheville (Maint: 98)	0.05	NA									NA			NA	
	To: 139-5258 FROM RT 77															
North 81	From: SCL Wytheville Town of Wytheville (Maint: 98)	2.03	13000	G	78%	1%	1%	1%	18%	1%	F	0.104	F		13000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		25000	G	79%	1%	1%	1%	17%	1%	F	0.095	F	0.533	26000	G
	To: US 21; US 52, N Fourth St															
North 81 52	From: US 21, N Fourth St Town of Wytheville (Maint: 98)	2.27	16000	A	78%	1%	1%	1%	18%	1%	F	0.113	A		15000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		31000	A	79%	1%	1%	1%	17%	1%	F	0.107	A	0.54	30000	A
	To: I-77 Wytheville															

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Wytheville

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North North   	From: I-77 Wytheville Town of Wytheville (Maint: 98)	0.82	26000	A	67%	1%	1%	1%	29%	2%	F	0.118	A	24000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			50000	A	71%	1%	1%	1%	25%	2%	F	0.114	A	0.509	47000	A
North North    	From: US 11, E Main St Town of Wytheville (Maint: 98)	0.96	28000	A	67%	1%	1%	1%	29%	2%	C	0.115	A	26000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			53000	G	71%	1%	1%	1%	25%	2%	C	0.106	B	0.540	51000	G
North 	From: I-81 N Ramp I-81 N Exit 70 to US 21; US 58 Town of Wytheville (Maint: 98)	0.19	2200	G								0.091	F	2200	G	
	To: US 21; US 58															
North 	From: I-81 North Ramp From I-81 N Exit 72 to I-77 N at Exit 40 Town of Wytheville (Maint: 98)	0.54	2600	G	71%	1%	1%	1%	25%	2%	F	0.09	F	2300	G	
	To: I-77 North															
North 	From: I-81 North Ramp I-81 N Exit 73 to US 11 Town of Wytheville (Maint: 98)	0.11	1200	G								0.092	F	1200	G	
	To: US 11															
South 	From: SCL Wytheville Town of Wytheville (Maint: 98)	2.71	13000	G	80%	1%	1%	1%	16%	1%	F	0.088	F	13000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			25000	G	79%	1%	1%	1%	17%	1%	F	0.095	F	0.533	26000	G
South  	From: US 21; US 52, N Fourth St US 21, N Fourth St Town of Wytheville (Maint: 98)	1.99	16000	A	80%	1%	1%	1%	16%	1%	F	0.112	A	15000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			31000	A	79%	1%	1%	1%	17%	1%	F	0.107	A	0.54	30000	A
South North   	From: I-77 Wytheville Town of Wytheville (Maint: 98)	1.29	24000	A	75%	1%	1%	1%	21%	2%	F	0.118	A	23000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			50000	A	71%	1%	1%	1%	25%	2%	F	0.114	A	0.509	47000	A
South North    	From: US 11, E Main St Town of Wytheville (Maint: 98)	0.93	25000	G	75%	1%	1%	1%	21%	2%	C	0.116	B	24000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			53000	G	71%	1%	1%	1%	25%	2%	C	0.106	B	0.540	51000	G
South 	From: I-81 South Ramp I-81 S Exit 70 to US 21; US 58 Town of Wytheville (Maint: 98)	0.27	3400	G								0.1	F	3400	G	
	To: US 21; US 58															
South 	From: I-81 South Ramp I-81 S Exit 73 to US 11 Town of Wytheville (Maint: 98)	0.35	3700	G								0.110	F	3700	G	
	To: US 11															

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Wytheville

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Wytheville																
(F36)	0.21	10	R								NA			NA		03/17/2017
(F41) Nye Rd	0.84	1400	F	85%	1%	1%	2%	11%	1%	C	0.106	F	0.523	1500	F	2018
(F42) Factory Outlet Dr	1.36	2400	F	93%	0%	1%	4%	2%	0%	C	0.092	F	0.610	2500	F	2018
(F43) Lovers Lane	0.87	1900	F	88%	0%	1%	2%	8%	0%	C	0.095	F	0.52	2000	F	2018
(F324) Lithia Rd	0.48	1200	F	94%	1%	1%	1%	3%	0%	C	0.096	F	0.524	1200	F	2018
(1) Fairview Rd	1.19	930	F	89%	1%	2%	1%	3%	5%	C	0.106	F	0.606	1000	F	2018
(2) Holston Rd	1.24	2600	F	99%	0%	1%	0%	0%	0%	F	0.105	F	0.631	2800	F	2018
(4) Nye Rd	0.96	1900	G	99%	0%	1%	0%	0%	0%	F	0.073	F	0.506	2000	G	2018
(5250) Old Stage Rd	1.63	1100	G	99%	0%	1%	0%	0%	0%	F	0.099	F	0.682	1200	G	2018
(5252) W Ridge St	1.55	950	F	99%	0%	1%	0%	0%	0%	C	0.099	F	0.717	1000	F	2018
(5252) W Ridge Rd	0.49	1800	F	99%	0%	1%	0%	0%	0%	F	0.1	F	0.576	1900	F	2018
(5253) Withers Rd	0.25	3000	F	98%	1%	1%	1%	1%	0%	F	0.123	F	0.617	3200	F	2018
(5253) 11th St	0.31	1700	F	98%	1%	1%	1%	1%	0%	C	0.116	F	0.68	1800	F	2018
(5253) 11th St	0.07	6300	F	98%	1%	1%	1%	1%	0%	F	0.104	F	0.572	6700	F	2018
(5253) North St	0.12	2100	F	99%	1%	0%	0%	0%	0%	C	0.118	F	0.573	2200	F	2018
(5253) Fisher Rd	0.14	1300	F	99%	0%	0%	0%	0%	0%	C	0.125	F	0.554	1400	F	2018
(5255) Cove Rd	0.52	3100	F	98%	0%	1%	1%	0%	0%	C	0.135	F	0.668	3300	F	2018
(5255) Cove Rd	0.32	1200	F	94%	1%	1%	2%	2%	0%	C	0.110	F	0.507	1300	F	2018
(5255) Cove Rd	0.29	710	F	94%	1%	1%	1%	3%	0%	C	0.102	F	0.530	750	F	2018
(5256) Spring St	0.30	1300	F	99%	0%	0%	0%	0%	0%	C	0.115	F	0.713	1400	F	2018

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Wytheville

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Wytheville																
(5256) Spring St	0.54	1600	F	98%	0%	1%	0%	0%	0%	C	0.125	F	0.696	1700	F	2018
(5257) Tazewell St	0.06	1500	F	98%	0%	1%	1%	0%	0%	F	0.112	F	0.642	1600	F	2018
(5258) Monroe St	0.31	3300	F	98%	0%	1%	0%	1%	0%	F	0.101	F	0.535	3500	F	2018
(5258) Monroe St	0.19	5800	F	98%	0%	1%	0%	1%	0%	F	0.098	F	0.521	6200	F	2018
(5258) Monroe St	0.15	5800	F	98%	0%	1%	0%	1%	0%	F	0.095	F		6200	F	2018
(5258) Monroe St	0.19	5300	G	98%	0%	1%	0%	1%	0%	F	0.094	F	0.556	5800	G	2018
(5258) Peppers Ferry Rd	0.46	6300	G	98%	0%	1%	0%	1%	0%	C	0.087	F	0.509	6900	G	2018
(5258) Peppers Ferry Rd	0.59	6100	F	98%	0%	1%	0%	1%	0%	F	0.095	F	0.502	6500	F	2018
(5258) Peppers Ferry Rd	0.21	2900	N	98%	0%	1%	0%	1%	0%	N	0.103	F	0.592	3100	N	2018
(5258) Peppers Ferry Rd	0.53	2900	F	98%	0%	1%	0%	1%	0%	F	0.103	F	0.592	3100	F	2018
(5258) Ramp	0.29	2600	G								0.066	F		2600	G	2018
(5258) Ramp	0.18	2300	G								0.091	F		2300	G	2018
(5260) 12th St	0.29	2100	F	96%	2%	1%	1%	0%	0%	C	0.109	F	0.552	2300	F	2018
(5260) Union St	0.30	1700	F	96%	2%	1%	0%	0%	0%	C	0.119	F	0.579	1800	F	2018
(5260) Withers St	0.56	2600	F	98%	1%	1%	0%	0%	0%	C	0.102	F	0.535	2700	F	2018
(5261) 4th St	0.31	2000	F	95%	1%	1%	2%	1%	0%	C	0.116	F	0.524	2100	F	2018
(5261) 4th St	0.30	1900	F	97%	0%	1%	1%	1%	0%	C	0.103	F	0.565	2100	F	2018
(5262) Marshall St	0.91	1500	F	93%	1%	1%	4%	2%	0%	C	0.102	F	0.526	1600	F	2018
(5264) Pine St	0.38	4000	F	99%	0%	0%	0%	0%	0%	C	0.094	F	0.561	4300	F	2018
(5264) Pine St	0.44	410	F	99%	1%	1%	0%	0%	0%	C	0.124	F	0.729	440	F	2018
10th St		140	G								0.163	F	0.512	140	G	2018

Virginia Department of Transportation
 Traffic Engineering Division
 2018
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of Wytheville

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Town of Wytheville																
16th St		100	G			From: Spring St				0.126	F	0.677	110	G	2018	
						To: Franklin St										
3rd St		370	G			From: Ridge Street				0.164	F	0.546	370	G	2018	
						To: Reservoir Street										
Church St		630	F			From: Washington St				0.161	F	0.525	670	F	2018	
						To: Withers St										
Mountain View Dr		740	F			From: 11th St				0.109	F	0.623	790	F	2018	
						To: 13th St										
Spiller St		130	F			From: 5th St				0.153	F	0.952	130	F	2018	
						To: 3rd St										
Tazewell St		2800	G	99%	1%	0%	0%	0%	0%	C	0.102	F	0.606	2800	G	2018