

## 1. INTRODUCTION

### 1.1 Project Description


The Virginia Department of Transportation (VDOT), in cooperation with the Federal Highway Administration (FHWA), is studying the environmental consequences of transportation improvements along Interstate 64 (I-64) and the Hampton Roads Bridge-Tunnel (HRBT). The study area, as shown in **Figure 1**, is a one-mile-wide corridor along I-64 from the interchange with I-664 in the City of Hampton to the interchange with I-564 in the City of Norfolk, a distance of approximately 12 miles, including the 3.5-mile-long HRBT.

The purpose of this Technical Memorandum is to describe the potential hazardous materials sites in the study area and identify potential impacts that could result from implementation of the Retained Build Alternatives. Hazardous materials are substances that are ignitable, explosive, corrosive, or toxic. Concerns associated with them include health hazards, environmental damages, liability issues, and potentially high costs of clean-up. Hazardous material sites can include gas stations, industrial sites, businesses that use hazardous materials in commercial operations, aboveground and underground storage tanks, disposal sites, spill sites, and others.




Information in this memorandum will support discussions presented in the Environmental Impact Statement (EIS) and will be considered in the identification of a preferred alternative. Three Retained Build Alternatives, each representing a set of improvements that form a stand-alone solution to the identified needs within the study limits, have been retained for detailed evaluation in the EIS and, therefore, this Technical Memorandum:


- The **Build-8 Alternative** would provide four continuous mainline lanes in each direction of I-64 throughout the study area. Through the Hampton section of the study area, this alternative would require one lane of widening in each direction of I-64. Through the Norfolk section, this alternative would require the addition of two lanes in each direction of I-64. The total pavement width of the Build-8 Alternative mainline would be approximately 150 feet. The eastbound approach bridge would be modified to carry two westbound lanes, and a new four-lane bridge would be constructed approximately 200 feet to the west of the existing bridges to carry the eastbound lanes. A new four-lane tunnel would be constructed approximately 200 feet west of the existing tunnel.
- The **Build-8 Managed Alternative** mainline, bridges, and tunnels would be similar to the Build-8 Alternative, providing four continuous mainline lanes in each direction of I-64 with a new bridge structure and tunnel. However, some or all of the travel lanes would be managed using tolls and/or vehicle occupancy restrictions. Additionally, the typical section would include an approximate four-foot buffer separation between the general purpose lanes and any managed lanes, resulting in a total mainline pavement width of approximately 160 feet. The managed lanes would tie to the high occupancy vehicle (HOV) lanes on I-64 on both ends of the study area.
- The **Build-10 Alternative** would provide five continuous mainline lanes in each direction of I-64 throughout the study area. . Throughout the Hampton section of the study area, this alternative would require widening both directions of I-64 by two lanes. In the Norfolk section of the study area, this alternative would require widening both directions of I-64 by three lanes. The total width of the mainline pavement would be approximately 170 feet. The approach bridges and tunnel would be similar to the Build-8 Alternative; however, the new bridge-tunnel would include one westbound lane and five eastbound lanes for the bridge and the tunnel.

Hampton Roads Bridge Tunnel EIS  
 Hazardous Materials Technical Memorandum



Legend

-  Study Area
-  Build-10 Approximate Limits of Disturbance
-  Interstate Exit



Study Location



Figure  
1

The No-Build Alternative also has been retained to serve as a baseline for comparison of alternatives and their potential effects. Under the No-Build Alternative, I-64 would remain predominantly three lanes per direction within the Hampton section of the study area. The 3.5-mile HRBT would continue with current operations. Within the Norfolk section of the study area, I-64 would remain two lanes per direction, including the I-64 bridges across Willoughby Bay.

As the limits of disturbance for the Retained Build Alternatives are similar, the figures in this memorandum show the limits for the Build-10 Alternative only, which would have the largest disturbance area and therefore the largest potential impact. The text and tables discuss the potential impact of all Retained Build Alternatives in comparison to the No-Build Alternative.

## 1.2 Methods

The federal government and the Commonwealth of Virginia, primarily through the US Environmental Protection Agency (EPA) and Virginia Department of Environmental Quality (VDEQ), respectively, regulate hazardous materials under multiple statutes. These agencies maintain databases of sites and facilities regulated by these statutes. Environmental Data Resources, Inc. (EDR), a commercial database search and environmental risk information provider, was engaged to search the databases listed in **Table 1** to identify and locate sites with the potential presence of any hazardous materials. EDR performed the search for a three-mile-wide corridor centered on existing I-64 within the study limits. The map accompanying the EDR report depicts both the three-mile-wide search corridor and a one-mile-wide corridor centered on I-64. The study area for all other resources evaluated in the Environmental Impact Statement is defined as a one-mile-wide corridor; therefore, only the data within the one-mile corridor has been extracted from the EDR report and presented in this technical memorandum. **Appendix A** contains an itemized listing of all sites within the study area and **Appendix B** contains the EDR report that includes the full data set. The data gathered from the EDR report were reviewed in the field to confirm, to the extent possible using only visual observations, the presence and location of reported sites. The field effort also sought to identify land uses or other visible manifestations of potential hazardous materials that may not have been captured in the database records. Accordingly, potentially contaminated sites include sites where surface and subsurface contamination is documented by regulatory documents and those where contamination is suspected based on current or past land uses.

**Table 1. Searched Federal and State Databases**

	Database	Definition
<b>FEDERAL RECORDS (databases marked with an asterisk had no records within the search area)</b>		
*	NPL	National Priority List (Superfund sites), sites for priority cleanup under the Superfund Program.
*	Proposed NPL	Proposed National Priority List Sites, sites that have been proposed for listing on the NPL through the issuance of a proposed rule in the Federal Register.
*	Delisted NPL	National Priority List deletions.
*	NPL LIENS	Property on which EPA has filed liens in order to recover remedial action expenditures or when the property owner received notification of potential liability.
*	CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Information System. Potentially hazardous waste sites that have been reported to EPA by states, municipalities, private companies, and private persons pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites that are either proposed to or on the NPL and sites that are in the screening and assessment phase for possible inclusion on the NPL.

**Hampton Roads Bridge Tunnel EIS**  
**Hazardous Materials Technical Memorandum**

**Table 1. Searched Federal and State Databases**

	<b>Database</b>	<b>Definition</b>
*	LIENS 2 CERCLA	Sites on which liens can exist by operation of law where EPA has spent Superfund monies.
	CERC-NFRAP	Sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the NPL. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.
*	RCRA-LQG	Resource Conservation and Recovery Act (RCRA), Large Quantity Generators (more than 1,000 kg of hazardous waste, or more than 1 kg of acutely hazardous waste per month).
	RCRA-SQG	RCRA – Small Quantity Generators (between 100 kg and 1,000 kg of hazardous waste per month)
	RCRA-CESQG	RCRA, Conditionally Exempt Small Quantity Generators (less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month).
	RCRA-TSDF	RCRA, Treatment, Storage, or Disposal Facility.
	CORRACTS	Hazardous waste handlers with RCRA corrective action activity.
	RCRA - NonGen	RCRA, do not presently generate hazardous waste.
*	RAATS	RCRA Administrative Action Tracking System, records based on enforcement actions issued under RCRA pertaining to major violators, includes administrative and civil actions brought by EPA.
	US BROWNFIELDS	EPA Listing of brownfields, real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Generally, these consist of abandoned or underused industrial and commercial facilities that may be available for reuse or redevelopment.
	US CDL	Clandestine Drug Lab Locations.
	US HIST CDL	Clandestine Drug Lab Locations.
	DOD	Department of Defense administered lands that have an area equal to or greater than 640 acres.
	FUDS	Formerly Used Defense Sites, properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.
*	US ENG CONTROLS	Engineering Controls Sites List, sites with engineering controls in place, such as various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or affect human health.
*	US INST CONTROL	Sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.
	ERNS	Emergency Response Notification System, reported releases of oil and hazardous substances.
*	HMIRS	Hazardous Materials Information Reporting System, hazardous material spill incidents reported to US Department of Transportation.
*	DOT OPS	Department of Transportation, Office of Pipeline Safety, Incident and Accident data.



**Table 1. Searched Federal and State Databases**

Database	Definition
* LUCIS	Land Use Control Information System, records of land use control information pertaining to former Navy Base Realignment and Closure properties.
* CONSENT	Superfund (CERCLA) Consent Decrees, major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.
* ROD	Records of Decision (ROD), ROD documents mandate a permanent remedy at an NPL (Superfund) site and contain technical and health information to aid in the cleanup.
MLTS	Material Licensing Tracking System, sites that possess or use radioactive materials and are subject to Nuclear Regulatory Commission (NRC) licensing requirements.
* UMTRA	Uranium Mill Tailings Sites.
* ODI	Open Dump Inventory, disposal facilities that do not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.
* MINES	Mines Master Index File.
TRIS	Toxic Chemical Release Inventory System, facilities that release toxic chemicals to the air, water, and land in reportable quantities under SARA Title III, Section 313.
* TSCA	Toxic Substances Control Act, identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list.
ICIS	Integrated Compliance Information System, supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.
FINDS	Facility Index System, contains both facility information and "pointers" to other databases of information that contain more detail.
* FTTS	FIFRA/ TSCA Tracking System, FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act); tracks administrative cases and pesticide enforcement actions and compliance activities.
* HIST FTTS	FIFRA/TSCA Tracking System, administrative case listing from the FIFRA/TSCA Tracking System.
* SSTS	Section 7 Tracking Systems, Section 7 of FIFRA, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to EPA by March 1st each year.
* PADS	Polychlorinated byphenyls (PCB) Activity Database System, Identifies generators, transporters, commercial storers and/or brokers and disposers of PCBs who are required to notify the EPA of such activities.
* RADINFO	Radiation Information Database, facilities that are regulated by EPA regulations for radiation and radioactivity.
* COAL ASH EPA	Coal Combustion Residues Surface Impoundments with high hazard potential ratings.
* SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing.
* PCB TRANSFORMER	PCB Transformer Registration Database.
* FEDERAL FACILITY	Listing of NPL and Base Realignment and Closure (BRAC) sites found in the CERCLIS database where EPA Federal Facilities Restoration and Reuse Office is

**Hampton Roads Bridge Tunnel EIS**  
**Hazardous Materials Technical Memorandum**

**Table 1. Searched Federal and State Databases**

	<b>Database</b>	<b>Definition</b>
		involved in cleanup activities.
*	COAL ASH DOE	Listing of power plants that store ash in surface ponds.
*	FEMA UST	Listing of all FEMA-owned underground storage tanks.
<b>STATE AND LOCAL RECORDS (databases marked with an asterisk had no records within the search area)</b>		
*	VA SWF/LF	Solid Waste Management Facilities.
	VA LUST	Virginia Leaking Underground Storage Tanks.
	VA LTANKS	Leaking Tanks, current leaking petroleum tanks.
	VA UST	Underground Storage Tanks, regulated under Subtitle I of RCRA.
	VA AST	Aboveground Storage Tanks.
*	VA BROWNFIELDS	Brownfields Site Specific Assessments.
*	VA ENF	Enforcement Actions Data.
*	VA AIRS	Permitted Aerometric Information Retrieval System (AIRS) Facility List.
*	VA COAL ASH	Coal Ash Disposal Sites.
	VA ENG CONTROLS	Engineering Controls Sites List, sites with engineering controls in place, such as various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or affect human health.
	VA SPILLS	Pollution Complaint Database.
	VA DRYCLEANERS	Registered Drycleaners.
	VA VRP	Voluntary Remediation Program, sites where owners of contaminated sites have acted to conduct voluntary cleanups that meet state environmental standards. These sites are generally either open dumps or unpermitted solid waste disposal facilities.
	NY MANIFEST	Hazardous waste manifest (a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility) information – New York.
	PA MANIFEST	Hazardous waste manifest information – Pennsylvania.
	RI MANIFEST	Hazardous waste manifest information – Rhode Island.
	VA NPDES	Virginia Water Protection Permits, Virginia Pollution Discharge System, and Virginia Pollution Abatement Permits.
	VA TIER 2	Facilities that store or manufacture hazardous materials and submit a chemical inventory report.
	VA FINANCIAL ASSURANCE	List of financial assurance information for UST facilities, intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if owner/operator of regulated facility is unable or unwilling to pay.
<b>TRIBAL RECORDS (databases marked with an asterisk had no records within the search area)</b>		
*	INDIAN RESERV	Indian administered lands of the US that have an area equal to or greater than 640 acres.
*	INDIAN ODI	Report on the status of open dumps on Indian lands.
*	INDIAN LUST	Leaking Underground Storage Tanks on Indian lands
*	INDIAN UST	Underground Storage Tanks on Indian lands
*	INDIAN VCP	Voluntary Cleanup Priority Listing on Indian lands.

Source: EDR DataMap Area Study.

## 2. ANALYSIS RESULTS

### 2.1 Sites within Study Area

All hazardous materials sites within the study area are shown on **Figures 2A through-2E**. The numbered sites in the figures correspond to the detailed listing in Appendix A. A summary of the types of sites is provided in **Table 2**. There are 178 hazardous materials sites/facilities within the study area.<sup>1</sup> The majority of the sites are either Petroleum Registered Facilities or Petroleum Release Sites. There are 25 RCRA Hazardous Waste sites. These are all small quantity generators (SQG) of hazardous waste or conditionally exempt small quantity generators (CESQG).

**Table 2. Hazardous Materials Sites within Mile-Wide Study Area**

Site Type	Sites in Study Area
Archived CERCLIS site; no further remedial action planned	1
RCRA – Small Quantity Generators (SQG)/Conditionally Exempt SQG	25
RCRA - Treatment, Storage, or Disposal Facility	1
RCRA - Corrective Action Activity	1
RCRA – Not present generators	4
US Brownfields	6
US Clandestine Drug Lab	1
Emergency Response Notification System	12
Integrated Compliance Information System/National Pollutant Discharge System /Sewer Point	11
Petroleum Release Site	62
Petroleum Registered Facility	91
Pollution Complaint Database	38
Virginia Registered Drycleaners	3
VA Voluntary Remediation Program	3
VA TIER 2 - Facilities that store or manufacture hazardous materials	1
Field Identified	23

*\* Total greater than 178 because some of the facilities have two types of attributes, e.g., they are both hazardous waste generators and house ASTs/USTs.*

*Sources: VDOT GIS database; EDR database; field reviews, September 2011.*

### 2.2 Sites Impacted by Alternatives

The No-Build Alternative has no impact to any hazardous material sites. The Retained Build Alternatives have no difference in the number and types of hazardous materials sites within their respective limits of disturbance (**Table 3**). The estimated number of impacted sites is based on the number of sites mapped within the limits of disturbance of the Retained Build Alternatives that may contain hazardous materials or wastes.

**Table 3. Hazardous Materials Sites within the Alternatives**

Site Type	Build 8 Alternative	Build 8 Managed Alternative	Build 10 Alternative
Total Sites*	21	21	21
Archived CERCLIS site; No Further Remedial Action Planned	0	0	0

<sup>1</sup> There are 190 sites shown in Figure 2 and listed in Appendix A; however, twelve sites that were shown in the EDR map as occurring within the one-mile-wide corridor were found upon field investigation to actually fall outside of the study area and are not included in the total within the one-mile-wide study area.

**Hampton Roads Bridge Tunnel EIS**  
**Hazardous Materials Technical Memorandum**

**Table 3. Hazardous Materials Sites within the Alternatives**


<b>Site Type</b>	<b>Build 8 Alternative</b>	<b>Build 8 Managed Alternative</b>	<b>Build 10 Alternative</b>
RCRA – Small Quantity Generators (SQG)/ Conditionally Exempt SQG	3	3	3
RCRA - Treatment, Storage, or Disposal Facility	0	0	0
RCRA - Corrective Action Activity	0	0	0
RCRA – Not presently generating hazardous waste	1	1	1
US Brownfields	2	2	2
US Clandestine Drug Lab	0	0	0
Emergency Response Notification System	2	2	2
Integrated Compliance Information System/ National Pollutant Discharge System/Sewer Point	1	1	1
Petroleum Release Site	8	8	8
Petroleum Registered Facility	15	15	15
Pollution Complaint Database	6	6	6
Virginia Registered Drycleaners	0	0	0
VA Voluntary Remediation Program	1	1	1
VA TIER 2 - Facilities that store or manufacture hazardous materials	0	0	0
Field Identified	2	2	2

*Sources: VDOT GIS database; EDR databases; field reviews, September, 2011.*


*Note: SQG=Small Quantity Generator of Hazardous Waste. CESQG= Conditionally-Exempt SQG.*

*\*The total number of types of sites is greater than the number of actual sites potentially affected because some of the sites have multiple attributes, e.g., they are both hazardous waste generators and house ASTs/USTs.*

Prior to the acquisition of right-of-way and construction, thorough site investigations would be conducted to determine whether any of the sites are actually contaminated, and, if so, the nature and extent of that contamination. Any additional hazardous material sites discovered during construction of a Build Alternative or demolition of existing structures will be removed and disposed of in compliance with all applicable federal, state, and local regulations. All necessary remediation would be conducted in compliance with applicable federal, state, and local environmental laws and would be coordinated with the EPA, DEQ, and other federal or state agencies as necessary.



- Legend**
- Study Area
  - Build-10 Approximate Limits of Disturbance
  - Hazardous Material Site




Hazardous Materials Sites




Figure 2-A






Hampton Roads Bridge Tunnel EIS  
 Hazardous Materials Technical Memorandum





**Legend**

-  Study Area
-  Build-10 Approximate Limits of Disturbance
-  Hazardous Material Site


0 750 1,500 3,000 Feet

**Hazardous Materials Sites**




**Figure**  
2-C

Hampton Roads Bridge Tunnel EIS  
 Hazardous Materials Technical Memorandum







<p><b>Legend</b></p> <ul style="list-style-type: none"> <li><span style="border: 1px solid black; display: inline-block; width: 20px; height: 10px; margin-right: 5px;"></span> Study Area</li> <li><span style="border-top: 1px dashed black; border-bottom: 1px dashed black; display: inline-block; width: 20px; margin-right: 5px;"></span> Build-10 Approximate Limits of Disturbance</li> <li><span style="background-color: yellow; border-radius: 50%; width: 10px; height: 10px; display: inline-block; margin-right: 5px;"></span> Hazardous Material Site</li> </ul> <p style="text-align: right;">0    750    1,500    3,000 Feet</p>	<p>Hazardous Materials Sites</p>
	<p>Figure 2-E</p>



**HAZARDOUS MATERIALS  
TECHNICAL MEMORANDUM**



**APPENDIX A**

**Field Verified Hazardous Materials Sites**

*September 2011*



**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
26	1	Days Inn	1918 Coliseum Drive	Hampton	VA Spills				EDR	
29	2	Findley Marshall Property	1516 N. Armistead Ave	Hampton	Petroleum Release Site				EDR	
30	3	Target	1911 Saville Road	Hampton	RCRA-Non Generator				EDR	
33	4	Armistead Avenue and Freeman Drive	Armistead Avenue and Freeman Drive	Hampton	VA Spills				EDR	
35	5	Cooks Day Nursery and School	22 Marple Lane	Hampton	ICIS				EDR	
49	6	Industrial Dev Auth of Hampton, Fac ID 5019771, CEDs Fac ID, 200000091826/VDOT	33 Pine Chapel Road	Hampton	Petroleum Registered Facility	CESQG	Petroleum Release Site		VDOT Database/EDR	
60	7	McDonald Tract	1265 West Queen Street	Hampton	Petroleum Release Site				EDR	
78	8	1259 West Queen Street	1259 West Queen Street	Hampton	VA Spills				EDR	
79	9	Hampton High School	1491 West Queen Street	Hampton	CESQG	Petroleum Registered Facility			VDOT Database/EDR	VA0000137042 - moved to actual address
87	10	LeMac Nurseries	1332 West Queen Street	Hampton	VA Spills				EDR	
89	11	7-Eleven 34310	1401 West Queen Street	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	Facility ID: 5010941; Not in Study Area.

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
39	12	Pine Chapel Pump Station	42 Freeman Drive	Hampton	Petroleum Registered Facility				VDOT Database/EDR	PINE CHAPEL PUMP STATION, Fac ID 5016842, CEDS Fac ID 200000066582
36	13	Raceway Gas Station	1503 North Armistead Avenue	Hampton	Petroleum Registered Facility	VA Spills			VDOT Database/EDR	Raceway 6799, Fac ID 5037756, CEDS Fac ID 200000200278
41	14	Home Depot	1413 North Armistead Avenue	Hampton	VA Tier 2				EDR	
44	15	Larry's Citgo/Former Sunoco	1100 North Armistead Ave	Hampton	Petroleum Release Site	Petroleum Registered Facility	Small Quantity Generator	VA Spills	VDOT Database/EDR	LARRYS CITGO SERVICENTER INC, FACID: 5005223, CEDS Fac ID 200000089831; former Sunoco at 1100 N Armistead, now Larrys Citgo, was a RCRA regulated facility
45	16	35 Freeman Drive	35 Freeman Drive	Hampton	VA Spills				EDR	
38	17	Y.H. Thomas School	1300 Thomas Street	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	Y.H. THOMAS SCHOOL 5027759 Fac ID , CEDS Fac ID 2000000067816
85	18	Pump Station		Hampton	Field Identified				Field	
82	19	Harrisons Service Center	1107 West Pembroke Avenue	Hampton	Petroleum Registered Facility	Petroleum Release Site	ERNS		EDR	Fac ID 5003531, CEDS Fac ID 200000091168
82	20	BP Gas/Tinee Giant	930 Lasalle Avenue	Hampton	Petroleum Registered Facility				EDR	
	21	W&W Market	930 West Pembroke Avenue	Hampton	Field Identified				Field Identified	

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
72b	22	Lincoln Park Apartments; Hampton Redevelopment and Housing Authority	1139 Lasalle Avenue	Hampton	Petroleum Registered Facility				VDOT Database/EDR	HRHA - RESIDENT COMMUNITY SERVICES BUILDING, Fac ID:5037459, CEDS ID 200000197131; LINCOLN PARK VA 17-2, Fac ID: 5005851, CEDS Fac ID 200000091328
61b	23	EXXON S/S #2-4535, FAC ID: 5010008, CEDS Fac ID	1307 Lasalle Avenue	Hampton	Petroleum Registered Facility				VDOT Database/EDR	Current use Church - Our Lady of Vietnam
72a	24	Lasalle Avenue and Pembroke Avenue	Lasalle Avenue and Pembroke Avenue	Hampton	VA Spills				EDR	
68a	25	Maaco Collision Repair & Auto Painting	827 West Pembroke Avenue	Hampton	Small Quantity Generator	VA Spills			VDOT Database/EDR	ADB INC T/A MAACO AUTO PNT & BODYWORK, FAC ID: VAD131401812
69	26	Hampton Paint Mfg	228 Patterson Avenue	Hampton	Petroleum Registered Facility	CERC-NFRAP	CORRACTS	RCRA-TSDF	VDOT Database/EDR	HAMPTON PAINT MFG CO INC, Fac ID: 5016804, CEDS Fac ID ; SDE_US_EPA_HAZ_WASTE_ACT_SITES VAD003146982 Hampton Paint Mfg located at 228 Patterson Ave accor. to EPA; Gardo Int'l Coatings a SQG is located at 228B Patterson accor. to EPA.

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
68b	27	Chesapeake Bay Mfg. Chesapeake Bay Shutters	813 West Pembroke Avenue	Hampton	VA Spills				EDR	
68c	28	Pembroke Construction Co Inc	802 West Pembroke Avenue	Hampton	Petroleum Registered Facility	CESQG			VDOT Database/EDR	PEMBROKE CONSTRUCTION COMPANY, INC, FacID: 5018088
	29	Alloy Wheel and Tire	805 West Pembroke Avenue	Hampton	Field Identified				Field	
	30	Jim Turner's Auto Clinic	705 W Pembroke Ave	Hampton	Field Identified				Field	
61a	31	Community Center (YMCA)	1322 Lasalle Avenue	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	HAMPTON COMMUNITY SERVICE CENTER, FAC ID: 5022040, CEDS Fac ID
46	32	Autobahn Auto	915 North Armistead Avenue	Hampton	Petroleum Registered Facility				EDR	
50a	33	D&D Auto Body	720 North Armistead Avenue #B	Hampton	Petroleum Registered Facility				VDOT Database/EDR	Almost A Dealership, FAC ID: 5023999
53	34	GBS Towing	601 North Armistead Avenue	Hampton	Petroleum Release Site	VA Spills			EDR	
51	35	600 East Pembroke Avenue	600 East Pembroke Avenue	Hampton	VA Spills				EDR	
34	36	The Orchards	80 North Boxwood Street	Hampton	Petroleum Release Site	VA VCP			EDR	
42f	37	Rea Construction Hampton Asphalt Plant	321 Rip Rap Road	Hampton	Petroleum Registered Facility				EDR	

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
42e	38	Branscome Rip Rap / Floyd B Smith Constr Inc, FAC ID: 5011293	371 Rip Rap Road	Hampton	Petroleum Registered Facility				VDOT Database/ EDR	Branscome Rip Rap / Floyd B Smith Constr Inc, FAC ID: 5011293
42a	39	W&G Crab Meal Corporation	403 Rip Rap Road	Hampton	VA Spills	ERNS			EDR	
42g	40	Titan America	319 Rip Rap Road	Hampton	Petroleum Registered Facility	Small Quantity Generator	VA Spills		VDOT Database/ EDR	Titan America - Rip Rap Road Ready-Mix Plant, Fac ID, CEDS Fac ID 200000091739; Conditionally Exempt SQG
42b	41	Lockwood Brothers Yard #1/Service Yard / Maintenance	402 Rip Rap Road	Hampton	Petroleum Registered Facility				VDOT Database/ EDR	LOCKWOOD BROTHERS YARD #1, Fac ID 5010952, CEDS ID 200000065974
42c	42	Schiller Property	1001 Thomas Street	Hampton	Petroleum Release Site	VA Spills			EDR	Also Schillers Service Corporation 1005 Thomas Street
42d	43	GRAHAM & ROLLINS	391 Rip Rap Road	Hampton	Brownfield				VDOT Database/ EDR	A Phase I Environmental Assessment was completed for this property in 2008. No cleanup was required.
43	44	434 Creek Avenue	434 Creek Avenue	Hampton	VA Spills	ERNS			EDR	
	45	Patrick's Glass Company		Hampton	Field Identified				Field	
	46	Empire Sales, INC	615 North Back River Road	Hampton	Petroleum Registered Facility				VDOT Database	FAC ID: 5001347



**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
56	47	City of Hampton DPW	525 Back River Road	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	HAMPTON MUNICIPAL FACILITY, FAC ID: 5027774, CEDS Fac ID 200000066227
57	48	509 Wine Street	509 Wine Street	Hampton	VA Spills	ERNS			EDR	
66	49	30 Brough Lane	30 Brough Lane	Hampton	ERNS				EDR	
65	50	Tire World	430 West Pembroke Avenue	Hampton	VA Spills	Field Identified			Field/EDR	
	51	Phat Auto Service	410 West Pembroke Avenue	Hampton	Field Identified				Field	
64a	52	Trans Auto Sales	331 West Pembroke Avenue	Hampton	Petroleum Registered Facility				VDOT Database/EDR	BUDGET TRANS, FACID: 5005153
64b	53	Hop's Place	320 West Pembroke Avenue	Hampton	Small Quantity Generator				VDOT Database/EDR	HOPS PLACE INC, FACID: VAD988211991
	54	Auto Parts	306 West Pembroke Avenue	Hampton	Field Identified				Field	
	55	Camidge German Imports Auto	303 West Pembroke Avenue	Hampton	Field Identified				Field	
63a	56	MTM Automotive AMOCO	234 West Pembroke Avenue	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	FACID: 5012193
74	57	Albert S. Winston	345 Lincoln Street	Hampton	Petroleum Registered Facility				EDR	Not in Study Area.
73	58	Old Hampton Community Center; Downtown Hampton Day Care Center	201 Lincoln Street	Hampton	Petroleum Registered Facility	ICIS			VDOT Database/EDR	OLD HAMPTON COMMUNITY CENTER FACID: 5022027

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
63b	59	Mr. Yis Auto Repair/Wescott Amoco; formerly Petties Car Sales	201 West Pembroke Avenue	Hampton	Brownfield	Petroleum Registered Facility	Petroleum Release Site		VDOT Database/EDR	A Phase I Environmental Assessment was completed for this property in 2008.
63c	60	FORMER CAR WASH SITE	212 West Pembroke Avenue	Hampton	Petroleum Registered Facility				VDOT Database/EDR	FORMER CAR WASH SITE FACID: 5020256
63d	61	Big Al's Mufflers & Brakes; Former Sunoco Service Station; EAP Id# 1000329914	200 West Pembroke Avenue	Hampton	Field Identified	RCRA-Non Generator			Field/EDR	From EDR: Former Sunoco Service Station; EAP Id# 1000329914
	62	Nick's Auto Supermart	128 West Pembroke Avenue	Hampton	Field Identified				Field	
	63	Autobahn Auto	120 West Pembroke Avenue	Hampton	Field Identified				Field	
	64	School/Bus Yard	Thomas Street	Hampton	Field Identified				Field	
28	65	Davis Alphso/ Residential	1209 Bethel Avenue	Hampton	Petroleum Registered Facility				VDOT Database/EDR	DAVIS ALPHSO, Fac ID 5016107, CEDS Fac ID 200000090937
25	66	7-ELEVEN w/ gas	989 North King Street	Hampton	Petroleum Registered Facility	Small Quantity Generator			EPA	FACID: 5004809; SDE_US_EPA_HAZ_WASTE_ACT_SITES VAD988191581; Small Quantity Generator HANDLER ID: VAD988191581
23a	67	Harmons Body Shop	1003 North King Street	Hampton	Small Quantity Generator				VDOT Database/EDR	<a href="#">HANDLER ID: VAD988186607</a>

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
23c	68	Fashion Care Cleaners	1015 North King Street	Hampton	Small Quantity Generator				VDOT Database/ EDR	FASHION CARE CLNRS, VAD023762024; There's Drew's Tattoo Emporium, BK's Barber Shop at this address (CESQG accor to EPA)
23b	69	Pro Alignment & Auto Repair; KING JOSEPH R 5017286	1007 North King Street	Hampton	Petroleum Registered Facility	Small Quantity Generator			VDOT Database/ EDR	KING JOSEPH R 5017286
31	70	Hampton - King Street Ditch	King Street and Salisbury Lane	Hampton	NPDES				EDR	
48b	71	Wornom Property	732 North King Street	Hampton	Brownfield	VA VCP			VDOT Database/ EDR	WORNOM PROPERTY, Reg ID 110041720162; Phase I and II Environmental Assessments were performed in 2008. Cleanup is required at the property.
48a	72	Jones and Ball Property; current use, Vacant	727 North King Street	Hampton	Brownfield	Petroleum Registered Facility			VDOT Database/ EDR	JONES & BALL PROPERTY (G3LLNY00), Reg ID 110038755558, Fac ID 5001395, CEDS 200000091257; A Phase I Environmental Assessment was performed.

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
52	73	Edmonds Rental; current use, Vacant	701 North King Street	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/ EDR	EDMONDS RENTAL, Fac ID 5011345, CEDS Fac ID 200000064951
55	74	Former Pete's Top Shop	520 North King Street	Hampton	Brownfield	VA Spills			VDOT Database/ EDR	27781 FORMER PETE'S TOP SHOP, Reg ID 110038751614; ; A Phase I Environmental Assessment was performed in 2006. No cleanup was required.
58e	75	VA Army National Guard	504 North King Street	Hampton	Petroleum Registered Facility	Small Quantity Generator	Petroleum Release Site		DEQ/ EPA	VAARNG-ARMORY-HAMPTON VAD982677395 HAMPTON ARMORY, Fac ID 5022986, Fac ID 200000065415
58a	76	Harrison Lear Inc	30 West Pembroke Avenue	Hampton	Petroleum Registered Facility				VDOT Database/ EDR	HARRISON LEAR INC FACID: 5013617
58b	77	City of Hampton Property	8 West Pembroke Avenue	Hampton	Petroleum Registered Facility				VDOT Database/ EDR	CITY OF HAMPTON FACID: 5025629
58c	78	PENTRAN TRANSPORTATION CENTER	2 West Pembroke Avenue	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/ EDR	PENTRAN TRANSPORTATION CENTER FACID: 5026950

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
58d	79	Dixie Diggs Auto Parts	400 North King Street	Hampton	Petroleum Registered Facility	Small Quantity Generator			VDOT Database/EDR	DIXIE DIGGS AUTO PARTS INC FACID: 5009709; SDE_US_EPA_HAZ_WASTE_ACT_SITES VAD988175428 HANDLER ID: VAD988175428
59	80	City of Hampton Fleet Management Division	413 North Armistead Avenue	Hampton	Small Quantity Generator	ERNS	Petroleum Registered Facility	Petroleum Release Site	EDR	
70	81	FIRST BAPTIST CHURCH	229 North King Street	Hampton	Petroleum Registered Facility	Petroleum Release Site	VA Spills		VDOT Database/EDR	FACID: 5026641
71a	82	40 Lincoln Street	40 Lincoln Street	Hampton	VA Spills				EDR	
71b	83	City Building	21 Lincoln Street	Hampton	Petroleum Registered Facility				VDOT Database/EDR	PUBLIC SAFETY BUILDING FACID: 5025642 - Building also air and water permits accor to EPA
71c	84	Hampton Hall	21 Lincoln Street	Hampton	Petroleum Registered Facility	VA Spills			VDOT Database/EDR	CITY HALL BUILDING FACID: 5021802 - Building also air and water permits accor to EPA
71d	85	Hampton Jail	22 Lincoln Street	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	HAMPTON JAIL FACID: 5015784 - Building also air and water permits accor to EPA
75a	86	Tysinger Motor Co	44 South King Street	Hampton	Petroleum Registered Facility	RCRA-Non Generator			EDR	Not in Study Area.



**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
75b	87	700 Settlers Landing Road	700 Settlers Landing Road	Hampton	Petroleum Release Site	VA Spills			EDR	
75c	88	Goodyear Tire Center	25 South King Street	Hampton	Small Quantity Generator	Petroleum Registered Facility	Petroleum Release Site		EDR	Not in Study Area.
75d	89	708 Settlers Landing	708 Settlers Landing Road	Hampton	ERNS				EDR	Not in Study Area.
75e	90	Hampton Marina	756 Settlers Landing Road	Hampton	ERNS	VA Spills			EDR	Not in Study Area.
75g	91	Metro Dental Laboratory	30B West Queen Street	Hampton	RCRA-Non Generator				EDR	Not in Study Area.
75h	92	Old Hampton Banking Center	1 West Queen Street	Hampton	Petroleum Release Site				EDR	Not in Study Area.
75i	93	City of Hampton - Former Masonic Temple	32 and 34 East Queens Way	Hampton	Petroleum Release Site	ERNS	VA Spills		EDR	Not in Study Area.
75j	94	Old Point National Bank Property	101 East Queen Street	Hampton	Petroleum Release Site				EDR	
75k	95	Queens Street Baptist Church	190 East Queen Street	Hampton	Petroleum Release Site				EDR	Not in Study Area.
76	96	135 Kings Way	135 Kings Way	Hampton	ERNS	VA Spills			EDR	
54b	97	W.T. PHILLIPS & SON; INC	609 Washington Street	Hampton	Petroleum Registered Facility				VDOT Database/EDR	W.T. PHILLIPS & SON; INC FACID: 5004742
54a	98	Former Nowlin Steelcraft; current use vacant	317 Poplar Avenue	Hampton	Brownfield				VDOT Database/EDR	FORMER NOWLIN STEELCRAFT; ; A Phase I Environmental Assessment was performed in 2006. Soil was found contaminated.

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
51	99	Pop Inn 14; current use as church	601 East Pembroke Ave	Hampton	Petroleum Registered Facility				VDOT Database	POP INN 14, Fac ID 5010942, CEDS Fac ID 200000066609
75f	100	Verizon	131 Queen Street	Hampton	Small Quantity Generator	Petroleum Registered Facility	Petroleum Release Site		VDOT Database/EDR	FACID: 5005395, SDE_US_EPA_HAZ_WASTE_ACT_SITES VAD980719892
67	101	7-Eleven 34306; Zooms #5	355 Mercury Boulevard	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	FACID: 5010937
84	102	Moton Early Childhood Center	339 Old Buckroe Road	Hampton	FINDS				EDR	
86	103	First United Methodist Church	110 East Queen Street	Hampton	Petroleum Release Site				EDR	
90	104	Woodland Golf Course - Maintenance	9 Woodland Road	Hampton	Petroleum Registered Facility	Petroleum Release Site			Field/EDR	Old Golf Course - Maintenance, Fac ID 5015783, CEDS Fac ID 200000065318 gas pump station
93	105	Mr. Seafood	504 East Mercury Boulevard	Hampton	Petroleum Registered Facility				VDOT Database/Field	Q-Card #909 - - old gas station?
	106	Gillian Welding Inc	532 East Mercury Boulevard	Hampton	Field Identified				Field	
	107	Smith Brothers Funeral Home	545 East Mercury Boulevard	Hampton	Field Identified				Field	
	108	Ames Cleaners	554 East Mercury Boulevard	Hampton	Small Quantity Generator	VA Drycleaner			VDOT Database/EDR	AMES CLEANERS - LAUNDERERS OF HAMPTON IN
95	109	Rendezvous Restaurant; current use, ball fields owned by of Hampton	Fulton and Webster (58 Fulton Street)	Hampton	Petroleum Registered Facility				EDR	

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
96	110	Phoebus 76	608 East Mercury Boulevard	Hampton	Petroleum Registered Facility	Petroleum Release Site			EDR	Not in Study Area.
101	111	Hampton University Chemical Lab/Hampton University Turner Hall		Hampton	Small Quantity Generator				Field/EDR	
102	112	HAMPTON NATIONAL CEMETERY		Hampton	Petroleum Registered Facility				VDOT Database	HAMPTON NATIONAL CEMETERY, Fac ID 5020550, CEDS Fac ID HAMPTON NATIONAL CEMETERY
99	113	Phoebus Packing Co/Sam Rust Seafood	102 North Mallory Street	Hampton	Petroleum Registered Facility				EDR	Not in Study Area.
91	114	Hampton University property	3 Sage Court		Petroleum Release Site				EDR	
	115	HAMPTON UNIVERSITY PARKING LOT	East Queen Street	Hampton	Petroleum Release Site				VDOT Database	
100	116	Phoebus BP Amoco	20 West County Street	Hampton	Petroleum Release Site	Petroleum Registered Facility			EDR	
105	117	Former Drug Store	15 South Mallory Street	Hampton	VA Spills				EDR	
	118	HRSD - Boat Harbor STP		Hampton	Sewer Point				VDOT Database	
106	119	Veterans Affairs Medical Center	100 Emancipation Drive	Hampton	Small Quantity Generator	Petroleum Release Site	Petroleum Registered Facility		VDOT Database/EDR	Veterans Affairs Medical Center Fac ID 5021474, CEDS ID

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
107b	120	Maida Development Co.	210 South Mallory Street	Hampton	Petroleum Registered Facility	Small Quantity Generator	VA VCP		VDOT Database/EDR	MAIDA DEVELOPMENT CO FACID: 5017612 There are several buildings associated with Maida that all have HAZMAT symbols
107c	121	Wilson Property	115 South Mallory Street	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	WILSON PROPERTY FACID: 5026799
107a	122	Citgo	209 South Mallory Street	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	Gas N Go FACID: 5025838
111b	123	Phoebus Volunteer Fire Station #2	122 South Hope Street	Hampton	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	FACID: 5026415
109a	124	American Theater	125 East Mellen Street	Hampton	Petroleum Release Site				EDR	
109b	125	Shell Gas	107 East Mellen Street	Hampton	Petroleum Registered Facility				VDOT Database/EDR	PEACHS TEXACO FAC ID: 5020337
112a	126	Smith FloraGift	207 East Mellen Street	Hampton	Petroleum Registered Facility				EDR	
111a	127	Phoebus Women's Club	113 East Howard Street	Hampton	Petroleum Release Site				EDR	
112b	128	C&J of Phoebus	201 East Mellen Street	Hampton	Petroleum Registered Facility				VDOT Database/EDR	C&J OF PHOEBUS, INC Fac ID 5008426, CEDS ID 200000064359
113	129	St. Mary's Star of the Sea - School	14 N. Willard Avenue	Hampton	Petroleum Release Site				EDR	

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
114	130	English Construction Company	13 Home Place	Hampton	Petroleum Registered Facility				EDR	
116a	131	Wanchese Trawl & Supply	48 Water Street	Hampton	Petroleum Registered Facility	Petroleum Release Site	VA Spills		VDOT Database/EDR	WANCHESE FISH COMPANY INC FAC ID: 5019983
116b	132	Sam's Restaurant	23 Water Street	Hampton	Petroleum Release Site				EDR	
118	133	Willard Avenue Pump Station #225	Willard Avenue	Hampton	Petroleum Registered Facility	VA Spills			VDOT Database/EDR	WILLARD AVENUE PUMP STATION FAC ID: 5016843
	133b	NW Phoebus Tank, water works, and pump station		Hampton	Field Identified					Combined with 83
122b	134	VDOT - Hampton Roads Tunnels and Bridges	204 National Avenue	Hampton	Petroleum Registered Facility				VDOT Database/EDR	VDOT - HRBT NORTH ISLAND TOLL FACILITIES FAC ID: 5019772
	135	Fuel Storage Facility		Hampton	Field Identified				Field	
122a	136	Chamberlin Hotel	2 Fenwick Road	Hampton	Petroleum Registered Facility				VDOT Database/EDR	Chamberlin Hotel FACID: 5039575
125	137	Donna Armanas Property	1526 Lea View Avenue	Norfolk	Petroleum Release Site				EDR	
126	138	Michael Dreitlein Site	9632 11th View Street	Norfolk	Petroleum Release Site				EDR	
129	139	Willoughby Marina	1651 Bayville Street	Norfolk	Petroleum Registered Facility	Petroleum Release Site	VA Spills		EDR	Willoughby Marina FACID: 5002183

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
132	140	Willoughby Harbor Marina	1525 Bayville Street	Norfolk	Petroleum Registered Facility	Petroleum Release Site	VA Spills	ERNS	VDOT Database/EDR	
133	141	1441 Bayville Street	1441 Bayville Street	Norfolk	ERNS	VA Spills			EDR	
	142	7/11 Station & Laundromat	1161 West Ocean View Avenue	Norfolk	Field Identified				Field	
	143	Apartments	909 A and B Little Bay Avenue	Norfolk	Petroleum Release Site				VDOT Database	OPEN - Gowen Enterprises - Hurricane Ida Complaint # 20105077
137	144	Ocean View Fishing Pier; former Harrison Boathouse Incorporated	400&414 West Ocean View Avenue	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	HARRISON BOAT HOUSE & FISHING PIER FACID: 5008406 ; The new Ocean View Fishing Pier that is 1690' long by 16' wide pier was constructed after Hurricane Isabel destroyed the original Harrison's Fishing Pier.
138	145	BP - Willoughby; Former Exxon	357 West Ocean View Avenue	Norfolk	Petroleum Registered Facility	Petroleum Release Site	CESQG		VDOT Database/EDR	BP - Willoughby FACID: 5009983
139	146	Willoughby Elementary	9500 Fourth View Street	Norfolk	Petroleum Registered Facility	ICIS			VDOT Database/EDR	Willoughby Elementary FACID: 5023287
140	147	Broadway Associates	263 A View Avenue	Norfolk	ICIS				EDR	
142	148	Ocean View Elementary	9501 Mason Creek Road	Norfolk	Petroleum Registered Facility	ICIS			VDOT Database/EDR	Ocean View Elementary FACID: 5023297

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
143	149	8130 O'Connor Crescent	8130 O'Connor Crescent	Norfolk	ERNS	VA Spills			EDR	
148	150	9459 Hickory Street	9459 Hickory Street	Norfolk	Petroleum Release Site				EDR	
150	151	Holy Trinity School and Catholic Church	154 West Government Avenue	Norfolk	Petroleum Registered Facility				VDOT Database/EDR	Holy Trinity School FACID: 5020673; school closed in 2010
153	152	9290 Hickory Street	9290 Hickory Street	Norfolk	VA Spills				EDR	
154	153	Norfolk Fire Station 13	176 Maple Avenue	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	Norfolk Fire Station 13 FACID: 5025834
161	154	Imperial Cleaners	101 Maple Avenue	Norfolk	Small Quantity Generator	VA Spills	VA Drycleaner		VDOT Database/EDR	ALBANO CLEANERS INC - VAD981110851
156	155	Pumping Station #15	9238 First View Street	Norfolk	Petroleum Registered Facility	Petroleum Release Site	VA Spills		VDOT Database/EDR	FACID: 5008638
160	156	Twin Oaks Day Care Center	9266 Chelsea Avenue	Norfolk	ICIS				EDR	
162	157	The Gates of West Bay Apartments	9046 First View Avenue	Norfolk	Petroleum Registered Facility				VDOT Database/EDR	BAYSHORE GARDEN APTS FACID: 5006983; (no note in field)
164	158	Number 7 Brown's Convenient	298 West Bay Avenue	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	BROWNS CONVENIENCE STORE FACID: 5025645
166	159	Todd and Rebecca Cichonowicz	152 West Randall Avenue	Norfolk	Petroleum Release Site				EDR	
170	160	8812 Commodore Drive	8812 Commodore Drive	Norfolk	VA Spills				EDR	

Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum

APPENDIX A: Field-Verified Hazardous Materials Sites

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
171	161	134 West Chester Street	134 West Chester Street	Norfolk	ERNS				EDR	Bell Atlantic FACID: 5005378 CHESAPEAKE & POTOMAC TELEPHONE CO VAD980719793
172	162	Verizon	8910 Granby Street	Norfolk	Petroleum Registered Facility	Small Quantity Generator			VDOT Database/EDR	
173	163	139 Howe Street	139 Howe Street	Norfolk	ERNS	VA Spills			EDR	
175	164	Northside Middle School	8720 Granby Street	Norfolk	Petroleum Registered Facility	Small Quantity Generator	ICIS		VDOT Database/EDR	FACID: 5023300; SDE_US_EPA_HAZ_WASTE_ACT_SITES VAD988174165
174	165	Mary Calcott Elementary School	137 Westmont Avenue	Norfolk	Petroleum Registered Facility	ICIS			VDOT Database/EDR	FACID: 5023314
182	166	FOREST LAWN CEMETERY		Norfolk	Petroleum Registered Facility				VDOT Database/EDR	FOREST LAWN CEMETERY FACID: 5022544
188	167	Fowler Robert Residence	7705 Fayver Avenue	Norfolk	Petroleum Release Site				VDOT Database/EDR	
185	168	VDOT		Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	FACID: 5026444
192b	169	Shell Station; Former Exxon	7726 Granby Street	Norfolk	Petroleum Registered Facility	Small Quantity Generator	Petroleum Release Site		VDOT Database/EDR	HANDLER ID: VAD982366007 Exxon #21658, EXXON CO U S A RA521658 FACID: 5009919; SDE_US_EPA_HAZ_WASTE_ACT_SITES VAD982366007



**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
192a	170	Tune ups	7718 Granby Street	Norfolk	Petroleum Registered Facility	Petroleum Release Site	VA Spills		Field/EDR	
198	171	Bondale Apartments	7603 Bondale Avenue	Norfolk	Petroleum Registered Facility				VDOT Database/EDR	Bondale Apartments FACID: 5020040
201b	172	Lens Service Center; current use Rite-Aid	7601 Granby Street	Norfolk	Petroleum Registered Facility	Petroleum Release Site	VA Drycleaner		VDOT Database/EDR	LENS SERVICE CENTER FACID: 5000272
	173	Auto Zone	7623 Granby Street		Field Identified				Field	
201a	174	BP Amoco Station	7600 Granby Street	Norfolk	Petroleum Registered Facility	Small Quantity Generator	Petroleum Release Site		VDOT Database/EDR	BP Amoco Station #5176 FACID: 5003752 HANDLER ID: VAD988199121
	174b	No information in VDOT GIS attribute table.		Norfolk	Small Quantity Generator					No information in VDOT GIS attribute table. Location suggests site is BP Amoco.
202	175	Estabrook Printing and Letter	141 East Little Creek Road	Norfolk	RCRA-Non Generator				EDR	
194a	176	Former Drug Store; address no longer in existence	201 East Little Creek Road	Norfolk	Petroleum Registered Facility	Petroleum Release Site				FORMER DRUG EMPORIUM FACID: 5027557
194b	177	Fentress Charitable Trust Property; current use McDonalds	211 East Little Creek Road	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	HOME HEADQUARTERS PROPERTY FACID: 5026611
194c	178	Hill Property; current use Taco Bell	227 East Little Creek Road	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	HILL PROPERTY FACID: 5026387

**Hampton Roads Bridge Tunnel EIS, Hazardous Materials Technical Memorandum**  
**APPENDIX A: Field-Verified Hazardous Materials Sites**

EDR ID	Map ID	Field Observation; Site Listing	Address	City	TYPE	TYPE 2	TYPE 3	TYPE 4	Source	Note
194d	179	Giant Gas; current use Farm Fresh Grocery Store		Norfolk	Petroleum Registered Facility				VDOT Database/EDR	GIANT GAS STATION #4 FACID: 5007010
189a	180	Big Al's Mufflers & Brakes; Former Sunoco	287 East Little Creek Road	Norfolk	Field Identified	RCRA-Non Generator			Field/EDR	
189b	181	Sentry Racecoast	303 East Little Creek Road	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	Racecoast FACID: 5007001
191	182	Denby Park Day Care	369 Fort Worth Avenue	Norfolk	ICIS				EDR	
	183	Dentist & Allergy Specialists	300 East Little Creek Road	Norfolk	Field Identified				Field	
207	184	Richard M Barnett Residence	7539 Virginian Drive	Norfolk	Petroleum Release Site				EDR	
	185	Pump Station 59	7615 Galveston Boulevard	Norfolk	Field Identified				Field	Oakdale Farms/Denby Park
208d	186	Carolina Builders	301 Naval Base Road	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	Carolina Builders Corp FACID: 5014677
208a	187	Don Dixon Spraying & Tree Service	424 Naval Base Road	Norfolk	Petroleum Registered Facility	Petroleum Release Site			VDOT Database/EDR	FACID: 5003886
208b	188	Stanley's Marine Industrial Services	424 Naval Base Road	Norfolk	Field Identified	VA Spills			Field/EDR	
208c	189	Apartments	308 Naval Base Road	Norfolk	Clandestine Drug lab				EDR	
	190	Abandoned Machinery/Open Dump		Norfolk	Field Identified				Field	

Source: VDOT GIS Databases; EDR Databases; field work, September, 2011.




**HAZARDOUS MATERIALS  
TECHNICAL MEMORANDUM**



**APPENDIX B**


**EDR DataMap Area Study**

*May 10, 2012*




# EDR DataMap® - Area Study

## HRTB



Hampton, VA

- |  |               |                   |                            |
|--|---------------|-------------------|----------------------------|
| Listed Sites                                 | Major Roads   | Powerlines        | Indian Reservations BIA    |
| Earthquake Epicenters (Richter 5 or greater) | Waterways     | Fault Lines       | 100-Yr Flood Zones         |
| Search Boundary                              | Railroads     | Water             | National Wetland Inventory |
| Roads  | Contour Lines | Superfund Sites   |                            |
|  | Pipelines     | Federal DOD Sites |                            |



**HRTB**

Hampton, VA 23661

Inquiry Number: 3319579.1s

May 10, 2012

## EDR DataMap™ Area Study

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

# EXECUTIVE SUMMARY

## TARGET PROPERTY INFORMATION

### ADDRESS

HAMPTON, VA 23661  
HAMPTON, VA 23661

## DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records within the requested search area for the following databases:

## FEDERAL RECORDS

NPL	National Priority List
Proposed NPL	Proposed National Priority List Sites
Delisted NPL	National Priority List Deletions
NPL LIENS	Federal Superfund Liens
CERCLIS	Comprehensive Environmental Response, Compensation, and Liability Information System
LIENS 2	CERCLA Lien Information
RCRA-LQG	RCRA - Large Quantity Generators
US ENG CONTROLS	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls
HMIRS	Hazardous Materials Information Reporting System
DOT OPS	Incident and Accident Data
LUCIS	Land Use Control Information System
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations
ODI	Open Dump Inventory
MINES	Mines Master Index File
TSCA	Toxic Substances Control Act
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS	Section 7 Tracking Systems
PADS	PCB Activity Database System
RADINFO	Radiation Information Database
RAATS	RCRA Administrative Action Tracking System
COAL ASH EPA	Coal Combustion Residues Surface Impoundments List
SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing
PCB TRANSFORMER	PCB Transformer Registration Database
FEDERAL FACILITY	Federal Facility Site Information listing
COAL ASH DOE	Sleam-Electric Plan Operation Data
FEMA UST	Underground Storage Tank Listing

## STATE AND LOCAL RECORDS

VA SHWS..... This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

## EXECUTIVE SUMMARY

VA SWF/LF.....	Solid Waste Management Facilities
VA BROWNFIELDS.....	Brownfields Site Specific Assessments
VA ENF.....	Enforcement Actions Data
VA AIRS.....	Permitted Airs Facility List
VA COAL ASH.....	Coal Ash Disposal Sites

### TRIBAL RECORDS

INDIAN RESERV.....	Indian Reservations
INDIAN ODI.....	Report on the Status of Open Dumps on Indian Lands
INDIAN LUST.....	Leaking Underground Storage Tanks on Indian Land
INDIAN UST.....	Underground Storage Tanks on Indian Land
INDIAN VCP.....	Voluntary Cleanup Priority Listing

### EDR PROPRIETARY RECORDS

Manufactured Gas Plants.....	EDR Proprietary Manufactured Gas Plants
------------------------------	---

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

### FEDERAL RECORDS

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 12/28/2011 has revealed that there are 2 CERC-NFRAP sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b><i>HAMPTON PAINT MFG CO INC</i></b>	<b><i>228 PATTERSON AVE</i></b>	<b><i>69</i></b>	<b><i>603</i></b>
TIDEWATER TRENCHES	8500 TIDEWATER DRIVE	181	1233

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 08/19/2011 has revealed that there is 1 CORRACTS site within the searched area.



## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>HAMPTON PAINT MFG CO INC</b>	<b>228 PATTERSON AVE</b>	<b>69</b>	<b>603</b>

RCRA-TSDF: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-TSDF list, as provided by EDR, and dated 11/10/2011 has revealed that there is 1 RCRA-TSDF site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>HAMPTON PAINT MFG CO INC</b>	<b>228 PATTERSON AVE</b>	<b>69</b>	<b>603</b>

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 11/10/2011 has revealed that there are 36 RCRA-SQG sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>7-ELEVEN #23363</b>	<b>1200 NORTH KING ST</b>	<b>6</b>	<b>29</b>
<b>MERCHANTS TIRE &amp; AUTO #05018</b>	<b>201 W MERCURY BLVD</b>	<b>11</b>	<b>45</b>
<b>KMART #2154</b>	<b>210 W MERCURY BLVD</b>	<b>11</b>	<b>51</b>
<b>THOMPSON FORD INC</b>	<b>1020 W MERCURY BLVD</b>	<b>13</b>	<b>75</b>
<b>SHELL OIL CO</b>	<b>61 E MERCURY BLVD</b>	<b>18</b>	<b>92</b>
<b>WAL MART SUPERCENTER # 1631</b>	<b>1900 CUNNINGHAM DR</b>	<b>19</b>	<b>101</b>
<b>7-ELEVEN # 33581</b>	<b>1033 MERCURY BLVD</b>	<b>19</b>	<b>116</b>
<b>LANGLEY FEDERAL CREDIT UNION</b>	<b>1055 W MERCURY BLVD</b>	<b>21</b>	<b>144</b>
<b>SHELL OIL CO</b>	<b>1133 W MERCURY BLVD</b>	<b>22</b>	<b>164</b>
<b>COLISEUM LINCOLN MERCURY INC</b>	<b>1134 WEST MERCURY BLVD</b>	<b>22</b>	<b>175</b>
<b>BUILDERS SQUARTE #1516</b>	<b>1072 W MERCURY BLVD</b>	<b>22</b>	<b>187</b>
<b>HARMONS BODY SHOP INC</b>	<b>1003 N KING ST</b>	<b>23</b>	<b>189</b>
<b>DOUGLAS AQUATICS OF HAMPTON</b>	<b>1007A N KING ST</b>	<b>23</b>	<b>193</b>
<b>7-ELEVEN #25102</b>	<b>989 NORTH KING ST</b>	<b>25</b>	<b>208</b>
<b>DIXIE DIGGS AUTO PARTS INC</b>	<b>400 N KING ST</b>	<b>58</b>	<b>497</b>
<b>HAMPTON FLEET MANAGEMENT DIV</b>	<b>413 N ARMISTEAD AVE</b>	<b>59</b>	<b>506</b>
<b>HOPS PLACE INC</b>	<b>320 WEST PEMBROKE AVE</b>	<b>64</b>	<b>576</b>
<b>ADB INC T/A MAACO AUTO PNT &amp; B</b>	<b>827 W PEMBROKE AVE</b>	<b>68</b>	<b>585</b>
<b>GARDCO INTL COATINGS</b>	<b>228B PATTERSON AVE</b>	<b>69</b>	<b>601</b>
<b>GOODYEAR AUTO SERVICE CTR - HA</b>	<b>25 S KING ST</b>	<b>75</b>	<b>668</b>
<b>BELL ATLANTIC VA 55008</b>	<b>131 QUEEN ST</b>	<b>75</b>	<b>688</b>
<b>7-ELEVEN #24089</b>	<b>110 SOUTH ARMISTEAD AVE</b>	<b>88</b>	<b>749</b>
<b>AMES CLEANERS - LAUNDERERS OF</b>	<b>554 E MERCURY BLVD</b>	<b>93</b>	<b>796</b>
<b>H &amp; H RADIATOR &amp; AIR COND SVC</b>	<b>1255 W PEMBROKE AVE</b>	<b>97</b>	<b>812</b>
<b>HAMPTON UNIV</b>	<b>BLDG 220 TURNER HALL</b>	<b>101</b>	<b>834</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>HAMPTON VETERANS AFFAIRS MEDIC MAIDA DEVELOPMENT CO</b>	<b>VAMC 20 LIBBY ST.</b>	<b>106</b>	<b>849</b>
NORTHSIDE MIIDLE SCHOOL	8720 GRANBY ST	175	1186
<b>7-ELEVEN #25925</b>	<b>8595 TIDEWATER DR</b>	<b>176</b>	<b>1188</b>
<b>AMOCO #84818-TANKS</b>	<b>8605 TIDEWATER DR</b>	<b>176</b>	<b>1206</b>
<b>THE FILM FACTORY FOTEK CORP</b>	<b>7862 TIDEWATER DR</b>	<b>187</b>	<b>1240</b>
CROSSROADS ELEMENTARY SCHOOL	7920 TIDEWATER DRIVE	187	1245
<b>AMOCO 5176</b>	<b>7600 GRANBY ST</b>	<b>201</b>	<b>1319</b>
<b>MAACO AUTO PAINT - BERIT INC</b>	<b>7522 TIDEWATER DR</b>	<b>209</b>	<b>1390</b>
WALMART SUPERCENTER # 5488	7530 TIDEWATER DRIVE	209	1401
<b>7-ELEVEN #19108</b>	<b>7431 TIDEWATER DR</b>	<b>215</b>	<b>1413</b>

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 11/10/2011 has revealed that there are 20 RCRA-CESQG sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>ECONO LUBE N TUNE #210</b>	<b>205 W MERCURY BLVD</b>	<b>11</b>	<b>48</b>
<b>PENSKE AUTO CENTER</b>	<b>210 W MERCURY BLVD</b>	<b>11</b>	<b>50</b>
<b>WELLWORTH CLEANERS - ARMISTEAD</b>	<b>1932 NORTH ARMISTEAD AV</b>	<b>20</b>	<b>121</b>
<b>EXXON CO USA #27247</b>	<b>1201 W MERCURY BLVD-TAN</b>	<b>22</b>	<b>148</b>
<b>HAMPTON MOTOR CORP</b>	<b>1073 W MERCURY BLVD</b>	<b>22</b>	<b>165</b>
<b>FASHION CARE CLEANERS - KING S</b>	<b>1015 NORTH KING STREET</b>	<b>23</b>	<b>195</b>
<b>EXXON CO USA #26599</b>	<b>2136 W MERCURY BLVD-TAN</b>	<b>27</b>	<b>239</b>
BJ'S WHOLESALE CLUB #0186	2000 POWER PLANT PARKWA	37	280
<b>EXXON CO USA #26600</b>	<b>234 E MERCURY BLVD-TANK</b>	<b>40</b>	<b>327</b>
<b>TITAN VIRGINIA READY-MIX, LLC</b>	<b>319 RIP RAP RD</b>	<b>42</b>	<b>377</b>
<b>VA DEPT OF TRANS-PINE CHAPEL</b>	<b>33 PINE CHAPEL RD</b>	<b>49</b>	<b>434</b>
<b>PEMBROKE CONSTRUCTION CO INC</b>	<b>802 W PEMBROKE AVE</b>	<b>68</b>	<b>596</b>
<b>HAMPTON HIGH</b>	<b>1491 WEST QUEEN ST</b>	<b>79</b>	<b>696</b>
<b>ANTHONY S CLEANERS - FRANKLIN</b>	<b>125 FRANKLIN STREET</b>	<b>80</b>	<b>698</b>
<b>VPI&amp;SU VIRGINIA SEAFOOD AES</b>	<b>102 SOUTH KING ST</b>	<b>92</b>	<b>778</b>
<b>EXXON CO USA #24679</b>	<b>357 W OCEAN VIEW AVE-TA</b>	<b>138</b>	<b>1081</b>
<b>IMPERIAL CLEANERS</b>	<b>101 MAPLE AVENUE</b>	<b>161</b>	<b>1148</b>
<b>ALBIS CLEANERS T A SUBURBAN CL</b>	<b>337 E BAYVIEW BLVD</b>	<b>177</b>	<b>1227</b>
<b>EXXON CO U S A RA521658</b>	<b>7726 GRANBY ST</b>	<b>192</b>	<b>1280</b>
<b>CHEVRON STATION #64838</b>	<b>7501 TIDEWATER DR</b>	<b>209</b>	<b>1387</b>

## EXECUTIVE SUMMARY

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 11/10/2011 has revealed that there are 17 RCRA-NonGen sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>CLOTHING CARE INC</b>	<b>1100 WEST MERCURY BLVD</b>	<b>22</b>	<b>184</b>
<b>L I L SHOPPER INC</b>	<b>989 N KING ST</b>	<b>25</b>	<b>209</b>
TARGET STORE #1020	1911 SAVILLE ROAD	30	256
<b>SUNOCO SERVICE STATION</b>	<b>1100 N ARMISTEAD AVE</b>	<b>44</b>	<b>395</b>
VAARNG-ARMORY-HAMPTON	504 N KING ST	58	499
<b>SUNOCO SERVICE STATION</b>	<b>200 W PEMBROKE AVE</b>	<b>63</b>	<b>573</b>
<b>HAMPTON PAINT MFG CO INC</b>	<b>228 PATTERSON AVE</b>	<b>69</b>	<b>603</b>
<b>TYSINGER MOTOR CO</b>	<b>44 S KING ST</b>	<b>75</b>	<b>656</b>
<b>METRO DENTAL LABORATORY</b>	<b>30 B WEST QUEEN ST</b>	<b>75</b>	<b>674</b>
CITY OF NORFOLK, DEPT. OF UTIL	TIDEWATER DR & GRANBY S	161	1146
<b>CHESAPEAKE &amp; POTOMAC TELEPHONE</b>	<b>8910 GRANBY ST</b>	<b>172</b>	<b>1169</b>
<b>COTTAGE TOLL EXXON</b>	<b>8594 TIDEWATER DR</b>	<b>176</b>	<b>1195</b>
<b>SUNOCO SERVICE STATION</b>	<b>287 E LITTLE CREEK D</b>	<b>189</b>	<b>1247</b>
<b>MERCHANTS TIRE &amp; AUTO 05005</b>	<b>610 E LITTLE CREEK RD</b>	<b>193</b>	<b>1282</b>
<b>DOZIERA EXXON SERVICENTER</b>	<b>740 E LITTLE CREEK RD-T</b>	<b>195</b>	<b>1308</b>
<b>BON AIR CLNRS</b>	<b>7601 GRANBY ST</b>	<b>201</b>	<b>1340</b>
<b>ESTABROOK PRINTING &amp; LETTER SP</b>	<b>141 E LITTLE CREEK RD</b>	<b>202</b>	<b>1344</b>

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 10/03/2011 has revealed that there are 61 ERNS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
403 RIP RAP ROAD	403 RIP RAP ROAD	42	331
434 CREEK AVE	434 CREEK AVE	43	384
509 WINE ST	509 WINE ST	57	480
413 NORTH ARMISTAD AVE	413 NORTH ARMISTAD AVE	59	506
30-307 BROUGH LANE	30-307 BROUGH LANE	66	579
708 SETTLERS LANDING RD BETWEEN	708 SETTLERS LANDING RD	75	669
VISITOR CENTER DOCK 710 SETTLE	VISITOR CENTER DOCK 710	75	670
2 EATON ST SUITE 1102	2 EATON ST SUITE 1102	75	670
2 EATON ST	2 EATON ST	75	670
756 SETTLERS LANDING ROAD	756 SETTLERS LANDING RO	75	670
756 SETTLERS LANDING RD	756 SETTLERS LANDING RD	75	670
756 SETTLERS LANDING RD	756 SETTLERS LANDING RD	75	671
756 SETTLERS LANDING RD	756 SETTLERS LANDING RD	75	671
32 EAST QUEENS WAY	32 EAST QUEENS WAY	75	678
142 MILL POINT DR. HAMPTON RIV	142 MILL POINT DR. HAMP	75	691
160 MILL POINT DR.	160 MILL POINT DR.	75	691
135 KINGS WAY	135 KINGS WAY	76	692
1107 W. PEMBROKE AVE.	1107 W. PEMBROKE AVE.	85	746
VICINITY OF HAMPTON UNIVERSITY	VICINITY OF HAMPTON UNI	94	799
100 EMANCIPATION DRIVE	100 EMANCIPATION DRIVE	106	883

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
100 EMANCIPATION	100 EMANCIPATION	106	883
18 NORTH WILLARD AVE	18 NORTH WILLARD AVE	113	943
48 WATER ST.	48 WATER ST.	116	967
48 WATER ST.	48 WATER ST.	116	970
48 WATER STREET	48 WATER STREET	116	975
48 WATER ST.	48 WATER ST.	116	975
48 WATER ST	48 WATER ST	116	977
NEAR: 35 WATER ST.	NEAR: 35 WATER ST.	116	977
968 W OCEAN VIEW	968 W OCEAN VIEW	127	1034
REAR OF 974 WEST OCEAN VIEW AV	REAR OF 974 WEST OCEAN	127	1034
1525 BAYVILLE ST. DOCK NO. A45	1525 BAYVILLE ST. DOCK	128	1035
1107 LITTLE BAY AVE.	1107 LITTLE BAY AVE.	130	1050
1000 BLOCK OF LITTLE BAY (LITT	1000 BLOCK OF LITTLE BA	131	1051
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1051
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1052
1525 BAYVILLE ST	1525 BAYVILLE ST	132	1052
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1052
1525 BAYVILLE ST	1525 BAYVILLE ST	132	1052
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1052
1525 BAYVILLE ST	1525 BAYVILLE ST	132	1052
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1053
1525 BAYVILLE ST	1525 BAYVILLE ST	132	1053
1525 BAYVILLE STREET	1525 BAYVILLE STREET	132	1053
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1053
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1053
1525 BAYVILLE ST	1525 BAYVILLE ST	132	1056
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1056
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1056
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1056
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1058
1525 BAYVILLE ST.	1525 BAYVILLE ST.	132	1058
1441 BAYVILLE ST	1441 BAYVILLE ST	133	1063
WILLOUBY MARINA BAYVILLE ST (A	WILLOUBY MARINA BAYVILL	135	1065
8130 OCONNOR CRESCENT	8130 OCONNOR CRESCENT	143	1103
459 BELLINGER BLVD.	459 BELLINGER BLVD.	157	1138
215 E BAY AVE	215 E BAY AVE	169	1165
134 WEST CHESTER STREET	134 WEST CHESTER STREET	171	1166
8900 BLOCK OF GRANBY STREET	8900 BLOCK OF GRANBY ST	172	1175
139 HOWE ST	139 HOWE ST	173	1175
139 HOWE ST	139 HOWE ST	173	1176
MASONS CREEK 8500 GRAMBY STREE	MASONS CREEK 8500 GRAMB	178	1231
537 DIXIE DRIVE	537 DIXIE DRIVE	186	1240
7726 GRANBY ST	7726 GRANBY ST	192	1280

US CDL: A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

A review of the US CDL list, as provided by EDR, and dated 10/07/2011 has revealed that there are 2

## EXECUTIVE SUMMARY

US CDL sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
123 MAPLE AVE	123 MAPLE AVE	159	1142
308 NAVAL BASE RD A	308 NAVAL BASE RD A	208	1368

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 06/27/2011 has revealed that there are 7 US BROWNFIELDS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
GRAHAM & ROLLINS	391 RIP RAP ROAD	42	342
JONES & BALL PROPERTY (G3LLNY0	727 NORTH KING STREET	48	416
WORNOM PROPERTY	732 N KING ST	48	420
FORMER NOWLIN STEELCRAFT	317 POPLAR AVENUE	54	465
RON'S HYDRAULIC	520 NORTH ARMISTEAD AVE	55	469
FORMER PETE'S TOP SHOP	520 NORTH KING STREET	58	503
PETTIES CAR SALES	201 W. PEMBROKE AVE	63	566

DOD: Consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

A review of the DOD list, as provided by EDR, and dated 12/31/2005 has revealed that there are 2 DOD sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
NAVAL BASE NORFOLK		0	3
FORT MONROE MILITARY RESERVATI		0	3

FUDS: The Listing includes locations of Formerly Used Defense Sites Properties where the US Army Corps Of Engineers is actively working or will take necessary cleanup actions.

A review of the FUDS list, as provided by EDR, and dated 12/31/2009 has revealed that there is 1 FUDS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
FORT WOOL		121	1007

## EXECUTIVE SUMMARY

TRIS: The Toxic Chemical Release Inventory System identifies facilities that release toxic chemicals to the air, water, and land in reportable quantities under SARA Title III, Section 313. The source of this database is the U.S. EPA.

A review of the TRIS list, as provided by EDR, and dated 12/31/2009 has revealed that there is 1 TRIS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
MAIDA DEVELOPMENT CO	20 LIBBY ST	110	922

ICIS: The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

A review of the ICIS list, as provided by EDR, and dated 07/20/2011 has revealed that there are 10 ICIS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
COOKS DAY NURSERY & SCHOOL	22 MARPLE LA. HAMPTO	35	272
DOWNTOWN HAMPTON DAY CARE	201 LINCOLN STREET H	73	652
WILLOUGHBY ELEM.	9500 4TH VIEW ST NOR	139	1085
BROADWAY ASSOCIATES	263 A VIEW AVENUE NO	140	1087
NORFOLK CITY SCHOOL DISTRICT (	9501 MASON CREEK RD	142	1103
TWIN OAKS DAY CARE CENTER	9266 CHELSEA AVE NOR	160	1142
NORFOLK CITY SCHOOL DISTRICT (	137 E WESTMONT AVE N	174	1180
NORTHSIDE MIIDLE SCHOOL	8720 GRANBY ST NORFO	175	1181
DENBY PARK DAY CARE CENTER INC	369 FORTH WORTH AVE	191	1265
PARKDALE PRIVATE SCHOOL INC	321 VIRGINIAN DR NOR	211	1407

MLTS: The Material Licensing Tracking System is maintained by the Nuclear Regulatory Commission and contains a list fo approximately 8,100 sites which possess or use radioactive materials and are subject to NRC licensing requirements.

A review of the MLTS list, as provided by EDR, and dated 06/21/2011 has revealed that there is 1 MLTS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
V. A. MEDICAL CENTER	100 EMANCIPATION DRIVE	106	848

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 10/23/2011 has revealed that there are 103

## EXECUTIVE SUMMARY

FINDS sites within the searched area.

Site	Address	Map ID	Page
<b>7-ELEVEN #23363</b>	<b>1200 NORTH KING ST</b>	<b>6</b>	<b>29</b>
<b>MERCHANTS TIRE &amp; AUTO #05018</b>	<b>201 W MERCURY BLVD</b>	<b>11</b>	<b>45</b>
<b>ECONO LUBE N TUNE #210</b>	<b>205 W MERCURY BLVD</b>	<b>11</b>	<b>48</b>
<b>PENSKE AUTO CENTER</b>	<b>210 W MERCURY BLVD</b>	<b>11</b>	<b>50</b>
<b>KMART #2154</b>	<b>210 W MERCURY BLVD</b>	<b>11</b>	<b>51</b>
<b>THOMPSON FORD INC</b>	<b>1020 W MERCURY BLVD</b>	<b>13</b>	<b>75</b>
<b>SHELL OIL CO</b>	<b>61 E MERCURY BLVD</b>	<b>18</b>	<b>92</b>
<b>WAL MART SUPERCENTER # 1631</b>	<b>1900 CUNNINGHAM DR</b>	<b>19</b>	<b>101</b>
<b>WELLWORTH CLEANERS - ARMISTEAD</b>	<b>1932 NORTH ARMISTEAD AV</b>	<b>20</b>	<b>121</b>
<b>LANGLEY FEDERAL CREDIT UNION</b>	<b>1055 W MERCURY BLVD</b>	<b>21</b>	<b>144</b>
<b>EXXON CO USA #27247</b>	<b>1201 W MERCURY BLVD-TAN</b>	<b>22</b>	<b>148</b>
<b>SHELL OIL CO</b>	<b>1133 W MERCURY BLVD</b>	<b>22</b>	<b>164</b>
<b>HAMPTON MOTOR CORP</b>	<b>1073 W MERCURY BLVD</b>	<b>22</b>	<b>165</b>
<b>COLISEUM LINCOLN MERCURY INC</b>	<b>1134 WEST MERCURY BLVD</b>	<b>22</b>	<b>175</b>
<b>CLOTHING CARE INC</b>	<b>1100 WEST MERCURY BLVD</b>	<b>22</b>	<b>184</b>
<b>BUILDERS SQUARE #1516</b>	<b>1072 W MERCURY BLVD</b>	<b>22</b>	<b>187</b>
<b>HARMONS BODY SHOP INC</b>	<b>1003 N KING ST</b>	<b>23</b>	<b>189</b>
<b>DOUGLAS AQUATICS OF HAMPTON</b>	<b>1007A N KING ST</b>	<b>23</b>	<b>193</b>
<b>FASHION CARE CLEANERS - KING S</b>	<b>1015 NORTH KING STREET</b>	<b>23</b>	<b>195</b>
<b>7-ELEVEN #25102</b>	<b>989 NORTH KING ST</b>	<b>25</b>	<b>208</b>
<b>LI L SHOPPER INC</b>	<b>989 N KING ST</b>	<b>25</b>	<b>209</b>
<b>EXXON CO USA #26599</b>	<b>2136 W MERCURY BLVD-TAN</b>	<b>27</b>	<b>239</b>
<b>TARGET STORE #1020</b>	<b>1911 SAVILLE ROAD</b>	<b>30</b>	<b>257</b>
<b>COOKS DAY NURSERY &amp; SCHOOL</b>	<b>22 MARPLE LA.</b>	<b>35</b>	<b>273</b>
<b>EXXON CO USA #26600</b>	<b>234 E MERCURY BLVD-TANK</b>	<b>40</b>	<b>327</b>
<b>BRANSCOME INC - HAMPTON - RIP</b>	<b>400 RIP RAP ROAD</b>	<b>42</b>	<b>340</b>
<b>GRAHAM &amp; ROLLINS</b>	<b>391 RIP RAP ROAD</b>	<b>42</b>	<b>345</b>
<b>TITAN VIRGINIA READY-MIX, LLC</b>	<b>319 RIP RAP RD</b>	<b>42</b>	<b>377</b>
<b>VULCAN CONSTRUCTION MATERIALS</b>	<b>319 RIP RAP ROAD</b>	<b>42</b>	<b>380</b>
<b>VULCAN CONSTRUCTION MATERIALS</b>	<b>319 RIP RAP ROAD</b>	<b>42</b>	<b>380</b>
<b>WOLF CONTRACTORS INCORPORATED</b>	<b>317 RIP RAP ROAD</b>	<b>42</b>	<b>383</b>
<b>SUNOCO SERVICE STATION</b>	<b>1100 N ARMISTEAD AVE</b>	<b>44</b>	<b>395</b>
<b>JONES &amp; BALL PROPERTY (G3LLNYO</b>	<b>727 NORTH KING STREET</b>	<b>48</b>	<b>417</b>
<b>WORNOM PROPERTY</b>	<b>732 N KING ST</b>	<b>48</b>	<b>419</b>
<b>CITY OF HAMPTON</b>	<b>732 KING ST,</b>	<b>48</b>	<b>425</b>
<b>VA DEPT OF TRANS-PINE CHAPEL</b>	<b>33 PINE CHAPEL RD</b>	<b>49</b>	<b>434</b>
<b>FORMER NOWLIN STEELCRAFT</b>	<b>317 POPLAR AVENUE</b>	<b>54</b>	<b>466</b>
<b>RON'S HYDRAULIC</b>	<b>520 NORTH ARMISTEAD AVE</b>	<b>55</b>	<b>468</b>
<b>EMPIRE INCORPORATED - PIPE DIV</b>	<b>615 BACK RIVER ROAD</b>	<b>56</b>	<b>476</b>
<b>DIXIE DIGGS AUTO PARTS INC</b>	<b>400 N KING ST</b>	<b>58</b>	<b>497</b>
<b>VAARNG-ARMORY-HAMPTON</b>	<b>504 N. KING STREET</b>	<b>58</b>	<b>502</b>
<b>FORMER PETE'S TOP SHOP</b>	<b>520 NORTH KING STREET</b>	<b>58</b>	<b>503</b>
<b>HAMPTON FLEET MANAGEMENT DIV</b>	<b>413 N ARMISTEAD AVE</b>	<b>59</b>	<b>506</b>
<b>PETTIES CAR SALES</b>	<b>201 W. PEMBROKE AVE</b>	<b>63</b>	<b>566</b>
<b>SUNOCO SERVICE STATION</b>	<b>200 W PEMBROKE AVE</b>	<b>63</b>	<b>573</b>
Not reported	<b>ARMISTEAD &amp; PEMBROKE</b>	<b>63</b>	<b>574</b>
<b>HOPS PLACE INC</b>	<b>320 WEST PEMBROKE AVE</b>	<b>64</b>	<b>576</b>
<b>7-ELEVEN 34306</b>	<b>355 MERCURY BLVD</b>	<b>67</b>	<b>579</b>
<b>ADB INC T/A MAACO AUTO PNT &amp; B</b>	<b>827 W PEMBROKE AVE</b>	<b>68</b>	<b>585</b>
<b>CHESAPEAKE BAY MANUFACTURING I</b>	<b>813 W PEMBROKE AVENUE</b>	<b>68</b>	<b>588</b>
<b>PEMBROKE CONSTRUCTION CO INC</b>	<b>802 W PEMBROKE AVE</b>	<b>68</b>	<b>596</b>
<b>GARDCO INTL COATINGS</b>	<b>228B PATTERSON AVE</b>	<b>69</b>	<b>601</b>
<b>HAMPTON PAINT MFG CO INC</b>	<b>228 PATTERSON AVE</b>	<b>69</b>	<b>603</b>
<b>HAMPTON CITY - CITY HALL BUILD</b>	<b>22 LINCOLN STREET</b>	<b>71</b>	<b>644</b>
<b>DOWNTOWN HAMPTON DAY CARE CTR</b>	<b>201 LINCOLN STREET</b>	<b>73</b>	<b>652</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>TYSINGER MOTOR CO</b>	<b>44 S KING ST</b>	<b>75</b>	<b>656</b>
<b>GOODYEAR AUTO SERVICE CTR - HA</b>	<b>25 S KING ST</b>	<b>75</b>	<b>668</b>
<b>METRO DENTAL LABORATORY</b>	<b>30 B WEST QUEEN ST</b>	<b>75</b>	<b>674</b>
VERIZON VIRGINIA INC - QUEEN S	131 E QUEEN ST	75	685
<b>BELL ATLANTIC VA 55008</b>	<b>131 QUEEN ST</b>	<b>75</b>	<b>688</b>
<b>HAMPTON HIGH</b>	<b>1491 WEST QUEEN ST</b>	<b>79</b>	<b>696</b>
<b>ANTHONY S CLEANERS - FRANKLIN</b>	<b>125 FRANKLIN STREET</b>	<b>80</b>	<b>698</b>
MOTON EARLY CHILDHOOD CENTER	339 OLD BUCKROE RD	84	728
<b>7-ELEVEN #24089</b>	<b>110 SOUTH ARMISTEAD AVE</b>	<b>88</b>	<b>749</b>
<b>VPI&amp;SU VIRGINIA SEAFOOD AES</b>	<b>102 SOUTH KING ST</b>	<b>92</b>	<b>778</b>
<b>AMES CLEANERS - LAUNDERERS OF</b>	<b>554 E MERCURY BLVD</b>	<b>93</b>	<b>796</b>
<b>H &amp; H RADIATOR &amp; AIR COND SVC</b>	<b>1255 W PEMBROKE AVE</b>	<b>97</b>	<b>812</b>
<b>HAMPTON UNIV</b>	<b>BLDG 220 TURNER HALL</b>	<b>101</b>	<b>834</b>
<b>US - DEPARTMENT OF VETERAN AFF</b>	<b>100 EMANCIPATION DRIVE</b>	<b>106</b>	<b>879</b>
MAIDA DEVELOPMENT	201 S MALLORY ST	107	899
<b>MAIDA DEVELOPMENT CO</b>	<b>20 LIBBY ST.</b>	<b>110</b>	<b>922</b>
REBEL MARINE SERVICES	1553 BAYVILLE STREET	132	1061
BAY HARBOR BROKERAGE, INC.	1553 BAYVILLE STREET	132	1062
<b>EXXON CO USA #24679</b>	<b>357 W OCEAN VIEW AVE-TA</b>	<b>138</b>	<b>1081</b>
WILLOUGHBY ELEMENTARY SCHOOL	9500 4TH VIEW ST	139	1085
BROADWAY ASSOCIATES	263 A VIEW AVENUE	140	1086
NORFOLK CITY SCHOOL DISTRICT (	9501 MASON CREEK RD	142	1102
<b>HOLY TRINITY SCHOOL</b>		<b>150</b>	<b>1123</b>
TWIN OAKS DAY CARE & KIND INC	9266 CHELSEA AVE	160	1144
CITY OF NORFOLK, DEPT. OF UTIL	TIDEWATER DR & GRANBY S	161	1146
<b>IMPERIAL CLEANERS</b>	<b>101 MAPLE AVENUE</b>	<b>161</b>	<b>1148</b>
<b>CHESAPEAKE &amp; POTOMAC TELEPHONE</b>	<b>8910 GRANBY ST</b>	<b>172</b>	<b>1169</b>
NORFOLK CITY SCHOOL DISTRICT (	137 E WESTMONT AVE	174	1177
MARY CALCOTT ELEM.	137 WESTMONT AVE	174	1180
NORFOLK CITY SCHOOL DISTRICT (	8720 GRANBY ST	175	1182
<b>7-ELEVEN #25925</b>	<b>8595 TIDEWATER DR</b>	<b>176</b>	<b>1188</b>
<b>COTTAGE TOLL EXXON</b>	<b>8594 TIDEWATER DR</b>	<b>176</b>	<b>1195</b>
<b>AMOCO #84818-TANKS</b>	<b>8605 TIDEWATER DR</b>	<b>176</b>	<b>1206</b>
<b>ALBIS CLEANERS T A SUBURBAN CL</b>	<b>337 E BAYVIEW BLVD</b>	<b>177</b>	<b>1227</b>
<b>THE FILM FACTORY FOTEK CORP</b>	<b>7862 TIDEWATER DR</b>	<b>187</b>	<b>1240</b>
<b>SUNOCO SERVICE STATION</b>	<b>287 E LITTLE CREEK D</b>	<b>189</b>	<b>1247</b>
DENBY PARK DAY CARE CENTER INC	369 FORTH WORTH AVE	191	1265
DENBY PARK PRIVATE SCHOOL	369 FORT WORTH AVENUE	191	1266
<b>EXXON CO U S A RA521658</b>	<b>7726 GRANBY ST</b>	<b>192</b>	<b>1280</b>
<b>MERCHANTS TIRE &amp; AUTO 05005</b>	<b>610 E LITTLE CREEK RD</b>	<b>193</b>	<b>1282</b>
<b>DOZIERA EXXON SERVICENTER</b>	<b>740 E LITTLE CREEK RD-T</b>	<b>195</b>	<b>1308</b>
<b>AMOCO 5176</b>	<b>7600 GRANBY ST</b>	<b>201</b>	<b>1319</b>
<b>BON AIR CLNRS</b>	<b>7601 GRANBY ST</b>	<b>201</b>	<b>1340</b>
<b>ESTABROOK PRINTING &amp; LETTER SP</b>	<b>141 E LITTLE CREEK RD</b>	<b>202</b>	<b>1344</b>
<b>CHEVRON STATION #64838</b>	<b>7501 TIDEWATER DR</b>	<b>209</b>	<b>1387</b>
<b>MAACO AUTO PAINT - BERIT INC</b>	<b>7522 TIDEWATER DR</b>	<b>209</b>	<b>1390</b>
PARKDALE PRIVATE SCHOOL INC	321 VIRGINIAN DR	211	1406
<b>7-ELEVEN #19108</b>	<b>7431 TIDEWATER DR</b>	<b>215</b>	<b>1413</b>



## EXECUTIVE SUMMARY

US HIST CDL: A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

A review of the US HIST CDL list, as provided by EDR, and dated 09/01/2007 has revealed that there is 1 US HIST CDL site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
308 NAVAL BASE RD APT A	308 NAVAL BASE RD APT A	208	1368

### STATE AND LOCAL RECORDS

VA LUST: The Leaking Underground Storage Tank Database.

A review of the VA LUST list, as provided by EDR, and dated 05/18/2004 has revealed that there are 156 VA LUST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>SOLO NIRAJ INCORPORATED</b> Facility Status: Closed Facility Status: Closed	<b>1255 N KING ST</b>	<b>1</b>	<b>3</b>
<b>Not reported</b> Facility Status: Closed Facility Status: Closed	<b>1225 N KING STREET</b>	<b>2</b>	<b>18</b>
<b>DAEIK INC</b> Facility Status: Closed Facility Status: Closed	<b>2200 CUNNINGHAM DR</b>	<b>3</b>	<b>19</b>
<b>BELL ATLANTIC</b> Facility Status: Closed Facility Status: Closed	<b>2021 CUNNINGHAM DRIVE</b>	<b>4</b>	<b>20</b>
<b>FIRESTONE STORE #39F3</b> Facility Status: Closed Facility Status: Closed	<b>2051 COLISEUM DR</b>	<b>5</b>	<b>22</b>
7-ELEVEN #23363 Facility Status: Closed Facility Status: Closed	1200 NORTH KING STREET	6	29
<b>EXXON - ARMISTEAD</b> Facility Status: Open	<b>2009 N ARMISTEAD AVE</b>	<b>7</b>	<b>40</b>
<b>MORRISON CLINTON RESIDENCE</b> Facility Status: Open	<b>23 CURLE RD</b>	<b>8</b>	<b>41</b>
<b>FREEDOM FORD - HAMPTON</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>1010 WEST MERCURY BLVD</b>	<b>9</b>	<b>41</b>
<b>SYMS EATON MUSEUM</b> Facility Status: Closed Facility Status: Closed	<b>418 WEST MERCURY BLVD</b>	<b>10</b>	<b>42</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>MERCHANTS TIRE AND AUTO CENTER</b> Facility Status: Closed Facility Status: Closed	<b>201 W MERCURY BLVD</b>	<b>11</b>	<b>45</b>
<b>SPEEDEE OIL CORPORATION</b> Facility Status: Closed Facility Status: Closed	<b>205 W MERCURY BLVD</b>	<b>11</b>	<b>47</b>
<b>KMART #3154</b> Facility Status: Closed Facility Status: Closed	<b>210 WEST MERCURY BOULEV</b>	<b>11</b>	<b>53</b>
<b>GETTY MART #220</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>120 W. MERCURY BLVD.</b>	<b>12</b>	<b>55</b>
<b>CASEY MARINE</b> Facility Status: Closed Facility Status: Closed	<b>1021 W MERCURY BLVD</b>	<b>13</b>	<b>66</b>
<b>PIZZA HUT 13329</b> Facility Status: Closed Facility Status: Closed	<b>26 W MERCURY BLVD</b>	<b>15</b>	<b>86</b>
<b>CRESTAR BANK</b> Facility Status: Closed Facility Status: Closed	<b>2100 EXEUTIVE DRIVE</b>	<b>16</b>	<b>87</b>
<b>MERITA BAKERY - LANGLEY SQUARE</b> Facility Status: Closed Facility Status: Closed	<b>69 W MERCURY BLVD</b>	<b>17</b>	<b>90</b>
<b>MILLER MART 69</b> Facility Status: Closed Facility Status: Closed	<b>61 E MERCURY BLVD</b>	<b>18</b>	<b>93</b>
<b>7 ELEVEN 33581</b> Facility Status: Closed Facility Status: Closed	<b>1033 W MERCURY BLVD</b>	<b>19</b>	<b>112</b>
<b>ANNE ARTHUR FAMILY PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>1980 CUNNINGHAM DRIVE</b>	<b>19</b>	<b>117</b>
<b>WELLWORTH CLEANERS - ARMISTEAD</b> Facility Status: Closed Facility Status: Closed	<b>1932 N ARMISTEAD AVE</b>	<b>20</b>	<b>120</b>
<b>ARMISTEAD CITGO</b> Facility Status: Closed Facility Status: Closed	<b>1925 NORTH ARMISTEAD AV</b>	<b>20</b>	<b>123</b>
<b>EXXON S/S #2-7247</b> Facility Status: Closed Facility Status: Closed	<b>1201 W. MERCURY BLVD.</b>	<b>22</b>	<b>150</b>
<b>MILLER STORE #2204</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>1133 W. MERCURY BLVD</b>	<b>22</b>	<b>156</b>
<b>HAMPTON MOTOR CORP</b> Facility Status: Closed Facility Status: Closed	<b>1073 WEST MERCURY BOULE</b>	<b>22</b>	<b>168</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>DEEL PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>232 PINE CHAPEL ROAD</b>	<b>24</b>	<b>197</b>
<b>7-ELEVEN #25102</b> Facility Status: Closed Facility Status: Closed	<b>989 NORTH KING STREET</b>	<b>25</b>	<b>199</b>
<b>MONTGOMERY WARD</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>2201 W MERCURY BLVD</b>	<b>27</b>	<b>213</b>
<b>MILLERS NEIGHBORHOOD MARKET #2</b> Facility Status: Closed Facility Status: Closed	<b>2129 W MERCURY BLVD</b>	<b>27</b>	<b>226</b>
<b>EXXON CO USA #26599</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>2136 W MERCURY BLVD-TAN</b>	<b>27</b>	<b>239</b>
<b>Not reported</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>1816 W MERCURY BLVD</b>	<b>27</b>	<b>250</b>
<b>FINDLEY E MARSHALL PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>1516 - 1520 N ARMISTEAD</b>	<b>29</b>	<b>254</b>
<b>HAMPTON CITY PROPERTY - 140 PI</b> Facility Status: Closed Facility Status: Closed	<b>140 PINE CHAPEL RD</b>	<b>30</b>	<b>255</b>
<b>FILL-EM-FAST #57-44</b> Facility Status: Closed Facility Status: Closed	<b>2129 W QUEEN STREET</b>	<b>32</b>	<b>257</b>
<b>THE ORCHARD AT HAMPTON RIVER</b> Facility Status: Closed Facility Status: Closed	<b>80 N BOXWOOD ST</b>	<b>34</b>	<b>271</b>
<b>Y.H. THOMAS SCHOOL</b> Facility Status: Closed Facility Status: Closed	<b>1300 THOMAS STREET</b>	<b>38</b>	<b>289</b>
<b>EAST MERCURY BLVD ASSOC-CHEVRO</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>235 E MERCURY BLVD</b>	<b>40</b>	<b>296</b>
<b>KIMS AUTO</b> Facility Status: Closed Facility Status: Closed	<b>234 E MERCURY BLVD</b>	<b>40</b>	<b>309</b>
<b>SCHILLER PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>1001 THOMAS ST</b>	<b>42</b>	<b>339</b>
<b>LARRYS CITGO SERVICENTER INC</b> Facility Status: Closed Facility Status: Closed	<b>1100 N ARMISTEAD AVE</b>	<b>44</b>	<b>384</b>
<b>RACE COAST</b> Facility Status: Closed Facility Status: Closed	<b>1410 E PEMBROKE AVE</b>	<b>47</b>	<b>405</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>VDOT - MAINTENANCE FACILITY</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>33 PINE CHAPEL RD</b>	<b>49</b>	<b>436</b>
<b>EDMONDS RENTAL</b> Facility Status: Closed Facility Status: Closed	<b>701 N. KING STREET</b>	<b>52</b>	<b>456</b>
<b>GBS TOWING SERVICE</b> Facility Status: Closed Facility Status: Closed	<b>601 N ARMISTEAD AVE</b>	<b>53</b>	<b>463</b>
<b>HAMPTON MUNICIPALE FACILITY</b> Facility Status: Closed Facility Status: Closed	<b>552 BACK RIVER RD</b>	<b>56</b>	<b>473</b>
<b>PENTRAN TRANSPORTATION CENTER</b> Facility Status: Closed Facility Status: Closed	<b>2 W PEMBROKE AVENUE</b>	<b>58</b>	<b>491</b>
DMA HAMPTON ARMORY Facility Status: Closed Facility Status: Closed	504 NORTH KING STREET	58	502
<b>HAMPTON CITY - GARAGE</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>413 N ARMISTEAD AVE</b>	<b>59</b>	<b>533</b>
<b>MCDONALD TRACT</b> Facility Status: Closed Facility Status: Closed	<b>1265, 1315, AND 1321 QU</b>	<b>60</b>	<b>538</b>
<b>HAMPTON COMMUNITY SERVICE CENT</b> Facility Status: Closed Facility Status: Closed	<b>1320 LASALLE AVENUE</b>	<b>61</b>	<b>539</b>
<b>HOOKS RESIDENCE - HURRICAN IDA</b> Facility Status: Closed Facility Status: Closed	<b>143 WOODLAND RD</b>	<b>62</b>	<b>547</b>
<b>MTM AUTOMOTIVE AMOCO</b> Facility Status: Closed Facility Status: Closed	<b>234 W. PEMBROKE AVE.</b>	<b>63</b>	<b>548</b>
<b>MR YIS AUTO REPAIR/WESCOTT AMO</b> Facility Status: Closed Facility Status: Closed	<b>201 W PEMBROKE AVE</b>	<b>63</b>	<b>565</b>
<b>ZOOMS #5</b> Facility Status: Closed Facility Status: Closed	<b>355 E MERCURY BLVD</b>	<b>67</b>	<b>580</b>
<b>Not reported</b> Facility Status: Closed Facility Status: Closed	<b>228 PATTERSON AVE</b>	<b>69</b>	<b>599</b>
<b>FIRST BAPTIST CHURCH</b> Facility Status: Closed Facility Status: Closed	<b>229 NORTH KING STREET</b>	<b>70</b>	<b>624</b>
<b>HAMPTON CITY JAIL</b> Facility Status: Closed Facility Status: Closed	<b>22 LINCOLN STREET</b>	<b>71</b>	<b>634</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>Not reported</b> Facility Status: Open	<b>700 SETTLERS LANDING RO</b>	<b>75</b>	<b>661</b>
<b>GOODYEAR TIRE CENTER</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>25 S KING ST</b>	<b>75</b>	<b>667</b>
<b>OLD HAMPTON BANKING CENTER</b> Facility Status: Closed Facility Status: Closed	<b>ONE WEST QUEENS WAY</b>	<b>75</b>	<b>676</b>
<b>HAMPTON CITY - FORMER MASONIC</b> Facility Status: Closed Facility Status: Closed	<b>34 E QUEENS WAY</b>	<b>75</b>	<b>678</b>
<b>OLD POINT NATIONAL BANK PROPER</b> Facility Status: Closed Facility Status: Closed	<b>101 E QUEEN ST</b>	<b>75</b>	<b>680</b>
<b>BELL ATLANTIC</b> Facility Status: Closed Facility Status: Closed	<b>131 EAST QUEENS WAY</b>	<b>75</b>	<b>681</b>
<b>QUEENS STREET BAPTIST CHURCH -</b> Facility Status: Closed Facility Status: Closed	<b>190 E QUEENS STREET</b>	<b>75</b>	<b>687</b>
<b>JAHRMARKT NICHOLAS RESIDENCE</b> Facility Status: Closed Facility Status: Closed	<b>48 W SHERWOOD AVE</b>	<b>77</b>	<b>692</b>
<b>QUEEN STREET CONNECTOR</b> Facility Status: Closed Facility Status: Closed	<b>336 QUEEN ST</b>	<b>81</b>	<b>701</b>
<b>HAMPTON AUTOMOTIVE</b> Facility Status: Closed Facility Status: Closed	<b>2 SOUTH ARMISTEAD AVENU</b>	<b>83</b>	<b>719</b>
<b>HARRISONS SERVICE CENTER</b> Facility Status: Closed Facility Status: Closed	<b>1107 W. PEMBROKE AVENUE</b>	<b>85</b>	<b>728</b>
<b>FIRST UNITED METHODIST CHURCH</b> Facility Status: Closed Facility Status: Closed	<b>110 QUEENS STREET</b>	<b>86</b>	<b>746</b>
<b>CAMERA CITY FORMER - PROPOSED</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>101 S ARMISTEAD AVE</b>	<b>88</b>	<b>756</b>
<b>ZOOMS 9</b> Facility Status: Closed Facility Status: Closed	<b>1401 W QUEEN ST</b>	<b>89</b>	<b>772</b>
<b>OLD GOLF COURSE - MAINTENANCE</b> Facility Status: Closed Facility Status: Closed	<b>9 WOODLAND ROAD</b>	<b>90</b>	<b>777</b>
<b>HAMPTON UNIVERSITY PROPERTY -</b> Facility Status: Closed Facility Status: Closed	<b>3 SAGE CT</b>	<b>91</b>	<b>777</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>L.D. AMORY &amp; CO., INC.</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>101 S. KING STREET</b>	<b>92</b>	<b>792</b>
<b>PHEOBUS 76</b> Facility Status: Closed Facility Status: Closed	<b>608 E. MERCURY BLVD.</b>	<b>96</b>	<b>801</b>
<b>JONES MARINA</b> Facility Status: Closed Facility Status: Closed	<b>529 BRIDGE ST</b>	<b>98</b>	<b>814</b>
<b>Not reported</b> Facility Status: Closed Facility Status: Closed	<b>519 BRIDGE STREET PIER</b>	<b>98</b>	<b>821</b>
<b>PHOEBUS BP AMOCO</b> Facility Status: Closed Facility Status: Closed	<b>20 W COUNTY ST</b>	<b>100</b>	<b>825</b>
<b>WOOD FUNERAL HOME</b> Facility Status: Closed Facility Status: Closed	<b>4304 VICTORIA BLVD</b>	<b>103</b>	<b>845</b>
<b>7 ELEVEN 22246</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>3800 SHELL RD</b>	<b>104</b>	<b>846</b>
<b>US - DEPARTMENT OF VETERAN AFF</b> Facility Status: Closed Facility Status: Closed	<b>100 EMANCIPATION DRIVE</b>	<b>106</b>	<b>879</b>
<b>GAS N GO</b> Facility Status: Closed Facility Status: Closed	<b>209 S MALLORY ST</b>	<b>107</b>	<b>886</b>
<b>WILSON PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>115 S. MALLORY STREET</b>	<b>107</b>	<b>902</b>
<b>DORAN JOHN T PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>1554 PEMBROKE AVE</b>	<b>108</b>	<b>906</b>
<b>THE AMERICAN THEATRE</b> Facility Status: Closed	<b>125 E MELLEEN ST</b>	<b>109</b>	<b>907</b>
<b>PHOEBUS WOMANS CLUB</b> Facility Status: Closed Facility Status: Closed	<b>113 EAST HOWARD STREET</b>	<b>111</b>	<b>932</b>
<b>HAMPTON CITY - PHOEBUS VOLUNTE</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>122 SOUTH HOPE STREET</b>	<b>111</b>	<b>933</b>
<b>ST MARY'S STAR OF SEA SCHOOL</b> Facility Status: Closed Facility Status: Closed	<b>14 N WILLARD ST</b>	<b>113</b>	<b>942</b>
<b>Not reported</b> Facility Status: Closed Facility Status: Closed	<b>4 IVY HOME ROAD</b>	<b>115</b>	<b>944</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>WANCHESE SEAFOOD</b> Facility Status: Closed Facility Status: Closed	<b>48 WATER ST</b>	<b>116</b>	<b>969</b>
<b>SAMS RESTAURANT</b> Facility Status: Closed Facility Status: Closed	<b>23 WATER ST</b>	<b>116</b>	<b>977</b>
<b>FORT MONROE</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>		<b>119</b>	<b>997</b>
<b>ARMANAS DONNA PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>1526 LEA VIEW AVE</b>	<b>125</b>	<b>1031</b>
<b>DREITLEIN MICHAEL SITE</b> Facility Status: Closed Facility Status: Closed	<b>9632 11TH VIEW ST</b>	<b>126</b>	<b>1032</b>
<b>WILLOUGHBY MARINA</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>1651 BAYVILLE ST</b>	<b>129</b>	<b>1035</b>
HARRISON BOAT HOUSE INCORPORAT Facility Status: Closed Facility Status: Closed	414 W OCEAN VIEW AVE	137	1068
<b>BP - WILLOUGHBY</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>357 W OCEAN VIEW AVE</b>	<b>138</b>	<b>1071</b>
<b>OCEAN VIEW STATION</b> Facility Status: Closed Facility Status: Closed	<b>9631 FIRST VIEW STREET</b>	<b>141</b>	<b>1089</b>
<b>TINEE GIANT #147-CITGO GAS</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>122 PORTVIEW AVENUE</b>	<b>141</b>	<b>1091</b>
<b>US POSTAL SERVICE - OCEAN VIEW</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>9550 FIRST VIEW ST</b>	<b>146</b>	<b>1108</b>
<b>EVANS GARAGE INC</b> Facility Status: Closed Facility Status: Closed	<b>120 BALVIEW AVE.</b>	<b>147</b>	<b>1117</b>
RESIDENCE - 9459 HICKORY ST Facility Status: Closed Facility Status: Closed	9459 HICKORY ST	148	1118
<b>WILLIAMS MARY PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>136 CHERRY ST</b>	<b>151</b>	<b>1128</b>
SIMMONS MALVINA RESIDENCE Facility Status: Closed Facility Status: Closed	9412 ORLEANS ST	152	1129

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>NORFOLK CITY - FIRE STATION 13</b> Facility Status: Closed Facility Status: Closed	<b>176 MAPLE AVE</b>	<b>154</b>	<b>1132</b>
<b>HERBERT KATHERINE RESIDENCE</b> Facility Status: Closed Facility Status: Closed	<b>9526 HAMMETT PKWY</b>	<b>155</b>	<b>1133</b>
<b>NORFOLK CITY OF - PUMPING STAT</b> Facility Status: Closed Facility Status: Closed	<b>9238 FIRST VIEW ST.</b>	<b>156</b>	<b>1133</b>
<b>BURNS RESIDENCE</b> Facility Status: Closed Facility Status: Closed	<b>9415 HAMMETT PARKWAY</b>	<b>158</b>	<b>1140</b>
<b>DELAURA FRANK PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>9230 GRANBY ST</b>	<b>163</b>	<b>1153</b>
<b>BROWNS CONVENIENCE STORE</b> Facility Status: Closed Facility Status: Closed	<b>FIRST VIEW &amp; BAY AVE.</b>	<b>164</b>	<b>1153</b>
<b>HINOJOSA RESIDENCE - TS NICOLE</b> Facility Status: Closed Facility Status: Closed	<b>305 LENOX AVE</b>	<b>165</b>	<b>1160</b>
<b>CICHONOWICZ TODD AND REBECCA P</b> Facility Status: Closed Facility Status: Closed	<b>152 W RANDALL AVE</b>	<b>166</b>	<b>1161</b>
<b>EQUITY DEVELOPMENT CORPORATION</b> Facility Status: Open	<b>125 E LORENZO AVE</b>	<b>167</b>	<b>1161</b>
<b>7-ELEVEN STORE 25925</b> Facility Status: Closed Facility Status: Closed	<b>8595 TIDEWATER DRIVE</b>	<b>176</b>	<b>1189</b>
<b>COTTAGE TOLL CITGO</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>8594 TIDEWATER DR</b>	<b>176</b>	<b>1197</b>
<b>BP AMOCO STATION #84818</b> Facility Status: Closed Facility Status: Closed	<b>8605 TIDEWATER DR</b>	<b>176</b>	<b>1208</b>
<b>BAYVIEW TIDEWATER DEVELOPMENT</b> Facility Status: Closed Facility Status: Closed	<b>330 E BAYVIEW BLVD</b>	<b>177</b>	<b>1230</b>
<b>CLUFF HAP RESIDENCE</b> Facility Status: Closed Facility Status: Closed	<b>262 LOUVICK ST</b>	<b>180</b>	<b>1232</b>
<b>CROWN - HOLIDAY FOOD STORE - 8</b> Facility Status: Closed Facility Status: Closed	<b>8338 8340 TIDEWATER DR</b>	<b>183</b>	<b>1235</b>
<b>VDOT</b> Facility Status: Closed Facility Status: Closed	<b>I-64 &amp; GRANBY STREET</b>	<b>185</b>	<b>1238</b>
<b>FOWLER ROBERT RESIDENCE</b> Facility Status: Closed Facility Status: Closed	<b>7705 FAYVER AVENUE</b>	<b>188</b>	<b>1247</b>



## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>RACECOAST</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>303 E LITTLE CREEK RD</b>	<b>189</b>	<b>1250</b>
<b>GREEN CLEAN - 501 E LITTLE CRE</b> Facility Status: Closed Facility Status: Closed	<b>501 E LITTLE CREEK RD</b>	<b>190</b>	<b>1263</b>
<b>Not reported</b> Facility Status: Closed Facility Status: Closed	<b>7718 GRANBY STREET</b>	<b>192</b>	<b>1266</b>
<b>EXXON #21658</b> Facility Status: Closed Facility Status: Closed	<b>7726 GRANBY ST</b>	<b>192</b>	<b>1269</b>
<b>DRUG EMPORIUM - FORMER</b> Facility Status: Closed Facility Status: Closed	<b>201 E LITTLE CREEK RD</b>	<b>194</b>	<b>1287</b>
<b>FENTRESS CHARITABLE TRUST PROP</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>211 E LITTLE CREEK RD</b>	<b>194</b>	<b>1287</b>
<b>HILL PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>227 E LITTLE CREEK RD</b>	<b>194</b>	<b>1290</b>
<b>EXXON 24626</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>740 E LITTLE CREEK RD</b>	<b>195</b>	<b>1307</b>
<b>NORFOLK PAINT COMPANY #2 INCOR</b> Facility Status: Closed Facility Status: Closed	<b>818 E. LITTLE CREEK RD.</b>	<b>196</b>	<b>1311</b>
<b>PBM PROPERTY</b> Facility Status: Closed Facility Status: Closed	<b>865 E LITTLE CREEK RD</b>	<b>200</b>	<b>1318</b>
<b>BP AMOCO STATION #5176</b> Facility Status: Closed Facility Status: Closed	<b>7600 GRANBY ST</b>	<b>201</b>	<b>1320</b>
<b>LENS SERVICE CENTER</b> Facility Status: Closed Facility Status: Closed	<b>7601 GRANBY STREET</b>	<b>201</b>	<b>1327</b>
<b>NORFOLK SECOND POLICE PRECINCT</b> Facility Status: Closed Facility Status: Closed	<b>7666 SEWELLS POINT RD</b>	<b>203</b>	<b>1345</b>
<b>ANDERSON KENNETH PROPERTY</b> Facility Status: Open	<b>7507 RUTHVEN RD</b>	<b>204</b>	<b>1349</b>
<b>BARNETT RICHARD M RESIDENCE</b> Facility Status: Closed Facility Status: Closed	<b>7539 VIRGINIAN DR</b>	<b>207</b>	<b>1358</b>
<b>DONALD DIXON SPRAYING AND TREE</b> Facility Status: Closed Facility Status: Closed	<b>424 NAVAL BASE RD</b>	<b>208</b>	<b>1359</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>CAROLINA BUILDERS CORPORATION</b>	<b>301 NAVAL BASE ROAD &amp; W</b>	<b>208</b>	<b>1372</b>
Facility Status: Closed			
Facility Status: Closed			
<i>*Additional key fields are available in the Map Findings section</i>			
<b>ROYAL MART</b>	<b>7501 TIDEWATER DR</b>	<b>209</b>	<b>1373</b>
Facility Status: Closed			
Facility Status: Closed			
<i>*Additional key fields are available in the Map Findings section</i>			
<b>MAACO AUTO PAINT - BERIT INC</b>	<b>7522 TIDEWATER DR</b>	<b>209</b>	<b>1390</b>
Facility Status: Closed			
Facility Status: Closed			
<b>SOUTHERN SHOP CNTR-WESTERN AUT</b>	<b>7525 TIDEWATER DRIVE</b>	<b>209</b>	<b>1393</b>
Facility Status: Closed			
Facility Status: Closed			
<b>DOSSIN JEFFREY AND LIA RESIDEN</b>	<b>411 HARITON CT</b>	<b>210</b>	<b>1405</b>
Facility Status: Closed			
Facility Status: Closed			
<b>JEWISH COMMUNITY CENTER OF TID</b>	<b>7300 NEWPORT AVE</b>	<b>210</b>	<b>1406</b>
Facility Status: Closed			
Facility Status: Closed			
<b>TRUST PROPERTY - 7305 GRANBY S</b>	<b>7305 GRANBY ST</b>	<b>212</b>	<b>1408</b>
Facility Status: Closed			
Facility Status: Closed			
<b>REED RESIDENCE</b>	<b>107 ELVIN ROAD</b>	<b>212</b>	<b>1409</b>
Facility Status: Closed			
Facility Status: Closed			
<b>GARRICK RESIDENCE</b>	<b>7409 YORKTOWN DRIVE</b>	<b>213</b>	<b>1409</b>
Facility Status: Closed			
Facility Status: Closed			
<b>ROBBINS RESIDENCE</b>	<b>298 SUBURBAN PARKWAY</b>	<b>214</b>	<b>1410</b>
Facility Status: Closed			
Facility Status: Closed			
<b>WARDS CORNER AREA HEADQUARTERS</b>	<b>609 NAVAL BASE RD</b>	<b>216</b>	<b>1433</b>
Facility Status: Closed			
Facility Status: Closed			
<b>RIVERSIDE TERRACE APARTMENTS</b>	<b>7211 NEWPORT AVE</b>	<b>217</b>	<b>1434</b>
Facility Status: Closed			
Facility Status: Closed			
<i>*Additional key fields are available in the Map Findings section</i>			
<b>CAFFEY BERTA RESIDENCE</b>	<b>468 VIRGINIAN DR</b>	<b>218</b>	<b>1435</b>
Facility Status: Closed			
Facility Status: Closed			
<b>TALBOT PARK APARTMENTS</b>	<b>118 WARREN STREET</b>	<b>219</b>	<b>1436</b>
Facility Status: Closed			
Facility Status: Closed			
<b>THE BALLENTINE</b>	<b>7211 GRANBY ST</b>	<b>220</b>	<b>1450</b>
Facility Status: Closed			
Facility Status: Closed			
<b>TURNER RICHARD RESIDENCE</b>	<b>424 BRICKBY ROAD</b>	<b>221</b>	<b>1452</b>
Facility Status: Closed			
Facility Status: Closed			

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>TABERNACLE CHURCH OF NORFOLK</b> Facility Status: Closed Facility Status: Closed	<b>7120 GRANBY STREET</b>	<b>222</b>	<b>1453</b>
<b>KURZER RESIDENCE - HURRICANE I</b> Facility Status: Closed Facility Status: Closed	<b>436 THOLE ST</b>	<b>223</b>	<b>1455</b>

VA LTANKS: The Leaking Tanks Database contains current Leaking petroleum tanks. The data comes from the Department of Environmental Quality.

A review of the VA LTANKS list, as provided by EDR, and dated 03/01/2012 has revealed that there are 138 VA LTANKS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>SOLO NIRAJ INCORPORATED</b> Facility Status: Closed	<b>1255 N KING ST</b>	<b>1</b>	<b>3</b>
<b>DAEIK INC</b> Facility Status: Closed	<b>2200 CUNNINGHAM DR</b>	<b>3</b>	<b>19</b>
<b>BELL ATLANTIC</b> Facility Status: Closed	<b>2021 CUNNINGHAM DRIVE</b>	<b>4</b>	<b>20</b>
<b>EXXON - ARMISTEAD</b> Facility Status: Open	<b>2009 N ARMISTEAD AVE</b>	<b>7</b>	<b>40</b>
<b>MORRISON CLINTON RESIDENCE</b> Facility Status: Open	<b>23 CURLE RD</b>	<b>8</b>	<b>41</b>
<b>FREEDOM FORD - HAMPTON</b> Facility Status: Closed Facility Status: Closed	<b>1010 WEST MERCURY BLVD</b>	<b>9</b>	<b>41</b>
<b>SYMS EATON MUSEUM</b> Facility Status: Closed	<b>418 WEST MERCURY BLVD</b>	<b>10</b>	<b>42</b>
<b>MERCHANTS TIRE AND AUTO CENTER</b> Facility Status: Closed	<b>201 W MERCURY BLVD</b>	<b>11</b>	<b>45</b>
<b>SPEEDEE OIL CORPORATION</b> Facility Status: Closed	<b>205 W MERCURY BLVD</b>	<b>11</b>	<b>47</b>
<b>KMART #3154</b> Facility Status: Closed	<b>210 WEST MERCURY BOULEV</b>	<b>11</b>	<b>53</b>
<b>GETTY MART #220</b> Facility Status: Closed Facility Status: Closed	<b>120 W. MERCURY BLVD.</b>	<b>12</b>	<b>55</b>
<b>CASEY MARINE</b> Facility Status: Closed	<b>1021 W MERCURY BLVD</b>	<b>13</b>	<b>66</b>
<b>MERITA BAKERY - LANGLEY SQUARE</b> Facility Status: Closed	<b>69 W MERCURY BLVD</b>	<b>17</b>	<b>90</b>
<b>MILLER MART 69</b> Facility Status: Closed	<b>61 E MERCURY BLVD</b>	<b>18</b>	<b>93</b>
<b>7 ELEVEN 33581</b> Facility Status: Closed	<b>1033 W MERCURY BLVD</b>	<b>19</b>	<b>112</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>ANNE ARTHUR FAMILY PROPERTY</b> Facility Status: Closed	<b>1980 CUNNINGHAM DRIVE</b>	<b>19</b>	<b>117</b>
<b>WELLWORTH CLEANERS - ARMISTEAD</b> Facility Status: Closed	<b>1932 N ARMISTEAD AVE</b>	<b>20</b>	<b>120</b>
<b>ARMISTEAD CITGO</b> Facility Status: Closed	<b>1925 NORTH ARMISTEAD AV</b>	<b>20</b>	<b>123</b>
<b>EXXON S/S #2-7247</b> Facility Status: Closed	<b>1201 W. MERCURY BLVD.</b>	<b>22</b>	<b>150</b>
<b>MILLER STORE #2204</b> Facility Status: Closed Facility Status: Closed	<b>1133 W. MERCURY BLVD</b>	<b>22</b>	<b>156</b>
<b>HAMPTON MOTOR CORP</b> Facility Status: Closed	<b>1073 WEST MERCURY BOULE</b>	<b>22</b>	<b>168</b>
<b>7-ELEVEN #25102</b> Facility Status: Closed	<b>989 NORTH KING STREET</b>	<b>25</b>	<b>199</b>
<b>MONTGOMERY WARD</b> Facility Status: Closed Facility Status: Closed	<b>2201 W MERCURY BLVD</b>	<b>27</b>	<b>213</b>
<b>MILLERS NEIGHBORHOOD MARKET #2</b> Facility Status: Closed	<b>2129 W MERCURY BLVD</b>	<b>27</b>	<b>226</b>
<b>EXXON CO USA #26599</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>2136 W MERCURY BLVD-TAN</b>	<b>27</b>	<b>239</b>
<b>Not reported</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>1816 W MERCURY BLVD</b>	<b>27</b>	<b>250</b>
<b>FINDLEY E MARSHALL PROPERTY</b> Facility Status: Closed	<b>1516 - 1520 N ARMISTEAD</b>	<b>29</b>	<b>254</b>
<b>HAMPTON CITY PROPERTY - 140 PI</b> Facility Status: Closed	<b>140 PINE CHAPEL RD</b>	<b>30</b>	<b>255</b>
<b>FILL-EM-FAST #57-44</b> Facility Status: Closed	<b>2129 W QUEEN STREET</b>	<b>32</b>	<b>257</b>
<b>THE ORCHARD AT HAMPTON RIVER</b> Facility Status: Closed	<b>80 N BOXWOOD ST</b>	<b>34</b>	<b>271</b>
<b>Y.H. THOMAS SCHOOL</b> Facility Status: Closed	<b>1300 THOMAS STREET</b>	<b>38</b>	<b>289</b>
<b>EAST MERCURY BLVD ASSOC-CHEVRO</b> Facility Status: Closed Facility Status: Closed	<b>235 E MERCURY BLVD</b>	<b>40</b>	<b>296</b>
<b>KIMS AUTO</b> Facility Status: Closed	<b>234 E MERCURY BLVD</b>	<b>40</b>	<b>309</b>
<b>SCHILLER PROPERTY</b> Facility Status: Closed	<b>1001 THOMAS ST</b>	<b>42</b>	<b>339</b>
<b>LARRYS CITGO SERVICENTER INC</b> Facility Status: Closed	<b>1100 N ARMISTEAD AVE</b>	<b>44</b>	<b>384</b>
<b>RACE COAST</b> Facility Status: Closed	<b>1410 E PEMBROKE AVE</b>	<b>47</b>	<b>405</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>VDOT - MAINTENANCE FACILITY</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>33 PINE CHAPEL RD</b>	<b>49</b>	<b>436</b>
<b>EDMONDS RENTAL</b> Facility Status: Closed	<b>701 N. KING STREET</b>	<b>52</b>	<b>456</b>
<b>GBS TOWING SERVICE</b> Facility Status: Closed	<b>601 N ARMISTEAD AVE</b>	<b>53</b>	<b>463</b>
<b>HAMPTON MUNICIPALE FACILITY</b> Facility Status: Closed	<b>552 BACK RIVER RD</b>	<b>56</b>	<b>473</b>
<b>PENTRAN TRANSPORTATION CENTER</b> Facility Status: Closed	<b>2 W PEMBROKE AVENUE</b>	<b>58</b>	<b>491</b>
<b>HAMPTON CITY - GARAGE</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>413 N ARMISTEAD AVE</b>	<b>59</b>	<b>533</b>
<b>MCDONALD TRACT</b> Facility Status: Closed	<b>1265, 1315, AND 1321 QU</b>	<b>60</b>	<b>538</b>
<b>HAMPTON COMMUNITY SERVICE CENT</b> Facility Status: Closed	<b>1320 LASALLE AVENUE</b>	<b>61</b>	<b>539</b>
<b>HOOKS RESIDENCE - HURRICAN IDA</b> Facility Status: Closed	<b>143 WOODLAND RD</b>	<b>62</b>	<b>547</b>
<b>MTM AUTOMOTIVE AMOCO</b> Facility Status: Closed	<b>234 W. PEMBROKE AVE.</b>	<b>63</b>	<b>548</b>
<b>MR YIS AUTO REPAIR/WESCOTT AMO</b> Facility Status: Closed	<b>201 W PEMBROKE AVE</b>	<b>63</b>	<b>565</b>
<b>ZOOMS #5</b> Facility Status: Closed	<b>355 E MERCURY BLVD</b>	<b>67</b>	<b>580</b>
<b>FIRST BAPTIST CHURCH</b> Facility Status: Closed	<b>229 NORTH KING STREET</b>	<b>70</b>	<b>624</b>
<b>Not reported</b> Facility Status: Open	<b>700 SETTLERS LANDING RO</b>	<b>75</b>	<b>661</b>
<b>GOODYEAR TIRE CENTER</b> Facility Status: Closed Facility Status: Closed	<b>25 S KING ST</b>	<b>75</b>	<b>667</b>
<b>OLD HAMPTON BANKING CENTER</b> Facility Status: Closed	<b>ONE WEST QUEENS WAY</b>	<b>75</b>	<b>676</b>
<b>HAMPTON CITY - FORMER MASONIC</b> Facility Status: Closed	<b>34 E QUEENS WAY</b>	<b>75</b>	<b>678</b>
<b>OLD POINT NATIONAL BANK PROPER</b> Facility Status: Closed	<b>101 E QUEEN ST</b>	<b>75</b>	<b>680</b>
<b>BELL ATLANTIC</b> Facility Status: Closed	<b>131 EAST QUEENS WAY</b>	<b>75</b>	<b>681</b>
<b>QUEENS STREET BAPTIST CHURCH -</b> Facility Status: Closed	<b>190 E QUEENS STREET</b>	<b>75</b>	<b>687</b>
<b>JAHRMARKT NICHOLAS RESIDENCE</b> Facility Status: Closed	<b>48 W SHERWOOD AVE</b>	<b>77</b>	<b>692</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>QUEEN STREET CONNECTOR</b> Facility Status: Closed	<b>336 QUEEN ST</b>	<b>81</b>	<b>701</b>
<b>HAMPTON AUTOMOTIVE</b> Facility Status: Closed	<b>2 SOUTH ARMISTEAD AVENU</b>	<b>83</b>	<b>719</b>
<b>HARRISONS SERVICE CENTER</b> Facility Status: Closed	<b>1107 W. PEMBROKE AVENUE</b>	<b>85</b>	<b>728</b>
<b>FIRST UNITED METHODIST CHURCH</b> Facility Status: Closed	<b>110 QUEENS STREET</b>	<b>86</b>	<b>746</b>
<b>CAMERA CITY FORMER - PROPOSED</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>101 S ARMISTEAD AVE</b>	<b>88</b>	<b>756</b>
<b>ZOOMS 9</b> Facility Status: Closed	<b>1401 W QUEEN ST</b>	<b>89</b>	<b>772</b>
<b>OLD GOLF COURSE - MAINTENANCE</b> Facility Status: Closed	<b>9 WOODLAND ROAD</b>	<b>90</b>	<b>777</b>
<b>HAMPTON UNIVERSITY PROPERTY -</b> Facility Status: Closed	<b>3 SAGE CT</b>	<b>91</b>	<b>777</b>
<b>L.D. AMORY &amp; CO., INC.</b> Facility Status: Closed Facility Status: Closed	<b>101 S. KING STREET</b>	<b>92</b>	<b>792</b>
<b>PHEOBUS 76</b> Facility Status: Closed	<b>608 E. MERCURY BLVD.</b>	<b>96</b>	<b>801</b>
<b>JONES MARINA</b> Facility Status: Closed	<b>529 BRIDGE ST</b>	<b>98</b>	<b>814</b>
<b>Not reported</b> Facility Status: Closed	<b>519 BRIDGE STREET PIER</b>	<b>98</b>	<b>821</b>
<b>PHOEBUS BP AMOCO</b> Facility Status: Closed	<b>20 W COUNTY ST</b>	<b>100</b>	<b>825</b>
<b>WOOD FUNERAL HOME</b> Facility Status: Closed	<b>4304 VICTORIA BLVD</b>	<b>103</b>	<b>845</b>
<b>7 ELEVEN 22246</b> Facility Status: Closed Facility Status: Closed	<b>3800 SHELL RD</b>	<b>104</b>	<b>846</b>
<b>US - DEPARTMENT OF VETERAN AFF</b> Facility Status: Closed	<b>100 EMANCIPATION DRIVE</b>	<b>106</b>	<b>879</b>
<b>GAS N GO</b> Facility Status: Closed	<b>209 S MALLORY ST</b>	<b>107</b>	<b>886</b>
<b>WILSON PROPERTY</b> Facility Status: Closed	<b>115 S. MALLORY STREET</b>	<b>107</b>	<b>902</b>
<b>DORAN JOHN T PROPERTY</b> Facility Status: Closed	<b>1554 PEMBROKE AVE</b>	<b>108</b>	<b>906</b>
<b>THE AMERICAN THEATRE</b> Facility Status: Closed	<b>125 E MELLEN ST</b>	<b>109</b>	<b>907</b>
<b>PHOEBUS WOMANS CLUB</b> Facility Status: Closed	<b>113 EAST HOWARD STREET</b>	<b>111</b>	<b>932</b>
<b>HAMPTON CITY - PHOEBUS VOLUNTE</b> Facility Status: Closed Facility Status: Closed	<b>122 SOUTH HOPE STREET</b>	<b>111</b>	<b>933</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>ST MARY'S STAR OF SEA SCHOOL</b> Facility Status: Closed	<b>14 N WILLARD ST</b>	<b>113</b>	<b>942</b>
<b>Not reported</b> Facility Status: Closed	<b>4 IVY HOME ROAD</b>	<b>115</b>	<b>944</b>
<b>WANCHESE SEAFOOD</b> Facility Status: Closed	<b>48 WATER ST</b>	<b>116</b>	<b>969</b>
<b>SAMS RESTAURANT</b> Facility Status: Closed	<b>23 WATER ST</b>	<b>116</b>	<b>977</b>
<b>FORT MONROE</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>		<b>119</b>	<b>997</b>
<b>ARMANAS DONNA PROPERTY</b> Facility Status: Closed	<b>1526 LEA VIEW AVE</b>	<b>125</b>	<b>1031</b>
<b>DREITLEIN MICHAEL SITE</b> Facility Status: Closed	<b>9632 11TH VIEW ST</b>	<b>126</b>	<b>1032</b>
<b>WILLOUGHBY MARINA</b> Facility Status: Closed Facility Status: Closed	<b>1651 BAYVILLE ST</b>	<b>129</b>	<b>1035</b>
<b>BP - WILLOUGHBY</b> Facility Status: Closed	<b>357 W OCEAN VIEW AVE</b>	<b>138</b>	<b>1071</b>
<b>OCEAN VIEW STATION</b> Facility Status: Closed	<b>9631 FIRST VIEW STREET</b>	<b>141</b>	<b>1089</b>
<b>TINEE GIANT #147-CITGO GAS</b> Facility Status: Closed	<b>122 PORTVIEW AVENUE</b>	<b>141</b>	<b>1091</b>
<b>US POSTAL SERVICE - OCEAN VIEW</b> Facility Status: Closed Facility Status: Closed	<b>9550 FIRST VIEW ST</b>	<b>146</b>	<b>1108</b>
<b>EVANS GARAGE INC</b> Facility Status: Closed	<b>120 BALVIEW AVE.</b>	<b>147</b>	<b>1117</b>
<b>WILLIAMS MARY PROPERTY</b> Facility Status: Closed	<b>136 CHERRY ST</b>	<b>151</b>	<b>1128</b>
<b>NORFOLK CITY - FIRE STATION 13</b> Facility Status: Closed	<b>176 MAPLE AVE</b>	<b>154</b>	<b>1132</b>
<b>HERBERT KATHERINE RESIDENCE</b> Facility Status: Closed	<b>9526 HAMMETT PKWY</b>	<b>155</b>	<b>1133</b>
<b>BURNS RESIDENCE</b> Facility Status: Closed	<b>9415 HAMMETT PARKWAY</b>	<b>158</b>	<b>1140</b>
<b>DELAURA FRANK PROPERTY</b> Facility Status: Closed	<b>9230 GRANBY ST</b>	<b>163</b>	<b>1153</b>
<b>BROWNS CONVENIENCE STORE</b> Facility Status: Closed	<b>FIRST VIEW &amp; BAY AVE.</b>	<b>164</b>	<b>1153</b>
<b>HINOJOSA RESIDENCE - TS NICOLE</b> Facility Status: Closed	<b>305 LENOX AVE</b>	<b>165</b>	<b>1160</b>
<b>CICHONOWICZ TODD AND REBECCA P</b> Facility Status: Closed	<b>152 W RANDALL AVE</b>	<b>166</b>	<b>1161</b>
<b>7-ELEVEN STORE 25925</b> Facility Status: Closed	<b>8595 TIDEWATER DRIVE</b>	<b>176</b>	<b>1189</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>COTTAGE TOLL CITGO</b> Facility Status: Closed Facility Status: Closed	<b>8594 TIDEWATER DR</b>	<b>176</b>	<b>1197</b>
<b>BAYVIEW TIDEWATER DEVELOPMENT</b> Facility Status: Closed	<b>330 E BAYVIEW BLVD</b>	<b>177</b>	<b>1230</b>
<b>CLUFF HAP RESIDENCE</b> Facility Status: Closed	<b>262 LOUVICK ST</b>	<b>180</b>	<b>1232</b>
<b>CROWN - HOLIDAY FOOD STORE - 8</b> Facility Status: Closed	<b>8338 8340 TIDEWATER DR</b>	<b>183</b>	<b>1235</b>
<b>VDOT</b> Facility Status: Closed	<b>I-64 &amp; GRANBY STREET</b>	<b>185</b>	<b>1238</b>
<b>FOWLER ROBERT RESIDENCE</b> Facility Status: Closed	<b>7705 FAYVER AVENUE</b>	<b>188</b>	<b>1247</b>
<b>RACECOAST</b> Facility Status: Closed Facility Status: Closed <i>*Additional key fields are available in the Map Findings section</i>	<b>303 E LITTLE CREEK RD</b>	<b>189</b>	<b>1250</b>
<b>GREEN CLEAN - 501 E LITTLE CRE</b> Facility Status: Closed	<b>501 E LITTLE CREEK RD</b>	<b>190</b>	<b>1263</b>
<b>Not reported</b> Facility Status: Closed	<b>7718 GRANBY STREET</b>	<b>192</b>	<b>1266</b>
<b>EXXON #21658</b> Facility Status: Closed	<b>7726 GRANBY ST</b>	<b>192</b>	<b>1269</b>
<b>FENTRESS CHARITABLE TRUST PROP</b> Facility Status: Closed Facility Status: Closed	<b>211 E LITTLE CREEK RD</b>	<b>194</b>	<b>1287</b>
<b>HILL PROPERTY</b> Facility Status: Closed	<b>227 E LITTLE CREEK RD</b>	<b>194</b>	<b>1290</b>
<b>EXXON 24626</b> Facility Status: Closed Facility Status: Closed	<b>740 E LITTLE CREEK RD</b>	<b>195</b>	<b>1307</b>
<b>NORFOLK PAINT COMPANY #2 INCOR</b> Facility Status: Closed	<b>818 E. LITTLE CREEK RD.</b>	<b>196</b>	<b>1311</b>
<b>PBM PROPERTY</b> Facility Status: Closed	<b>865 E LITTLE CREEK RD</b>	<b>200</b>	<b>1318</b>
<b>BP AMOCO STATION #5176</b> Facility Status: Closed	<b>7600 GRANBY ST</b>	<b>201</b>	<b>1320</b>
<b>LENS SERVICE CENTER</b> Facility Status: Closed	<b>7601 GRANBY STREET</b>	<b>201</b>	<b>1327</b>
<b>NORFOLK SECOND POLICE PRECINCT</b> Facility Status: Closed	<b>7666 SEWELLS POINT RD</b>	<b>203</b>	<b>1345</b>
<b>ANDERSON KENNETH PROPERTY</b> Facility Status: Open	<b>7507 RUTHVEN RD</b>	<b>204</b>	<b>1349</b>
<b>BARNETT RICHARD M RESIDENCE</b> Facility Status: Closed	<b>7539 VIRGINIAN DR</b>	<b>207</b>	<b>1358</b>
<b>DONALD DIXON SPRAYING AND TREE</b> Facility Status: Closed	<b>424 NAVAL BASE RD</b>	<b>208</b>	<b>1359</b>



## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>CAROLINA BUILDERS CORPORATION</b> Facility Status: Closed Facility Status: Closed	<b>301 NAVAL BASE ROAD &amp; W</b>	<b>208</b>	<b>1372</b>
<b>ROYAL MART</b> Facility Status: Closed Facility Status: Closed	<b>7501 TIDEWATER DR</b>	<b>209</b>	<b>1373</b>
<b>MAACO AUTO PAINT - BERIT INC</b> Facility Status: Closed	<b>7522 TIDEWATER DR</b>	<b>209</b>	<b>1390</b>
<b>SOUTHERN SHOP CNTR-WESTERN AUT</b> Facility Status: Closed	<b>7525 TIDEWATER DRIVE</b>	<b>209</b>	<b>1393</b>
<b>DOSSIN JEFFREY AND LIA RESIDEN</b> Facility Status: Closed	<b>411 HARITON CT</b>	<b>210</b>	<b>1405</b>
<b>JEWISH COMMUNITY CENTER OF TID</b> Facility Status: Closed	<b>7300 NEWPORT AVE</b>	<b>210</b>	<b>1406</b>
<b>TRUST PROPERTY - 7305 GRANBY S</b> Facility Status: Closed	<b>7305 GRANBY ST</b>	<b>212</b>	<b>1408</b>
<b>REED RESIDENCE</b> Facility Status: Closed	<b>107 ELVIN ROAD</b>	<b>212</b>	<b>1409</b>
<b>ROBBINS RESIDENCE</b> Facility Status: Closed	<b>298 SUBURBAN PARKWAY</b>	<b>214</b>	<b>1410</b>
<b>WARDS CORNER AREA HEADQUARTERS</b> Facility Status: Closed	<b>609 NAVAL BASE RD</b>	<b>216</b>	<b>1433</b>
<b>RIVERSIDE TERRACE APARTMENTS</b> Facility Status: Closed Facility Status: Closed	<b>7211 NEWPORT AVE</b>	<b>217</b>	<b>1434</b>
<b>CAFFEY BERTA RESIDENCE</b> Facility Status: Closed	<b>468 VIRGINIAN DR</b>	<b>218</b>	<b>1435</b>
<b>THE BALLENTINE</b> Facility Status: Closed	<b>7211 GRANBY ST</b>	<b>220</b>	<b>1450</b>
<b>TURNER RICHARD RESIDENCE</b> Facility Status: Closed	<b>424 BRICKBY ROAD</b>	<b>221</b>	<b>1452</b>
<b>TABERNACLE CHURCH OF NORFOLK</b> Facility Status: Closed	<b>7120 GRANBY STREET</b>	<b>222</b>	<b>1453</b>
<b>KURZER RESIDENCE - HURRICANE I</b> Facility Status: Closed	<b>436 THOLE ST</b>	<b>223</b>	<b>1455</b>

VA UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Quality's Underground Storage Tank Data Notification Information.

A review of the VA UST list, as provided by EDR, and dated 03/01/2012 has revealed that there are 170 VA UST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>SOLO NIRAJ INCORPORATED</b>	<b>1255 N KING ST</b>	<b>1</b>	<b>3</b>
<b>BELL ATLANTIC</b>	<b>2021 CUNNINGHAM DRIVE</b>	<b>4</b>	<b>20</b>

## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
<b>FIRESTONE STORE #39F3</b>	<b>2051 COLISEUM DR</b>	<b>5</b>	<b>22</b>
<b>7-ELEVEN STORE 23363</b>	<b>1200 NORTH KING STREET</b>	<b>6</b>	<b>31</b>
<b>MERCURY LASALLE PUMPING STATIO</b>	<b>MERCURY BLVD AND SELDON</b>	<b>11</b>	<b>43</b>
<b>KMART #3154</b>	<b>210 WEST MERCURY BOULEV</b>	<b>11</b>	<b>53</b>
<b>GETTY MART #220</b>	<b>120 W. MERCURY BLVD.</b>	<b>12</b>	<b>55</b>
U-HAUL 825-54	1023 WEST MERCURY BLVD	13	61
<b>CASEY MARINE</b>	<b>1021 W MERCURY BLVD</b>	<b>13</b>	<b>66</b>
THOMPSON FORD INC	1020 W MERCURY BLVD	13	77
LANGLEY SQUARE SHOPPING CENTER	21A W. MERCURY BLVD.	14	80
B&W TRANSMISSIONS, INC	58 WEST MERCURY BLVD	14	83
MEINEKE DISCOUNT MUFFLER	79 WEST MERCURY BLVD	17	90
<b>MILLER MART 69</b>	<b>61 E MERCURY BLVD</b>	<b>18</b>	<b>93</b>
<b>7 ELEVEN 33581</b>	<b>1033 W MERCURY BLVD</b>	<b>19</b>	<b>112</b>
<b>ANNE ARTHUR FAMILY PROPERTY</b>	<b>1980 CUNNINGHAM DRIVE</b>	<b>19</b>	<b>117</b>
<b>ARMISTEAD CITGO</b>	<b>1925 NORTH ARMISTEAD AV</b>	<b>20</b>	<b>123</b>
EXXON S/S #2-4713	1816 W MERCURY BLVD	20	133
RIVERDALE PLAZA SHOPPING CENTE	1072 1088 W MERCURY BLV	21	141
<b>EXXON S/S #2-7247</b>	<b>1201 W. MERCURY BLVD.</b>	<b>22</b>	<b>150</b>
<b>MILLER STORE #2204</b>	<b>1133 W. MERCURY BLVD</b>	<b>22</b>	<b>156</b>
<b>HAMPTON MOTOR CORP</b>	<b>1073 WEST MERCURY BOULE</b>	<b>22</b>	<b>168</b>
<b>COLISEUM LINCOLN MERCURY</b>	<b>1134 W MERCURY BLVD</b>	<b>22</b>	<b>177</b>
KING JOSEPH R	1007 N KING ST	23	191
<b>DEEL PROPERTY</b>	<b>232 PINE CHAPEL ROAD</b>	<b>24</b>	<b>197</b>
<b>7-ELEVEN STORE 25102</b>	<b>989 NORTH KING STREET</b>	<b>25</b>	<b>200</b>
<b>MONTGOMERY WARD</b>	<b>2201 W MERCURY BLVD</b>	<b>27</b>	<b>213</b>
<b>MILLERS NEIGHBORHOOD MARKET #2</b>	<b>2129 W MERCURY BLVD</b>	<b>27</b>	<b>226</b>
<b>EXXON CO USA #26599</b>	<b>2136 W MERCURY BLVD-TAN</b>	<b>27</b>	<b>239</b>
DAVIS ALPHSO	1209 BETHEL AVE.	28	253
<b>FILL-EM-FAST #57-44</b>	<b>2129 W QUEEN STREET</b>	<b>32</b>	<b>257</b>
<b>RACEWAY 6799</b>	<b>1503 N ARMISTEAD AVE</b>	<b>36</b>	<b>274</b>
<b>BJS WHOLESALE CLUB BJS GAS</b>	<b>2000 POWER PLANT PKWY</b>	<b>37</b>	<b>282</b>
<b>Y.H. THOMAS SCHOOL</b>	<b>1300 THOMAS STREET</b>	<b>38</b>	<b>289</b>
<b>PINE CHAPEL PUMP STATION</b>	<b>42 FREEMAN DRIVE</b>	<b>39</b>	<b>293</b>
<b>EAST MERCURY BLVD ASSOC-CHEVRO</b>	<b>235 E MERCURY BLVD</b>	<b>40</b>	<b>296</b>
<b>KIMS AUTO</b>	<b>234 E MERCURY BLVD</b>	<b>40</b>	<b>309</b>
CHARLIE THOMPSON LTD	211 E. MERCURY BLVD.	40	328
LOCKWOOD BROTHERS YARD #1	402 RIP RAP ROAD	42	332
<b>BRANSCOME RIP RAP / FLOYD B SM</b>	<b>371 RIP RAP RD</b>	<b>42</b>	<b>346</b>
<b>REA CONSTRUCTION HAMPTON ASPHA</b>	<b>321 RIP RAP ROAD</b>	<b>42</b>	<b>352</b>
<b>TITAN AMERICA - RIP RAP ROAD R</b>	<b>319 RIP RAP RD</b>	<b>42</b>	<b>366</b>
<b>LARRYS CITGO SERVICENTER INC</b>	<b>1100 N ARMISTEAD AVE</b>	<b>44</b>	<b>384</b>
AUTOBAHN AUTO	915 N ARMISTEAD AVE	46	400
<b>RACE COAST</b>	<b>1404 E PEMBROKE AVE</b>	<b>47</b>	<b>400</b>
<b>RACE COAST</b>	<b>1410 E PEMBROKE AVE</b>	<b>47</b>	<b>406</b>
JONES & BALL INC	727 N. KING ST.	48	418
INDUSTRIAL DEV AUTH CITY OF HA	33 PINE CHAPEL RD	49	427
ALMOST A DEALERSHIP	701 N ARMSTEAD AVE	50	438
<b>POP INN 14</b>	<b>601 EAST PEMBROKE AVENU</b>	<b>51</b>	<b>444</b>
<b>EDMONDS RENTAL</b>	<b>701 N. KING STREET</b>	<b>52</b>	<b>456</b>
W.T. PHILLIPS & SON; INC	609 WASHINGTON STREET	54	467
<b>HAMPTON MUNICIPLE FACILITY</b>	<b>552 BACK RIVER RD</b>	<b>56</b>	<b>473</b>
EMPIRE SALES, INC	615 BACK RIVER ROAD	56	476
HARRISON LEAR INC	30 W PEMBROKE	58	481
<b>CITY OF HAMPTON PROPERTY</b>	<b>8 W PEMBROKE AVE</b>	<b>58</b>	<b>484</b>
<b>PENTRAN TRANSPORTATION CENTER</b>	<b>2 W PEMBROKE AVENUE</b>	<b>58</b>	<b>491</b>
DIXIE DIGGS AUTO PARTS INC	400 NORTH KING STREET	58	494

## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
HAMPTON ARMORY	504 NORTH KING STREET	58	500
<b>FLEET MAINTENANCE COMPLEX / SC</b>	<b>413 N ARMISTEAD AVE</b>	<b>59</b>	<b>508</b>
<b>HAMPTON COMMUNITY SERVICE CENT</b>	<b>1320 LASALLE AVENUE</b>	<b>61</b>	<b>539</b>
EXXON S/S #2-4535	1307 LASALLE AVE	61	541
<b>MTM AUTOMOTIVE AMOCO</b>	<b>234 W. PEMBROKE AVE.</b>	<b>63</b>	<b>548</b>
MR YIS AUTO REPAIR/WESCOTT AMO	201 W PEMBROKE AVE	63	555
FORMER CAR WASH SITE	212 W PEMBROKE AVE	63	569
BUDGET TRANS	303 W PEMBROKE AVENUE	64	574
<b>7-ELEVEN 34306</b>	<b>355 E MERCURY BLVD</b>	<b>67</b>	<b>580</b>
PEMBROKE CONSTRUCTION COMPANY,	802 WEST PEMBROKE AVENU	68	591
<b>HAMPTON PAINT MFG CO INC</b>	<b>228 PATTERSON AVE</b>	<b>69</b>	<b>603</b>
<b>FIRST BAPTIST CHURCH</b>	<b>229 NORTH KING STREET</b>	<b>70</b>	<b>624</b>
<b>PUBLIC SAFETY BUILDING</b>	<b>40 LINCOLN STREET</b>	<b>71</b>	<b>629</b>
<b>HAMPTON CITY JAIL</b>	<b>22 LINCOLN STREET</b>	<b>71</b>	<b>634</b>
LINCOLN PARK VA 17-2	1135 LASALLE AVE	72	646
HRHA - RESIDENT COMMUNITY SERV	1139 LASALLE AVE	72	648
<b>OLD HAMPTON COMMUNITY CENTER</b>	<b>201 WEST LINCOLN STREET</b>	<b>73</b>	<b>650</b>
WINSTON ALBERT S	345 LINCOLN ST.	74	653
<b>TYSINGER MOTOR COMPANY</b>	<b>44 SOUTH KING STREET</b>	<b>75</b>	<b>659</b>
GOODYEAR TIRE CENTER	25 S KING ST	75	665
<b>BELL ATLANTIC</b>	<b>21 EATON ST.</b>	<b>75</b>	<b>672</b>
<b>BELL ATLANTIC</b>	<b>131 EAST QUEENS WAY</b>	<b>75</b>	<b>681</b>
HAMPTON HIGH SCHOOL	1491 W QUEEN ST	79	694
<b>TINEE GIANT STORE #71</b>	<b>930 LASALLE AVE</b>	<b>82</b>	<b>701</b>
<b>MILLER MART 27</b>	<b>37 SOUTH ARMISTEAD AVEN</b>	<b>83</b>	<b>706</b>
76 RECON	21 SOUTH ARMISTEAD AVEN	83	714
FORMER GREYHOUND BUS STATION	22 SOUTH ARMISTEAD AVEN	83	717
<b>HAMPTON AUTOMOTIVE</b>	<b>2 SOUTH ARMISTEAD AVENU</b>	<b>83</b>	<b>719</b>
<b>HARRISONS SERVICE CENTER</b>	<b>1107 W. PEMBROKE AVENUE</b>	<b>85</b>	<b>728</b>
<b>7-ELEVEN STORE 24089</b>	<b>110 SOUTH ARMISTEAD AVE</b>	<b>88</b>	<b>751</b>
CAMERA CITY FORMER - PROPOSED	101 S ARMISTEAD AVE	88	756
<b>7-ELEVEN 34310</b>	<b>1401 W QUEEN ST</b>	<b>89</b>	<b>758</b>
<b>OLD GOLF COURSE - MAINTENANCE</b>	<b>140 W. COUNTY STREET</b>	<b>90</b>	<b>773</b>
<b>L.D. AMORY &amp; COMPANY INC</b>	<b>101 S KING ST</b>	<b>92</b>	<b>780</b>
THE RENDEZVOUS REST	WEBSTER STREET @ FULTON	95	799
<b>PHEOBUS 76</b>	<b>608 E. MERCURY BLVD.</b>	<b>96</b>	<b>801</b>
H&H RADIATOR & AIR CONDITIONIN	1255 W. PEMBROKE AVE.	97	807
<b>JONES MARINA</b>	<b>529 BRIDGE ST</b>	<b>98</b>	<b>814</b>
<b>PHOEBOS PACKING CO / SAM RUST</b>	<b>102 N. MALLORY STREET</b>	<b>99</b>	<b>823</b>
<b>PHOEBUS BP AMOCO</b>	<b>20 W COUNTY ST</b>	<b>100</b>	<b>825</b>
HAMPTON NATIONAL CEMETARY	CEMETARY ROAD @ MARSHAL	102	842
<b>VETERANS AFFAIRS MEDICAL CENTE</b>	<b>100 EMANCIPATION DRIVE</b>	<b>106</b>	<b>854</b>
<b>GAS N GO</b>	<b>209 S MALLORY ST</b>	<b>107</b>	<b>886</b>
MAIDA DEVELOPMENT CO	201 S MALLORY ST	107	892
<b>WILSON PROPERTY</b>	<b>115 S. MALLORY STREET</b>	<b>107</b>	<b>902</b>
<b>PEACHS TEXACO</b>	<b>107 EAST MELLEN STREET</b>	<b>109</b>	<b>907</b>
<b>PHOEBUS VOLUNTEER FIRE STATION</b>	<b>122 SOUTH HOPE STREET</b>	<b>111</b>	<b>934</b>
SMITH FLORYIFT	207 MELLEN ST	112	936
C&J OF PHOEBUS, INC	201 EAST MELLEN STREET	112	938
<b>WANCHESE FISH COMPANY INC</b>	<b>48 WATER ST</b>	<b>116</b>	<b>970</b>
<b>HAMPTON UNIVERSITY</b>	<b>E QUEEN STREET</b>	<b>117</b>	<b>979</b>
<b>WILLARD AVENUE PUMP STATION</b>	<b>219 NATIONAL AVE.</b>	<b>118</b>	<b>992</b>
CHAMBERLIN GARAGE	FT. MONROE	121	1008
I-664 M.M.M.B.T. TUNNEL	NORTH ISLAND MMBBT I-66	122	1010
VIRGINIA STATE POLICE	I-64 AT VDOT NORTH ISLA	122	1016
VDOT - HRBT NORTH ISLAND TOLL	204 NATIONAL AVENUE - I	122	1018

## EXECUTIVE SUMMARY

Site	Address	Map ID	Page
CHAMBERLIN HOTEL	2 FENWICK RD	123	1029
<b>WILLOUGHBY MARINA</b>	<b>1651 BAYVILLE ST</b>	<b>129</b>	<b>1040</b>
HARRISON BOAT HOUSE & FISHING	414 W OCEAN VIEW AVE	137	1068
<b>BP - WILLOUGHBY</b>	<b>357 W OCEAN VIEW AVE</b>	<b>138</b>	<b>1071</b>
<b>WILLOUGHBY ELEMENTARY</b>	<b>9500 4TH VIEW STREET</b>	<b>139</b>	<b>1082</b>
<b>OCEAN VIEW STATION</b>	<b>9631 FIRST VIEW STREET</b>	<b>141</b>	<b>1089</b>
<b>TINEE GIANT #147-CITGO GAS</b>	<b>122 PORTVIEW AVENUE</b>	<b>141</b>	<b>1091</b>
<b>OCEAN VIEW ELEMENTARY</b>	<b>9501 MASON CREEK ROAD</b>	<b>142</b>	<b>1100</b>
OCEAN VIEW LODGE NO 335	176 BALVIEW AVE.	145	1106
<b>AMOCO OIL CO</b>	<b>9727 GRANBY &amp; BALVIEW</b>	<b>147</b>	<b>1109</b>
EVANS GARAGE INC	120 BALVIEW AVE.	147	1114
DUFFY MAVIS G	9627 GRANBY ST.	149	1119
<b>HOLY TRINITY SCHOOL</b>		<b>150</b>	<b>1123</b>
PUMPING STATION #15	9238 FIRST VIEW ST.	156	1135
BAYSHORE GARDEN APTS	9046 FIRST VIEW ST.	162	1151
<b>BROWNS CONVENIENCE STORE</b>	<b>FIRST VIEW &amp; BAY AVE.</b>	<b>164</b>	<b>1153</b>
<b>OCEANAIR ELEMENTARY</b>	<b>600 DUDLEY AVENUE</b>	<b>168</b>	<b>1162</b>
<b>BELL ATLANTIC</b>	<b>8910 GRANBY ST.</b>	<b>172</b>	<b>1170</b>
<b>CALCOTT ELEMENTARY</b>	<b>137 WESTMONT AVENUE</b>	<b>174</b>	<b>1178</b>
<b>NORTHSIDE MIDDLE</b>	<b>8720 GRANBY STREET</b>	<b>175</b>	<b>1183</b>
<b>7-ELEVEN STORE 25925</b>	<b>8595 TIDEWATER DRIVE</b>	<b>176</b>	<b>1189</b>
<b>COTTAGE TOLL CITGO</b>	<b>8594 TIDEWATER DR</b>	<b>176</b>	<b>1197</b>
<b>BP AMOCO STATION #84818</b>	<b>8605 TIDEWATER DR</b>	<b>176</b>	<b>1208</b>
BAYVIEW TIDEWATER DEVELOPMENT	330 E BAYVIEW BLVD	177	1230
FOREST LAWN CEMETERY	8100 GRANBY ST	182	1233
<b>HRSD-TERMINAL BOULEVARD PUMP S</b>	<b>7809 NEWPORT AVENUE</b>	<b>184</b>	<b>1236</b>
<b>VDOT</b>	<b>I-64 &amp; GRANBY STREET</b>	<b>185</b>	<b>1238</b>
<b>CROSSROADS ELEMENTARY</b>	<b>7920 TIDEWATER DR</b>	<b>187</b>	<b>1242</b>
<b>RACECOAST</b>	<b>303 E LITTLE CREEK RD</b>	<b>189</b>	<b>1250</b>
GREEN CLEAN PROPERTY	501 E LITTLE CREEK RD	190	1264
<b>EXXON #21658</b>	<b>7726 GRANBY ST</b>	<b>192</b>	<b>1269</b>
FORMER DRUG EMPORIUM	201 E LITTLE CREEK RD	194	1285
HOME HEADQUARTERS PROPERTY	211 E LITTLE CREEK RD	194	1288
GIANT GAS STATION #4	230 E LITTLE CREEK RD	194	1292
<b>KMART #3365</b>	<b>741 E LITTLE CREEK ROAD</b>	<b>195</b>	<b>1297</b>
<b>EXXON #24626</b>	<b>740 E LITTLE CREEK RD</b>	<b>195</b>	<b>1299</b>
SEWELLS PARK APARTMENTS	400 W. LITTLE CREEK RD.	197	1311
BONDALE APARTMENTS	7603 BONDALE AVENUE	198	1314
SOUTHERN SHOP CNTR-WESTERN AUT	7525 TIDEWATER DRIVE	199	1316
<b>BP AMOCO STATION #5176</b>	<b>7600 GRANBY ST</b>	<b>201</b>	<b>1320</b>
<b>LENS SERVICE CENTER</b>	<b>7601 GRANBY STREET</b>	<b>201</b>	<b>1327</b>
<b>NORFOLK SECOND POLICE PRECINCT</b>	<b>7666 SEWELLS POINT RD</b>	<b>203</b>	<b>1345</b>
PUMPING STATION #27	101 N. SHORE ROAD	206	1352
DON DIXON SPRAYING & TREE SERV	424 NAVAL BASE RD	208	1359
CAROLINA BUILDERS CORP	301 NAVAL BASE ROAD & W	208	1368
<b>ROYAL MART</b>	<b>7501 TIDEWATER DR</b>	<b>209</b>	<b>1373</b>
BROWN AND DOWDELL ASSOCIATES	7522 TIDEWATER DR	209	1389
NRHA - ROBERT PARTREA MIDRISE	701 EASY ST	215	1411
EDUCATION ASSOC OF NORFOLK	7422 TIDEWATER DRIVE.	215	1411
<b>7-ELEVEN STORE 19108</b>	<b>7431 TIDEWATER DRIVE</b>	<b>215</b>	<b>1414</b>
<b>VDOT - WARDS CORNER AREA HEADQ</b>	<b>609 NAVAL BASE RD</b>	<b>216</b>	<b>1422</b>
<b>TALBOT PARK APARTMENTS</b>	<b>118 WARREN STREET</b>	<b>219</b>	<b>1436</b>
THE BALLENTINE	7211 GRANBY ST	220	1448
GREEK ORTHODOX CHURCH	7220 GRANBY ST	220	1450
<b>TABERNACLE CHURCH OF NORFOLK</b>	<b>7120 GRANBY STREET</b>	<b>222</b>	<b>1453</b>
<b>SUBURBAN PARK ELEMENTARY</b>	<b>310 THOLE STREET</b>	<b>224</b>	<b>1456</b>

## EXECUTIVE SUMMARY

VA AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Quality's Aboveground Storage Tank Data Notification Information.

A review of the VA AST list, as provided by EDR, and dated 03/01/2012 has revealed that there are 14 VA AST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
LANGLEY FEDERAL CREDIT UNION C	1055 W MERCURY BLVD	21	146
<b>COLISEUM LINCOLN MERCURY</b>	<b>1134 W MERCURY BLVD</b>	<b>22</b>	<b>177</b>
LOWES OF HAMPTON VIRGINIA 1186	2002 POWER PLANT PKWY	37	287
<b>BRANSCOME RIP RAP / FLOYD B SM</b>	<b>371 RIP RAP RD</b>	<b>42</b>	<b>346</b>
<b>REA CONSTRUCTION HAMPTON ASPHA</b>	<b>321 RIP RAP ROAD</b>	<b>42</b>	<b>352</b>
<b>TITAN AMERICA - RIP RAP ROAD R</b>	<b>319 RIP RAP RD</b>	<b>42</b>	<b>366</b>
<b>OLD GOLF COURSE - MAINTENANCE</b>	<b>140 W. COUNTY STREET</b>	<b>90</b>	<b>773</b>
<b>L.D. AMORY &amp; COMPANY INC</b>	<b>101 S KING ST</b>	<b>92</b>	<b>780</b>
<b>VETERANS AFFAIRS MEDICAL CENTE</b>	<b>100 EMANCIPATION DRIVE</b>	<b>106</b>	<b>854</b>
ENGLISH CONSTRUCTION CO INC	13 HOME PLACE	114	943
E.T. LAWSON & SON INC.	4 IVY HOME RD	115	946
<b>WANCHESE FISH COMPANY INC</b>	<b>48 WATER ST</b>	<b>116</b>	<b>970</b>
<b>HAMPTON UNIVERSITY</b>	<b>E QUEEN STREET</b>	<b>117</b>	<b>979</b>
WALMART SUPERCENTER 5488	7530 TIDEWATER DR	209	1399

RI MANIFEST: Hazardous waste manifest information

A review of the RI MANIFEST list, as provided by EDR, has revealed that there is 1 RI MANIFEST site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>MAIDA DEVELOPMENT CO</b>	<b>20 LIBBY ST.</b>	<b>110</b>	<b>922</b>

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, has revealed that there are 2 NY MANIFEST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>HAMPTON UNIV</b>	<b>BLDG 220 TURNER HALL</b>	<b>101</b>	<b>834</b>
<b>HAMPTON VETERANS AFFAIRS MEDIC</b>	<b>VAMC</b>	<b>106</b>	<b>849</b>

PA MANIFEST: Hazardous waste manifest information.

A review of the PA MANIFEST list, as provided by EDR, has revealed that there are 2 PA MANIFEST sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
WAL MART SUPERCENTER STORE 163	1900 CUNNINGHAM DR	19	105
WALMART SUPERCENTER 5488	7530 TIDEWATER DR	209	1394

## EXECUTIVE SUMMARY

VA SPILLS: Pollution Complaint Database from The Department of Environmental Quality.

A review of the VA SPILLS list, as provided by EDR, and dated 06/01/1996 has revealed that there are 95 VA SPILLS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>SOLO NIRAJ INCORPORATED</b>	<b>1255 N KING ST</b>	<b>1</b>	<b>3</b>
<b>Not reported</b>	<b>1225 N KING STREET</b>	<b>2</b>	<b>18</b>
Not reported	RIP RAP RD & N KING STR	25	211
DAYS INN	1918 COLISEUM DRIVE	26	212
Date Closed: 6/24/2008			
<b>Not reported</b>	<b>1816 W MERCURY BLVD</b>	<b>27</b>	<b>250</b>
Not reported	ARMISTEAD AVE AND FREEM	33	265
FINDLEY PROPERTY	1516-1520 N ARMISTEAD A	33	268
Date Closed: 11/22/2004			
RACETRAC STORE #653	1503 N ARMISTEAD AVE	36	279
Date Closed: 10/23/2003			
Not reported	403 RIP RAP RD	42	331
W & G CRAB MEAL CORPORATION	403 RIP RAP RD	42	337
Date Closed: 11/5/1999			
Date Closed: 7/30/1999			
SCHILLERS SERVICE CORPORATION	1005 THOMAS STREET	42	341
Date Closed: 12/12/2003			
TARMAC AMERIA INC	319 RIP RAP ROAD	42	380
Date Closed: 5/4/2000			
Not reported	434 CREEK AVE	43	383
Not reported	LARRY'S CITGO, 1100 N A	44	393
Date Closed: 9/10/1997			
Not reported	35 FREEMAN DR	45	397
Not reported	35 FREEMAN DRIVE	45	398
Not reported	600 E PEMBROKE AVENUE,	51	442
Not reported	RIP RAP RD AND N ARMIST	53	463
Not reported	526/528/530 N ARMISTEAD	55	470
RON'S HYDRAULIC	530 N ARMISTEAD AVE	55	472
Date Closed: 5/13/2003			
Not reported	509 WINE STREET	57	480
<b>HAMPTON CITY - GARAGE</b>	<b>413 N ARMISTEAD AVE</b>	<b>59</b>	<b>533</b>
TIRE WORLD	430 W PEMBROKE AVE	65	578
Date Closed: 9/13/2002			
CHESAPEAKE BAY SHUTTERS	813 W PEMBROKE AVE	68	588
Date Closed: 1/3/2001			
Date Closed: 4/14/2005			
MAACO	CORNER OF PEMBROKE & PA	69	598
Date Closed: 1/3/2001			
<b>Not reported</b>	<b>228 PATTERSON AVE</b>	<b>69</b>	<b>599</b>
<b>FIRST BAPTIST CHURCH</b>	<b>229 NORTH KING STREET</b>	<b>70</b>	<b>624</b>
Not reported	40 LINCOLN ST	71	627
HAMPTON CITY HALL	21 LINCOLN ST	71	632
Date Closed: 8/25/2004			
Not reported	LASALLE & PEMBROKE	72	645
<b>Not reported</b>	<b>700 SETTLERS LANDING RO</b>	<b>75</b>	<b>661</b>
Facility Status: Closed			
Date Closed: 6/20/1999			

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
HAMPTON MARINA Date Closed: 10/14/2008	756 SETTLERS LANDING RO	75	671
Not reported	32 EAST QUEENS WAY	75	676
HAMPTON UNIVERSITY Date Closed: 5/30/2006	1 EAST QUEEN STREET	75	679
Not reported	1 1/2 MILES FROM THIMBL	75	689
Not reported Facility Status: Closed	135 KINGS WAY	76	691
Not reported	1259 WEST QUEEN STREET	78	693
Not reported	LE-MAC NURSERIES, 1321	87	747
Not reported Date Closed: 8/29/1996	LE MAC NURSERY, 1321 W	87	748
<b>L.D. AMORY &amp; CO., INC.</b>	<b>101 S. KING STREET</b>	<b>92</b>	<b>792</b>
<b>Not reported</b>	<b>519 BRIDGE STREET PIER</b>	<b>98</b>	<b>821</b>
FORMER DRUG STORE	15 S MALLORY ST	105	847
<b>US - DEPARTMENT OF VETERAN AFF</b>	<b>100 EMANCIPATION DRIVE</b>	<b>106</b>	<b>879</b>
Facility Status: Closed			
VA MEDICAL SCHOOL Date Closed: 9/22/2004	100 EMANCIPATION DRIVE	106	883
VA HOSPITAL - HAMPTON VA MED C	100 EMANCIPATION DR	106	885
Not reported	115 SOUTH MALLORY ST	107	901
PAUL'S RESTAURANT Date Closed: 3/13/2003	30 E MELLEEN STREET	107	905
<b>Not reported</b>	<b>4 IVY HOME ROAD</b>	<b>115</b>	<b>944</b>
WANCHESE FISH CO Date Closed: 9/14/2005	48 WATER STREET	116	963
WANCHESE FISH COMPANY	48 WATER STREET	116	966
Not reported	48 WATER ST.	116	968
Not reported	48 WATER STREET, WANCHE	116	975
Not reported Date Closed: 4/12/1999	CORNER OF E MELLEEN & WA	116	978
WILLARD AVE PS Date Closed: 9/28/2006	219 NATIONAL AVE	118	996
<b>FORT MONROE</b>		<b>119</b>	<b>997</b>
Not reported	WILLOUGHBY SPIT 1112 TOL	126	1032
Not reported Facility Status: Closed	998 WEST OCEAN VIEW AVE	127	1034
Not reported	1651 BAYVILLE STREET	129	1037
Not reported	1651 BAYVILLE ST, FISHE	129	1038
Not reported	1040 LITTLE BAY AVE	131	1050
Not reported Facility Status: Closed	1525 BAYVILLE STREET	132	1054
Not reported	1525 BAYVILLE ST.	132	1057
WILLOUGHBY HARBOR MARINA Date Closed: 7/7/2008 Date Closed: 6/26/2007	1525 BAYVILLE STREET	132	1058
Not reported	1441 BAYVILLE ST	133	1062
Not reported	909 LITTLE BAY AVENUE	134	1064
Not reported	581 W OCEAN VIEW AVE	136	1065
Not reported Facility Status: Closed	605 WEST OCEAN VIEW AVE	136	1067

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
Not reported Date Closed: 4/3/1997	224 A VIEW AVENUE	141	1087
NORFOLK NAVAL STATION Date Closed: 8/6/2002	8130 O'CONNOR CRESCENT	143	1104
Not reported	8305 O'CONNOR CRESCENT	144	1105
Not reported Date Closed: 11/12/1998	9290 HICKORY ST	153	1129
<b>NORFOLK CITY OF - PUMPING STAT</b>	<b>9238 FIRST VIEW ST.</b>	<b>156</b>	<b>1133</b>
NORFOLK NAVAL STATION Date Closed: 11/8/2005	466 BELLINGER BLVD, SP	157	1137
NORFOLK NAVAL STATION Date Closed: 3/15/2006	459 BELLINGER BLVD, BLD	157	1138
<b>BURNS RESIDENCE</b> Date Closed: 3/23/2000	<b>9415 HAMMETT PARKWAY</b>	<b>158</b>	<b>1140</b>
OCEAN VIEW WATER TOWER Date Closed: 2/14/2006	TIDEWATER DR & GRANBY S	161	1144
IMPERIAL CLEANERS	101 MAPLE AVE	161	1147
Not reported Facility Status: Closed	215 E BAY AVENUE	169	1164
Not reported	8812 COMMODORE DR.	170	1165
RESIDENCE Date Closed: 6/10/2009	139 HOWE STREET	173	1176
Not reported	8510 CIRCLE DRIVE	179	1231
Not reported	303 E LITTLE CRK RD SEN	189	1249
<b>Not reported</b>	<b>7718 GRANBY STREET</b>	<b>192</b>	<b>1266</b>
Not reported	7726 GRANBY ST, EXXON #	192	1268
Not reported	200 E. LITTLE CREEK ROA	194	1284
FARM FRESH Date Closed: 9/22/2008	230 EAST LITTLE CREEK R	194	1291
Not reported	LENS SERVICE CENTER 760	201	1342
Not reported	NAVAL BASE RD AND WACO	205	1349
Not reported	101 N SHORE RD	206	1351
Not reported	101 N SHORE RD - PUMP S	206	1354
DRS G OWENS & H DORFMAN Date Closed: 2/21/2002	7400 GRANBY STREET	206	1355
Not reported	115 LOUISIANA DR	206	1357
STANLEY'S MARINE & INDUSTRIAL Date Closed: 8/26/2003 Date Closed: 5/24/2004	424 NAVAL BASE ROAD	208	1363
STANLEY'S MARINA Date Closed: 2/8/2006	424 NAVAL BASE ROAD	208	1365
UNCLE'S BOB SELF STORAGE Date Closed: 5/13/2004	385 NAVAL BASE ROAD	208	1367



## EXECUTIVE SUMMARY

VA ENG CONTROLS: A listing of sites with Engineering Controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

A review of the VA ENG CONTROLS list, as provided by EDR, and dated 01/20/2012 has revealed that there is 1 VA ENG CONTROLS site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>LANGLEY SQUARE SHOPPING CENTER</b>	<b>65 WEST MERCURY BOULEVA</b>	<b>17</b>	<b>87</b>

Sites included in the Voluntary Remediation Program that have Deed Restrictions.

A review of the VA INST CONTROL list, as provided by EDR, and dated 01/20/2012 has revealed that there is 1 VA INST CONTROL site within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>LANGLEY SQUARE SHOPPING CENTER</b>	<b>65 WEST MERCURY BOULEVA</b>	<b>17</b>	<b>87</b>

VA VCP: The Voluntary Remediation Program encourages owners of selected contaminated sites to take the initiative to conduct voluntary cleanups that meet state environmental standards. These sites are generally either open dumps or unpermitted solid waste disposal facilities. VRP sites can not be listed on the NPL, nor can they involve disposed RCRA hazardous wastes. The source of this data is the Department of Environmental Quality.

A review of the VA VCP list, as provided by EDR, and dated 01/20/2012 has revealed that there are 6 VA VCP sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>LANGLEY SQUARE SHOPPING CENTER</b>	<b>65 WEST MERCURY BOULEVA</b>	<b>17</b>	<b>87</b>
CLOTHING CARE	1100 W. MERCURY BLVD.	22	182
THE ORCHARDS	80 NORTH BOXWOOD STREET	34	269
WORNOM PARCELS	732 NORTH KING STREET	48	425
MAIDA DEVELOPMENT COMPANY	20 LIBBY STREET	110	920
<b>VDOT - WARDS CORNER AREA HEADQ</b>	<b>609 NAVAL BASE RD</b>	<b>216</b>	<b>1422</b>

VA DRYCLEANERS: A listing of registered drycleaners.

A review of the VA DRYCLEANERS list, as provided by EDR, and dated 11/23/2010 has revealed that there are 8 VA DRYCLEANERS sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>WELLWORTH CLEANERS - ARMISTEAD</b>	<b>1932 N ARMISTEAD AVE</b>	<b>20</b>	<b>120</b>
CLOTHING CARE INC	1100 W MERCURY BLVD	22	187
FASHION CARE CLEANERS - KING S	1015 NORTH KING ST	23	197
ANTHONY'S CLEANERS - FRANKLIN	125 FRANKLIN STREET	80	700
AMES CLEANERS & FORMALS INC	554 E MERCURY BLVD	93	798
IMPERIAL CLEANERS	101 MAPLE AVE	161	1150
ALBIS CLEANER/SUBURBAN CLEANER	337 EAST BAYVIEW BOULEV	177	1229
<b>LENS SERVICE CENTER</b>	<b>7601 GRANBY STREET</b>	<b>201</b>	<b>1327</b>

## EXECUTIVE SUMMARY

VA NPDES: Virginia Water Protection Permits, Virginia Pollution Discharge System (point discharge) permits and Virginia Pollution Abatement (no point discharge) permits.

A review of the VA NPDES list, as provided by EDR, and dated 03/15/2012 has revealed that there are 3 VA NPDES sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
HAMPTON CITY - KING STREET DIT	KING STREET AND SALISBU	31	257
<b>L.D. AMORY &amp; CO., INC.</b>	<b>101 S. KING STREET</b>	<b>92</b>	<b>792</b>
<b>HAMPTON UNIVERSITY</b>	<b>E QUEEN STREET</b>	<b>117</b>	<b>979</b>

VA TIER 2: A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

A review of the VA TIER 2 list, as provided by EDR, and dated 12/31/2010 has revealed that there are 14 VA TIER 2 sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
THE HOME DEPOT STORE #4612	1413 ARMISTEAD AVE.	41	330
BRANSCOME INC. - RIP RAP	321 RIP RAP RD.	42	352
<b>TITAN AMERICA - RIP RAP ROAD R</b>	<b>319 RIP RAP RD</b>	<b>42</b>	<b>366</b>
RIP RAP ROAD READY-MIX CONCRET	317 RIP RAP ROAD	42	382
VERIZON HAMPTON ESS (VA55008)	131 E. QUEEN STREET	75	685
<b>L.D. AMORY &amp; CO., INC.</b>	<b>101 S. KING STREET</b>	<b>92</b>	<b>792</b>
<b>US - DEPARTMENT OF VETERAN AFF</b>	<b>100 EMANCIPATION DRIVE</b>	<b>106</b>	<b>879</b>
MAIDA DEVELOPMENT COMPANY	201 S. MALLORY STREET	107	900
US ARMY GARRISON FORT MONROE	3 RUCKMAN ROAD	120	1006
HRBT NORTH ISLAND FUEL STATION	I-64 IN JAMES RIVER	124	1030
HRBT VENT BUILDING: NORTHEAST	I-64 IN JAMES RIVER	124	1031
VERIZON NORFOLK ESS (VA53001)	8910 GRANBY STREET	172	1167
WARDS CORNER	7661 GRANBY STREET	192	1282
<b>WARDS CORNER AREA HEADQUARTERS 609 NAVAL BASE RD</b>		<b>216</b>	<b>1433</b>

VA FINANCIAL ASSURANCE: A listing of financial assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

A review of the VA FINANCIAL ASSURANCE list, as provided by EDR, and dated 03/30/2012 has revealed that there are 72 VA FINANCIAL ASSURANCE sites within the searched area.

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<b>SOLO NIRAJ INCORPORATED</b>	<b>1255 N KING ST</b>	<b>1</b>	<b>3</b>
<b>7-ELEVEN STORE 23363</b>	<b>1200 NORTH KING STREET</b>	<b>6</b>	<b>31</b>
<b>MERCURY LASALLE PUMPING STATIO</b>	<b>MERCURY BLVD AND SELDON</b>	<b>11</b>	<b>43</b>
<b>KMART #3154</b>	<b>210 WEST MERCURY BOULEV</b>	<b>11</b>	<b>53</b>
<b>GETTY MART #220</b>	<b>120 W. MERCURY BLVD.</b>	<b>12</b>	<b>55</b>
<b>CASEY MARINE</b>	<b>1021 W MERCURY BLVD</b>	<b>13</b>	<b>66</b>
<b>MILLER MART 69</b>	<b>61 E MERCURY BLVD</b>	<b>18</b>	<b>93</b>
<b>7 ELEVEN 33581</b>	<b>1033 W MERCURY BLVD</b>	<b>19</b>	<b>112</b>
<b>MILLER STORE #2204</b>	<b>1133 W. MERCURY BLVD</b>	<b>22</b>	<b>156</b>
<b>7-ELEVEN STORE 25102</b>	<b>989 NORTH KING STREET</b>	<b>25</b>	<b>200</b>

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
MILLERS NEIGHBORHOOD MARKET #2	2129 W MERCURY BLVD	27	226
RACEWAY 6799	1503 N ARMISTEAD AVE	36	274
BJS WHOLESALE CLUB BJS GAS	2000 POWER PLANT PKWY	37	282
Y.H. THOMAS SCHOOL	1300 THOMAS STREET	38	289
PINE CHAPEL PUMP STATION	42 FREEMAN DRIVE	39	293
KIMS AUTO	234 E MERCURY BLVD	40	309
BRANSCOME RIP RAP / FLOYD B SM	371 RIP RAP RD	42	346
TITAN AMERICA - RIP RAP ROAD R	319 RIP RAP RD	42	366
LARRYS CITGO SERVICENTER INC	1100 N ARMISTEAD AVE	44	384
RACE COAST	1404 E PEMBROKE AVE	47	400
RACE COAST	1410 E PEMBROKE AVE	47	406
POP INN 14	601 EAST PEMBROKE AVENU	51	444
HAMPTON MUNICIPLE FACILITY	552 BACK RIVER RD	56	473
CITY OF HAMPTON PROPERTY	8 W PEMBROKE AVE	58	484
PENTRAN TRANSPORTATION CENTER	2 W PEMBROKE AVENUE	58	491
FLEET MAINTENANCE COMPLEX / SC	413 N ARMISTEAD AVE	59	508
HAMPTON COMMUNITY SERVICE CENT	1320 LASALLE AVENUE	61	539
MTM AUTOMOTIVE AMOCO	234 W. PEMBROKE AVE.	63	548
7-ELEVEN 34306	355 E MERCURY BLVD	67	580
PUBLIC SAFETY BUILDING	40 LINCOLN STREET	71	629
HAMPTON CITY JAIL	22 LINCOLN STREET	71	634
OLD HAMPTON COMMUNITY CENTER	201 WEST LINCOLN STREET	73	650
TYSINGER MOTOR COMPANY	44 SOUTH KING STREET	75	659
BELL ATLANTIC	21 EATON ST.	75	672
BELL ATLANTIC	131 EAST QUEENS WAY	75	681
TINEE GIANT STORE #71	930 LASALLE AVE	82	701
MILLER MART 27	37 SOUTH ARMISTEAD AVEN	83	706
HAMPTON AUTOMOTIVE	2 SOUTH ARMISTEAD AVENU	83	719
7-ELEVEN STORE 24089	110 SOUTH ARMISTEAD AVE	88	751
7-ELEVEN 34310	1401 W QUEEN ST	89	758
OLD GOLF COURSE - MAINTENANCE	140 W. COUNTY STREET	90	773
PHOEBOS PACKING CO / SAM RUST	102 N. MALLORY STREET	99	823
PHOEBUS BP AMOCO	20 W COUNTY ST	100	825
GAS N GO	209 S MALLORY ST	107	886
PEACHS TEXACO	107 EAST MELLEEN STREET	109	907
PHOEBUS VOLUNTEER FIRE STATION	122 SOUTH HOPE STREET	111	934
HAMPTON UNIVERSITY	E QUEEN STREET	117	979
WILLARD AVENUE PUMP STATION	219 NATIONAL AVE.	118	992
WILLOUGHBY MARINA	1651 BAYVILLE ST	129	1040
BP - WILLOUGHBY	357 W OCEAN VIEW AVE	138	1071
WILLOUGHBY ELEMENTARY	9500 4TH VIEW STREET	139	1082
TINEE GIANT #147-CITGO GAS	122 PORTVIEW AVENUE	141	1091
OCEAN VIEW ELEMENTARY	9501 MASON CREEK ROAD	142	1100
AMOCO OIL CO	9727 GRANBY & BALVIEW	147	1109
OCEANAIR ELEMENTARY	600 DUDLEY AVENUE	168	1162
BELL ATLANTIC	8910 GRANBY ST.	172	1170
CALCOTT ELEMENTARY	137 WESTMONT AVENUE	174	1178
NORTHSIDE MIDDLE	8720 GRANBY STREET	175	1183
7-ELEVEN STORE 25925	8595 TIDEWATER DRIVE	176	1189
COTTAGE TOLL CITGO	8594 TIDEWATER DR	176	1197
BP AMOCO STATION #84818	8605 TIDEWATER DR	176	1208
HRSD-TERMINAL BOULEVARD PUMP S	7809 NEWPORT AVENUE	184	1236
CROSSROADS ELEMENTARY	7920 TIDEWATER DR	187	1242
RACECOAST	303 E LITTLE CREEK RD	189	1250
EXXON #21658	7726 GRANBY ST	192	1269
KMART #3365	741 E LITTLE CREEK ROAD	195	1297

## EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Map ID</u>	<u>Page</u>
<i>EXXON #24626</i>	<i>740 E LITTLE CREEK RD</i>	<i>195</i>	<i>1299</i>
<i>BP AMOCO STATION #5176</i>	<i>7600 GRANBY ST</i>	<i>201</i>	<i>1320</i>
<i>NORFOLK SECOND POLICE PRECINCT</i>	<i>7666 SEWELLS POINT RD</i>	<i>203</i>	<i>1345</i>
<i>ROYAL MART</i>	<i>7501 TIDEWATER DR</i>	<i>209</i>	<i>1373</i>
<i>7-ELEVEN STORE 19108</i>	<i>7431 TIDEWATER DRIVE</i>	<i>215</i>	<i>1414</i>
<i>SUBURBAN PARK ELEMENTARY</i>	<i>310 THOLE STREET</i>	<i>224</i>	<i>1456</i>

## EXECUTIVE SUMMARY

Please refer to the end of the findings report for unmapped orphan sites due to poor or inadequate address information.

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Total Plotted</u>
<b><u>FEDERAL RECORDS</u></b>	
NPL	0
Proposed NPL	0
Delisted NPL	0
NPL LIENS	0
CERCLIS	0
CERC-NFRAP	2
LIENS 2	0
CORRACTS	1
RCRA-TSDF	1
RCRA-LQG	0
RCRA-SQG	36
RCRA-CESQG	20
RCRA-NonGen	17
US ENG CONTROLS	0
US INST CONTROL	0
ERNS	61
HMIRS	0
DOT OPS	0
US CDL	2
US BROWNFIELDS	7
DOD	2
FUDS	1
LUCIS	0
CONSENT	0
ROD	0
UMTRA	0
DEBRIS REGION 9	0
ODI	0
MINES	0
TRIS	1
TSCA	0
FTTS	0
HIST FTTS	0
SSTS	0
ICIS	10
PADS	0
MLTS	1
RADINFO	0
FINDS	103
RAATS	0
US HIST CDL	1
COAL ASH EPA	0
SCRD DRYCLEANERS	0
PCB TRANSFORMER	0
FEDERAL FACILITY	0
COAL ASH DOE	0
FEMA UST	0
<b><u>STATE AND LOCAL RECORDS</u></b>	
VA SHWS	N/A

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Total Plotted</u>
VA SWF/LF	0
VA LUST	156
VA LTANKS	138
VA UST	170
VA AST	14
RI MANIFEST	1
NY MANIFEST	2
PA MANIFEST	2
VA SPILLS	95
VA ENG CONTROLS	1
VA INST CONTROL	1
VA VCP	6
VA DRYCLEANERS	8
VA BROWNFIELDS	0
VA ENF	0
VA NPDES	3
VA AIRS	0
VA TIER 2	14
VA FINANCIAL ASSURANCE	72
VA COAL ASH	0

**TRIBAL RECORDS**

INDIAN RESERV	0
INDIAN ODI	0
INDIAN LUST	0
INDIAN UST	0
INDIAN VCP	0

**EDR PROPRIETARY RECORDS**

Manufactured Gas Plants	0
-------------------------	---

NOTES:

Sites may be listed in more than one database

N/A = This State does not maintain a SHWS list. See the Federal CERCLIS list.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

**DOD Region** **NAVAL BASE NORFOLK** **DOD** **CUSA137105**  
**NAVAL BASE NORFOLK (County), VA** **N/A**

DOD:  
 Feature 1: Navy DOD  
 Feature 2: Not reported  
 Feature 3: Not reported  
 URL: Not reported  
 Name 1: Naval Base Norfolk  
 Name 2: Not reported  
 Name 3: Not reported  
 State: VA  
 DOD Site: Yes  
 Tile name: VANORFOLK

**DOD Region** **FORT MONROE MILITARY RESERVATION** **DOD** **CUSA137021**  
**FORT MONROE MILITARY RESE (County), VA** **N/A**

DOD:  
 Feature 1: Army DOD  
 Feature 2: Not reported  
 Feature 3: Not reported  
 URL: Not reported  
 Name 1: Fort Monroe Military Reservation  
 Name 2: Not reported  
 Name 3: Not reported  
 State: VA  
 DOD Site: Yes  
 Tile name: VAHAMPTON

**1** **SOLO NIRAJ INCORPORATED** **VA LUST** **U003690102**  
**1255 N KING ST** **VA LTANKS** **N/A**  
**HAMPTON, VA 23669** **VA UST**  
**VA SPILLS**  
**VA FINANCIAL ASSURANCE**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000066897  
**Facility Status: Closed**  
 Completed Date: 02/05/1993  
 Pollution Complaint Num: 19931513  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH & FREE PRODUCT EVIDENT IN SOILS AROUND USTS.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066897  
**Facility Status: Closed**  
 Completed Date: 06/22/1994  
 Pollution Complaint Num: 19931513  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000066897  
**Case Status: Closed**  
 Pollution Complaint #: 19931513  
 Reported: 05-FEB-1993

**UST:**

**Facility:**

Facility Id: 5007879  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000066897

**Owner:**

Facility Id: 5007879  
 Owner Id: 42422  
 Owner Name: NIRAJ, INC.  
 Owner Address: 1255 North King Street  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5007879  
 Owner Id: 28652  
 Owner Name: BTI ENTERPRISE, INC  
 Owner Address: 1255 NORTH KING STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23699  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5007879  
 Owner Id: 32700  
 Owner Name: BOARDMAN PETROLEUM, INC  
 Owner Address: P.O. BOX 3366  
 Owner Address2: Not reported  
 Owner City, State, Zip: AUGUSTA, GA 30914  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

**Tank Material:**

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 42422  
 Tank Number: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Install Date:	23-FEB-1993
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5007879
Own Id:	42422
Tank Number:	1
Install Date:	23-FEB-1993
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	Y
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	Y
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5007879
Own Id:	42422
Tank Number:	1
Install Date:	23-FEB-1993
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 42422  
 Tank Number: 2  
 Install Date: 23-FEB-1993  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 42422  
 Tank Number: 2  
 Install Date: 23-FEB-1993  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory Y  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	Y
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	Y
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5007879
Own Id:	42422
Tank Number:	2
Install Date:	23-FEB-1993
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5007879
Own Id:	42422
Tank Number:	3
Install Date:	23-FEB-1993
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5007879
Own Id:	42422
Tank Number:	3
Install Date:	23-FEB-1993
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	Y
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	Y
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5007879
Own Id:	42422
Tank Number:	3
Install Date:	23-FEB-1993
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R1
Install Date:	24-APR-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R1
Install Date:	24-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 32700  
 Tank Number: R1  
 Install Date: 24-APR-1972  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R2  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 32700  
 Tank Number: R2  
 Install Date: 24-APR-1972  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Release:

Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R2
Install Date:	24-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R2
Install Date:	24-APR-1972
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R3
Tank Capacity:	6000
Tank Contents:	GASOLINE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R3
Install Date:	24-APR-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R3
Install Date:	24-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

SOLO NIRAJ INCORPORATED (Continued)

U003690102

Pipe Material:

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 32700  
 Tank Number: R3  
 Install Date: 24-APR-1972  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R4  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 32700  
 Tank Number: R4  
 Install Date: 25-APR-1979  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 32700  
 Tank Number: R4  
 Install Date: 25-APR-1979  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R4
Install Date:	25-APR-1979
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R5
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5007879
Own Id:	32700
Tank Number:	R5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Install Date: 24-APR-1972  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 32700  
 Tank Number: R5  
 Install Date: 24-APR-1972  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5007879  
 Own Id: 32700  
 Tank Number: R5  
 Install Date: 24-APR-1972  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**SPILLS TD:**

Region:	TD
PC Number:	93-1513
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOLO NIRAJ INCORPORATED (Continued)**

**U003690102**

<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	2/5/1993
Source:	USTS
Summary:	Not reported
Comments:	Not reported
Report Notes:	ELEVATED LEVELS OF TPH AROUND 5 GASOLINE USTS. USTS ARE TO BE REMOVED AND REPLACED WITH THREE NEW TANKS.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	2/5/1993
Incident Time:	14:20
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5007879
FRP Financial Assurance:	Full
Owner Name:	Solo Niraj Incorporated
ROF Own Id:	42422
Tank Type:	UST
Mechanism:	Letter of Credit
Gallonage:	Not reported
Per Occurrence:	5000
Third Party:	15000
Annual Aggregate:	20000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Solo Niraj Incorporated
CEDS Facility Id:	200000066897
Tank Type Count:	3
Location:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

2

**1225 N KING STREET  
 HAMPTON, VA**

**VA LUST S105947388  
 VA SPILLS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000087469  
**Facility Status: Closed**  
 Completed Date: 03/19/1993  
 Pollution Complaint Num: 19931793  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: LOW SOIL TPH & TPH IN GW SAMPLE AS WELL AS TRIP BLANK.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000087469  
**Facility Status: Closed**  
 Completed Date: 03/25/1993  
 Pollution Complaint Num: 19931793  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

SPILLS TD:

Region: TD  
 PC Number: 93-1793  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: Not reported  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105947388

Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	3/19/1993
Source:	ENVIRONMENTAL ASSESSMENT
Summary:	Not reported
Comments:	Not reported
Report Notes:	RESULTS OF AN ENVIRONMENTAL ASSESSMENT CONDUCTED AT THE FORMER SOVRA BANK INDICATED ELEVATED TPH IN GROUNDWATER SAMPLES AND IN A TRIP BLANK, AND TPH LEVELS IN SOILS BELOW 100PPM... APPEARS TO BE ASSOCIATED WITH A 5,000 GAL HEATING OIL UST.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	3/19/1993
Incident Time:	9:00
Incident Type:	OTHER
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

3

**DAEIK INC**  
**2200 CUNNINGHAM DR**  
**HAMPTON, VA 23666**

**VA LUST S106707807**  
**VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000065082  
**Facility Status: Closed**  
 Completed Date: 10/06/2004  
 Pollution Complaint Num: 20055069  
 Fed Regulated Tank: Yes  
 Phase Code: RR



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAEIK INC (Continued)**

**S106707807**

Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065082  
**Facility Status: Closed**  
 Completed Date: 06/15/2005  
 Pollution Complaint Num: 20055069  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065082  
**Case Status: Closed**  
 Pollution Complaint #: 20055069  
 Reported: 06-OCT-2004

4

**BELL ATLANTIC  
 2021 CUNNINGHAM DRIVE  
 HAMPTON, VA 23666**

**VA LUST U003917091  
 VA LTANKS N/A  
 VA UST**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064136  
**Facility Status: Closed**  
 Completed Date: 04/25/1989  
 Pollution Complaint Num: 19891366  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: EMERGENCY GENERATOR UST REMOVED-PRODUCT ON WATER TABLE.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064136  
**Facility Status: Closed**  
 Completed Date: 10/11/1994  
 Pollution Complaint Num: 19891366  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-SUBMIT UPDATE NOTIF. FORM TO HQ.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064136  
**Case Status: Closed**  
 Pollution Complaint #: 19891366  
 Reported: 25-APR-1989

UST:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BELL ATLANTIC (Continued)**

**U003917091**

Facility:  
 Facility Id: 5024946  
 Facility Type: UTILITY  
 CEDS Facility ID: 200000064136

Owner:  
 Facility Id: 5024946  
 Owner Id: 34686  
 Owner Name: BACCUS  
 Owner Address: 27 HENRY CLAY ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: NEWPORT NEWS, VA 23601  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: Not reported  
 Tank Contents: UNKNOWN  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5024946  
 Own Id: 34686  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown Y  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5024946  
 Own Id: 34686  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BELL ATLANTIC (Continued)**

**U003917091**

Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5024946
Own Id:	34686
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

5 **FIRESTONE STORE #39F3**  
**2051 COLISEUM DR**  
**HAMPTON, VA 23666**

**VA LUST U003688985**  
**VA UST N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000091061
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	01/09/1997
Pollution Complaint Num:	19972323
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	STAINED SOILS NOTED DURING UST REMOVAL.

Region: TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRESTONE STORE #39F3 (Continued)**

**U003688985**

Region Code: TRO  
 Facility ID: 200000091061  
**Facility Status: Closed**  
 Completed Date: 04/17/1997  
 Pollution Complaint Num: 19972323  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

UST:

Facility:

Facility Id: 5001114  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000091061

Owner:

Facility Id: 5001114  
 Owner Id: 27382  
 Owner Name: JC Penney Company Inc  
 Owner Address: PO Box 10001  
 Owner Address2: Not reported  
 Owner City, State, Zip: Dallas, TX 75301  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 500  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5001114  
 Own Id: 27382  
 Tank Number: R1  
 Install Date: 17-MAR-1973  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FIRESTONE STORE #39F3 (Continued)**

**U003688985**

Release:

Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R1
Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R1
Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	10000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRESTONE STORE #39F3 (Continued)**

**U003688985**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R2
Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R2
Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRESTONE STORE #39F3 (Continued)**

**U003688985**

Pipe Material:

Tank Type: UST  
 Fac Id: 5001114  
 Own Id: 27382  
 Tank Number: R2  
 Install Date: 17-MAR-1973  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R3  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5001114  
 Own Id: 27382  
 Tank Number: R3  
 Install Date: 17-MAR-1973  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5001114  
 Own Id: 27382  
 Tank Number: R3  
 Install Date: 17-MAR-1973  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRESTONE STORE #39F3 (Continued)**

**U003688985**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R3
Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R4
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R4



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FIRESTONE STORE #39F3 (Continued)**

**U003688985**

Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R4
Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5001114
Own Id:	27382
Tank Number:	R4
Install Date:	17-MAR-1973
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRESTONE STORE #39F3 (Continued)**

**U003688985**

Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**6 7-ELEVEN #23363  
 1200 NORTH KING STREET  
 HAMPTON, VA 23669**

**VA LUST S104741824  
 N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000090619
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	06/28/1994
Pollution Complaint Num:	19944551
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	UST FAILED A TIGHTNESS TEST ON 6-24-94.

Region:	TD
Region Code:	TRO
Facility ID:	200000090619
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	08/23/1994
Pollution Complaint Num:	19944551
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLSOED.

**6 7-ELEVEN #23363  
 1200 NORTH KING ST  
 HAMPTON, VA 23669**

**RCRA-SQG 1000459954  
 FINDS VAD988191565**

RCRA-SQG:

Date form received by agency:	01/29/1991
Facility name:	7-ELEVEN #23363
Facility address:	1200 NORTH KING ST HAMPTON, VA 23669
EPA ID:	VAD988191565
Mailing address:	REFLECTIONS III STE 400 VIRGINIA BEACH, VA 23452
Contact:	GARRY BALIR
Contact address:	1200 NORTH KING ST HAMPTON, VA 23669
Contact country:	US

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN #23363 (Continued)**

**1000459954**

Contact telephone: (804) 498-4711  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: SOUTHLAND CORPORATION THE  
 Owner/operator address: REFLECTIONS III STE 400  
 VIRGINIA BEACH, VA 23452  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 498-4711  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined  
 Waste code: D018  
 Waste name: BENZENE  
 Violation Status: No violations found

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN #23363 (Continued)**

**1000459954**

FINDS:

Registry ID: 110005240943

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

6

**7-ELEVEN STORE 23363  
 1200 NORTH KING STREET  
 HAMPTON, VA 23669**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003689610  
 N/A**

UST:

Facility:

Facility Id: 5004806  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000090619

Owner:

Facility Id: 5004806  
 Owner Id: 31795  
 Owner Name: THE SOUTHLAND CORPORATION  
 Owner Address: 814 BAKER ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: VIRGINIA BEACH, VA 23462  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5004806  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated  
 Owner Address: PO Box 711  
 Owner Address2: Not reported  
 Owner City, State, Zip: Dallas, TX 75221  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5004806  
 Own Id: 38838  
 Tank Number: 1  
 Install Date: 01-NOV-1994  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	Y
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	1
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	1
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	ENVIROFLEX
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	2
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	Y
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	2
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	2
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	ENVIROFLEX
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	3
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Tank Materials: Insulated Tank Jacket	Y
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	3
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004806
Own Id:	38838
Tank Number:	3
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	ENVIROFLEX



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Tank Number:	R1
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R1
Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R1
Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R1
Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	ENVIROFLX
Tank Number:	R2
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R2
Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R2
Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	ENVIROFLEX

Tank Number:	R3
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:	
Tank Type:	UST
Fac Id:	5004806

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Own Id:	31795
Tank Number:	R3
Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R3
Install Date:	01-NOV-1981
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004806
Own Id:	31795
Tank Number:	R3
Install Date:	01-NOV-1981

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 23363 (Continued)**

**U003689610**

Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	ENVIROFLEX

VA FINANCIAL ASSURANCE:

Facility ID:	5004806
FRP Financial Assurance:	Full
Owner Name:	7-ELEVEN STORE 23363
ROF Own Id:	38838
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$2,000,000
Third Party:	\$2,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	7-Eleven #23363
CEDS Facility Id:	200000090619
Tank Type Count:	6
Location:	Not reported

7

**EXXON - ARMISTEAD  
 2009 N ARMISTEAD AVE  
 HAMPTON, VA 23666**

**VA LUST S105860705  
 VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000063981
<b>Facility Status:</b>	<b>Open</b>
Completed Date:	05/16/2003
Pollution Complaint Num:	20035151
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported

LTANKS:

Region:	TRO
CEDS Facility Id:	200000063981
<b>Case Status:</b>	<b>Open</b>
Pollution Complaint #:	20035151
Reported:	16-MAY-2003

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**8 MORRISON CLINTON RESIDENCE  
 23 CURLE RD  
 HAMPTON, VA 23669**

**VA LUST S106544816  
 VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000216598  
**Facility Status: Open**  
 Completed Date: 08/17/2004  
 Pollution Complaint Num: 20055042  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

LTANKS:  
 Region: TRO  
 CEDS Facility Id: 200000216598  
**Case Status: Open**  
 Pollution Complaint #: 20055042  
 Reported: 17-AUG-2004

**9 FREEDOM FORD - HAMPTON  
 1010 WEST MERCURY BLVD  
 HAMPTON, VA 23666**

**VA LUST S105985131  
 VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000091192  
**Facility Status: Closed**  
 Completed Date: 11/29/2001  
 Pollution Complaint Num: 20025050  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091192  
**Facility Status: Closed**  
 Completed Date: 08/19/2002  
 Pollution Complaint Num: 20025050  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091192  
**Facility Status: Closed**  
 Completed Date: 12/06/1991  
 Pollution Complaint Num: 19921073  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FREEDOM FORD - HAMPTON (Continued)**

**S105985131**

Comments: Not reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091192  
**Facility Status: Closed**  
 Completed Date: 08/25/1994  
 Pollution Complaint Num: 19921073  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000091192  
**Case Status: Closed**  
 Pollution Complaint #: 20025050  
 Reported: 29-NOV-2001

Region: TRO  
 CEDS Facility Id: 200000091192  
**Case Status: Closed**  
 Pollution Complaint #: 19921073  
 Reported: 06-DEC-1991

10

**SYMS EATON MUSEUM  
 418 WEST MERCURY BLVD  
 HAMPTON, VA 23666**

**VA LUST S105985823  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067206  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972220  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS FOUND DURING UST REMOVAL

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067206  
**Facility Status: Closed**  
 Completed Date: 03/27/1998  
 Pollution Complaint Num: 19972220  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067206  
**Case Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SYMS EATON MUSEUM (Continued)**

**S105985823**

Pollution Complaint #: 19972220  
 Reported: 26-JUL-1996

11

**MERCURY LASALLE PUMPING STATION  
 MERCURY BLVD AND SELDONDALE RD  
 HAMPTON, VA 23669**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003691356  
 N/A**

UST:

Facility:

Facility Id: 5015800  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000066111

Owner:

Facility Id: 5015800  
 Owner Id: 36739  
 Owner Name: CITY OF NEWPORT NEWS  
 Owner Address: 2400 WASHINGTON AVENUE  
 Owner Address2: Not reported  
 Owner City, State, Zip: NEWPORT NEWS, VA 23607  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 4150  
 Tank Contents: DIESEL  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5015800  
 Own Id: 36739  
 Tank Number: 1  
 Install Date: 01-JUN-1986  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5015800  
 Own Id: 36739  
 Tank Number: 1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MERCURY LASALLE PUMPING STATION (Continued)**

**U003691356**

Install Date:	01-JUN-1986
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5015800
Own Id:	36739
Tank Number:	1
Install Date:	01-JUN-1986
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5015800
FRP Financial Assurance:	Full
Owner Name:	Mercury Lasalle Pumping Station
ROF Own Id:	36739
Tank Type:	UST
Mechanism:	LOGO Bond Tst/Gen Purpose
Gallonage:	Not reported
Per Occurrence:	50000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MERCURY LASALLE PUMPING STATION (Continued)**

**U003691356**

Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Mercury Lasalle Pumping Station  
 CEDS Facility Id: 200000066111  
 Tank Type Count: 1  
 Location: Not reported

**11**      **MERCHANTS TIRE AND AUTO CENTER 5018**  
**201 W MERCURY BLVD**  
**HAMPTON, VA 23669**

**VA LUST      S106200704**  
**VA LTANKS    N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000213655  
**Facility Status: Closed**  
 Completed Date: 10/17/2003  
 Pollution Complaint Num: 20045090  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000213655  
**Facility Status: Closed**  
 Completed Date: 11/05/2003  
 Pollution Complaint Num: 20045090  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000213655  
**Case Status: Closed**  
 Pollution Complaint #: 20045090  
 Reported: 17-OCT-2003

**11**      **MERCHANTS TIRE & AUTO #05018**  
**201 W MERCURY BLVD**  
**HAMPTON, VA 23669**

**RCRA-SQG    1000581896**  
**FINDS        VAD988206744**

**RCRA-SQG:**

Date form received by agency: 10/21/1991  
 Facility name: MERCHANTS TIRE & AUTO #05018  
 Facility address: 201 W MERCURY BLVD  
                          HAMPTON, VA 23669  
 EPA ID: VAD988206744  
 Mailing address: 9073 EUCLID AVE  
                          MANASSAS, VA 22110  
 Contact: CHARLES REGAN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MERCHANTS TIRE & AUTO #05018 (Continued)**

**1000581896**

Contact address: 9073 EUCLID AVE  
 MANASSAS, VA 22110

Contact country: US

Contact telephone: (703) 368-7783

Contact email: Not reported

EPA Region: 03

Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: MERCHANTS ASSOC LTD

Owner/operator address: 9073 EUCLID AVE  
 MANASSAS, VA 22111

Owner/operator country: Not reported

Owner/operator telephone: (703) 368-3171

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008

Waste name: LEAD

Waste code: D018

Waste name: BENZENE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MERCHANTS TIRE & AUTO #05018 (Continued)**

**1000581896**

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

FINDS:

Registry ID: 110005248589

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

11

**SPEEDEE OIL CORPORATION**  
**205 W MERCURY BLVD**  
**HAMPTON, VA 23669**

**VA LUST S106444538**  
**VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064939  
**Facility Status: Closed**  
 Completed Date: 03/13/2003  
 Pollution Complaint Num: 20045152  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064939  
**Facility Status: Closed**  
 Completed Date: 05/14/2003  
 Pollution Complaint Num: 20045152  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064939  
**Case Status: Closed**  
 Pollution Complaint #: 20045152  
 Reported: 13-MAR-2003

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Distance (ft.)Site Database(s) EPA ID Number

11 **ECONO LUBE N TUNE #210** RCRA-CESQG 1004789721  
**205 W MERCURY BLVD** FINDS VAD988170510  
**HAMPTON, VA 23666**

RCRA-CESQG:

Date form received by agency: 01/08/1990  
 Facility name: ECONO LUBE N TUNE #210  
 Facility address: 205 W MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VAD988170510  
 Mailing address: PO BOX 2470  
 NEWPORT BEACH, CA 92658  
 Contact: CHUCK CARTER  
 Contact address: PO BOX 2470  
 NEWPORT BEACH, CA 92658  
 Contact country: US  
 Contact telephone: (714) 851-2259  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OVERDEVEST ROBERT  
 Owner/operator address: PO BOX 2470  
 NEWPORT BEACH, CA 92658  
 Owner/operator country: Not reported  
 Owner/operator telephone: (714) 851-2259  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ECONO LUBE N TUNE #210 (Continued)**

**1004789721**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005236146

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

11 **PENSKE AUTO CENTER  
 210 W MERCURY BLVD  
 HAMPTON, VA 23669**

**RCRA-CESQG  
 FINDS 1004791085  
 VAR000003376**

RCRA-CESQG:

Date form received by agency: 12/13/1995  
 Facility name: PENSKE AUTO CENTER  
 Facility address: 210 W MERCURY BLVD  
 BLDG B  
 HAMPTON, VA 23669  
 EPA ID: VAR000003376  
 Mailing address: 3270 W BIG BEAVER RD  
 TROY, MI 480843163  
 Contact: DAVID TATUM  
 Contact address: 3270 W BIG BEAVER RD  
 TROY, MI 480843163  
 Contact country: US  
 Contact telephone: (810) 643-5171  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: PENSKI AUTO CENTER INC  
 Owner/operator address: 3270 W BIG BEAVER RD  
 TROY, MI 48084  
 Owner/operator country: Not reported  
 Owner/operator telephone: (810) 614-1116  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**PENSKE AUTO CENTER (Continued)**

**1004791085**

User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D018  
 Waste name: BENZENE

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110006829003

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**11 KMART #2154  
 210 W MERCURY BLVD  
 HAMPTON, VA 23669**

**RCRA-SQG 1000459808  
 FINDS VAD988189221**

**RCRA-SQG:**

Date form received by agency: 12/05/1990  
 Facility name: KMART #2154  
 Facility address: 210 W MERCURY BLVD  
 HAMPTON, VA 23669  
 EPA ID: VAD988189221  
 Contact: P. GARMAN  
 Contact address: 210 W MERCURY BLVD  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 722-3916  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**KMART #2154 (Continued)**

**1000459808**

waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: KMART CORPORATION  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110005240088

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KMART #2154 (Continued)**

**1000459808**

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

11

**KMART #3154**  
**210 WEST MERCURY BOULEVARD**  
**HAMPTON, VA 23669**

**VA LUST** **U003689486**  
**VA LTANKS** **N/A**  
**VA UST**  
**VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065800  
**Facility Status: Closed**  
 Completed Date: 05/03/1994  
 Pollution Complaint Num: 19943741  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: UST CLOSURE REPORT INDICATES SOIL CONTAMINATION ASSOCIATED WITH UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065800  
**Facility Status: Closed**  
 Completed Date: 10/31/1994  
 Pollution Complaint Num: 19943741  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065800  
**Case Status: Closed**  
 Pollution Complaint #: 19943741  
 Reported: 03-MAY-1994

UST:

Facility:  
 Facility Id: 5004035  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065800

Owner:  
 Facility Id: 5004035  
 Owner Id: 31293  
 Owner Name: Kmart Corporation  
 Owner Address: 3100 Big Beaver Rd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Troy, MI 48084

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KMART #3154 (Continued)**

**U003689486**

UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004035
Own Id:	31293
Tank Number:	1
Install Date:	16-APR-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004035
Own Id:	31293
Tank Number:	1
Install Date:	16-APR-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KMART #3154 (Continued)**

**U003689486**

Pipe Release Detection: Stat Invent Recon      N  
 Pipe Release Detection: Groundwater            N  
 Pipe Release Det: Int Secondary Containment    N  
 Pipe Release Det: Interior Double Walled        N  
 Pipe Release Detection: Other Method            N  
 Pipe Release Detection: Other Note              Not reported

Pipe Material:

Tank Type:    UST  
 Fac Id:    5004035  
 Own Id:    31293  
 Tank Number:                                        1  
 Install Date:                                        16-APR-1975  
 Tank Status:                                        REM FROM GRD  
 Pipe Type:     GRAVITY  
 Pipe Materials: Bare Steel                        N  
 Pipe Materials: Galvanized Steel                Y  
 Pipe Materials: Copper                            N  
 Pipe Materials: Fiberglass                        N  
 Pipe Materials: Cath Protect                    N  
 Pipe Materials: Double Walled                 N  
 Pipe Materials: Secondary Containment        N  
 Pipe Materials: Repaired                        N  
 Pipe Materials: Unknown                        N  
 Pipe Materials: Other                            N  
 Pipe Materials: Other Note                      Not reported

VA FINANCIAL ASSURANCE:

Facility ID:                                        5004035  
 FRP Financial Assurance:                        No  
 Owner Name:                                        KMART #3154  
 ROF Own Id:                                        31293  
 Tank Type:                                        UST  
 Mechanism:                                        Guarantee  
 Gallonage:                                        Not reported  
 Per Occurrence:                                    5000  
 Third Party:                                        15000  
 Annual Aggregate:                                20000  
 In Compliance:                                    Not reported  
 Total Capacity:                                    0  
 CEDS Facility Name:                                Kmart #3154  
 CEDS Facility Id:                                200000065800  
 Tank Type Count:                                1  
 Location:                                        Not reported

12

**GETTY MART #220  
 120 W. MERCURY BLVD.  
 HAMPTON, VA 23669**

**VA LUST      U003689250  
 VA LTANKS    N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:

Region:    TD  
 Region Code:                                    TRO  
 Facility ID:                                        200000091109  
**Facility Status:                                Closed**  
 Completed Date:                                05/08/1990

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GETTY MART #220 (Continued)**

**U003689250**

Pollution Complaint Num: 19901550  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL & GROUNDWATER CONTAMINATION ASSOCIATED WITH GASOLINE UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091109  
**Facility Status: Closed**  
 Completed Date: 08/24/1994  
 Pollution Complaint Num: 19901550  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091109  
**Facility Status: Closed**  
 Completed Date: 03/27/2000  
 Pollution Complaint Num: 20005192  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091109  
**Facility Status: Closed**  
 Completed Date: 02/23/2001  
 Pollution Complaint Num: 20005192  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closure Letter issued

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000091109  
**Case Status: Closed**  
 Pollution Complaint #: 20005192  
 Reported: 27-MAR-2000

Region: TRO  
 CEDS Facility Id: 200000091109  
**Case Status: Closed**  
 Pollution Complaint #: 19901550  
 Reported: 08-MAY-1990

**UST:**

Facility:  
 Facility Id: 5002275  
 Facility Type: GAS STATION

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GETTY MART #220 (Continued)**

**U003689250**

CEDS Facility ID:	200000091109
Owner:	
Facility Id:	5002275
Owner Id:	27127
Owner Name:	Getty Petroleum Marketing Inc
Owner Address:	1500 Hempstead Tpke
Owner Address2:	Not reported
Owner City, State, Zip:	East Meadow, NY 11554
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1M
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	1M
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	1M
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GETTY MART #220 (Continued)**

**U003689250**

Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	1M
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2M
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	2M
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GETTY MART #220 (Continued)**

**U003689250**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	2M
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	2M
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GETTY MART #220 (Continued)**

**U003689250**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	3
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5002275
Own Id:	27127
Tank Number:	3
Install Date:	09-APR-1985
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GETTY MART #220 (Continued)**

**U003689250**

Pipe Release Detection: Stat Invent Recon      N  
 Pipe Release Detection: Groundwater            N  
 Pipe Release Det: Int Secondary Containment    N  
 Pipe Release Det: Interior Double Walled       N  
 Pipe Release Detection: Other Method           N  
 Pipe Release Detection: Other Note            Not reported

Pipe Material:

Tank Type:    UST  
 Fac Id:    5002275  
 Own Id:    27127  
 Tank Number:                                        3  
 Install Date:                                        09-APR-1985  
 Tank Status:                                        CURR IN USE  
 Pipe Type:    PRESSURE  
 Pipe Materials: Bare Steel                        N  
 Pipe Materials: Galvanized Steel                N  
 Pipe Materials: Copper                            N  
 Pipe Materials: Fiberglass                        Y  
 Pipe Materials: Cath Protect                    N  
 Pipe Materials: Double Walled                 Y  
 Pipe Materials: Secondary Containment        N  
 Pipe Materials: Repaired                        N  
 Pipe Materials: Unknown                        N  
 Pipe Materials: Other                             N  
 Pipe Materials: Other Note                    Not reported

VA FINANCIAL ASSURANCE:

Facility ID:                                        5002275  
 FRP Financial Assurance:                        Full  
 Owner Name:                                        GETTY MART #220  
 ROF Own Id:                                        27127  
 Tank Type:    UST  
 Mechanism:                                         Insurance  
 Gallonage:                                         Not reported  
 Per Occurrence:                                   \$1,000,000  
 Third Party:                                        \$1,000,000  
 Annual Aggregate:                                \$3,000,000  
 In Compliance:                                    Not reported  
 Total Capacity:                                    0  
 CEDS Facility Name:                                Getty Mart #220  
 CEDS Facility Id:                                   200000091109  
 Tank Type Count:                                 3  
 Location:    Not reported

13

**U-HAUL 825-54  
 1023 WEST MERCURY BLVD  
 HAMPTON, VA 23669**

**VA UST    U003690794  
 N/A**

UST:

Facility:  
 Facility Id:                                        5011484  
 Facility Type:                                    COMMERCIAL  
 CEDS Facility ID:                                200000067446

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**U-HAUL 825-54 (Continued)**

**U003690794**

Owner:

Facility Id: 5011484  
 Owner Id: 26710  
 Owner Name: AMERCO REAL ESTATE COMPANY  
 Owner Address: 2721 NORTH CENTRAL AVENUE, SUITE 700  
 Owner Address2: Not reported  
 Owner City, State, Zip: PHOENIX, AZ 85004  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5011484  
 Own Id: 26710  
 Tank Number: R1  
 Install Date: 01-JAN-1977  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5011484  
 Own Id: 26710  
 Tank Number: R1  
 Install Date: 01-JAN-1977  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**U-HAUL 825-54 (Continued)**

**U003690794**

Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5011484  
 Own Id: 26710  
 Tank Number: R1  
 Install Date: 01-JAN-1977  
 Tank Status: REM FROM GRD  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R2  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5011484  
 Own Id: 26710  
 Tank Number: R2  
 Install Date: 01-JAN-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**U-HAUL 825-54 (Continued)**

**U003690794**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5011484
Own Id:	26710
Tank Number:	R2
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5011484
Own Id:	26710
Tank Number:	R2
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**U-HAUL 825-54 (Continued)**

**U003690794**

Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	1000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5011484
Own Id:	26710
Tank Number:	R3
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5011484
Own Id:	26710
Tank Number:	R3
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**U-HAUL 825-54 (Continued)**

**U003690794**

Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5011484  
 Own Id: 26710  
 Tank Number: R3  
 Install Date: 01-JAN-1971  
 Tank Status: REM FROM GRD  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

13

**CASEY MARINE  
 1021 W MERCURY BLVD  
 HAMPTON, VA 23669**

**VA LUST  
 VA LTANKS  
 VA UST**

**U003689415  
 N/A**

**VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064437  
**Facility Status: Closed**  
 Completed Date: 09/30/2002  
 Pollution Complaint Num: 20035029  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064437  
**Facility Status: Closed**  
 Completed Date: 10/02/2002  
 Pollution Complaint Num: 20035029  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further action letter sent

LTANKS:

Region: TRO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CASEY MARINE (Continued)**

**U003689415**

CEDS Facility Id: 200000064437  
**Case Status:** **Closed**  
 Pollution Complaint #: 20035029  
 Reported: 30-SEP-2002

UST:

Facility:

Facility Id: 5003575  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000064437

Owner:

Facility Id: 5003575  
 Owner Id: 33753  
 Owner Name: Casey Auto Group  
 Owner Address: 12943 Jefferson Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Newport News, VA 23606  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: A  
 Tank Capacity: 1000  
 Tank Contents: LUBE OIL  
**Tank Status:** **REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5003575  
 Own Id: 33753  
 Tank Number: A  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5003575  
 Own Id: 33753  
 Tank Number: A  
 Install Date: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CASEY MARINE (Continued)**

**U003689415**

Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	A
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	Not reported
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	B
Tank Capacity:	1000
Tank Contents:	LUBE OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003575
Own Id:	33753

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CASEY MARINE (Continued)**

**U003689415**

Tank Number:	B
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	B
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	B
Install Date:	Not reported
Tank Status:	REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CASEY MARINE (Continued)**

**U003689415**

Pipe Type:	Not reported
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	2000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CASEY MARINE (Continued)**

**U003689415**

Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CASEY MARINE (Continued)**

**U003689415**

Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CASEY MARINE (Continued)**

**U003689415**

Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CASEY MARINE (Continued)**

**U003689415**

Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003575
Own Id:	33753
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5003575
FRP Financial Assurance:	Full
Owner Name:	CASEY MARINE
ROF Own Id:	33753
Tank Type:	UST
Mechanism:	Financial Test
Gallorage:	Not reported
Per Occurrence:	5000
Third Party:	15000
Annual Aggregate:	20000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Casey Marine
CEDS Facility Id:	200000064437
Tank Type Count:	5
Location:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

13      **THOMPSON FORD INC**      **RCRA-SQG**      **1000302711**  
**1020 W MERCURY BLVD**      **FINDS**      **VAD023760812**  
**HAMPTON, VA 23666**

RCRA-SQG:

Date form received by agency: 11/04/1986  
 Facility name: THOMPSON FORD INC  
 Facility address: 1020 W MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VAD023760812  
 Contact: JACK TRIMBLE  
 Contact address: 1020 W MERCURY BLVD  
 HAMPTON, VA 23666  
 Contact country: US  
 Contact telephone: (804) 838-0222  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: PARSONS, L C  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THOMPSON FORD INC (Continued)**

**1000302711**

Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F004  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005220466

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

13 THOMPSON FORD INC  
 1020 W MERCURY BLVD  
 HAMPTON, VA 23666

VA UST U003691064  
 N/A

UST:

Facility:

Facility Id: 5013557  
 Facility Type: AUTO DEALER  
 CEDS Facility ID: 200000067320

Owner:

Facility Id: 5013557  
 Owner Id: 37023  
 Owner Name: F.D. Hunt Oil Company Inc  
 Owner Address: 801 Newcombe Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5013557  
 Own Id: 37023  
 Tank Number: 1  
 Install Date: 06-MAY-1962  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5013557  
 Own Id: 37023  
 Tank Number: 1  
 Install Date: 06-MAY-1962  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THOMPSON FORD INC (Continued)**

**U003691064**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
 Pipe Material:	
Tank Type:	UST
Fac Id:	5013557
Own Id:	37023
Tank Number:	1
Install Date:	06-MAY-1962
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
 Tank Material:	
Tank Type:	UST
Fac Id:	5013557
Own Id:	37023
Tank Number:	2
Install Date:	06-MAY-1962
Tank Status:	CLS IN GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THOMPSON FORD INC (Continued)**

**U003691064**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5013557
Own Id:	37023
Tank Number:	2
Install Date:	06-MAY-1962
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5013557
Own Id:	37023
Tank Number:	2
Install Date:	06-MAY-1962
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**THOMPSON FORD INC (Continued)**

**U003691064**

Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**14 LANGLEY SQUARE SHOPPING CENTER  
21A W. MERCURY BLVD.  
HAMPTON, VA 23669**

**VA UST U003692024  
N/A**

UST:

Facility:

Facility Id:	5021227
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000063890

Owner:

Facility Id:	5021227
Owner Id:	32463
Owner Name:	LANGLEY SQUARE ASSOCIATION
Owner Address:	424 HOLLAND RD
Owner Address2:	Not reported
Owner City, State, Zip:	VIRGINIA BEACH, VA 23452
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number:	15
Tank Capacity:	500
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5021227
Own Id:	32463
Tank Number:	15
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LANGLEY SQUARE SHOPPING CENTER (Continued)**

**U003692024**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021227
Own Id:	32463
Tank Number:	15
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5021227
Own Id:	32463
Tank Number:	15
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LANGLEY SQUARE SHOPPING CENTER (Continued)**

**U003692024**

Tank Number:	69
Tank Capacity:	500
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5021227
Own Id:	32463
Tank Number:	69
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021227
Own Id:	32463
Tank Number:	69
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LANGLEY SQUARE SHOPPING CENTER (Continued)**

**U003692024**

Pipe Release Detection: Other Note                      Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5021227
Own Id:	32463
Tank Number:	69
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

14

**B&W TRANSMISSIONS, INC  
 58 WEST MERCURY BLVD  
 HAMPTON, VA 23669**

**VA UST    U003692091  
 N/A**

UST:

Facility:

Facility Id:	5021646
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000064039

Owner:

Facility Id:	5021646
Owner Id:	36789
Owner Name:	B&W TRANSMISSIONS, INC
Owner Address:	58 WEST MERCURY BLVD
Owner Address2:	Not reported
Owner City, State, Zip:	HAMPTON, VA 23669
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated:                      Yes

Tank Number:                                      2

Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5021646
Own Id:	36789
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**B&W TRANSMISSIONS, INC (Continued)**

**U003692091**

Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5021646
Own Id:	36789
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5021646
Own Id:	36789
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**B&W TRANSMISSIONS, INC (Continued)**

**U003692091**

Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R1  
 Tank Capacity: Not reported  
 Tank Contents: UNKNOWN  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5021646  
 Own Id: 36789  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown Y  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5021646  
 Own Id: 36789  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**B&W TRANSMISSIONS, INC (Continued)**

**U003692091**

Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5021646  
 Own Id: 36789  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note BRASS

15

**PIZZA HUT 13329  
 26 W MERCURY BLVD  
 HAMPTON, VA 23669**

**VA LUST S109252829  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000849910  
**Facility Status: Closed**  
 Completed Date: 09/08/2008  
 Pollution Complaint Num: 20095020  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000849910  
**Facility Status: Closed**  
 Completed Date: 09/09/2008  
 Pollution Complaint Num: 20095020

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EPA ID Number  
 EDR ID Number

**PIZZA HUT 13329 (Continued)**

**S109252829**

Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

16

**CRESTAR BANK  
 2100 EXECUTIVE DRIVE  
 HAMPTON, VA 23666**

**VA LUST S105162467  
 N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000205150  
**Facility Status: Closed**  
 Completed Date: 06/05/1996  
 Pollution Complaint Num: 19962408  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000205150  
**Facility Status: Closed**  
 Completed Date: 08/26/1996  
 Pollution Complaint Num: 19962408  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further action letter sent

17

**LANGLEY SQUARE SHOPPING CENTER - PARCEL 4  
 65 WEST MERCURY BOULEVARD  
 HAMPTON, VA 23669**

**VA ENG CONTROLS S106120292  
 VA INST CONTROL N/A  
 VA VCP**

ENG CONTROLS:  
 Facility ID: VRP00145  
 Corrective Action Desc: Not reported  
 Other Condition of Issuance: True  
 Notes: PCE release from dry cleaner in shopping mall. Revised SCR submitted on 6/17/96 prepared by ECS consultants for consideration under VRP. 2/1/97 - several levels have transpired addressing risk assessment remediation levels. Certificate has created an "Area of Non-Disturbance" where there can be no digging etc. This area represented the only high risk area on the site. 2/5/97- Final Risk Based endpoints submitted- risk assessment to PAT Mc. on 2/5/97. 3/25/97- Remedial Action Plan Submitted will reveal once endpoints are agreed. 8/25/97- Remediation underway - Hydrogen peroxide injection

INST CONTROL:  
 Facility ID: VRP00145  
 Corrective Action Desc: Not reported  
 Ground Water Use Restriction: True  
 Res. Use Restriction: True  
 Excavation Restriction: False

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LANGLEY SQUARE SHOPPING CENTER - PARCEL 4 (Continued)**

**S106120292**

Other Condition of Issuance: True  
 Notes: PCE release from dry cleaner in shopping mall. Revised SCR submitted on 6/17/96 prepared by ECS consultants for consideration under VRP. 2/1/97 - several levels have trabspired addressing risk assessment remedation levels. Certifcate has created an "Area of Non-Distrubance" where there can be no digging etc. This area represented the only high risk area on the site. 2/5/97- Final Rsik Based endpoints submitted- risk assement to PAT Mc. on 2/5/97. 3/25/97- Remedial Action Plan Submitted will revei once endpoints are agreed . 8./25/97- Remediation underway - Hydrogen peroxide injection

VRP:

Facility ID: VRP00145  
 Site Status: Certificate Issued  
 Site Status 2: Certificate Recorded  
 DEQ Region: Tidewater  
 Sizs in Acres: 2  
 Site Type: Not reported  
 Corrective Action Desc: Not reported  
 Owner Name: J. Sinclair Selden, Jr  
 Owner Contact: Not reported  
 Owner Address: Not reported  
 Owner Phone: Not reported  
 Operator Name: Not reported  
 Operator Owner: Not reported  
 Operator Phone: Not reported  
 Participant Name: Not reported  
 Relationship to Site: Not reported  
 Participant Contact: Pat Genzler  
 Participant Phone: 804-446-8631  
 Participant Title: attorney  
 Participant Affiliation: Vandeventer & Black  
 Participant Address: 500 World Trade Center  
 Participant City,St,Zip: Norfolk, VA 23510  
 Additional Parts: Not reported  
 Participation Notes: Not reported  
 Participant Rep/Contractor: Pat Genzler  
 Participant Rep/Contractor Phone: 804-446-8631  
 Participant Rep/Contractor Title: Attorney  
 Participant Rep/Contractor Affiliation: Vandeventer & Black  
 Participant Rep/Contractor Address: Not reported  
 Participant Rep/Contractor City,St,Zip: Norfolk, VA  
 Metal Contaminants Present in Soil: Not reported  
 Organic Contaminants Present in Soil: Not reported  
 Metal Contaminants Present in GW: Not reported  
 Organic Contaminants Present GW: Not reported  
 DEQ Staff Case Manager's Initials: KLG  
 Cleanup Standards: Not reported  
 No Further VRP Action Date: Not reported  
 Date Participant Notified of NFA: Not reported  
 Certification Date: 1998-12-18  
 Deed Received Date: 1999-03-17  
 Terms of NFA Determination: Not reported  
 Date VRP Eligibility Declared by Participant: 1995-05-02  
 Date VRP Eligibility Determined by DEQ Region: 1995-04-28  
 Dt Office Of Waste Permitting Verified Site Eligblty: Not reported  
 Date VRP Eligibility Determined by VRP: 1996-03-29

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LANGLEY SQUARE SHOPPING CENTER - PARCEL 4 (Continued)**

**S106120292**

Date Signed Agreement Submitted By Participant: Not reported  
 Date Agreement Executed by DEQ: 1996-05-29  
 Registration Fee Amount Submitted by Participant: 5000  
 Date Registration Fee Submitted by Participant: 1996-05-30  
 Site Characterization Document Number: 1  
 DEQ Concurrence with Site Characterization Date: 1996-01-07  
 Remedial Action Work Plan Document Number: Not reported  
 DEQ Concurs with Remedial Action Work Plan Date: 1997-03-25  
 Completion Report Document Number: Not reported  
 DEQ Concurs with Completion Report Date: 1998-12-18  
 Submittal Date for Document Number 1: 1996-06-17  
 Title of Submitted Document Number 1: Envrometal site assessment & risk assessment  
 Submittal Date for Document Number 2: Not reported  
 Title of Submitted Document Number 2: Not reported  
 Submittal Date for Document Number 3: Not reported  
 Title of Submitted Document Number 3: Not reported  
 Submittal Date for Document Number 4: Not reported  
 Title of Submitted Document Number 4: Not reported  
 Submittal Date for Document Number 5: Not reported  
 Title of Submitted Document Number 5: Not reported  
 Submittal Date for Document Number 6: Not reported  
 Title of Submitted Document Number 6: Not reported  
 Submittal Date for Document Number 7: Not reported  
 Title of Submitted Document Number 7: Not reported  
 Submittal Date for Document Number 8: Not reported  
 Title of Submitted Document Number 8: Not reported  
 DEQ Response Incident ID Number: Not reported  
 EPA CERCLIS ID: Not reported  
 EPA RCRA ID NUMBER: Not reported  
 DEQ Pollution Complaint Number: Not reported  
 Latest Action Relative To Site: Not reported  
 Latest Action Relative To Site Date: Not reported  
 Next VRP Step Needed Relating To Site: Not reported  
 Pending Since: Not reported  
 Date Next Step Should Be Completed: Not reported  
 Lat/Long: 37.042109799999999 / 76.354010299999999  
 Brownfield Tax Incentive: Not reported  
 Ground Water Use Restriction: True  
 Res. User Restriction: True  
 Excavattion Restruction: False  
 Unrestricted: False  
 Other Condition of Issuance: True  
 GPS Lat: 37.042760000000001  
 GPS Long: -76.353970000000004  
 GPS Desc: GPS taken from Parcel 4 of property  
 Notes: PCE release from dry cleaner in shopping mall. Revised SCR submitted on 6/17/96 prepared by ECS consultants for consideration under VRP. 2/1/97 - several levels have trabspired addressing risk assessment remedation levels. Certifcate has created an "Area of Non-Distrubance" where there can be no digging etc. This area represented the only high risk area on the site. 2/5/97- Final Rsik Based endpoints submitted- risk assement to PAT Mc. on 2/5/97. 3/25/97- Remedial Action Plan Submitted will revei once endpoints are agreed . 8./25/97- Remediation underway - Hydrogen peroxide injection

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

17 **MERITA BAKERY - LANGLEY SQUARE SHOPPING CENTER**  
**69 W MERCURY BLVD**  
**HAMPTON, VA 23669**

**VA LUST** **S104742381**  
**VA LTANKS** **N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000195504  
**Facility Status: Closed**  
 Completed Date: 06/06/2000  
 Pollution Complaint Num: 20005247  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000195504  
**Facility Status: Closed**  
 Completed Date: 07/12/2000  
 Pollution Complaint Num: 20005247  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000195504  
**Case Status: Closed**  
 Pollution Complaint #: 20005247  
 Reported: 06-JUN-2000

17 **MEINEKE DISCOUNT MUFFLER**  
**79 WEST MERCURY BLVD**  
**HAMPTON, VA 23669**

**VA UST** **U003689386**  
**N/A**

UST:

Facility:  
 Facility Id: 5003336  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000066102

Owner:  
 Facility Id: 5003336  
 Owner Id: 33617  
 Owner Name: RUDY BOQUIRON  
 Owner Address: 79 WEST MERCURY BLVD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 550  
 Tank Contents: USED OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEINEKE DISCOUNT MUFFLER (Continued)**

**U003689386**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003336
Own Id:	33617
Tank Number:	R1
Install Date:	01-JAN-1987
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5003336
Own Id:	33617
Tank Number:	R1
Install Date:	01-JAN-1987
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MEINEKE DISCOUNT MUFFLER (Continued)**

**U003689386**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5003336  
 Own Id: 33617  
 Tank Number: R1  
 Install Date: 01-JAN-1987  
 Tank Status: REM FROM GRD  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**18 SHELL OIL CO  
 61 E MERCURY BLVD  
 HAMPTON, VA 23669**

**RCRA-SQG 1000877785  
 FINDS VA0000022293**

RCRA-SQG:  
 Date form received by agency: 09/14/1993  
 Facility name: SHELL OIL CO  
 Facility address: 61 E MERCURY BLVD  
 HAMPTON, VA 23669  
 EPA ID: VA0000022293  
 Mailing address: PO BOX 2099  
 HOUSTON, TX 772522099  
 Contact: SONDRA BIENVENU  
 Contact address: PO BOX 2099  
 HOUSTON, TX 772522099  
 Contact country: US  
 Contact telephone: (713) 241-2258  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:  
 Owner/operator name: MOTIVA ENTERPRISES LLC  
 Owner/operator address: PO BOX 4540  
 HOUSTON, TX 77210  
 Owner/operator country: Not reported  
 Owner/operator telephone: (713) 241-2258  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SHELL OIL CO (Continued)**

**1000877785**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005212607

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

18

**MILLER MART 69  
 61 E MERCURY BLVD  
 HAMPTON, VA 23669**

**VA LUST U00396622  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067001  
**Facility Status: Closed**  
 Completed Date: 11/01/1993  
 Pollution Complaint Num: 19940761

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 69 (Continued)**

**U003966622**

Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: RCVD. CLOSURE REPORT-HIGH SOIL TPH DURING UST REMOVAL ON 9-29-93.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067001  
**Facility Status: Closed**  
 Completed Date: 12/22/1993  
 Pollution Complaint Num: 19940761  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067001  
**Case Status: Closed**  
 Pollution Complaint #: 19940761  
 Reported: 01-NOV-1993

UST:

Facility:

Facility Id: 5014333  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000067001

Owner:

Facility Id: 5014333  
 Owner Id: 34168  
 Owner Name: Shell Oil Company  
 Owner Address: 3800 Pickett Rd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Fairfax, VA 22031  
 UST Status: Un-Reg  
 AST Status: Not reported

Facility Id: 5014333  
 Owner Id: 43974  
 Owner Name: Surani Properties LLC  
 Owner Address: 8061 Flannigan Mill Rd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Mechanicsville, VA 23111  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5014333  
 Owner Id: 27789  
 Owner Name: Miller Oil Co Inc  
 Owner Address: 1000 E City Hall Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Reg  
 AST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 69 (Continued)**

**U003966622**

Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5014333
Own Id:	27789
Tank Number:	1
Install Date:	17-APR-1971
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014333
Own Id:	27789
Tank Number:	1
Install Date:	17-APR-1971
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER MART 69 (Continued)**

**U003966622**

Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5014333  
 Own Id: 27789  
 Tank Number: 1  
 Install Date: 17-APR-1971  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5014333  
 Own Id: 27789  
 Tank Number: 2  
 Install Date: 17-APR-1971  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5014333

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 69 (Continued)**

**U00396622**

Own Id:	27789
Tank Number:	2
Install Date:	17-APR-1971
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
 Pipe Material:	
Tank Type:	UST
Fac Id:	5014333
Own Id:	27789
Tank Number:	2
Install Date:	17-APR-1971
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
 Tank Material:	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER MART 69 (Continued)**

**U003966622**

Tank Type:	UST
Fac Id:	5014333
Own Id:	27789
Tank Number:	3
Install Date:	17-APR-1971
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5014333
Own Id:	27789
Tank Number:	3
Install Date:	17-APR-1971
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5014333
Own Id:	27789

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 69 (Continued)**

**U003966622**

Tank Number:	3
Install Date:	17-APR-1971
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R4
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5014333
Own Id:	34168
Tank Number:	R4
Install Date:	01-JAN-1985
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5014333
Own Id:	34168
Tank Number:	R4
Install Date:	01-JAN-1985
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER MART 69 (Continued)**

**U00396622**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5014333
Own Id:	34168
Tank Number:	R4
Install Date:	01-JAN-1985
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5014333
FRP Financial Assurance:	Full
Owner Name:	Miller Mart 69
ROF Own Id:	27789
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	Not reported
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Miller Mart 69
CEDS Facility Id:	200000067001

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**MILLER MART 69 (Continued)**

**U00396622**

Tank Type Count: 3  
 Location: Not reported

**19 WAL MART SUPERCENTER # 1631  
 1900 CUNNINGHAM DR  
 HAMPTON, VA 23666**

**RCRA-SQG 1004789206  
 FINDS VA0000093641**

**RCRA-SQG:**

Date form received by agency: 11/01/2010  
 Facility name: WAL MART SUPERCENTER # 1631  
 Facility address: 1900 CUNNINGHAM DRIVE  
 HAMPTON, VA 23666  
 EPA ID: VA0000093641  
 Mailing address: PO BOX 8041  
 BENTONVILLE, AR 727128041  
 Contact: CHRIS STEWART  
 Contact address: PO BOX 8041  
 BENTONVILLE, AR 727128041  
 Contact country: US  
 Contact telephone: (479) 204-0402  
 Contact email: CHRISTOPHER.STEWART@WAL-MART.COM  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: WAL-MART STORES EAST, LP  
 Owner/operator address: PO BOX 8041  
 BENTONVILLE, AR 72712  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 04/02/1991  
 Owner/Op end date: Not reported

Owner/operator name: WAL-MART STORES EAST, LP  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 04/02/1991  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAL MART SUPERCENTER # 1631 (Continued)**

**1004789206**

On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 02/12/2010  
 Facility name: WAL MART SUPERCENTER # 1631  
 Site name: WAL- MART SUPERCENTER # 1631  
 Classification: Small Quantity Generator

Date form received by agency: 06/05/2009  
 Facility name: WAL MART SUPERCENTER # 1631  
 Site name: WAL- MART SUPERCENTER # 1631  
 Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 12/28/1993  
 Facility name: WAL MART SUPERCENTER # 1631  
 Site name: WAL MART SUPERCENTER NO 1631  
 Classification: Conditionally Exempt Small Quantity Generator

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D003  
 Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

Waste code: D004  
 Waste name: ARSENIC

Waste code: D005

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WAL MART SUPERCENTER # 1631 (Continued)**

**1004789206**

Waste name:	BARIUM
Waste code:	D006
Waste name:	CADMIUM
Waste code:	D007
Waste name:	CHROMIUM
Waste code:	D008
Waste name:	LEAD
Waste code:	D009
Waste name:	MERCURY
Waste code:	D010
Waste name:	SELENIUM
Waste code:	D011
Waste name:	SILVER
Waste code:	D016
Waste name:	2,4-D
Waste code:	D018
Waste name:	BENZENE
Waste code:	D022
Waste name:	CHLOROFORM
Waste code:	D024
Waste name:	M-CRESOL
Waste code:	D026
Waste name:	CRESOL
Waste code:	D027
Waste name:	1,4-DICHLOROBENZENE
Waste code:	D035
Waste name:	METHYL ETHYL KETONE
Waste code:	D039
Waste name:	TETRACHLOROETHYLENE
Waste code:	P001
Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste code:	P046
Waste name:	BENZENEETHANAMINE, ALPHA,ALPHA-DIMETHYL-
Waste code:	P075
Waste name:	NICOTINE, & SALTS
Waste code:	U002
Waste name:	ACETONE (I)

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WAL MART SUPERCENTER # 1631 (Continued)**

**1004789206**

Waste code:	U034
Waste name:	ACETALDEHYDE, TRICHLORO-
Waste code:	U035
Waste name:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-
Waste code:	U058
Waste name:	CYCLOPHOSPHAMIDE
Waste code:	U072
Waste name:	BENZENE, 1,4-DICHLORO-
Waste code:	U080
Waste name:	METHANE, DICHLORO-
Waste code:	U122
Waste name:	FORMALDEHYDE
Waste code:	U129
Waste name:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA,2ALPHA,3BETA,4ALPHA,5ALPHA,6BETA)-
Waste code:	U132
Waste name:	HEXACHLOROPHENE
Waste code:	U150
Waste name:	MELPHALAN
Waste code:	U154
Waste name:	METHANOL (I)
Waste code:	U159
Waste name:	2-BUTANONE (I,T)
Waste code:	U165
Waste name:	NAPHTHALENE
Waste code:	U182
Waste name:	PARALDEHYDE
Waste code:	U188
Waste name:	PHENOL
Waste code:	U200
Waste name:	RESERPINE
Waste code:	U205
Waste name:	SELENIUM SULFIDE
Waste code:	U249
Waste name:	ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
Waste code:	U279
Waste name:	CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE
Waste code:	U409
Waste name:	CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		Database(s)
Distance (ft.)	Site	EPA ID Number

**WAL MART SUPERCENTER # 1631 (Continued)**

**1004789206**

ESTER (OR) THIOPHANATE-METHYL

Waste code: U411  
Waste name: PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR

Violation Status: No violations found

**FINDS:**

Registry ID: 110005213287

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**19 WAL MART SUPERCENTER STORE 1631  
1900 CUNNINGHAM DR  
HAMPTON, VA 23666**

**PA MANIFEST S111432129  
N/A**

**PA MANIFEST:**

Manifest Number: 002454334FLE  
Manifest Type: T  
Generator EPA Id: VA0000093641  
Generator Date: 1/14/2009 0:00:00  
Mailing Address: Not reported  
Mailing City,St,Zip: Not reported  
Contact Name: Not reported  
Contact Phone: Not reported  
TSD Epa Id: PAD085690592  
TSD Date: Not reported  
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
TSD Facility Address: 2869 SANDSTONE DRIVE  
TSD Facility City: HATFIELD  
TSD Facility State: PA  
Facility Telephone: 757-826-6377  
Page Number: 1  
Line Number: 1  
Waste Number: D035  
Container Number: 1  
Container Type: Fiberboard or plastic drums, barrels, kegs  
Waste Quantity: 110.00  
Unit: Pounds  
Handling Code: Not reported  
TSP EPA Id: Not reported  
Date TSP Sig: Not reported

Manifest Number: 002836937FLE  
Manifest Type: T  
Generator EPA Id: VA0000093641  
Generator Date: 9/21/2009 0:00:00  
Mailing Address: Not reported  
Mailing City,St,Zip: Not reported  
Contact Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAL MART SUPERCENTER STORE 1631 (Continued)**

**S111432129**

Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D022  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 201.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002836937FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 9/21/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 2  
 Waste Number: U002  
 Container Number: 1  
 Container Type: Metal drums, barrels, kegs  
 Waste Quantity: 31.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002454334FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 1/14/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAL MART SUPERCENTER STORE 1631 (Continued)**

**S111432129**

TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D001  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 110.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002836937FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 9/21/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D039  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 201.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002836937FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 9/21/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 2



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAL MART SUPERCENTER STORE 1631 (Continued)**

**S111432129**

Waste Number: D035  
 Container Number: 1  
 Container Type: Metal drums, barrels, kegs  
 Waste Quantity: 31.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002454334FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 1/14/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377

Page Number: 1  
 Line Number: 2  
 Waste Number: D035  
 Container Number: 1  
 Container Type: Metal drums, barrels, kegs  
 Waste Quantity: 15.00  
 Unit: Gallons (liquids only)  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002454334FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 1/14/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377

Page Number: 1  
 Line Number: 1  
 Waste Number: D005  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 110.00  
 Unit: Pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WAL MART SUPERCENTER STORE 1631 (Continued)**

**S111432129**

Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Manifest Number:	002836937FLE
Manifest Type:	T
Generator EPA Id:	VA0000093641
Generator Date:	9/21/2009 0:00:00
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD Epa Id:	PAD085690592
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	757-826-6377
Page Number:	1
Line Number:	1
Waste Number:	D035
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	201.00
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Manifest Number:	002836937FLE
Manifest Type:	T
Generator EPA Id:	VA0000093641
Generator Date:	9/21/2009 0:00:00
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD Epa Id:	PAD085690592
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	757-826-6377
Page Number:	1
Line Number:	1
Waste Number:	D001
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	201.00
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Manifest Number:	002454334FLE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WAL MART SUPERCENTER STORE 1631 (Continued)**

**S111432129**

Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 1/14/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D018  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 110.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002454334FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 1/14/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 2  
 Waste Number: D018  
 Container Number: 1  
 Container Type: Metal drums, barrels, kegs  
 Waste Quantity: 15.00  
 Unit: Gallons (liquids only)  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002836937FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 9/21/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAL MART SUPERCENTER STORE 1631 (Continued)**

**S111432129**

Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 2  
 Waste Number: D001  
 Container Number: 1  
 Container Type: Metal drums, barrels, kegs  
 Waste Quantity: 31.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002454334FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 1/14/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 2  
 Waste Number: D001  
 Container Number: 1  
 Container Type: Metal drums, barrels, kegs  
 Waste Quantity: 15.00  
 Unit: Gallons (liquids only)  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002836937FLE  
 Manifest Type: T  
 Generator EPA Id: VA0000093641  
 Generator Date: 9/21/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WAL MART SUPERCENTER STORE 1631 (Continued)**

**S111432129**

TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 757-826-6377  
 Page Number: 1  
 Line Number: 2  
 Waste Number: D018  
 Container Number: 1  
 Container Type: Metal drums, barrels, kegs  
 Waste Quantity: 31.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

19

**7 ELEVEN 33581  
 1033 W MERCURY BLVD  
 HAMPTON, VA 23666**

**VA LUST U004025545  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000221891  
**Facility Status: Closed**  
 Completed Date: 08/18/2005  
 Pollution Complaint Num: 20065022  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000221891  
**Facility Status: Closed**  
 Completed Date: 08/19/2005  
 Pollution Complaint Num: 20065022  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000221891  
**Case Status: Closed**  
 Pollution Complaint #: 20065022  
 Reported: 18-AUG-2005

UST:

Facility:  
 Facility Id: 5039847  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000221891

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7 ELEVEN 33581 (Continued)**

**U004025545**

Owner:

Facility Id: 5039847  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated  
 Owner Address: PO Box 711  
 Owner Address2: Not reported  
 Owner City, State, Zip: Dallas, TX 75221  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: 001  
 Tank Capacity: 15000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5039847  
 Own Id: 38838  
 Tank Number: 001  
 Install Date: 01-AUG-2005  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5039847  
 Own Id: 38838  
 Tank Number: 001  
 Install Date: 01-AUG-2005  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7 ELEVEN 33581 (Continued)**

**U004025545**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5039847
Own Id:	38838
Tank Number:	001
Install Date:	01-AUG-2005
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Polyflex
Tank Number:	002
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5039847
Own Id:	38838
Tank Number:	002
Install Date:	01-AUG-2005
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7 ELEVEN 33581 (Continued)**

**U004025545**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5039847
Own Id:	38838
Tank Number:	002
Install Date:	01-AUG-2005
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5039847
Own Id:	38838
Tank Number:	002
Install Date:	01-AUG-2005
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7 ELEVEN 33581 (Continued)**

**U004025545**

Pipe Materials: Other Note Polyflex

VA FINANCIAL ASSURANCE:

Facility ID: 5039847  
 FRP Financial Assurance: Full  
 Owner Name: 7 Eleven 33581  
 ROF Own Id: 38838  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$2,000,000  
 Third Party: \$2,000,000  
 Annual Aggregate: \$2,000,000  
 In Compliance: Not reported  
 Total Capacity: Not reported  
 CEDS Facility Name: 7 Eleven 33581  
 CEDS Facility Id: 200000221891  
 Tank Type Count: 2  
 Location: Not reported

19

**7-ELEVEN # 33581  
 1033 MERCURY BLVD  
 HAMPTON, VA 23666**

**RCRA-SQG 1008892558  
 VAR000510438**

RCRA-SQG:

Date form received by agency: 09/21/2005  
 Facility name: 7-ELEVEN # 33581  
 Facility address: 1033 MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VAR000510438  
 Mailing address: BAKER ROAD  
 VIRGINIA BEACH, VA 23462  
 Contact: CHARLES F STOUT  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: (703) 658-8566  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: 7-ELEVEN, INC  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/01/2005  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN # 33581 (Continued)**

**1008892558**

Owner/operator name: RPA MERCURY/CUNNINGHAM, LLC  
 Owner/operator address: CROSSWAYS BLVD, SUITE 109 C/O ATLANTIC COMM. REAL ESTATE  
 CHESAPEAKE, VA 23320  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 05/27/2005  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.  
 Waste code: D018  
 Waste name: BENZENE  
 Violation Status: No violations found

19

**ANNE ARTHUR FAMILY PROPERTY  
 1980 CUNNINGHAM DRIVE  
 HAMPTON, VA 23666**

**VA LUST U003692894  
 VA LTANKS N/A  
 VA UST**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063965  
**Facility Status: Closed**  
 Completed Date: 09/13/1996  
 Pollution Complaint Num: 19972258  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS FOUND DURING PHASE II PROPERTY ASSESSMENT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANNE ARTHUR FAMILY PROPERTY (Continued)**

**U003692894**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063965  
**Facility Status: Closed**  
 Completed Date: 04/25/1997  
 Pollution Complaint Num: 19972258  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000063965  
**Case Status: Closed**  
 Pollution Complaint #: 19972258  
 Reported: 13-SEP-1996

UST:

Facility:

Facility Id: 5027820  
 Facility Type: RESIDENTIAL  
 CEDS Facility ID: 200000063965

Owner:

Facility Id: 5027820  
 Owner Id: 37122  
 Owner Name: ANNE ARTHUR FAMILY PARTNERSHIP  
 Owner Address: NUSBAUM REALTY; P.O. DRAWER 24  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23501  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 550  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5027820  
 Own Id: 37122  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANNE ARTHUR FAMILY PROPERTY (Continued)**

**U003692894**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5027820
Own Id:	37122
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5027820
Own Id:	37122
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANNE ARTHUR FAMILY PROPERTY (Continued)**

**U003692894**

Pipe Materials: Other Note Not reported

20

**WELLWORTH CLEANERS - ARMISTEAD AVENUE  
 1932 N ARMISTEAD AVE  
 HAMPTON, VA 23666**

**VA LUST  
 VA LTANKS  
 VA DRYCLEANERS**

**S106480093  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000086343  
**Facility Status: Closed**  
 Completed Date: 02/14/2005  
 Pollution Complaint Num: 20055131  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000086343  
**Facility Status: Closed**  
 Completed Date: 05/10/2005  
 Pollution Complaint Num: 20055131  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000086343  
**Case Status: Closed**  
 Pollution Complaint #: 20055131  
 Reported: 14-FEB-2005

DRYCLEANERS:

DEQ Region: TRO  
 Registration Number: 60461  
 SIC: 7216  
 FIPS: 650  
 Oper Status: Permanently Shutdown  
 Mailing Address: 10749 Jefferson Ave  
 Mailing City,St,Zip: Newport News, VA 23601  
 SI Number: 287  
 SEQ Description: DRY-TO-DRY  
 Plant Classification: True Minor  
 FAC Inserted Date: 12/1/1999 5:16:17 PM  
 FAC Changed Date: 2/28/2007 8:32:39 AM

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

20 WELLWORTH CLEANERS - ARMISTEAD AVENUE RCRA-CESQG 1004610427  
 1932 NORTH ARMISTEAD AVENUE FINDS VAD981044142  
 HAMPTON, VA 23666

RCRA-CESQG:

Date form received by agency: 07/22/1985  
 Facility name: WELLWORTH CLEANERS - NEWPORT NEWS  
 Facility address: 10749 JEFFERSON AVE  
 NEWPORT NEWS, VA 23601  
 EPA ID: VAD981044142  
 Contact: A. BOOKBINDER  
 Contact address: 10749 JEFFERSON AVE  
 NEWPORT NEWS, VA 23601  
 Contact country: US  
 Contact telephone: (804) 596-7694  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WELLWORTH CLEANERS - ARMISTEAD AVENUE (Continued)**

**1004610427**

Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110001899777

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

20 ARMISTEAD CITGO  
 1925 NORTH ARMISTEAD AVENUE  
 HAMPTON, VA 23666

VA LUST U003691297  
 VA LTANKS N/A  
 VA UST

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063980  
**Facility Status: Closed**  
 Completed Date: 04/08/1993  
 Pollution Complaint Num: 19931989  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: REPORT OF WEATHERED GASOLINE & LUBE OIL IN MONITORING WELLS.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063980  
**Facility Status: Closed**  
 Completed Date: 08/15/1994  
 Pollution Complaint Num: 19931989  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000063980  
**Case Status: Closed**  
 Pollution Complaint #: 19931989  
 Reported: 08-APR-1993

UST:

Facility:

Facility Id: 5015660  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000063980

Owner:

Facility Id: 5015660  
 Owner Id: 33070  
 Owner Name: DIVIERSIFIED BUSINESS CO; INC  
 Owner Address: 317 E. MERCURY BLVD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23663  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 5  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ARMISTEAD CITGO (Continued)**

**U003691297**

Tank Material:

Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	5
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	5
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5015660

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMISTEAD CITGO (Continued)**

**U003691297**

Own Id:	33070
Tank Number:	5
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	6
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	6
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	6
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMISTEAD CITGO (Continued)**

**U003691297**

Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	6
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	7
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	7
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ARMISTEAD CITGO (Continued)**

**U003691297**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	7
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	7
Install Date:	05-MAY-1980
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMISTEAD CITGO (Continued)**

**U003691297**

Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R1  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5015660  
 Own Id: 33070  
 Tank Number: R1  
 Install Date: 05-MAY-1945  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5015660  
 Own Id: 33070  
 Tank Number: R1  
 Install Date: 05-MAY-1945  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMISTEAD CITGO (Continued)**

**U003691297**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R1
Install Date:	05-MAY-1945
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	1000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R2
Install Date:	05-MAY-1958
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ARMISTEAD CITGO (Continued)**

**U003691297**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R2
Install Date:	05-MAY-1958
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R2
Install Date:	05-MAY-1958
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMISTEAD CITGO (Continued)**

**U003691297**

Tank Number:	R3
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R3
Install Date:	01-JAN-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R3
Install Date:	01-JAN-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMISTEAD CITGO (Continued)**

**U003691297**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R3
Install Date:	01-JAN-1982
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R4
Install Date:	05-MAY-1981
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMISTEAD CITGO (Continued)**

**U003691297**

Install Date:	05-MAY-1981
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015660
Own Id:	33070
Tank Number:	R4
Install Date:	05-MAY-1981
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

20

**EXXON S/S #2-4713  
 1816 W MERCURY BLVD  
 HAMPTON, VA 23666**

**VA UST U003691300  
 N/A**

UST:

Facility:

Facility Id:	5015663
Facility Type:	GAS STATION
CEDS Facility ID:	200000065041

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-4713 (Continued)**

**U003691300**

Owner:  
 Facility Id: 5015663  
 Owner Id: 36553  
 Owner Name: Exxon Company USA  
 Owner Address: PO Box 4415  
 Owner Address2: Not reported  
 Owner City, State, Zip: Houston, TX 77210  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: DIESEL  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5015663  
 Own Id: 36553  
 Tank Number: 2  
 Install Date: 01-JAN-1980  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5015663  
 Own Id: 36553  
 Tank Number: 2  
 Install Date: 01-JAN-1980  
 Tank Status: PERM OUT OF USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness Y  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory Y  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4713 (Continued)**

**U003691300**

Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5015663  
 Own Id: 36553  
 Tank Number: 2  
 Install Date: 01-JAN-1980  
 Tank Status: PERM OUT OF USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5015663  
 Own Id: 36553  
 Tank Number: 3  
 Install Date: 01-JAN-1980  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4713 (Continued)**

**U003691300**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	3
Install Date:	01-JAN-1980
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	3
Install Date:	01-JAN-1980
Tank Status:	PERM OUT OF USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4713 (Continued)**

**U003691300**

Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	4
Install Date:	01-JAN-1980
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	4
Install Date:	01-JAN-1980
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4713 (Continued)**

**U003691300**

Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5015663  
 Own Id: 36553  
 Tank Number: 4  
 Install Date: 01-JAN-1980  
 Tank Status: PERM OUT OF USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 5  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5015663  
 Own Id: 36553  
 Tank Number: 5  
 Install Date: 01-JAN-1980  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4713 (Continued)**

**U003691300**

Release:

Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	5
Install Date:	01-JAN-1980
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	5
Install Date:	01-JAN-1980
Tank Status:	PERM OUT OF USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R1
Tank Capacity:	550
Tank Contents:	USED OIL



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4713 (Continued)**

**U003691300**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	R1
Install Date:	05-MAY-1977
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5015663
Own Id:	36553
Tank Number:	R1
Install Date:	05-MAY-1977
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-4713 (Continued)**

**U003691300**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5015663  
 Own Id: 36553  
 Tank Number: R1  
 Install Date: 05-MAY-1977  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**21 RIVERDALE PLAZA SHOPPING CENTER  
 1072 1088 W MERCURY BLVD  
 HAMPTON, VA 23666**

**VA UST U003692417  
 N/A**

UST:  
 Facility:  
 Facility Id: 5023809  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000066788  
 Owner:  
 Facility Id: 5023809  
 Owner Id: 29399  
 Owner Name: RIVERDALE PLAZA SHOPPING CENTER  
 Owner Address: 2013 CUNNINGHAM DRIVE; SUITE 3  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23666  
 UST Status: Not reported  
 AST Status: Not reported  
 Federally Regulated: Yes  
 Tank Number: 1072  
 Tank Capacity: Not reported  
 Tank Contents: UNKNOWN  
**Tank Status: REM FROM GRD**  
 Tank Type: UST  
 Tank Material:  
 Tank Type: UST  
 Fac Id: 5023809  
 Own Id: 29399  
 Tank Number: 1072  
 Install Date: 01-JAN-1970  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RIVERDALE PLAZA SHOPPING CENTER (Continued)**

**U003692417**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5023809
Own Id:	29399
Tank Number:	1072
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023809
Own Id:	29399
Tank Number:	1072
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RIVERDALE PLAZA SHOPPING CENTER (Continued)**

**U003692417**

Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	1088
Tank Capacity:	6011
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5023809
Own Id:	29399
Tank Number:	1088
Install Date:	01-JAN-1962
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5023809
Own Id:	29399
Tank Number:	1088
Install Date:	01-JAN-1962
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RIVERDALE PLAZA SHOPPING CENTER (Continued)**

**U003692417**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023809
Own Id:	29399
Tank Number:	1088
Install Date:	01-JAN-1962
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

21

**LANGLEY FEDERAL CREDIT UNION**  
**1055 W MERCURY BLVD**  
**HAMPTON, VA 23666**

**RCRA-SQG 1000235820**  
**FINDS VAD982701625**

RCRA-SQG:

Date form received by agency:	10/16/1989
Facility name:	LANGLEY FEDERAL CREDIT UNION
Facility address:	1055 W MERCURY BLVD HAMPTON, VA 23666
EPA ID:	VAD982701625
Contact:	MARGARET COLVIN
Contact address:	1055 W MERCURY BLVD HAMPTON, VA 23666
Contact country:	US
Contact telephone:	(804) 825-7127
Contact email:	Not reported
EPA Region:	03
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LANGLEY FEDERAL CREDIT UNION (Continued)**

**1000235820**

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: LANGLEY FEDERAL CREDIT  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LANGLEY FEDERAL CREDIT UNION (Continued)**

**1000235820**

Violation Status: No violations found

**FINDS:**

Registry ID: 110005235539

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

21

**LANGLEY FEDERAL CREDIT UNION COLISEUM BRANCH  
 1055 W MERCURY BLVD  
 HAMPTON, VA 23666**

**VA AST A100356118  
 N/A**

**AST:**

**Facility:**

Facility ID: 5041847  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000854949

**Owner:**

Facility Id: 5041847  
 Owner Id: 46623  
 Owner Name: Langley Federal Credit Union  
 Owner Address: 721 Lake Front Commons  
 Owner Address2: Suite 400  
 Owner City: Newport News  
 Owner State: VA  
 Owner Zip: 23606  
 Ust Status: N/A  
 Ast Status: Reg

Fed Regulated: No  
 Tank Number: SN27184  
 Tank Type: AST  
 Tank Capacity: 8000  
 Tank Contents: DIESEL  
 Tank Status: CURR IN USE

**Tank Containment:**

Tank Type: AST  
 Fac Id: 5041847  
 Own Id: 46623  
 Tank Number: SN27184  
 Install Date: 11-JAN-2011  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LANGLEY FEDERAL CREDIT UNION COLISEUM BRANCH (Continued)**

**A100356118**

Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5041847
Own Id:	46623
Tank Number:	SN27184
Install Date:	11-JAN-2011
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Horizontal

Tank Material:

Tank Type:	AST
Fac Id:	5041847
Own Id:	46623
Tank Number:	SN27184
Install Date:	11-JAN-2011
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LANGLEY FEDERAL CREDIT UNION COLISEUM BRANCH (Continued)**

**A100356118**

Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	Y
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	Y
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

22

**EXXON CO USA #27247  
 1201 W MERCURY BLVD-TANKS  
 HAMPTON, VA 23666**

**RCRA-CESQG 1004790054  
 FINDS VAD988194890**

RCRA-CESQG:

Date form received by agency: 03/28/1991  
 Facility name: EXXON CO USA #27247  
 Facility address: 1201 W MERCURY BLVD-TANKS  
 HAMPTON, VA 23666  
 EPA ID: VAD988194890  
 Mailing address: PO BOX 4415  
 HOUSTON, TX 77210  
 Contact: ALDA\_S POOL  
 Contact address: 1201 W MERCURY BLVD-TANKS  
 HAMPTON, VA 23666  
 Contact country: US  
 Contact telephone: (713) 656-7709  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON CO USA #27247 (Continued)**

**1004790054**

Owner/Op end date: Not reported

Owner/operator name: EXXON CO USA  
 Owner/operator address: PO BOX 4415  
 HOUSTON, TX 77210

Owner/operator country: Not reported  
 Owner/operator telephone: (713) 656-7761

Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005242503

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

22 EXXON S/S #2-7247  
 1201 W. MERCURY BLVD.  
 HAMPTON, VA 23666

VA LUST U003690458  
 VA LTANKS N/A  
 VA UST

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065066  
**Facility Status: Closed**  
 Completed Date: 11/15/1989  
 Pollution Complaint Num: 19900594  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: UST PIPING FAILED TIGHTNESS TEST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065066  
**Facility Status: Closed**  
 Completed Date: 08/23/1994  
 Pollution Complaint Num: 19900594  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065066  
**Case Status: Closed**  
 Pollution Complaint #: 19900594  
 Reported: 15-NOV-1989

UST:

Facility:

Facility Id: 5009952  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065066

Owner:

Facility Id: 5009952  
 Owner Id: 36553  
 Owner Name: Exxon Company USA  
 Owner Address: PO Box 4415  
 Owner Address2: Not reported  
 Owner City, State, Zip: Houston, TX 77210  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-7247 (Continued)**

**U003690458**

Tank Material:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	1
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	1
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009952

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-7247 (Continued)**

**U003690458**

Own Id:	36553
Tank Number:	1
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	2
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	2
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-7247 (Continued)**

**U003690458**

Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	2
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	3
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-7247 (Continued)**

**U003690458**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	3
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009952
Own Id:	36553
Tank Number:	3
Install Date:	01-JAN-1984
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-7247 (Continued)**

**U003690458**

Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 4  
 Tank Capacity: 1000  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5009952  
 Own Id: 36553  
 Tank Number: 4  
 Install Date: 01-JAN-1984  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5009952  
 Own Id: 36553  
 Tank Number: 4  
 Install Date: 01-JAN-1984  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-7247 (Continued)**

**U003690458**

Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5009952  
 Own Id: 36553  
 Tank Number: 4  
 Install Date: 01-JAN-1984  
 Tank Status: REM FROM GRD  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

22

**MILLER STORE #2204**  
**1133 W. MERCURY BLVD**  
**HAMPTON, VA 23666**

**VA LUST U003691124**  
**VA LTANKS N/A**  
**VA UST**  
**VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066999  
**Facility Status: Closed**  
 Completed Date: 11/01/1993  
 Pollution Complaint Num: 19940762  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: RCVD. CLOSURE REPORT-HIGH SOIL TPH DURING UST REMOVAL ON 9-30-93.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066999  
**Facility Status: Closed**  
 Completed Date: 08/13/1994  
 Pollution Complaint Num: 19940762

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER STORE #2204 (Continued)**

**U003691124**

Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066999  
**Facility Status: Closed**  
 Completed Date: 11/21/1991  
 Pollution Complaint Num: 19920967  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Not reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066999  
**Facility Status: Closed**  
 Completed Date: 04/19/1995  
 Pollution Complaint Num: 19920967  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED BASED ON THIS DATA & DATA FROM PC# 94-0762.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000066999  
**Case Status: Closed**  
 Pollution Complaint #: 19940762  
 Reported: 01-NOV-1993

Region: TRO  
 CEDS Facility Id: 200000066999  
**Case Status: Closed**  
 Pollution Complaint #: 19920967  
 Reported: 21-NOV-1991

**UST:**

**Facility:**

Facility Id: 5014332  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000066999

**Owner:**

Facility Id: 5014332  
 Owner Id: 34168  
 Owner Name: Shell Oil Company  
 Owner Address: 3800 Pickett Rd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Fairfax, VA 22031  
 UST Status: Not reported  
 AST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER STORE #2204 (Continued)**

**U003691124**

Facility Id:	5014332
Owner Id:	27789
Owner Name:	Miller Oil Co Inc
Owner Address:	1000 E City Hall Ave
Owner Address2:	Not reported
Owner City, State, Zip:	Norfolk, VA 23504
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	1
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	1
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER STORE #2204 (Continued)**

**U003691124**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	1
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	2
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER STORE #2204 (Continued)**

**U003691124**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	2
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	2
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER STORE #2204 (Continued)**

**U003691124**

Tank Number:	3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	3
Install Date:	01-JAN-1970
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014332
Own Id:	27789
Tank Number:	3
Install Date:	01-JAN-1970
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER STORE #2204 (Continued)**

**U003691124**

Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5014332  
 Own Id: 27789  
 Tank Number: 3  
 Install Date: 01-JAN-1970  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R4  
 Tank Capacity: 1000  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5014332  
 Own Id: 34168  
 Tank Number: R4  
 Install Date: 17-APR-1983  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5014332  
 Own Id: 34168  
 Tank Number: R4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER STORE #2204 (Continued)**

**U003691124**

Install Date:	17-APR-1983
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5014332
Own Id:	34168
Tank Number:	R4
Install Date:	17-APR-1983
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5014332
FRP Financial Assurance:	Full
Owner Name:	MILLER STORE #2204
ROF Own Id:	27789
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	Not reported
Per Occurrence:	50000



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER STORE #2204 (Continued)**

**U003691124**

Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: West Mercury Boulevard Shell Station  
 CEDS Facility Id: 200000066999  
 Tank Type Count: 3  
 Location: Not reported

22

**SHELL OIL CO  
 1133 W MERCURY BLVD  
 HAMPTON, VA 23666**

**RCRA-SQG 1000877784  
 FINDS VA0000022285**

RCRA-SQG:

Date form received by agency: 09/14/1993  
 Facility name: SHELL OIL CO  
 Facility address: 1133 W MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VA0000022285  
 Mailing address: PO BOX 2099  
 HOUSTON, TX 772522099  
 Contact: SONDR A BIENVENU  
 Contact address: PO BOX 2099  
 HOUSTON, TX 772522099  
 Contact country: US  
 Contact telephone: (713) 241-2258  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: MOTIVA ENTERPRISES LLC  
 Owner/operator address: PO BOX 4540  
 HOUSTON, TX 77210  
 Owner/operator country: Not reported  
 Owner/operator telephone: (713) 241-2258  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SHELL OIL CO (Continued)**

**1000877784**

User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005212590

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

22

**HAMPTON MOTOR CORP  
 1073 W MERCURY BLVD  
 HAMPTON, VA 23666**

**RCRA-CESQG 1000350035  
 FINDS VAD023756000**

**RCRA-CESQG:**

Date form received by agency: 05/30/1986  
 Facility name: HAMPTON MOTOR CORP  
 Facility address: 1073 W MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VAD023756000  
 Contact: PAUL M PLEASANTS  
 Contact address: 1073 W MERCURY BLVD  
 HAMPTON, VA 23666  
 Contact country: US  
 Contact telephone: (804) 838-5450  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Facility is not located on Indian land. Additional information is not known.  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MOTOR CORP (Continued)**

**1000350035**

other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: WOOD, LEWIS F  
 Owner/operator address: 1073 W MERCURY BLVD  
 HAMPTON, VA 23666  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 838-5450  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON MOTOR CORP (Continued)**

**1000350035**

WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D006  
 Waste name: CADMIUM

Waste code: D007  
 Waste name: CHROMIUM

Waste code: D008  
 Waste name: LEAD

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
 Area of violation: Generators - General  
 Date violation determined: 12/17/1986  
 Date achieved compliance: 09/18/1987  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 01/15/1987  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MOTOR CORP (Continued)**

**1000350035**

Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 12/17/1986  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 09/18/1987  
 Evaluation lead agency: State

FINDS:

Registry ID: 110005220402

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

22

**HAMPTON MOTOR CORP  
 1073 WEST MERCURY BOULEVARD  
 HAMPTON, VA 23666**

**VA LUST  
 VA LTANKS  
 VA UST**

**U003688879  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065425  
**Facility Status: Closed**  
 Completed Date: 04/18/1990  
 Pollution Complaint Num: 19901392  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL CONTAMINATION ASSOCIATED WITH WASTE OIL UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065425  
**Facility Status: Closed**  
 Completed Date: 07/15/1993  
 Pollution Complaint Num: 19901392  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.,

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065425  
**Case Status: Closed**  
 Pollution Complaint #: 19901392  
 Reported: 18-APR-1990

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MOTOR CORP (Continued)**

**U003688879**

UST:

Facility:

Facility Id: 5000423  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065425

Owner:

Facility Id: 5000423  
 Owner Id: 33600  
 Owner Name: HAMPTON MOTOR CORP  
 Owner Address: 1073 W. MERCURY BLVD.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23666  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1R  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5000423  
 Own Id: 33600  
 Tank Number: 1R  
 Install Date: 07-AUG-1969  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5000423  
 Own Id: 33600  
 Tank Number: 1R  
 Install Date: 07-AUG-1969  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MOTOR CORP (Continued)**

**U003688879**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	1R
Install Date:	07-AUG-1969
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2R
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	2R
Install Date:	07-AUG-1969
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MOTOR CORP (Continued)**

**U003688879**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	2R
Install Date:	07-AUG-1969
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	2R
Install Date:	07-AUG-1969
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON MOTOR CORP (Continued)**

**U003688879**

Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3R  
 Tank Capacity: 500  
 Tank Contents: USED OIL  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5000423  
 Own Id: 33600  
 Tank Number: 3R  
 Install Date: 07-AUG-1969  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5000423  
 Own Id: 33600  
 Tank Number: 3R  
 Install Date: 07-AUG-1969  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MOTOR CORP (Continued)**

**U003688879**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	3R
Install Date:	07-AUG-1969
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4R
Tank Capacity:	500
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	4R
Install Date:	07-AUG-1969
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MOTOR CORP (Continued)**

**U003688879**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	4R
Install Date:	07-AUG-1969
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000423
Own Id:	33600
Tank Number:	4R
Install Date:	07-AUG-1969
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

22 COLISEUM LINCOLN MERCURY INC 1134 WEST MERCURY BLVD HAMPTON, VA 23666 RCRA-SQG FINDS 1000262700 VAD023760465

RCRA-SQG:

Date form received by agency: 02/26/1987  
 Facility name: COLISEUM LINCOLN MERCURY INC  
 Facility address: 1134 WEST MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VAD023760465  
 Contact: EUGENE CAMPBELL  
 Contact address: 1134 WEST MERCURY BLVD  
 HAMPTON, VA 23666  
 Contact country: US  
 Contact telephone: (804) 838-6111  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: ROSSER, D I  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**COLISEUM LINCOLN MERCURY INC (Continued)**

**1000262700**

Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F003  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005220448

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

22 COLISEUM LINCOLN MERCURY  
 1134 W MERCURY BLVD  
 HAMPTON, VA 23666

VA UST U003689370  
 VA AST N/A

UST:

Facility:

Facility Id: 5003240  
 Facility Type: AUTO DEALER  
 CEDS Facility ID: 200000064620

Owner:

Facility Id: 5003240  
 Owner Id: 34814  
 Owner Name: Pomoco Group Inc  
 Owner Address: 4116 W Mercury Blvd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23666  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5003240  
 Owner Id: 38165  
 Owner Name: COLISEUM LINCOLN MERCURY  
 Owner Address: 1134 W. MERCURY BLVD.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23666  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 500  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5003240  
 Own Id: 34814  
 Tank Number: R1  
 Install Date: 16-APR-1978  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**COLISEUM LINCOLN MERCURY (Continued)**

**U003689370**

Release:

Tank Type:	UST
Fac Id:	5003240
Own Id:	34814
Tank Number:	R1
Install Date:	16-APR-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003240
Own Id:	34814
Tank Number:	R1
Install Date:	16-APR-1978
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	500
Tank Contents:	USED OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COLISEUM LINCOLN MERCURY (Continued)**

**U003689370**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003240
Own Id:	34814
Tank Number:	R2
Install Date:	16-APR-1978
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003240
Own Id:	34814
Tank Number:	R2
Install Date:	16-APR-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COLISEUM LINCOLN MERCURY (Continued)**

**U003689370**

Pipe Material:

Tank Type:	UST
Fac Id:	5003240
Own Id:	34814
Tank Number:	R2
Install Date:	16-APR-1978
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

AST:

Facility:

Facility ID:	5003240
Facility Type:	AUTO DEALER
CEDS Facility ID:	200000064620

Owner:

Facility Id:	5003240
Owner Id:	34814
Owner Name:	Pomoco Group Inc
Owner Address:	4116 W Mercury Blvd
Owner Address2:	Not reported
Owner City:	Hampton
Owner State:	VA
Owner Zip:	23666
Ust Status:	Reg
Ast Status:	N/A

Facility Id:	5003240
Owner Id:	38165
Owner Name:	COLISEUM LINCOLN MERCURY
Owner Address:	1134 W. MERCURY BLVD.
Owner Address2:	Not reported
Owner City:	HAMPTON
Owner State:	VA
Owner Zip:	23666
Ust Status:	Not reported
Ast Status:	Not reported

Fed Regulated:	No
Tank Number:	1
Tank Type:	AST
Tank Capacity:	1000
Tank Contents:	USED OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COLISEUM LINCOLN MERCURY (Continued)**

**U003689370**

Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5003240
Own Id:	38165
Tank Number:	1
Install Date:	21-AUG-1993
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5003240
Own Id:	38165
Tank Number:	1
Install Date:	21-AUG-1993
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COLISEUM LINCOLN MERCURY (Continued)**

**U003689370**

Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5003240
Own Id:	38165
Tank Number:	1
Install Date:	21-AUG-1993
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

22

**CLOTHING CARE**  
**1100 W. MERCURY BLVD.**  
**HAMPTON, VA 23666**

**VA VCP S109149991**  
**N/A**

VRP:

Facility ID:	VRP00516
Site Status:	Enrolled in Program
Site Status 2:	Monitor RP Progress
DEQ Region:	Tidewater
Sizes in Acres:	1
Site Type:	Dry Cleaner
Corrective Action Desc:	Not reported
Owner Name:	Riverdale Plaza Shopping Center, LLC
Owner Contact:	Larry G. Cumming
Owner Address:	c/o Kaufman and Canoles 2236 Cunningham Drive, Hampton, VA 23666
Owner Phone:	757-224-2910
Operator Name:	Not reported
Operator Owner:	Not reported
Operator Phone:	Not reported
Participant Name:	Riverdale Plaza Shopping Center, LLC
Relationship to Site:	Not reported
Participant Contact:	Larry G. Cumming
Participant Phone:	757-224-2910
Participant Title:	Not reported
Participant Affiliation:	Riverdale Plaza Shopping Center, LLC
Participant Address:	c/o Kaufman and Canoles 2236 Cunningham Drive
Participant City,St,Zip:	Hampton, VA 23666
Additional Parts:	Not reported
Participation Notes:	To TRO and Hazwast 5-12-08

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLOTHING CARE (Continued)**

**S109149991**

Participant Rep/Contractor: Keith Matteson  
 Participant Rep/Contractor Phone: 757-466-3361  
 Participant Rep/Contractor Title: Not reported  
 Participant Rep/Contractor Affiliation: SCS  
 Participant Rep/Contractor Address: Not reported  
 Participant Rep/Contractor City,St,Zip: Not reported  
 Metal Contaminants Present in Soil: Not reported  
 Organic Contaminants Present in Soil: PCE  
 Metal Contaminants Present in GW: Not reported  
 Organic Contaminants Present GW: PCE, TCE, VC  
 DEQ Staff Case Manager's Initials: GJG  
 Cleanup Standards: Not reported  
 No Further VRP Action Date: Not reported  
 Date Participant Notified of NFA: Not reported  
 Certification Date: Not reported  
 Deed Received Date: Not reported  
 Terms of NFA Determination: Not reported  
 Date VRP Eligibility Declared by Participant: 2008-05-06  
 Date VRP Eligibility Determined by DEQ Region: 2008-05-16  
 Dt Office Of Waste Permitting Verified Site Eligblty: 2008-05-19  
 Date VRP Eligibility Determined by VRP: 2008-05-28  
 Date Signed Agreement Submitted By Participant: Not reported  
 Date Agreement Executed by DEQ: Not reported  
 Registration Fee Amount Submitted by Participant: 2250  
 Date Registration Fee Submitted by Participant: 2008-07-22  
 Site Characterization Document Number: Not reported  
 DEQ Concurrence with Site Characterization Date: Not reported  
 Remedial Action Work Plan Document Number: Not reported  
 DEQ Concurs with Remedial Action Work Plan Date: Not reported  
 Completion Report Document Number: Not reported  
 DEQ Concurr with Completion Report Date: Not reported  
 Submittal Date for Document Number 1: 2009-02-19  
 Title of Submitted Document Number 1: VRP Report  
 Submittal Date for Document Number 2: 2010-03-24  
 Title of Submitted Document Number 2: Groundwater Monitoring Report  
 Submittal Date for Document Number 3: 2011-03-04  
 Title of Submitted Document Number 3: Groundwater Monitoring report  
 Submittal Date for Document Number 4: Not reported  
 Title of Submitted Document Number 4: Not reported  
 Submittal Date for Document Number 5: Not reported  
 Title of Submitted Document Number 5: Not reported  
 Submittal Date for Document Number 6: Not reported  
 Title of Submitted Document Number 6: Not reported  
 Submittal Date for Document Number 7: Not reported  
 Title of Submitted Document Number 7: Not reported  
 Submittal Date for Document Number 8: Not reported  
 Title of Submitted Document Number 8: Not reported  
 DEQ Response Incident ID Number: Not reported  
 EPA CERCLIS ID: Not reported  
 EPA RCRA ID NUMBER: Not reported  
 DEQ Pollution Complaint Number: Not reported  
 Latest Action Relative To Site: Monitoring Report submitted  
 Latest Action Relative To Site Date: 2011-03-09  
 Next VRP Step Needed Relating To Site: Monitoring event Jan 2012  
 Pending Since: Not reported  
 Date Next Step Should Be Completed: 2012-03-04 00:00:00  
 Lat/Long: 0 / 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLOTHING CARE (Continued)**

**S109149991**

Brownfield Tax Incentive: Not reported  
 Ground Water Use Restriction: False  
 Res. User Restriction: False  
 Excavation Restriction: False  
 Unrestricted: False  
 Other Condition of Issuance: False  
 GPS Lat: 37.043894000000002  
 GPS Long: -76.388048999999995  
 GPS Desc: Not reported  
 Notes: 3/24/2010 Monitoring Report approved 6-6-08, Site visit by GJG  
 7-22-08, Meeting with Keith Matteson, Marina Philips and Frank  
 Gladding 9-10-08; GJG Site visit to observe injection of EOS  
 6/15/2009 VRP Report approved

22

**CLOTHING CARE INC  
 1100 WEST MERCURY BLVD  
 HAMPTON, VA 23666**

**RCRA-NonGen 1000409544  
 FINDS VAD040154437**

RCRA-NonGen:  
 Date form received by agency: 11/12/2008  
 Facility name: CLOTHING CARE INC  
 Facility address: 1100 WEST MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VAD040154437  
 Mailing address: PO BOX 7164  
 HAMPTON, VA 23669  
 Contact: MARTY WADE  
 Contact address: 1100 WEST MERCURY BLVD  
 HAMPTON, VA 23666  
 Contact country: US  
 Contact telephone: (804) 838-4050  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Facility is not located on Indian land. Additional information is not known.  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: CLOTHING CARE INC  
 Owner/operator address: PO BOX 7164  
 HAMPTON, VA 23666  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 838-4050  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLOTHING CARE INC (Continued)**

**1000409544**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 10/28/1985  
 Facility name: CLOTHING CARE INC  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: SR - VHWMR 6.4.E.4.e.(2)(a)  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/25/1995  
 Date achieved compliance: 11/20/1995  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 11/17/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.4.d.8.6.4.E.1.b.  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/25/1995  
 Date achieved compliance: 11/20/1995  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CLOTHING CARE INC (Continued)**

**1000409544**

Enforcement action date: 11/17/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 5.4.E.1.  
 Area of violation: Generators - Manifest  
 Date violation determined: 10/25/1995  
 Date achieved compliance: 10/25/1995  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 11/17/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

**Evaluation Action Summary:**

Evaluation date: 10/15/2008  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 10/25/1995  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Manifest  
 Date achieved compliance: 10/25/1995  
 Evaluation lead agency: State

Evaluation date: 10/25/1995  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 11/20/1995  
 Evaluation lead agency: State

**FINDS:**

Registry ID: 110001902120

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**CLOTHING CARE INC (Continued)**

**1000409544**

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**22 CLOTHING CARE INC  
1100 W MERCURY BLVD  
HAMPTON, VA 23666**

**VA DRYCLEANERS S106480156  
N/A**

**DRYCLEANERS:**

DEQ Region: TRO  
 Registration Number: 61242  
 SIC: 7216  
 FIPS: 650  
 Oper Status: Permanently Shutdown  
 Mailing Address: PO Box 7164  
 Mailing City, St, Zip: Hampton, VA 23669  
 SI Number: 369  
 SEQ Description: DRY-TO-DRY  
 Plant Classification: True Minor  
 FAC Inserted Date: 12/1/1999 5:16:18 PM  
 FAC Changed Date: 2/28/2007 1:18:19 PM

**22 BUILDERS SQUARTE #1516  
1072 W MERCURY BLVD  
HAMPTON, VA 23666**

**RCRA-SQG 1000278520  
FINDS VAD130530876**

**RCRA-SQG:**

Date form received by agency: 02/27/1990  
 Facility name: BUILDERS SQUARTE #1516  
 Facility address: 1072 W MERCURY BLVD  
 HAMPTON, VA 23666  
 EPA ID: VAD130530876  
 Mailing address: 201 LOMAS SANTA FE DR STE 320  
 SOLANA BEACH, CA 92075  
 Contact: INGELS RANDY  
 Contact address: 1072 W MERCURY BLVD  
 HAMPTON, VA 23666  
 Contact country: US  
 Contact telephone: (512) 731-0735  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BUILDERS SQUARTE #1516 (Continued)**

**1000278520**

Owner/Operator Summary:

Owner/operator name: K-MART  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: County  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: County  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BUILDERS SQUARTE #1516 (Continued)**

**1000278520**

USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D003  
 Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005227628

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

23

**HARMONS BODY SHOP INC  
 1003 N KING ST  
 HAMPTON, VA 23669**

**RCRA-SQG 1001962171  
 FINDS VAD988186607**

**RCRA-SQG:**

Date form received by agency: 01/05/2000  
 Facility name: HARMONS BODY SHOP INC  
 Facility address: 1003 N KING ST  
 HAMPTON, VA 236692898  
 EPA ID: VAD988186607  
 Contact: Not reported  
 Contact address: Not reported  
 Contact country: Not reported  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HARMONS BODY SHOP INC (Continued)**

**1001962171**

Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: WILLIAMSON MARK  
 Owner/operator address: 1003 N KING ST  
 HAMPTON, VA 23669

Owner/operator country: Not reported  
 Owner/operator telephone: (757) 728-9700  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 10/10/1990  
 Facility name: HARMONS BODY SHOP INC  
 Classification: Conditionally Exempt Small Quantity Generator

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D006  
 Waste name: CADMIUM

Waste code: D007  
 Waste name: CHROMIUM

Waste code: D008  
 Waste name: LEAD

Waste code: D018  
 Waste name: BENZENE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HARMONS BODY SHOP INC (Continued)**

**1001962171**

Waste code: D035  
 Waste name: METHYL ETHYL KETONE

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Waste code: D040  
 Waste name: TRICHLOROETHYLENE

Waste code: F003  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005238885

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

23

**KING JOSEPH R  
 1007 N KING ST  
 HAMPTON, VA 23669**

**VA UST U003691545  
 N/A**

**UST:**

**Facility:**

Facility Id: 5017286  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000065778

**Owner:**

Facility Id: 5017286  
 Owner Id: 30993  
 Owner Name: JOSEPH R KING  
 Owner Address: 1007 N. KING ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KING JOSEPH R (Continued)**

**U003691545**

Tank Number:	1
Tank Capacity:	200
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5017286
Own Id:	30993
Tank Number:	1
Install Date:	26-APR-1951
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5017286
Own Id:	30993
Tank Number:	1
Install Date:	26-APR-1951
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KING JOSEPH R (Continued)**

**U003691545**

Pipe Release Detection: Other Note                      Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5017286
Own Id:	30993
Tank Number:	1
Install Date:	26-APR-1951
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

23

**DOUGLAS AQUATICS OF HAMPTON  
 1007A N KING ST  
 HAMPTON, VA 23669**

**RCRA-SQG 1005418828  
 FINDS VAR000503060**

RCRA-SQG:

Date form received by agency:	02/09/2002
Facility name:	DOUGLAS AQUATICS OF HAMPTON
Facility address:	1007A N KING ST HAMPTON, VA 236692898
EPA ID:	VAR000503060
Contact:	MICHAEL KERN
Contact address:	1007A N KING ST HAMPTON, VA 236692898
Contact country:	US
Contact telephone:	(757) 723-2000
Contact email:	Not reported
EPA Region:	03
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	HAROLD WALLS
Owner/operator address:	1007 N KING ST HAMPTON, VA 23669
Owner/operator country:	Not reported
Owner/operator telephone:	(757) 723-4300
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/0001
Owner/Op end date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DOUGLAS AQUATICS OF HAMPTON (Continued)**

**1005418828**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D035  
 Waste name: METHYL ETHYL KETONE

Waste code: D043  
 Waste name: VINYL CHLORIDE

Violation Status: No violations found

FINDS:

Registry ID: 110012194874

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>23</b>	<b>FASHION CARE CLEANERS - KING STREET</b> <b>1015 NORTH KING STREET</b> <b>HAMPTON, VA 23669</b>	<b>RCRA-CESQG</b> <b>FINDS</b>	<b>1004609951</b> <b>VAD023762024</b>
-----------	---	-----------------------------------	--

RCRA-CESQG:

Date form received by agency: 11/04/1986

Facility name: FASHION CARE CLNRS INC NO 6

Facility address: 1015 N KING ST  
HAMPTON, VA 23669

EPA ID: VAD023762024

Mailing address: PO BOX 1386 211 BROAD ST  
KINGSPORT, TN 37662

Contact: FRANK GIBSON

Contact address: PO BOX 1386 211 BROAD ST  
KINGSPORT, TN 37662

Contact country: US

Contact telephone: (423) 245-4183

Contact email: Not reported

EPA Region: 03

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME

Owner/operator address: OPERSTREET  
OPERCITY, AK 99999

Owner/operator country: Not reported

Owner/operator telephone: (215) 555-1212

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: FASHION CARE CLNRS INC

Owner/operator address: PO BOX 1386  
KINGSPORT, TN 37662

Owner/operator country: Not reported

Owner/operator telephone: (423) 245-4183

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FASHION CARE CLEANERS - KING STREET (Continued)**

**1004609951**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110001900809

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

23      **FASHION CARE CLEANERS - KING STREET**      **VA DRYCLEANERS**      **S106480135**  
**1015 NORTH KING ST**      **N/A**  
**HAMPTON, VA 23669**

DRYCLEANERS:  
 DEQ Region: TRO  
 Registration Number: 61211  
 SIC: 7216  
 FIPS: 650  
 Oper Status: Permanently Shutdown  
 Mailing Address: PO Box 1386  
 Mailing City, St, Zip: Kingsport, TN 37662  
 SI Number: 339  
 SEQ Description: DRY-TO-DRY  
 Plant Classification: True Minor  
 FAC Inserted Date: 12/1/1999 5:16:17 PM  
 FAC Changed Date: 4/20/2009 5:46:05 PM

24      **DEEL PROPERTY**      **VA LUST**      **U003692558**  
**232 PINE CHAPEL ROAD**      **VA UST**      **N/A**  
**HAMPTON, VA 23666**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000064816  
**Facility Status: Closed**  
 Completed Date: 08/22/1990  
 Pollution Complaint Num: 19910286  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: OILY WATER OVERFLOW FROM OPEN FILL PIPE OF OLD UST CONTAINING SOIL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064816  
**Facility Status: Closed**  
 Completed Date: 08/25/1994  
 Pollution Complaint Num: 19910286  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-RECOMMEND UST REMOVALS.

UST:

Facility:  
 Facility Id: 5025020  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000064816

Owner:  
 Facility Id: 5025020  
 Owner Id: 34911  
 Owner Name: REVA DEEL  
 Owner Address: 232 PINE CHAPEL ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23666  
 UST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DEEL PROPERTY (Continued)**

**U003692558**

AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025020
Own Id:	34911
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025020
Own Id:	34911
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DEEL PROPERTY (Continued)

U003692558

Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5025020  
 Own Id: 34911  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

25

7-ELEVEN #25102  
 989 NORTH KING STREET  
 HAMPTON, VA 23669

VA LUST S104741953  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063755  
**Facility Status: Closed**  
 Completed Date: 03/14/1997  
 Pollution Complaint Num: 19972371  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: TANKS FAILED DURING COMPLIANCE/TANK TEST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063755  
**Facility Status: Closed**  
 Completed Date: 07/08/1997  
 Pollution Complaint Num: 19972371  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000063755

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

7-ELEVEN #25102 (Continued)

S104741953

**Case Status:** Closed  
 Pollution Complaint #: 19972371  
 Reported: 14-MAR-1997

25

**7-ELEVEN STORE 25102**  
**989 NORTH KING STREET**  
**HAMPTON, VA 23669**

**VA UST**  
**VA FINANCIAL ASSURANCE**

**U003689613**  
**N/A**

UST:

Facility:

Facility Id: 5004809  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000063755

Owner:

Facility Id: 5004809  
 Owner Id: 31795  
 Owner Name: THE SOUTHLAND CORPORATION  
 Owner Address: 814 BAKER ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: VIRGINIA BEACH, VA 23462  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5004809  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated  
 Owner Address: PO Box 711  
 Owner Address2: Not reported  
 Owner City, State, Zip: Dallas, TX 75221  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5004809  
 Own Id: 38838  
 Tank Number: 1  
 Install Date: 01-APR-1997  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25102 (Continued)**

**U003689613**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	38838
Tank Number:	1
Install Date:	01-APR-1997
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	38838
Tank Number:	1
Install Date:	01-APR-1997
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	FLEXIBLE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25102 (Continued)**

**U003689613**

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	38838
Tank Number:	2
Install Date:	01-APR-1997
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	Y
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	38838
Tank Number:	2
Install Date:	01-APR-1997
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25102 (Continued)**

**U003689613**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	38838
Tank Number:	2
Install Date:	01-APR-1997
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	FLEXIBLE
Tank Number:	R1
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R1
Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25102 (Continued)**

**U003689613**

Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R1
Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004809

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25102 (Continued)**

**U003689613**

Own Id:	31795
Tank Number:	R2
Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R2
Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R2
Install Date:	01-JUN-1978

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25102 (Continued)**

**U003689613**

Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R3
Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R3
Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 25102 (Continued)**

**U003689613**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004809
Own Id:	31795
Tank Number:	R3
Install Date:	01-JUN-1978
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5004809
FRP Financial Assurance:	Full
Owner Name:	7-ELEVEN STORE 25102
ROF Own Id:	38838
Tank Type:	UST
Mechanism:	Insurance
Gallorage:	Not reported
Per Occurrence:	\$2,000,000
Third Party:	\$2,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	7-Eleven #25102
CEDS Facility Id:	200000063755
Tank Type Count:	4
Location:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>25</b>	<b>7-ELEVEN #25102</b> <b>989 NORTH KING ST</b> <b>HAMPTON, VA 23669</b>	<b>RCRA-SQG</b> <b>FINDS</b>	<b>1000459956</b> <b>VAD988191581</b>
-----------	--	---------------------------------	--

RCRA-SQG:

Date form received by agency: 01/29/1991  
 Facility name: 7-ELEVEN #25102  
 Facility address: 989 NORTH KING ST  
 HAMPTON, VA 23669  
 EPA ID: VAD988191581  
 Mailing address: REFLECTIONS III STE 400  
 VIRGINIA BEACH, VA 23452  
 Contact: GARRY BLAIR  
 Contact address: 989 NORTH KING ST  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 498-4711  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: SOUTHLAND CORPORATION THE  
 Owner/operator address: REFLECTIONS III STE 400  
 VIRGINIA BEACH, VA 23452  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 498-4711  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN #25102 (Continued)**

**1000459956**

User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005240961

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

25

**LI L SHOPPER INC  
 989 N KING ST  
 HAMPTON, VA 23669**

**RCRA-NonGen 1000274998  
 FINDS VAD000814897**

**RCRA-NonGen:**

Date form received by agency: 08/18/1980  
 Facility name: LI L SHOPPER INC  
 Facility address: 989 N KING ST  
 HAMPTON, VA 23369  
 EPA ID: VAD000814897  
 Contact: DON GRAY  
 Contact address: 989 N KING ST  
 HAMPTON, VA 23369  
 Contact country: US  
 Contact telephone: (301) 341-0100  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**LI L SHOPPER INC (Continued)**

**1000274998**

Owner/Op end date: Not reported

Owner/operator name: SUN OIL COMPANY OF PENNSYLVANIA  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999

Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212

Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110006825748

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

25

**RIP RAP RD & N KING STREET  
 HAMPTON, VA**

**VA SPILLS S105951007  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	98-7173
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	NA
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**(Continued)**

**S105951007**

Date Received: 1/2/1998  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: BROKEN VALVE ON TRUCK, PRODUCT WENT INTO STORM DRAIN, BOOMS WERE PLACED.  
 Reported By Company: HAMPTON FD  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7578105020  
 Report By Name: CAPT WITHERSPOON  
 PI Date: 1/2/1998  
 Incident Time: Not reported  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: 50  
 Spill Unit: GALLONS  
 Volume To State Water: 0

26

**DAYS INN  
 1918 COLISEUM DRIVE  
 HAMPTON (County), VA**

**VA SPILLS S109150512  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2008-T-1236  
 Incident Date: 6/23/2008  
 Time In: 11:44:00 PM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: DAYS INN  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: 6/23/2008  
 Incident Time: 6:35:00 PM  
 Petroleum: False  
 Solid Waste: True  
 Haz Waste: False  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: CHLORINE  
 Possible Receptors: Not reported  
 Qty Released: 5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAYS INN (Continued)**

**S109150512**

Unit:	GALLONS
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>6/24/2008</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	FIRE DEPT RESPONDED TO CHLORINE POWDER SPILL; HEPACO TO PERFORM CLEAN UP; NO STATE ASSISTANCE REQUESTED
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7578464776
Report By Name:	RAY PRICE
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

27

**MONTGOMERY WARD  
 2201 W MERCURY BLVD  
 HAMPTON, VA 23666**

**VA LUST U00397263  
 VA LTANKS N/A  
 VA UST**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000095951
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	12/18/1992
Pollution Complaint Num:	19931213
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	CONTAMINATED SOILS NOTED DURING UST CLOSURES-SOILS SAMPLES TAKEN.
Region:	TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Region Code: TRO  
 Facility ID: 200000095951  
**Facility Status: Closed**  
 Completed Date: 01/04/1993  
 Pollution Complaint Num: 19931213  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000095951  
**Facility Status: Closed**  
 Completed Date: 01/04/1993  
 Pollution Complaint Num: 19850128  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SUSPECTED RELEASE DURING CLOSURE-CLOSURE REPORT WAS CLEAN.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000095951  
**Facility Status: Closed**  
 Completed Date: 11/16/1994  
 Pollution Complaint Num: 19850128  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000095951  
**Case Status: Closed**  
 Pollution Complaint #: 19931213  
 Reported: 18-DEC-1992

Region: TRO  
 CEDS Facility Id: 200000095951  
**Case Status: Closed**  
 Pollution Complaint #: 19850128  
 Reported: 04-JAN-1993

**UST:**

Facility:  
 Facility Id: 5004155  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000095951  
 Owner:  
 Facility Id: 5004155  
 Owner Id: 28646  
 Owner Name: MONTGOMERY WARD & COMPANY, INC  
 Owner Address: ONE MONTGOMERY WARD PLAZA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Owner Address2:	Not reported
Owner City, State, Zip:	CHICAGO, IL 60671
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	1
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	1
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	1
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	2
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	2
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	2
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	3
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	3
Install Date:	11-JAN-1984
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5004155  
 Own Id: 28646  
 Tank Number: 3  
 Install Date: 11-JAN-1984  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R4  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5004155  
 Own Id: 28646  
 Tank Number: R4  
 Install Date: 10-JAN-1966  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5004155  
 Own Id: 28646  
 Tank Number: R4  
 Install Date: 10-JAN-1966  
 Tank Status: REM FROM GRD



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R4
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R5
Tank Capacity:	2000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R5
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R5
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MONTGOMERY WARD (Continued)**

**U003977263**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R6
Tank Capacity:	2000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R6
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R6
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R6
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R7
Tank Capacity:	1000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R7
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MONTGOMERY WARD (Continued)**

**U003977263**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R7
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004155
Own Id:	28646
Tank Number:	R7
Install Date:	10-JAN-1966
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MONTGOMERY WARD (Continued)**

**U003977263**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R8  
 Tank Capacity: 1000  
 Tank Contents: UNKNOWN  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5004155  
 Own Id: 28646  
 Tank Number: R8  
 Install Date: 10-JAN-1966  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5004155  
 Own Id: 28646  
 Tank Number: R8  
 Install Date: 10-JAN-1966  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MONTGOMERY WARD (Continued)**

**U003977263**

Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5004155  
 Own Id: 28646  
 Tank Number: R8  
 Install Date: 10-JAN-1966  
 Tank Status: REM FROM GRD  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

27

**MILLERS NEIGHBORHOOD MARKET #21**  
**2129 W MERCURY BLVD**  
**HAMPTON, VA 23666**

**VA LUST U003691404**  
**VA LTANKS N/A**  
**VA UST**  
**VA FINANCIAL ASSURANCE**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000066145  
**Facility Status: Closed**  
 Completed Date: 05/22/2001  
 Pollution Complaint Num: 20015150  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066145  
**Facility Status: Closed**  
 Completed Date: 07/20/2004  
 Pollution Complaint Num: 20015150  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066145  
**Case Status: Closed**  
 Pollution Complaint #: 20015150  
 Reported: 22-MAY-2001

UST:

Facility:

Facility Id: 5016170  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000066145

Owner:

Facility Id: 5016170  
 Owner Id: 27789  
 Owner Name: Miller Oil Co Inc  
 Owner Address: 1000 E City Hall Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 5000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5016170  
 Own Id: 27789  
 Tank Number: 1  
 Install Date: 07-MAY-1972  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5016170



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Own Id: 27789  
 Tank Number: 1  
 Install Date: 07-MAY-1972  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon Y  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon Y  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5016170  
 Own Id: 27789  
 Tank Number: 1  
 Install Date: 07-MAY-1972  
 Tank Status: REM FROM GRD  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect Y  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	2
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	2
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Tank Number: 2  
 Install Date: 07-MAY-1972  
 Tank Status: REM FROM GRD  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect Y  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5016170  
 Own Id: 27789  
 Tank Number: 3  
 Install Date: 07-MAY-1972  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5016170  
 Own Id: 27789  
 Tank Number: 3  
 Install Date: 07-MAY-1972  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	3
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	Y
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	4
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	4
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	4
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	4
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Pipe Materials: Cath Protect	Y
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	5
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	5
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	5
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	5
Install Date:	07-MAY-1972
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	Y
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	6
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	6
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	6
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	6
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Flex Pipe



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Tank Number:	7
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	7
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	7
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MILLERS NEIGHBORHOOD MARKET #21 (Continued)

U003691404

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	7
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Flex Pipe
Tank Number:	8
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	8
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	8

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5016170
Own Id:	27789
Tank Number:	8
Install Date:	01-SEP-2001
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Flex Pipe

**VA FINANCIAL ASSURANCE:**

Facility ID:	5016170
FRP Financial Assurance:	Full
Owner Name:	Millers Neighborhood Market #21
ROF Own Id:	27789
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	Not reported
Per Occurrence:	50000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLERS NEIGHBORHOOD MARKET #21 (Continued)**

**U003691404**

Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Millers Neighborhood Market #21  
 CEDS Facility Id: 200000066145  
 Tank Type Count: 8  
 Location: Not reported

27

**EXXON CO USA #26599  
 2136 W MERCURY BLVD-TANKS  
 HAMPTON, VA 23666**

**RCRA-CESQG 1004790058  
 FINDS VAD988194932  
 VA LUST  
 VA LTANKS  
 VA UST**

RCRA-CESQG:

Date form received by agency: 02/19/1996  
 Facility name: EXXON CO USA #26599  
 Facility address: 2136 W MERCURY BLVD  
 HAMPTON, VA 236660000  
 EPA ID: VAD988194932  
 Mailing address: PO BOX 2180  
 HOUSTON, TX 772522180  
 Contact: ALDA S POOL  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: (713) 656-7709  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON CO USA #26599 (Continued)**

**1004790058**

Owner/operator name: EXXON CO USA  
 Owner/operator address: PO BOX 4415  
 HOUSTON, TX 77210  
 Owner/operator country: Not reported  
 Owner/operator telephone: (713) 656-7761  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 03/28/1991  
 Facility name: EXXON CO USA #26599  
 Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined  
 Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110000854923

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

LUST REG TD:

Region: TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

EXXON CO USA #26599 (Continued)

1004790058

Region Code: TRO  
 Facility ID: 200000065056  
**Facility Status:** Closed  
 Completed Date: 10/08/1993  
 Pollution Complaint Num: 19940604  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: PIPING/BUSHING LEAK UNDER DISPENSOR. FOR REFERENCE SEE PC# 90-0106.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065056  
**Facility Status:** Closed  
 Completed Date: 12/28/1993  
 Pollution Complaint Num: 19940604  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065056  
**Facility Status:** Closed  
 Completed Date: 11/28/1995  
 Pollution Complaint Num: 19962304  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: TPH IN SOILS DURING RMVL OF UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065056  
**Facility Status:** Closed  
 Completed Date: 01/31/1996  
 Pollution Complaint Num: 19962304  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065056  
**Facility Status:** Closed  
 Completed Date: 07/21/1989  
 Pollution Complaint Num: 19900106  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: REPORT OF FREE PRODUCT IN MONITORING WELL FROM LINE LEAK.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065056

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON CO USA #26599 (Continued)**

**1004790058**

**Facility Status:** Closed  
 Completed Date: 07/08/1994  
 Pollution Complaint Num: 19900106  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065056  
**Case Status:** Closed  
 Pollution Complaint #: 19962304  
 Reported: 28-NOV-1995

Region: TRO  
 CEDS Facility Id: 200000065056  
**Case Status:** Closed  
 Pollution Complaint #: 19940604  
 Reported: 08-OCT-1993

Region: TRO  
 CEDS Facility Id: 200000065056  
**Case Status:** Closed  
 Pollution Complaint #: 19900106  
 Reported: 21-JUL-1989

UST:

Facility:

Facility Id: 5010058  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000065056

Owner:

Facility Id: 5010058  
 Owner Id: 36553  
 Owner Name: Exxon Company USA  
 Owner Address: PO Box 4415  
 Owner Address2: Not reported  
 Owner City, State, Zip: Houston, TX 77210  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status:** REM FROM GRD  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5010058  
 Own Id: 36553  
 Tank Number: R1  
 Install Date: 04-APR-1979

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON CO USA #26599 (Continued)**

**1004790058**

Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R1
Install Date:	04-APR-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R1
Install Date:	04-APR-1979
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON CO USA #26599 (Continued)**

**1004790058**

Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R2  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5010058  
 Own Id: 36553  
 Tank Number: R2  
 Install Date: 04-APR-1979  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5010058  
 Own Id: 36553  
 Tank Number: R2  
 Install Date: 04-APR-1979  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON CO USA #26599 (Continued)**

**1004790058**

Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R2
Install Date:	04-APR-1979
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R3
Install Date:	04-APR-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON CO USA #26599 (Continued)**

**1004790058**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R3
Install Date:	04-APR-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R3
Install Date:	04-APR-1979
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON CO USA #26599 (Continued)**

**1004790058**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R4
Install Date:	03-APR-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R4
Install Date:	03-APR-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON CO USA #26599 (Continued)**

**1004790058**

Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5010058  
 Own Id: 36553  
 Tank Number: R4  
 Install Date: 03-APR-1982  
 Tank Status: REM FROM GRD  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R5  
 Tank Capacity: 1000  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5010058  
 Own Id: 36553  
 Tank Number: R5  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON CO USA #26599 (Continued)**

**1004790058**

Release:

Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010058
Own Id:	36553
Tank Number:	R5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

27

**1816 W MERCURY BLVD  
 HAMPTON, VA**

**VA LUST S105947459  
 VA LTANKS N/A  
 VA SPILLS**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065041  
**Facility Status: Closed**  
 Completed Date: 03/30/1993  
 Pollution Complaint Num: 19931882  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL CONTAMINATION FOUND DURING SITE ASSESSMENT.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065041  
**Facility Status: Closed**  
 Completed Date: 08/16/1994  
 Pollution Complaint Num: 19931882  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065041  
**Facility Status: Closed**  
 Completed Date: 07/27/1993  
 Pollution Complaint Num: 19940167  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: POSSIBLE STAINED SOILS DURING DISPENSOR REPLACEMENT BY EXXON.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065041  
**Facility Status: Closed**  
 Completed Date: 08/16/1994  
 Pollution Complaint Num: 19940167  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065041  
**Facility Status: Closed**  
 Completed Date: 03/22/1999  
 Pollution Complaint Num: 19992350  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: >1" OF FP FOUND IN MWS. OUT OF SERVICE FOR SOME TIME.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105947459

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065041  
**Facility Status: Closed**  
 Completed Date: 01/11/2000  
 Pollution Complaint Num: 19992350  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065041  
**Case Status: Closed**  
 Pollution Complaint #: 19992350  
 Reported: 22-MAR-1999

Region: TRO  
 CEDS Facility Id: 200000065041  
**Case Status: Closed**  
 Pollution Complaint #: 19940167  
 Reported: 27-JUL-1993

Region: TRO  
 CEDS Facility Id: 200000065041  
**Case Status: Closed**  
 Pollution Complaint #: 19931882  
 Reported: 30-MAR-1993

SPILLS TD:

Region: TD  
 PC Number: 93-1882  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105947459

Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	3/30/1993
Source:	USTS REMOVED
Summary:	Not reported
Comments:	Not reported
Report Notes:	REPORTED THAT A SOIL SAMPLE COLLECTED DURING ASSESSMENT FOR A PROPERTY TRANSFER REVEALED A TPH CONCENTRATION OF 200 PPM AS WEATHERED GASOLINE IN AN AREA HOUSING FORMER GASOLINE USTS (REMOVED).
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

28      **DAVIS ALPHSO**  
**1209 BETHEL AVE.**  
**HAMPTON, VA 23669**

**VA UST**      **U003691392**  
**N/A**

UST:

Facility:

Facility Id: 5016107  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000090937

Owner:

Facility Id: 5016107  
 Owner Id: 30812  
 Owner Name: DAVIS ALPHSO  
 Owner Address: 1209 BETHEL AVE.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: Not reported  
 Tank Contents: KEROSENE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5016107  
 Own Id: 30812  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5016107  
 Own Id: 30812  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DAVIS ALPHSO (Continued)**

**U003691392**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016107
Own Id:	30812
Tank Number:	1
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

29

**FINDLEY E MARSHALL PROPERTY**  
**1516 - 1520 N ARMISTEAD AVE**  
**HAMPTON, VA 23669**

**VA LUST S106707823**  
**VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000218112
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	11/12/2004
Pollution Complaint Num:	20055082
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FINDLEY E MARSHALL PROPERTY (Continued)**

**S106707823**

Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000218112  
**Facility Status: Closed**  
 Completed Date: 11/22/2004  
 Pollution Complaint Num: 20055082  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000218112  
**Case Status: Closed**  
 Pollution Complaint #: 20055082  
 Reported: 12-NOV-2004

30

**HAMPTON CITY PROPERTY - 140 PINE CHAPEL ROAD  
 140 PINE CHAPEL RD  
 HAMPTON, VA 23666**

**VA LUST S105993974  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000212790  
**Facility Status: Closed**  
 Completed Date: 10/15/2003  
 Pollution Complaint Num: 20045071  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000212790  
**Facility Status: Closed**  
 Completed Date: 01/27/2004  
 Pollution Complaint Num: 20045071  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000212790  
**Case Status: Closed**  
 Pollution Complaint #: 20045071  
 Reported: 15-OCT-2003

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**30 TARGET STORE #1020  
 1911 SAVILLE ROAD  
 HAMPTON, VA 23666**

**RCRA-NonGen 1009312499  
 VAR000511311**

RCRA-NonGen:

Date form received by agency: 07/22/2009  
 Facility name: TARGET STORE #1020  
 Facility address: 1911 SAVILLE ROAD  
 HAMPTON, VA 23666  
 EPA ID: VAR000511311  
 Mailing address: P.O. BOX 111  
 MINNEAPOLIS, MN 55440-1111  
 Contact: MIESCHE FRANCIS  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: (612) 761-5044  
 Contact email: ENVIRONMENTAL.QUESTIONS@TARGET.COM  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TARGET CORPORATION  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 07/24/1996  
 Owner/Op end date: Not reported

Owner/operator name: TARGET CORPORATION  
 Owner/operator address: P.O. BOX 111  
 MINNEAPOLIS, MN 55440  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 07/24/1996  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

**TARGET STORE #1020 (Continued)**

**1009312499**

Used oil transporter: No

Historical Generators:  
 Date form received by agency: 01/09/2006  
 Facility name: TARGET STORE #1020  
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

**30 TARGET STORE #1020  
 1911 SAVILLE ROAD  
 HAMPTON, VA 23666**

**FINDS 1009327781  
 N/A**

FINDS:

Registry ID: 110024549292

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**31 HAMPTON CITY - KING STREET DITCH  
 KING STREET AND SALISBURY LANE  
 HAMPTON, VA**

**VA NPDES S106564885  
 N/A**

CEDS:

Facility ID: 02-1123  
 Class: Application  
 Minor/Major: Major  
 Industrial: Industrial  
 Permit Date: Not reported  
 Outfall Num: Not reported  
 Lat/Long (dms): 37 2 17 / 76 20 44  
 Event Desc: Permit expires  
 Project Status: Ditch Maintenance

**32 FILL-EM-FAST #57-44  
 2129 W QUEEN STREET  
 HAMPTON, VA 23666**

**VA LUST U003692568  
 VA LTANKS N/A  
 VA UST**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000089857  
**Facility Status: Closed**  
 Completed Date: 11/25/1987  
 Pollution Complaint Num: 19880453  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

Comments: FREE PRODUCT RECOVERY REPORT RCVD.  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000089857  
**Facility Status: Closed**  
 Completed Date: 03/24/1989  
 Pollution Complaint Num: 19880453  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000089857  
**Case Status: Closed**  
 Pollution Complaint #: 19880453  
 Reported: 25-NOV-1987

UST:

Facility:

Facility Id: 5025290  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000089857

Owner:

Facility Id: 5025290  
 Owner Id: 31959  
 Owner Name: DIAMOND SHAMROCK REFINING & MARK  
 Owner Address: 9830 COLONNADE BLVD  
 Owner Address2: BEXAR  
 Owner City, State, Zip: SAN ANTONIO, TX 78230  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5025290
Own Id:	31959
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025290
Own Id:	31959
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 10000  
 Tank Contents: DIESEL  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 3  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

Release:

Tank Type:	UST
Fac Id:	5025290
Own Id:	31959
Tank Number:	3
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025290
Own Id:	31959
Tank Number:	3
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	4
Tank Capacity:	10000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025290
Own Id:	31959
Tank Number:	4
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5025290
Own Id:	31959
Tank Number:	4
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 4  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 5  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 5  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5025290  
 Own Id: 31959  
 Tank Number: 5  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FILL-EM-FAST #57-44 (Continued)**

**U003692568**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025290
Own Id:	31959
Tank Number:	5
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

33

**ARMISTEAD AVE AND FREEMAN DR  
 HAMPTON, VA**

**VA SPILLS S105945749  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	94-2559
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105945749

Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	3/2/1994
Source:	OVERFLOW DUE TO HEAVY RAINS
Summary:	Not reported
Comments:	Not reported
Report Notes:	10 GAL/MIN OVERFLOW IS ON GOING ATT.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105945749

Report By Name: Not reported  
 PI Date: 3/2/1994  
 Incident Time: 14:00  
 Incident Type: SEWAGE  
 Stream: NEWMARKET CREEK  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

Region: TD  
 PC Number: 94-2911  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: Not reported  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**(Continued)**

**S105945749**

Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	3/11/1994
Source:	MANHOLE-DUE TO EXCESSIVE RAIN
Summary:	Not reported
Comments:	Not reported
Report Notes:	DUE TO EXCESSIVE RAIN
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	3/10/1994
Incident Time:	18:07
Incident Type:	SEWAGE
Stream:	NEWMARKET CREEK
Spill Volume:	11500
Spill Unit:	Not reported
Volume To State Water:	11500

**33**

**FINDLEY PROPERTY  
 1516-1520 N ARMISTEAD AVE  
 HAMPTON (County), VA**

**VA SPILLS S106760318  
 N/A**

**SPILLS TD:**

Region:	TD
PC Number:	Not reported
Incident Response:	2005-T-0844
Incident Date:	11/12/2004
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	MR E MARSHALL FINDLEY
RP Company:	Not reported
RP Address:	1520 N ARMISTEAD AVE
RP City,St,Zip:	HAMPTON, VA 23669
Resp Party Phone:	7578381390
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FINDLEY PROPERTY (Continued)**

**S106760318**

Wetland:	False
Terrorism:	False
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	NEWMARKET CREEK (WETLAND)
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	LKM
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>11/22/2004</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	05-5082
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	A TANK CLOSURE REPORT & PHASE II INVESTIGATION REPORT; PRESENCE OF ABANDONED GASOLINE, MOTOR OIL CONTAINERS, BATTERIES, VEHICLES, ETC REPORT, PICTURES RECEIVED, LETTER SENT
Comments:	
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	VANASSE HANGEN BRUSTLIN INC
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7572200500
Report By Name:	MARK S ROMULUS
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

34

**THE ORCHARDS  
 80 NORTH BOXWOOD STREET  
 HAMPTON, VA 23669**

**VA VCP S108579056  
 N/A**

VRP:  
 Facility ID: VRP00483  
 Site Status: Certificate Issued  
 Site Status 2: Recordation Not Required  
 DEQ Region: Tidewater  
 Sizs in Acres: 9.279999999999994  
 Site Type: Pesticide  
 Corrective Action Desc: Excavation and off-site disposal

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ORCHARDS (Continued)**

**S108579056**

Owner Name: Judith W. Usry  
 Owner Contact: Not reported  
 Owner Address: 80 North Boxwood Street, Hampton, VA 23669  
 Owner Phone: 757-723-0683  
 Operator Name: Not reported  
 Operator Owner: Not reported  
 Operator Phone: Not reported  
 Participant Name: Judith W. Usry  
 Relationship to Site: Not reported  
 Participant Contact: Not reported  
 Participant Phone: 757-723-0683  
 Participant Title: Not reported  
 Participant Affiliation: Not reported  
 Participant Address: 80 North Boxwood Street  
 Participant City,St,Zip: Hampton, VA 23669  
 Additional Parts: Not reported  
 Participation Notes: Sent to Waste and TRO 8-25-08  
 Participant Rep/Contractor: David Balsley  
 Participant Rep/Contractor Phone: 757-623-0777  
 Participant Rep/Contractor Title: Not reported  
 Participant Rep/Contractor Affiliation: Stokes Environmental  
 Participant Rep/Contractor Address: 4101 Grandy Street, suite 404  
 Participant Rep/Contractor City,St,Zip: Norfolk, VA 23504  
 Metal Contaminants Present in Soil: Not reported  
 Organic Contaminants Present in Soil: Delta-BHC, Dieldrin  
 Metal Contaminants Present in GW: Not reported  
 Organic Contaminants Present GW: Delta-BHC, Dieldrin  
 DEQ Staff Case Manager's Initials: GJG  
 Cleanup Standards: Tier II  
 No Further VRP Action Date: Not reported  
 Date Participant Notified of NFA: Not reported  
 Certification Date: 2010-06-09  
 Deed Received Date: 2010-06-15  
 Terms of NFA Determination: Not reported  
 Date VRP Eligibility Declared by Participant: 2008-08-19  
 Date VRP Eligibility Determined by DEQ Region: 2008-08-28  
 Dt Office Of Waste Permitting Verified Site Eligblty: 2008-09-18  
 Date VRP Eligibility Determined by VRP: 2008-09-22  
 Date Signed Agreement Submitted By Participant: Not reported  
 Date Agreement Executed by DEQ: Not reported  
 Registration Fee Amount Submitted by Participant: 500  
 Date Registration Fee Submitted by Participant: 2008-09-29  
 Site Characterization Document Number: Not reported  
 DEQ Concurrence with Site Characterization Date: Not reported  
 Remedial Action Work Plan Document Number: Not reported  
 DEQ Concurs with Remedial Action Work Plan Date: Not reported  
 Completion Report Document Number: Not reported  
 DEQ Concurr with Completion Report Date: Not reported  
 Submittal Date for Document Number 1: 2009-10-28  
 Title of Submitted Document Number 1: VRP Report  
 Submittal Date for Document Number 2: Not reported  
 Title of Submitted Document Number 2: Not reported  
 Submittal Date for Document Number 3: Not reported  
 Title of Submitted Document Number 3: Not reported  
 Submittal Date for Document Number 4: Not reported  
 Title of Submitted Document Number 4: Not reported  
 Submittal Date for Document Number 5: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THE ORCHARDS (Continued)**

**S108579056**

Title of Submitted Document Number 5: Not reported  
 Submittal Date for Document Number 6: Not reported  
 Title of Submitted Document Number 6: Not reported  
 Submittal Date for Document Number 7: Not reported  
 Title of Submitted Document Number 7: Not reported  
 Submittal Date for Document Number 8: Not reported  
 Title of Submitted Document Number 8: Not reported  
 DEQ Response Incident ID Number: Not reported  
 EPA CERCLIS ID: Not reported  
 EPA RCRA ID NUMBER: Not reported  
 DEQ Pollution Complaint Number: Not reported  
 Latest Action Relative To Site: Certificate sent  
 Latest Action Relative To Site Date: 2010-06-10  
 Next VRP Step Needed Relating To Site: Recordation not required  
 Pending Since: Not reported  
 Date Next Step Should Be Completed: Not reported  
 Lat/Long: 0 / 0  
 Brownfield Tax Incentive: Not reported  
 Ground Water Use Restriction: False  
 Res. User Restriction: False  
 Excavation Restriction: False  
 Unrestricted: True  
 Other Condition of Issuance: False  
 GPS Lat: 37.03828  
 GPS Long: -76.333509000000006  
 GPS Desc: Not reported  
 Notes: The site applied and was found eligible 6-1-2007 but terminated  
 1-24-2008 at applicants request. 9-29-08, Site reenrolled into  
 program. 10/28/2009 VRP Report Submitted

34

**THE ORCHARD AT HAMPTON RIVER  
 80 N BOXWOOD ST  
 HAMPTON, VA 23669**

**VA LUST S108921311  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000223836  
**Facility Status: Closed**  
 Completed Date: 11/30/2007  
 Pollution Complaint Num: 20085047  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000223836  
**Facility Status: Closed**  
 Completed Date: 11/30/2007  
 Pollution Complaint Num: 20085047  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE ORCHARD AT HAMPTON RIVER (Continued)**

**S108921311**

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000223836  
**Case Status: Closed**  
 Pollution Complaint #: 20085047  
 Reported: 30-NOV-2007

35

**COOKS DAY NURSERY & SCHOOL  
 22 MARPLE LA. HAMPTON VA 23666  
 HAMPTON, VA 23666**

**ICIS 1011583680  
 N/A**

ICIS:

Enforcement Action ID: 03-1989-0260  
 FRS ID: 110010615557  
 Program ID: NCDB C03#89-0105  
 Action Name: COOKS DAY NURSERY & SCHOOL  
 Facility Name: COOKS DAY NURSERY & SCHOOL  
 Facility Address: 22 MARPLE LA. HAMPTON VA 23666  
 HAMPTON, Virginia 23666  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Hampton City  
 EPA Region #: 3

Enforcement Action ID: 03-1989-0260  
 FRS ID: 110010615557  
 Program ID: FRS 110010615557  
 Action Name: COOKS DAY NURSERY & SCHOOL  
 Facility Name: COOKS DAY NURSERY & SCHOOL  
 Facility Address: 22 MARPLE LA. HAMPTON VA 23666  
 HAMPTON, Virginia 23666  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Hampton City  
 EPA Region #: 3

Program ID: FRS 110010615557  
 Facility Name: COOKS DAY NURSERY & SCHOOL  
 Address: 22 MARPLE LA.  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 37.036526  
 Longitude: -76.372622

Program ID: FRS 110010615557  
 Facility Name: COOKS DAY NURSERY & SCHOOL  
 Address: 22 MARPLE LA.  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 37.036526  
 Longitude: -76.372622

Program ID: NCDB C03#89-0105  
 Facility Name: COOKS DAY NURSERY & SCHOOL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COOKS DAY NURSERY & SCHOOL (Continued)**

**1011583680**

Address: 22 MARPLE LA.  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 37.036526  
 Longitude: -76.372622

Program ID: NCDB C03#89-0105  
 Facility Name: COOKS DAY NURSERY & SCHOOL  
 Address: 22 MARPLE LA.  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 37.036526  
 Longitude: -76.372622

35

**COOKS DAY NURSERY & SCHOOL  
 22 MARPLE LA.  
 HAMPTON, VA 23666**

**FINDS 1004610191  
 N/A**

FINDS:

Registry ID: 110010615557

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

36 RACEWAY 6799  
 1503 N ARMISTEAD AVE  
 HAMPTON, VA 23666

VA UST U003769930  
 VA FINANCIAL ASSURANCE N/A

UST:

Facility:

Facility Id: 5037756  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000200278

Owner:

Facility Id: 5037756  
 Owner Id: 27436  
 Owner Name: Racetrac Petroleum Inc  
 Owner Address: PO Box 105035  
 Owner Address2: Not reported  
 Owner City, State, Zip: Atlanta, GA 30348  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 20000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5037756  
 Own Id: 27436  
 Tank Number: 1  
 Install Date: 01-MAY-2000  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5037756  
 Own Id: 27436  
 Tank Number: 1  
 Install Date: 01-MAY-2000  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACEWAY 6799 (Continued)**

**U003769930**

Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
 Pipe Material:	
Tank Type:	UST
Fac Id:	5037756
Own Id:	27436
Tank Number:	1
Install Date:	01-MAY-2000
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
 Tank Material:	
Tank Type:	UST
Fac Id:	5037756
Own Id:	27436
Tank Number:	2
Install Date:	01-MAY-2000
Tank Status:	CURR IN USE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RACEWAY 6799 (Continued)**

**U003769930**

Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5037756
Own Id:	27436
Tank Number:	2
Install Date:	01-MAY-2000
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5037756
Own Id:	27436
Tank Number:	2
Install Date:	01-MAY-2000
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RACEWAY 6799 (Continued)**

**U003769930**

Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 12000  
 Tank Contents: DIESEL  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5037756  
 Own Id: 27436  
 Tank Number: 3  
 Install Date: 01-MAY-2000  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5037756  
 Own Id: 27436  
 Tank Number: 3  
 Install Date: 01-MAY-2000  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACEWAY 6799 (Continued)**

**U003769930**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5037756
Own Id:	27436
Tank Number:	3
Install Date:	01-MAY-2000
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5037756
FRP Financial Assurance:	No
Owner Name:	Raceway 6799
ROF Own Id:	27436
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	Not reported
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Raceway 6799
CEDS Facility Id:	200000200278
Tank Type Count:	3
Location:	1503 N Armistead Ave

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

36 RACETRAC STORE #653  
 1503 N ARMISTEAD AVE  
 HAMPTON (County), VA

VA SPILLS S106050703  
 N/A

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2004-T-0893  
 Incident Date: 10/22/2003  
 Time In: 5:53:00 PM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: 10/22/2003  
 Incident Time: 11:45:00 AM  
 Petroleum: True  
 Solid Waste: False  
 Haz Waste: False  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: GASOLINE  
 Possible Receptors: Not reported  
 Qty Released: 15  
 Unit: GALLONS  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 10/23/2003**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACETRAC STORE #653 (Continued)**

**S106050703**

Date Received: Not reported  
 Source: Not reported  
 Summary: PRODUCT BEGAN BACKING UP IN THE OVERFILL AREA  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: 703346  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 8004248802  
 Report By Name: NRC  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

37

**BJ'S WHOLESALE CLUB #0186  
 2000 POWER PLANT PARKWAY  
 HAMPTON, VA 23666**

**RCRA-CESQG 1010568349  
 VAR000515270**

RCRA-CESQG:

Date form received by agency: 09/21/2007  
 Facility name: BJ'S WHOLESALE CLUB #0186  
 Facility address: 2000 POWER PLANT PARKWAY  
 HAMPTON, VA 23666  
 EPA ID: VAR000515270  
 Mailing address: ASTON AVENUE  
 CARLSBAD, CA 92008  
 Contact: HELENE M REYES  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: (800) 451-8346  
 Telephone ext.: 8780  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: BJ'S WHOLESALE CLUB, INC.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BJ'S WHOLESALE CLUB #0186 (Continued)**

**1010568349**

Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: Not reported  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 11/18/2006  
 Owner/Op end date: Not reported

Owner/operator name: BJ'S WHOLESALE CLUB, INC.  
 Owner/operator address: MERCER ROAD  
 NATICK, MA 01760

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 11/18/2006  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D018

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**BJ'S WHOLESALE CLUB #0186 (Continued)**

**1010568349**

Waste name: BENZENE  
 Violation Status: No violations found

37

**BJ'S WHOLESALE CLUB BJS GAS  
 2000 POWER PLANT PKWY  
 HAMPTON, VA 23666**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U004107120  
 N/A**

UST:

Facility:

Facility Id: 5040368  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000846002

Owner:

Facility Id: 5040368  
 Owner Id: 40823  
 Owner Name: BJs Wholesale Club  
 Owner Address: 1 Mercer Rd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Natick, MA 01760  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 20000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5040368  
 Own Id: 40823  
 Tank Number: 1  
 Install Date: 08-NOV-2006  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5040368  
 Own Id: 40823  
 Tank Number: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BJS WHOLESALE CLUB BJS GAS (Continued)**

**U004107120**

Install Date:	08-NOV-2006
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5040368
Own Id:	40823
Tank Number:	1
Install Date:	08-NOV-2006
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible Piping
Tank Number:	2
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5040368



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BJS WHOLESALE CLUB BJS GAS (Continued)**

**U004107120**

Own Id: 40823  
 Tank Number: 2  
 Install Date: 08-NOV-2006  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5040368  
 Own Id: 40823  
 Tank Number: 2  
 Install Date: 08-NOV-2006  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled Y  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred N  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment Y  
 Pipe Release Det: Interior Double Walled Y  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5040368  
 Own Id: 40823  
 Tank Number: 2  
 Install Date: 08-NOV-2006

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BJS WHOLESALE CLUB BJS GAS (Continued)**

**U004107120**

Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible Piping
Tank Number:	3
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5040368
Own Id:	40823
Tank Number:	3
Install Date:	08-NOV-2006
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5040368
Own Id:	40823
Tank Number:	3
Install Date:	08-NOV-2006
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BJS WHOLESALE CLUB BJS GAS (Continued)**

**U004107120**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5040368
Own Id:	40823
Tank Number:	3
Install Date:	08-NOV-2006
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Pollyflexible Piping

VA FINANCIAL ASSURANCE:

Facility ID:	5040368
FRP Financial Assurance:	Full
Owner Name:	BJs Wholesale Club BJs Gas
ROF Own Id:	40823
Tank Type:	UST
Mechanism:	Financial Test
Gallorage:	Not reported
Per Occurence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	Not reported
CEDS Facility Name:	BJs Wholesale Club BJs Gas
CEDS Facility Id:	200000846002
Tank Type Count:	3
Location:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**37      LOWES OF HAMPTON VIRGINIA 1186  
 2002 POWER PLANT PKWY  
 HAMPTON, VA 23666**

**VA AST    A100307783  
 N/A**

AST:

Facility:

Facility ID:	5040607
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000846044

Owner:

Facility Id:	5040607
Owner Id:	36029
Owner Name:	Lowes Home Centers Inc
Owner Address:	PO Box 1111
Owner Address2:	1605 curtis Bridge Rd
Owner City:	North Wilkesboro
Owner State:	NC
Owner Zip:	28656
Ust Status:	N/A
Ast Status:	Reg

Fed Regulated:	No
Tank Number:	001
Tank Type:	AST
Tank Capacity:	1500
Tank Contents:	DIESEL
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5040607
Own Id:	36029
Tank Number:	001
Install Date:	19-JUL-2001
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LOWES OF HAMPTON VIRGINIA 1186 (Continued)**

**A100307783**

Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5040607
Own Id:	36029
Tank Number:	001
Install Date:	19-JUL-2001
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5040607
Own Id:	36029
Tank Number:	001
Install Date:	19-JUL-2001
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	Y
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

38 Y.H. THOMAS SCHOOL  
 1300 THOMAS STREET  
 HAMPTON, VA 23669

VA LUST U003692880  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067816  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972223  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS FOUND DURING UST REMOVAL

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067816  
**Facility Status: Closed**  
 Completed Date: 03/27/1998  
 Pollution Complaint Num: 19972223  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067816  
**Case Status: Closed**  
 Pollution Complaint #: 19972223  
 Reported: 26-JUL-1996

UST:

Facility:  
 Facility Id: 5027759  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000067816

Owner:

Facility Id: 5027759  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 3000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**Y.H. THOMAS SCHOOL (Continued)**

**U003692880**

Tank Material:

Tank Type:	UST
Fac Id:	5027759
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1951
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5027759
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1951
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5027759

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**Y.H. THOMAS SCHOOL (Continued)**

**U003692880**

Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1951
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	3000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5027759
Own Id:	36544
Tank Number:	R2
Install Date:	01-JAN-1951
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5027759
Own Id:	36544
Tank Number:	R2
Install Date:	01-JAN-1951
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**Y.H. THOMAS SCHOOL (Continued)**

**U003692880**

Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5027759
Own Id:	36544
Tank Number:	R2
Install Date:	01-JAN-1951
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5027759
FRP Financial Assurance:	Min
Owner Name:	Y.H. THOMAS SCHOOL
ROF Own Id:	36544
Tank Type:	UST
Mechanism:	Not reported
Gallorage:	Not reported
Per Occurrence:	20000
Third Party:	60000
Annual Aggregate:	80000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Hampton City Y.H. Thomas School

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**Y.H. THOMAS SCHOOL (Continued)**

**U003692880**

CEDS Facility Id: 200000067816  
 Tank Type Count: 2  
 Location: Not reported

39

**PINE CHAPEL PUMP STATION  
 42 FREEMAN DRIVE  
 HAMPTON, VA 23666**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003691508  
 N/A**

UST:

Facility:

Facility Id: 5016842  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066582

Owner:

Facility Id: 5016842  
 Owner Id: 33681  
 Owner Name: HRSD - Hampton Roads Sanitation District  
 Owner Address: 1436 Air Rail Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23455  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 1000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5016842  
 Own Id: 33681  
 Tank Number: 1  
 Install Date: 01-APR-1994  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5016842  
 Own Id: 33681

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PINE CHAPEL PUMP STATION (Continued)**

**U003691508**

Tank Number:	1
Install Date:	01-APR-1994
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016842
Own Id:	33681
Tank Number:	1
Install Date:	01-APR-1994
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	Y
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	2000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PINE CHAPEL PUMP STATION (Continued)**

**U003691508**

Fac Id:	5016842
Own Id:	33681
Tank Number:	R1
Install Date:	07-MAY-1981
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016842
Own Id:	33681
Tank Number:	R1
Install Date:	07-MAY-1981
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016842
Own Id:	33681
Tank Number:	R1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PINE CHAPEL PUMP STATION (Continued)**

**U003691508**

Install Date: 07-MAY-1981  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5016842  
 FRP Financial Assurance: Full  
 Owner Name: PINE CHAPEL PUMP STATION  
 ROF Own Id: 33681  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: HRSD - Pine Chapel Pump Station  
 CEDS Facility Id: 200000066582  
 Tank Type Count: 2  
 Location: Not reported

40

**EAST MERCURY BLVD ASSOC-CHEVRON  
 235 E MERCURY BLVD  
 HAMPTON, VA 23669**

**VA LUST U003691299  
 VA LTANKS N/A  
 VA UST**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064917  
**Facility Status: Closed**  
 Completed Date: 04/13/1989  
 Pollution Complaint Num: 19891283  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: PRODUCT ON WATER TABLE DURING UST REPLACEMENTS.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064917  
**Facility Status: Closed**  
 Completed Date: 05/25/1990  
 Pollution Complaint Num: 19891283  
 Fed Regulated Tank: Yes

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064917  
**Facility Status: Closed**  
 Completed Date: 04/18/1991  
 Pollution Complaint Num: 19911541  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: LINE LEAKS AT PUMPS ON 4-09-91. OLD CLOSED OUT PC#89-1283.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064917  
**Facility Status: Closed**  
 Completed Date: 07/29/1994  
 Pollution Complaint Num: 19911541  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064917  
**Case Status: Closed**  
 Pollution Complaint #: 19911541  
 Reported: 18-APR-1991

Region: TRO  
 CEDS Facility Id: 200000064917  
**Case Status: Closed**  
 Pollution Complaint #: 19891283  
 Reported: 13-APR-1989

UST:

Facility:

Facility Id: 5015662  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000064917

Owner:

Facility Id: 5015662  
 Owner Id: 37619  
 Owner Name: EAST MERCURY BLVD ASSOCIATES  
 Owner Address: 235 EAST MERCURY BLVD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23666  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	1
Install Date:	01-APR-1989
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	1
Install Date:	01-APR-1989
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	Y
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: 1  
 Install Date: 01-APR-1989  
 Tank Status: REM FROM GRD  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: 2  
 Install Date: 01-APR-1989  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: 2



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Install Date:	01-APR-1989
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	Y
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	2
Install Date:	01-APR-1989
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015662

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Own Id: 37619  
 Tank Number: 3  
 Install Date: 01-APR-1989  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: 3  
 Install Date: 01-APR-1989  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory Y  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater Y  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled Y  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: 3  
 Install Date: 01-APR-1989

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	550
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R1
Install Date:	05-MAY-1968
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R1
Install Date:	05-MAY-1968
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R1
Install Date:	05-MAY-1968
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R2
Install Date:	05-MAY-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R2
Install Date:	05-MAY-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R2
Install Date:	05-MAY-1982
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R3  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: R3  
 Install Date: 05-MAY-1976  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: R3  
 Install Date: 05-MAY-1976  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R3
Install Date:	05-MAY-1976
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R4
Install Date:	05-MAY-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R4
Install Date:	05-MAY-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R4
Install Date:	05-MAY-1976
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Tank Number:	R5
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R5
Install Date:	05-MAY-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015662
Own Id:	37619
Tank Number:	R5
Install Date:	05-MAY-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EAST MERCURY BLVD ASSOC-CHEVRON (Continued)**

**U003691299**

Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5015662  
 Own Id: 37619  
 Tank Number: R5  
 Install Date: 05-MAY-1976  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

40

**KIMS AUTO**  
**234 E MERCURY BLVD**  
**HAMPTON, VA 23669**

**VA LUST U003690427**  
**VA LTANKS N/A**  
**VA UST**  
**VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065057  
**Facility Status: Closed**  
 Completed Date: 09/17/1993  
 Pollution Complaint Num: 19940023  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: UST LINES FAILED A TIGHTNESS TEST-SC REQUESTED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065057  
**Facility Status: Closed**  
 Completed Date: 01/12/1996  
 Pollution Complaint Num: 19940023  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065057  
**Case Status: Closed**  
 Pollution Complaint #: 19940023  
 Reported: 17-SEP-1993

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

UST:

Facility:

Facility Id: 5009752  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065057

Owner:

Facility Id: 5009752  
 Owner Id: 40068  
 Owner Name: Yong Nam Kim  
 Owner Address: 234 E Mercury Blvd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Reg  
 AST Status: Not reported

Facility Id: 5009752  
 Owner Id: 46236  
 Owner Name: Kung S. Kim  
 Owner Address: 301 Tenden Foot Court  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5009752  
 Owner Id: 40064  
 Owner Name: ExxonMobil Corporation c/o Gilbarco Veeder Root  
 Owner Address: 7300 W Friendly Ave MS F76  
 Owner Address2: PO Box 22087  
 Owner City, State, Zip: Greensboro, NC 27420  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 46236  
 Tank Number: 1  
 Install Date: 04-AUG-1989  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	1
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	1
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	2
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	2
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**KIMS AUTO (Continued)**

**U003690427**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	2
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	3
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**KIMS AUTO (Continued)**

**U003690427**

Release:

Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	3
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009752
Own Id:	46236
Tank Number:	3
Install Date:	04-AUG-1989
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	4
Tank Capacity:	1000
Tank Contents:	KEROSENE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40068
Tank Number:	4
Install Date:	04-AUG-1989
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40068
Tank Number:	4
Install Date:	04-AUG-1989
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40068  
 Tank Number: 4  
 Install Date: 04-AUG-1989  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 5  
 Tank Capacity: 1000  
 Tank Contents: USED OIL  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40064  
 Tank Number: 5  
 Install Date: 04-AUG-1989  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40064  
 Tank Number: 5  
 Install Date: 04-AUG-1989  
 Tank Status: PERM OUT OF USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**KIMS AUTO (Continued)**

**U003690427**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	5
Install Date:	04-AUG-1989
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	6
Tank Capacity:	1000
Tank Contents:	KEROSENE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009752
Own Id:	40068
Tank Number:	6

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Install Date:	01-JAN-1971
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40068
Tank Number:	6
Install Date:	01-JAN-1971
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40068
Tank Number:	6
Install Date:	01-JAN-1971
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**KIMS AUTO (Continued)**

**U003690427**

Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40064  
 Tank Number: R1  
 Install Date: 01-JAN-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40064  
 Tank Number: R1  
 Install Date: 01-JAN-1971  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R1
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R2
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**KIMS AUTO (Continued)**

**U003690427**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R2
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R2
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R3
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R3
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**KIMS AUTO (Continued)**

**U003690427**

Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40064  
 Tank Number: R3  
 Install Date: 01-JAN-1971  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R4  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40064  
 Tank Number: R4  
 Install Date: 01-JAN-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Release:

Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R4
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R4
Install Date:	01-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R5
Tank Capacity:	1000
Tank Contents:	USED OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R5
Install Date:	01-JAN-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5009752
Own Id:	40064
Tank Number:	R5
Install Date:	01-JAN-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5009752  
 Own Id: 40064  
 Tank Number: R5  
 Install Date: 01-JAN-1980  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID: 5009752  
 FRP Financial Assurance: Full  
 Owner Name: Kims Auto  
 ROF Own Id: 40064  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Kims Auto  
 CEDS Facility Id: 200000065057  
 Tank Type Count: 12  
 Location: Not reported

Facility ID: 5009752  
 FRP Financial Assurance: No  
 Owner Name: Kims Auto  
 ROF Own Id: 40068  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Kims Auto  
 CEDS Facility Id: 200000065057  
 Tank Type Count: 2  
 Location: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KIMS AUTO (Continued)**

**U003690427**

Facility ID: 5009752  
 FRP Financial Assurance: Full  
 Owner Name: Kims Auto  
 ROF Own Id: 46236  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$1,000,000  
 Third Party: \$1,000,000  
 Annual Aggregate: \$1,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Kims Auto  
 CEDS Facility Id: 200000065057  
 Tank Type Count: 3  
 Location: Not reported

40

**EXXON CO USA #26600  
 234 E MERCURY BLVD-TANKS  
 HAMPTON, VA 23669**

**RCRA-CESQG 1004790059  
 FINDS VAD988194940**

**RCRA-CESQG:**

Date form received by agency: 03/15/2001  
 Facility name: EXXON CO USA #26600  
 Site name: EXXON #26600  
 Facility address: 234 E. MERCURY BLVD.  
 HAMPTON, VA 23669  
 EPA ID: VAD988194940  
 Mailing address: PO BOX 4999  
 THE WOODLANDS, TX 773804999  
 Contact: POOL, S.  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: (281) 296-3579  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON CO USA #26600 (Continued)**

**1004790059**

Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 02/14/1994  
 Facility name: EXXON CO USA #26600  
 Classification: Large Quantity Generator

Date form received by agency: 03/28/1991  
 Facility name: EXXON CO USA #26600  
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110005242558

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

40

**CHARLIE THOMPSON LTD**  
**211 E. MERCURY BLVD.**  
**HAMPTON, VA 23663**

**VA UST U003689912**  
**N/A**

UST:

Facility:  
 Facility Id: 5006393  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000089826

Owner:

Facility Id: 5006393  
 Owner Id: 34846  
 Owner Name: CHARLIE THOMPSON LTD  
 Owner Address: 211 E. MERCURY BLVD.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23663  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CHARLIE THOMPSON LTD (Continued)**

**U003689912**

Tank Number:	1
Tank Capacity:	500
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5006393
Own Id:	34846
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006393
Own Id:	34846
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CHARLIE THOMPSON LTD (Continued)**

**U003689912**

Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5006393  
 Own Id: 34846  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

41

**THE HOME DEPOT STORE #4612**  
**1413 ARMISTEAD AVE.**  
**HAMPTON, VA 23666**

VA TIER 2 S110069315  
 N/A

TIER 2:

CAS Number: 7664-93-9  
 SIC Code: 444110  
 NAICS: Not reported  
 Entered Chemical Name: Sulfuric Acid  
 Average Amt Code: 2  
 Owner Name: The Home Depot USA, Inc.  
 Owner Phone: 770-433-8211 X82714  
 Contact Type: Not reported

CAS Number: 7664-93-9  
 SIC Code: 444110  
 NAICS: Not reported  
 Entered Chemical Name: Sulfuric Acid  
 Average Amt Code: 2  
 Owner Name: The Home Depot USA, Inc.  
 Owner Phone: 770-433-8211  
 Contact Type: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

42      403 RIP RAP ROAD  
 403 RIP RAP ROAD  
 HAMPTON, VA

ERNS    98462701  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

42      403 RIP RAP RD  
 HAMPTON, VA

VA SPILLS    S106655748  
 N/A

SPILLS TD:

Region:	TD
PC Number:	96-8560
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S106655748

Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 9/25/1995  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: STRONG OFFENSIVE ODOR FROM THE PLANT.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 9/22/1995  
 Incident Time: Not reported  
 Incident Type: AIR  
 Stream: Not reported  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

42

**LOCKWOOD BROTHERS YARD #1**  
**402 RIP RAP ROAD**  
**HAMPTON, VA 23669**

VA UST U003690692  
 N/A

UST:

Facility:

Facility Id: 5010952  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065974

Owner:

Facility Id: 5010952  
 Owner Id: 34460  
 Owner Name: LOCKWOOD BROTHERS, INC  
 Owner Address: 220 SALTERS CREEK ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23661  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LOCKWOOD BROTHERS YARD #1 (Continued)**

**U003690692**

Fac Id:	5010952
Own Id:	34460
Tank Number:	1
Install Date:	02-MAY-1977
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	1
Install Date:	02-MAY-1977
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LOCKWOOD BROTHERS YARD #1 (Continued)**

**U003690692**

Install Date:	02-MAY-1977
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	2
Install Date:	02-MAY-1977
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	2
Install Date:	02-MAY-1977
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LOCKWOOD BROTHERS YARD #1 (Continued)**

**U003690692**

Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	2
Install Date:	02-MAY-1977
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	3
Install Date:	03-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LOCKWOOD BROTHERS YARD #1 (Continued)**

**U003690692**

Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	3
Install Date:	03-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010952
Own Id:	34460
Tank Number:	3
Install Date:	03-MAY-1979
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

---

**LOCKWOOD BROTHERS YARD #1 (Continued)**

**U003690692**

Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

42

**W & G CRAB MEAL CORPORATION  
403 RIP RAP RD  
HAMPTON (County), VA**

**VA SPILLS S105944998  
N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2000-T-0986
Incident Date:	11/5/1999
Time In:	1:00:00 AM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	11/5/1999
Incident Time:	1:00:00 AM
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	11/5/1999
Call Date:	Not reported
Inspector:	JAB/TAD
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>11/5/1999</b>
Dt Ref Air C/m:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**W & G CRAB MEAL CORPORATION (Continued)**

**S105944998**

Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	HIGH OPACITY FROM SCRUBBER STACK
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	DEQ-TRO
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7575182000
Report By Name:	FRANK DANIEL
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0
Region:	TD
PC Number:	Not reported
Incident Response:	2000-T-0141
Incident Date:	7/26/1999
Time In:	4:55:00 AM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**W & G CRAB MEAL CORPORATION (Continued)**

**S105944998**

Terrorism: False  
 Material Released: OFFENSIVE ODOR  
 Possible Receptors: Not reported  
 Qty Released: 0  
 Unit: Not reported  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: JAB/TAD  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 7/30/1999**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: OFFENSIVE ODOR FROM W&G PROCESS  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7577259386  
 Report By Name: CHRIS HILL  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

42

**SCHILLER PROPERTY  
 1001 THOMAS ST  
 HAMPTON, VA 23669**

**VA LUST S107472325  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000222731  
**Facility Status: Closed**  
 Completed Date: 11/04/2005  
 Pollution Complaint Num: 20065072  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SCHILLER PROPERTY (Continued)**

**S107472325**

Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000222731  
**Facility Status: Closed**  
 Completed Date: 03/10/2006  
 Pollution Complaint Num: 20065072  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000222731  
**Case Status: Closed**  
 Pollution Complaint #: 20065072  
 Reported: 04-NOV-2005

42

**BRANSCOME INC - HAMPTON - RIP RAP ROAD**  
**400 RIP RAP ROAD**  
**HAMPTON, VA 23669**

**FINDS 1004610063**  
**N/A**

FINDS:

Registry ID: 110002030427

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

42 SCHILLERS SERVICE CORPORATION  
1005 THOMAS STREET  
HAMPTON (County), VA

VA SPILLS S106121013  
N/A

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2004-T-0458  
 Incident Date: 9/9/2003  
 Time In: Not reported  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: SCHILLERS SERVICE CORPORATION  
 RP Company: MOLLY DAHLGREN  
 RP Address: 1005 THOMAS STREET  
 RP City,St,Zip: HAMPTON, VA 23669  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: True  
 Solid Waste: False  
 Haz Waste: False  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: OIL, GASOLINE  
 Possible Receptors: Not reported  
 Qty Released: 0  
 Unit: Not reported  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: 9/15/2003  
 Call Date: Not reported  
 Inspector: CGL  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 12/12/2003**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SCHILLERS SERVICE CORPORATION (Continued)**

**S106121013**

Date Received:	Not reported
Source:	Not reported
Summary:	CRANES ARE DUMPING OIL, GASOLINE, HYDRAULIC FLUIDS ONTO THE GROUND
Comments:	LETTERS SENT RECEIVED
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	ANONYMOUS
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

42

**GRAHAM & ROLLINS  
 391 RIP RAP ROAD  
 HAMPTON, VA 23669**

**US BROWNFIELDS 1014477779  
 N/A**

US BROWNFIELDS:

Recipient name:	Hampton, City of
Grant type:	Assessment
Property name:	Graham & Rollins
Property #:	Not reported
Parcel size:	.6
Latitude:	37.0344093
Longitude:	-76.3532366
HCM label:	Not reported
Map scale:	Not reported
Point of reference:	Not reported
Datum:	Not reported
ACRES property ID:	107963
Start date:	Not reported
Completed date:	Not reported
Acres cleaned up:	Not reported
Cleanup funding:	Not reported
Cleanup funding source:	Not reported
Assessment funding:	4000
Assessment funding source:	US EPA - Brownfields Assessment Cooperative Agreement
Redevelopment funding:	Not reported
Redev. funding source:	Not reported
Redev. funding entity name:	Not reported
Redevelopment start date:	Not reported
Assessment funding entity:	EPA
Cleanup funding entity:	Not reported
Grant type:	H
Accomplishment type:	Phase I Environmental Assessment
Ownership entity:	Private
Current owner:	John Graham
Did owner change:	Not reported
Cleanup required:	No
Video available:	No
Photo available:	Yes
Institutional controls required:	U

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAHAM & ROLLINS (Continued)**

**1014477779**

IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Not reported  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported  
 Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Not reported  
 Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Not reported  
 Other metals cleaned: Not reported  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Not reported  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Not reported  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs: Not reported  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Recipient name: Hampton, City of  
 Grant type: Assessment

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAHAM & ROLLINS (Continued)**

**1014477779**

Property name: Graham & Rollins  
 Property #: Not reported  
 Parcel size: .6  
 Latitude: 37.0344093  
 Longitude: -76.3532366  
 HCM label: Not reported  
 Map scale: Not reported  
 Point of reference: Not reported  
 Datum: Not reported  
 ACRES property ID: 107963  
 Start date: Not reported  
 Completed date: Not reported  
 Acres cleaned up: Not reported  
 Cleanup funding: Not reported  
 Cleanup funding source: Not reported  
 Assessment funding: Not reported  
 Assessment funding source: Not reported  
 Redevelopment funding: Not reported  
 Redev. funding source: Not reported  
 Redev. funding entity name: Not reported  
 Redevelopment start date: Not reported  
 Assessment funding entity: Not reported  
 Cleanup funding entity: Not reported  
 Grant type: H  
 Accomplishment type: Not reported  
 Ownership entity: Private  
 Current owner: John Graham  
 Did owner change: Not reported  
 Cleanup required: No  
 Video available: No  
 Photo available: Yes  
 Institutional controls required: U  
 IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Not reported  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported  
 Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Not reported  
 Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GRAHAM & ROLLINS (Continued)**

**101447779**

Other metals cleaned: Not reported  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Not reported  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Not reported  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs:0  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Property Description: The past two previous owners both operated a crab shell processing plant on the site that would kiln dry seafood waste and then crush it into dust for livestock feed and fertilizers. This property is located in an area zoned for heavy manufacturing and is surrounded by other industrial uses. Mr. John Graham is the current property owner and was also the operator of the crab processing plant. He purchased the property in 1973 from the Hunt family who also operated a crab shell processing plant at the site. The use of a kiln, onsite heavy machinery and maintenance, the storage of seafood waste and an unknown history of past uses contributed to the determination to study the property for potential environmental impacts.

42

**GRAHAM & ROLLINS  
 391 RIP RAP ROAD  
 HAMPTON, VA 23669**

**FINDS 1014847797  
 N/A**

FINDS:

Registry ID: 110041720153

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is a federal online database for Brownfields Grantees to electronically submit data directly to EPA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

42 BRANSCOME RIP RAP / FLOYD B SMITH CONSTR INC  
 371 RIP RAP RD  
 HAMPTON, VA 23369

VA UST U003995658  
 VA AST N/A  
 VA FINANCIAL ASSURANCE

UST:

Facility:

Facility Id: 5011293  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000064289

Owner:

Facility Id: 5011293  
 Owner Id: 35460  
 Owner Name: Henry S. Branscome Inc  
 Owner Address: 4551 John Tyler Hwy  
 Owner Address2: Not reported  
 Owner City, State, Zip: Williamsburg, VA 23187  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5011293  
 Owner Id: 40353  
 Owner Name: Branscome Inc  
 Owner Address: 4551 John Tyler Hwy  
 Owner Address2: Not reported  
 Owner City, State, Zip: Williamsburg, VA 23188  
 UST Status: N/A  
 AST Status: Reg

Facility Id: 5011293  
 Owner Id: 37020  
 Owner Name: FLOYD B SMITH CONSTRUCTION  
 Owner Address: 400 RIP RAP ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 2000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5011293  
 Own Id: 37020  
 Tank Number: 1  
 Install Date: 30-APR-1956  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRANSCOME RIP RAP / FLOYD B SMITH CONSTR INC (Continued)**

**U003995658**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5011293
Own Id:	37020
Tank Number:	1
Install Date:	30-APR-1956
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5011293
Own Id:	37020
Tank Number:	1
Install Date:	30-APR-1956
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BRANSCOME RIP RAP / FLOYD B SMITH CONSTR INC (Continued)**

**U003995658**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	1000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5011293
Own Id:	37020
Tank Number:	2
Install Date:	30-APR-1956
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5011293
Own Id:	37020
Tank Number:	2
Install Date:	30-APR-1956
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRANSCOME RIP RAP / FLOYD B SMITH CONSTR INC (Continued)**

**U003995658**

Pipe Release Detection: Stat Invent Recon      N  
 Pipe Release Detection: Groundwater          N  
 Pipe Release Det: Int Secondary Containment    N  
 Pipe Release Det: Interior Double Walled      N  
 Pipe Release Detection: Other Method          N  
 Pipe Release Detection: Other Note            Not reported

Pipe Material:

Tank Type:    UST  
 Fac Id:    5011293  
 Own Id:    37020  
 Tank Number:                                        2  
 Install Date:                                        30-APR-1956  
 Tank Status:                                        PERM OUT OF USE  
 Pipe Type:    UNKNOWN  
 Pipe Materials: Bare Steel                        N  
 Pipe Materials: Galvanized Steel                N  
 Pipe Materials: Copper                            N  
 Pipe Materials: Fiberglass                        N  
 Pipe Materials: Cath Protect                    N  
 Pipe Materials: Double Walled                  N  
 Pipe Materials: Secondary Containment        N  
 Pipe Materials: Repaired                        N  
 Pipe Materials: Unknown                         Y  
 Pipe Materials: Other                             N  
 Pipe Materials: Other Note                    Not reported

AST:

Facility:

Facility ID:                                        5011293  
 Facility Type:                                        INDUSTRIAL  
 CEDS Facility ID:                                200000064289

Owner:

Facility Id:                                        5011293  
 Owner Id:    35460  
 Owner Name:                                        Henry S. Branscome Inc  
 Owner Address:                                    4551 John Tyler Hwy  
 Owner Address2:                                 Not reported  
 Owner City:                                        Williamsburg  
 Owner State:                                        VA  
 Owner Zip:                                         23187  
 Ust Status:                                        Not reported  
 Ast Status:                                        Not reported

Facility Id:                                        5011293  
 Owner Id:    40353  
 Owner Name:                                        Branscome Inc  
 Owner Address:                                    4551 John Tyler Hwy  
 Owner Address2:                                 Not reported  
 Owner City:                                        Williamsburg  
 Owner State:                                        VA  
 Owner Zip:                                         23188  
 Ust Status:                                        N/A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRANSCOME RIP RAP / FLOYD B SMITH CONSTR INC (Continued)**

**U003995658**

Ast Status:	Reg
Facility Id:	5011293
Owner Id:	37020
Owner Name:	FLOYD B SMITH CONSTRUCTION
Owner Address:	400 RIP RAP ROAD
Owner Address2:	Not reported
Owner City:	HAMPTON
Owner State:	VA
Owner Zip:	23669
Ust Status:	Not reported
Ast Status:	Not reported
Fed Regulated:	No
Tank Number:	2
Tank Type:	AST
Tank Capacity:	20000
Tank Contents:	FUEL OIL
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5011293
Own Id:	40353
Tank Number:	2
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRANSCOME RIP RAP / FLOYD B SMITH CONSTR INC (Continued)**

**U003995658**

Fac Id:	5011293
Own Id:	40353
Tank Number:	2
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5011293
Own Id:	40353
Tank Number:	2
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5011293
FRP Financial Assurance:	Full
Owner Name:	Branscome Rip Rap / Floyd B Smith Constr Inc
ROF Own Id:	40353
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	Not reported
Per Occurrence:	10000
Third Party:	30000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BRANSCOME RIP RAP / FLOYD B SMITH CONSTR INC (Continued)**

**U003995658**

Annual Aggregate: 40000  
 In Compliance: Not reported  
 Total Capacity: 20000  
 CEDS Facility Name: Branscome Inc - Hampton - Rip Rap Road  
 CEDS Facility Id: 200000064289  
 Tank Type Count: 2  
 Location: 371 Rip Rap Rd

**42 BRANSCOME INC. - RIP RAP  
 321 RIP RAP RD.  
 HAMPTON, VA 23661**

**VA TIER 2 S110068307  
 N/A**

TIER 2:  
 CAS Number: Not reported  
 SIC Code: 324121  
 NAICS: Not reported  
 Entered Chemical Name: AD HERE HP PLUS  
 Average Amt Code: 3  
 Owner Name: STUART PATTERSON  
 Owner Phone: 757-592-1600  
 Contact Type: Not reported

**42 REA CONSTRUCTION HAMPTON ASPHALT PLANT  
 321 RIP RAP ROAD  
 HAMPTON, VA 23669**

**VA UST U003689522  
 VA AST N/A**

UST:  
 Facility:  
 Facility Id: 5004226  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000177601  
 Owner:  
 Facility Id: 5004226  
 Owner Id: 28114  
 Owner Name: Rea Construction Company  
 Owner Address: PO Box 32487  
 Owner Address2: Not reported  
 Owner City, State, Zip: Charlotte, NC 28232  
 UST Status: Not reported  
 AST Status: Not reported  
 Federally Regulated: Yes  
 Tank Number: 1  
 Tank Capacity: 1000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST  
 Tank Material:  
 Tank Type: UST  
 Fac Id: 5004226  
 Own Id: 28114  
 Tank Number: 1  
 Install Date: 01-APR-1968  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	1
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	1
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	176
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	3
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	3
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	3
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	176
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	4
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	4
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	4
Install Date:	01-APR-1968
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Pipe Materials: Other Note	Not reported
Tank Number:	5
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	5
Install Date:	01-APR-1981
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	5
Install Date:	01-APR-1981
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	5
Install Date:	01-APR-1981
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	6
Tank Capacity:	20000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	6
Install Date:	01-APR-1974
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Release:

Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	6
Install Date:	01-APR-1974
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	6
Install Date:	01-APR-1974
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	7
Tank Capacity:	1000
Tank Contents:	DIESEL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	7
Install Date:	01-APR-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	7
Install Date:	01-APR-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Pipe Material:

Tank Type:	UST
Fac Id:	5004226
Own Id:	28114
Tank Number:	7
Install Date:	01-APR-1980
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

AST:

Facility:

Facility ID:	5004226
Facility Type:	INDUSTRIAL
CEDS Facility ID:	200000177601

Owner:

Facility Id:	5004226
Owner Id:	28114
Owner Name:	Rea Construction Company
Owner Address:	PO Box 32487
Owner Address2:	Not reported
Owner City:	Charlotte
Owner State:	NC
Owner Zip:	28232
Ust Status:	Not reported
Ast Status:	Not reported

Fed Regulated:	No
Tank Number:	21
Tank Type:	AST
Tank Capacity:	2000
Tank Contents:	OTHER
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	21
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	Y
Containment: Weirs	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	21
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	21
Install Date:	Not reported
Tank Status:	CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	22
Tank Type:	AST
Tank Capacity:	20000
Tank Contents:	DIESEL
Tank Status:	CURR IN USE

Tank Containment:	
Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	22
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	Y
Containment: Weirs	N
Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Tank Foundation:

Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	22
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	22
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	23
Tank Type:	AST
Tank Capacity:	30000
Tank Contents:	OTHER
Tank Status:	CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Tank Containment:

Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	23
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	Y
Containment: Weirs	N
Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	23
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**REA CONSTRUCTION HAMPTON ASPHALT PLANT (Continued)**

**U003689522**

Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5004226
Own Id:	28114
Tank Number:	23
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

42

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT  
 319 RIP RAP RD  
 HAMPTON, VA 23669**

**VA UST U003689946  
 VA AST N/A  
 VA TIER 2  
 VA FINANCIAL ASSURANCE**

UST:

Facility:

Facility Id:	5006715
Facility Type:	INDUSTRIAL
CEDS Facility ID:	200000091739

Owner:

Facility Id:	5006715
Owner Id:	26626
Owner Name:	Titan Virginia Ready Mix LLC
Owner Address:	1151 Azalea Garden Rd
Owner Address2:	Not reported
Owner City, State, Zip:	Norfolk, VA 23502
UST Status:	N/A
AST Status:	Reg

Facility Id:	5006715
Owner Id:	34612
Owner Name:	Tarmac Mid-Atlantic Inc
Owner Address:	1151 Azalea Garden Rd
Owner Address2:	Not reported
Owner City, State, Zip:	Norfolk, VA 23502
UST Status:	Not reported
AST Status:	Not reported

Facility Id:	5006715
--------------	---------

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Owner Id:	40559
Owner Name:	Titan America LLC
Owner Address:	1151 Azalea Garden Rd
Owner Address2:	Not reported
Owner City, State, Zip:	Norfolk, VA 23502
UST Status:	Not reported
AST Status:	Reg
Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	8000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5006715
Own Id:	34612
Tank Number:	R1
Install Date:	24-APR-1984
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006715
Own Id:	34612
Tank Number:	R1
Install Date:	24-APR-1984
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5006715
Own Id:	34612
Tank Number:	R1
Install Date:	24-APR-1984
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	8000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5006715
Own Id:	34612
Tank Number:	R2
Install Date:	24-APR-1984
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5006715
Own Id:	34612
Tank Number:	R2
Install Date:	24-APR-1984
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5006715
Own Id:	34612
Tank Number:	R2
Install Date:	24-APR-1984
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

AST:

Facility:

Facility ID: 5006715  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000091739

Owner:

Facility Id: 5006715  
 Owner Id: 26626  
 Owner Name: Titan Virginia Ready Mix LLC  
 Owner Address: 1151 Azalea Garden Rd  
 Owner Address2: Not reported  
 Owner City: Norfolk  
 Owner State: VA  
 Owner Zip: 23502  
 Ust Status: N/A  
 Ast Status: Reg

Facility Id: 5006715  
 Owner Id: 34612  
 Owner Name: Tarmac Mid-Atlantic Inc  
 Owner Address: 1151 Azalea Garden Rd  
 Owner Address2: Not reported  
 Owner City: Norfolk  
 Owner State: VA  
 Owner Zip: 23502  
 Ust Status: Not reported  
 Ast Status: Not reported

Facility Id: 5006715  
 Owner Id: 40559  
 Owner Name: Titan America LLC  
 Owner Address: 1151 Azalea Garden Rd  
 Owner Address2: Not reported  
 Owner City: Norfolk  
 Owner State: VA  
 Owner Zip: 23502  
 Ust Status: Not reported  
 Ast Status: Reg

Fed Regulated: No  
 Tank Number: 1  
 Tank Type: AST  
 Tank Capacity: 10000  
 Tank Contents: DIESEL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5006715  
 Own Id: 26626  
 Tank Number: 1  
 Install Date: 01-JUN-1992  
 Tank Status: CURR IN USE  
 Containment: Curbing N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Steel Containment Dike

Tank Foundation:

Tank Type:	AST
Fac Id:	5006715
Own Id:	26626
Tank Number:	1
Install Date:	01-JUN-1992
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	None

Tank Material:

Tank Type:	AST
Fac Id:	5006715
Own Id:	26626
Tank Number:	1
Install Date:	01-JUN-1992



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	horizontal

Fed Regulated:	No
Tank Number:	3
Tank Type:	AST
Tank Capacity:	1000
Tank Contents:	LUBE OIL
Tank Status:	CURR IN USE

Tank Containment:	
Tank Type:	AST
Fac Id:	5006715
Own Id:	34612
Tank Number:	3
Install Date:	01-JUN-1988
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5006715
Own Id:	34612
Tank Number:	3
Install Date:	01-JUN-1988
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5006715
Own Id:	34612
Tank Number:	3
Install Date:	01-JUN-1988
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Fed Regulated:	No
Tank Number:	4
Tank Type:	AST
Tank Capacity:	1000
Tank Contents:	LUBE OIL
Tank Status:	CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Tank Containment:

Tank Type:	AST
Fac Id:	5006715
Own Id:	34612
Tank Number:	4
Install Date:	01-JUN-1988
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5006715
Own Id:	34612
Tank Number:	4
Install Date:	01-JUN-1988
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Tank Roof: Other Note Not reported

Tank Material:

Tank Type: AST  
 Fac Id: 5006715  
 Own Id: 34612  
 Tank Number: 4  
 Install Date: 01-JUN-1988  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

TIER 2:

CAS Number: 68476-34-6  
 SIC Code: 32732  
 NAICS: Not reported  
 Entered Chemical Name: Diesel Fuel  
 Average Amt Code: 4  
 Owner Name: Jay Trefry  
 Owner Phone: 757-417-5212  
 Contact Type: Not reported

CAS Number: 65997-15-1  
 SIC Code: 32732  
 NAICS: Not reported  
 Entered Chemical Name: Cement  
 Average Amt Code: 5  
 Owner Name: Jay Trefry  
 Owner Phone: 757-417-5212  
 Contact Type: Not reported

CAS Number: 69012-84-6  
 SIC Code: 32732  
 NAICS: Not reported  
 Entered Chemical Name: Coal fly ash  
 Average Amt Code: 4  
 Owner Name: Jay Trefry  
 Owner Phone: 757-533-7147  
 Contact Type: Not reported

CAS Number: 69012-84-6  
 SIC Code: 32732

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

NAICS:	Not reported
Entered Chemical Name:	Coal fly ash
Average Amt Code:	4
Owner Name:	Jay Trefry
Owner Phone:	757-417-5212
Contact Type:	Not reported
CAS Number:	65997-15-1
SIC Code:	32732
NAICS:	Not reported
Entered Chemical Name:	Cement
Average Amt Code:	5
Owner Name:	Jay Trefry
Owner Phone:	757-533-7147
Contact Type:	Not reported
CAS Number:	69012-84-6
SIC Code:	Not reported
NAICS:	32732
Entered Chemical Name:	Coal fly ash
Average Amt Code:	Not reported
Owner Name:	Jay Trefry
Owner Phone:	757-533-7147
Contact Type:	Owner / Operator
CAS Number:	65997-15-1
SIC Code:	Not reported
NAICS:	32732
Entered Chemical Name:	Cement
Average Amt Code:	Not reported
Owner Name:	Jay Trefry
Owner Phone:	757-533-7147
Contact Type:	Owner / Operator
CAS Number:	68476-34-6
SIC Code:	Not reported
NAICS:	32732
Entered Chemical Name:	Diesel Fuel
Average Amt Code:	Not reported
Owner Name:	Jay Trefry
Owner Phone:	757-417-5212
Contact Type:	Owner / Operator
CAS Number:	69012-84-6
SIC Code:	Not reported
NAICS:	32732
Entered Chemical Name:	Coal fly ash
Average Amt Code:	Not reported
Owner Name:	Jay Trefry
Owner Phone:	757-417-5212
Contact Type:	Owner / Operator
CAS Number:	68476-34-6
SIC Code:	Not reported
NAICS:	32732
Entered Chemical Name:	Diesel Fuel
Average Amt Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TITAN AMERICA - RIP RAP ROAD READY-MIX PLANT (Continued)**

**U003689946**

Owner Name: Jay Trefry  
 Owner Phone: 757-533-7147  
 Contact Type: Owner / Operator

CAS Number: 65997-15-1  
 SIC Code: Not reported  
 NAICS: 32732  
 Entered Chemical Name: Cement  
 Average Amt Code: Not reported  
 Owner Name: Jay Trefry  
 Owner Phone: 757-417-5212  
 Contact Type: Owner / Operator

CAS Number: 68476-34-6  
 SIC Code: 32732  
 NAICS: Not reported  
 Entered Chemical Name: Diesel Fuel  
 Average Amt Code: 4  
 Owner Name: Jay Trefry  
 Owner Phone: 757-533-7147  
 Contact Type: Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID: 5006715  
 FRP Financial Assurance: Full  
 Owner Name: Titan America - Rip Rap Road Ready-Mix Plant  
 ROF Own Id: 26626  
 Tank Type: UST  
 Mechanism: Guarantee  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 12000  
 CEDS Facility Name: Titan Virginia Ready Mix LLC - Rip Rap Road  
 CEDS Facility Id: 200000091739  
 Tank Type Count: 1  
 Location: 319 Rip Rap Rd, Hampton VA 23669

42

**TITAN VIRGINIA READY-MIX, LLC**  
**319 RIP RAP RD**  
**HAMPTON, VA 23669**

**RCRA-CESQG 1004789433**  
**FINDS VAD023754088**

**RCRA-CESQG:**

Date form received by agency: 12/11/2000  
 Facility name: TITAN VIRGINIA READY-MIX, LLC  
 Facility address: 319 RIP RAP RD  
 HAMPTON, VA 23669  
 EPA ID: VAD023754088  
 Mailing address: PO BOX 2016  
 NORFOLK, VA 235012016  
 Contact: CLIFFORD BOCCHICCHIO  
 Contact address: PO BOX 2016  
 NORFOLK, VA 235012016  
 Contact country: US  
 Contact telephone: (757) 858-6582

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**TITAN VIRGINIA READY-MIX, LLC (Continued)**

**1004789433**

Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: TITAN VIRGINIA READY-MIX, LLC  
 Owner/operator address: PO BOX 2016  
 NORFOLK, VA 23501  
 Owner/operator country: Not reported  
 Owner/operator telephone: (757) 858-6500  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 10/03/2000  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: TARMAC AMERICA INC  
 Owner/operator address: 1151 AZALEA GARDEN RD  
 NORFOLK, VA 23502  
 Owner/operator country: Not reported  
 Owner/operator telephone: (757) 858-6500  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TITAN VIRGINIA READY-MIX, LLC (Continued)**

**1004789433**

On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Historical Generators:**

Date form received by agency: 10/28/1986  
 Facility name: TITAN VIRGINIA READY-MIX, LLC  
 Classification: Conditionally Exempt Small Quantity Generator

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110001890543

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**TITAN VIRGINIA READY-MIX, LLC (Continued)**

**1004789433**

corrective action activities required under RCRA.

**42 VULCAN CONSTRUCTION MATERIALS INC - PORT  
319 RIP RAP ROAD  
HAMPTON, VA 23669**

**FINDS 1012093105  
N/A**

**FINDS:**

Registry ID: 110038805629

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

**42 VULCAN CONSTRUCTION MATERIALS LP - PORTABLE 61281  
319 RIP RAP ROAD  
HAMPTON, VA 23669**

**FINDS 1008167691  
N/A**

**FINDS:**

Registry ID: 110020672119

**Environmental Interest/Information System**

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

**42 TARMAC AMERIA INC  
319 RIP RAP ROAD  
HAMPTON (County), VA**

**VA SPILLS S106046445  
N/A**

**SPILLS TD:**

Region:	TD
PC Number:	Not reported
Incident Response:	2000-T-1822
Incident Date:	5/3/2000
Time In:	2:00:00 PM
Facility Permitted:	True
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TARMAC AMERIA INC (Continued)**

**S106046445**

RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	5/3/2000
Call Date:	Not reported
Inspector:	TAD
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>5/4/2000</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	ONGOING FUGITIVE DUST THAT IS ALLEGEDLY ENTERING OFFICE FROM RIP RAP ROAD
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7577227001
Report By Name:	BRUCE MYERS
PI Date:	Not reported
Incident Time:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TARMAC AMERIA INC (Continued)**

**S106046445**

Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

42

**RIP RAP ROAD READY-MIX CONCRETE PLANT  
 317 RIP RAP ROAD  
 HAMPTON, VA 23669**

**VA TIER 2 S109941175  
 N/A**

TIER 2:

CAS Number: Not reported  
 SIC Code: 32732  
 NAICS: Not reported  
 Entered Chemical Name: COAL FLY ASH  
 Average Amt Code: 5  
 Owner Name: TITAN VIRGINIA READY-MIX LLC  
 Owner Phone: 757-858-6500  
 Contact Type: Not reported

CAS Number: 65997-15-1  
 SIC Code: 32732  
 NAICS: Not reported  
 Entered Chemical Name: CEMENT  
 Average Amt Code: 5  
 Owner Name: TITAN VIRGINIA READY-MIX LLC  
 Owner Phone: 757-858-6500  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 3273  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: TITAN VIRGINIA READY-MIX LLC  
 Owner Phone: 757-858-6500  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 32732  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: TITAN VIRGINIA READY-MIX LLC  
 Owner Phone: 757-858-6500  
 Contact Type: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>42</b>	<b>WOLF CONTRACTORS INCORPORATED - PORTABLE 61328</b> <b>317 RIP RAP ROAD</b> <b>NEWPORT NEWS, VA 23601</b>	<b>FINDS</b>	<b>1005489949</b> <b>N/A</b>
-----------	---	--------------	---------------------------------

FINDS:

Registry ID: 110002032997

Environmental Interest/Information System

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

<b>43</b>	<b>434 CREEK AVE</b> <b>HAMPTON, VA</b>	<b>VA SPILLS</b>	<b>S105953361</b> <b>N/A</b>
-----------	--	------------------	---------------------------------

SPILLS TD:

Region:	TD
PC Number:	99-1648
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	7/27/1998
Call Date:	Not reported
Inspector:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105953361

Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 7/27/1998  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: UNKNOWN SHEEN SIGHTING,OIL HAS STRONG ODOR, FD AND HAZMAT TEAM ON SITE  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 8004248802  
 Report By Name: NRC  
 PI Date: 7/27/1998  
 Incident Time: Not reported  
 Incident Type: PETROLEUM  
 Stream: BRITE CREEK  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

43  
 434 CREEK AVE  
 434 CREEK AVE  
 HAMPTON, VA 23669

ERNS 98447666  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

44  
 LARRYS CITGO SERVICENTER INC  
 1100 N ARMISTEAD AVE  
 HAMPTON, VA 23669

VA LUST U003689720  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000089831  
**Facility Status: Closed**  
 Completed Date: 08/28/1998  
 Pollution Complaint Num: 19992239  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

Comments: RELEASE REPORTED TO DEQ.  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000089831  
**Facility Status: Closed**  
 Completed Date: 01/29/2003  
 Pollution Complaint Num: 19992239  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000089831  
**Case Status: Closed**  
 Pollution Complaint #: 19992239  
 Reported: 28-AUG-1998

UST:

Facility:

Facility Id: 5005223  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000089831

Owner:

Facility Id: 5005223  
 Owner Id: 38952  
 Owner Name: LARRYS CITGO SERVICENTER INC  
 Owner Address: 1100 N ARMISTEAD AVE  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: 1  
 Install Date: 22-APR-1983  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5005223
Own Id:	38952
Tank Number:	1
Install Date:	22-APR-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5005223
Own Id:	38952
Tank Number:	1
Install Date:	22-APR-1983
Tank Status:	CURR IN USE
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: 2  
 Install Date: 22-APR-1983  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: 2  
 Install Date: 22-APR-1983  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory Y  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: 2  
 Install Date: 22-APR-1983  
 Tank Status: CURR IN USE  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: 3  
 Install Date: 22-APR-1983  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

Release:

Tank Type:	UST
Fac Id:	5005223
Own Id:	38952
Tank Number:	3
Install Date:	22-APR-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5005223
Own Id:	38952
Tank Number:	3
Install Date:	22-APR-1983
Tank Status:	CURR IN USE
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	4
Tank Capacity:	6000
Tank Contents:	DIESEL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5005223
Own Id:	38952
Tank Number:	4
Install Date:	21-APR-1976
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5005223
Own Id:	38952
Tank Number:	4
Install Date:	21-APR-1976
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

LARRYS CITGO SERVICENTER INC (Continued)

U003689720

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: 4  
 Install Date: 21-APR-1976  
 Tank Status: CURR IN USE  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R5  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: R5  
 Install Date: 31-DEC-1997  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5005223  
 Own Id: 38952  
 Tank Number: R5  
 Install Date: 31-DEC-1997  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5005223
Own Id:	38952
Tank Number:	R5
Install Date:	31-DEC-1997
Tank Status:	REM FROM GRD
Pipe Type:	Not reported
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5005223
FRP Financial Assurance:	Full
Owner Name:	LARRYS CITGO SERVICENTER INC
ROF Own Id:	38952
Tank Type:	UST
Mechanism:	Insurance
Gallorage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$1,000,000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LARRYS CITGO SERVICENTER INC (Continued)**

**U003689720**

In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Larrys Citgo  
 CEDS Facility Id: 200000089831  
 Tank Type Count: 5  
 Location: Not reported

44

**LARRY'S CITGO, 1100 N ARMISTEAD AVE  
 HAMPTON, VA**

**VA SPILLS S105951072  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: 98-1663  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: No  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: JTT  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 9/10/1997**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105951072

Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/24/1997
Source:	Not reported
Summary:	Not reported
Comments:	MEMO - 9/10/97
Report Notes:	LARGE QUANTITY OF PETROLEUM PRODUCT IN CREEK
Reported By Company:	HAMPTON FD
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7578105020
Report By Name:	CAPT WITHERSPOON
PI Date:	7/24/1997
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	NEWMARKET CREEK
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0
Region:	TD
PC Number:	98-1663
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	MR LARRY PROFFITT
RP Company:	LARRY's CITGO
RP Address:	1100 N ARMISTEAD AVE
RP City,St,Zip:	HAMPTON, VA 23669
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105951072

Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: 7/25/1997  
 Call Date: Not reported  
 Inspector: JTT  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 7/25/1997  
 Source: Not reported  
 Summary: Not reported  
 Comments: RECEIVED - LETTER SENT - LETTER MEMO  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: PETROLEUM  
 Stream: NEWMARKET CREEK  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

44

**SUNOCO SERVICE STATION**  
**1100 N ARMISTEAD AVE**  
**HAMPTON, VA 23669**

RCRA-NonGen 1000329824  
 FINDS VAD000748624

RCRA-NonGen:  
 Date form received by agency: 08/18/1980  
 Facility name: SUNOCO SERVICE STATION  
 Facility address: 1100 N ARMISTEAD AVE  
 HAMPTON, VA 23669  
 EPA ID: VAD000748624  
 Contact: DON GRAY  
 Contact address: 1100 N ARMISTEAD AVE  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (301) 341-0100



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SUNOCO SERVICE STATION (Continued)**

**1000329824**

Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: SUN OIL CO OF PA  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SUNOCO SERVICE STATION (Continued)**

**1000329824**

Violation Status: No violations found

**FINDS:**

Registry ID: 110005217041

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

45

**35 FREEMAN DR  
 HAMPTON, VA**

**VA SPILLS S105944067  
 N/A**

**SPILLS TD:**

Region:	TD
PC Number:	95-7324
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944067

Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	2/27/1995
Source:	PAINT CANS
Summary:	Not reported
Comments:	Not reported
Report Notes:	25 LEAD BASED PAINT CANS LYING IN GUTTER AND LEAKING
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	2/27/1995
Incident Time:	Not reported
Incident Type:	OTHER
Stream:	Not reported
Spill Volume:	25
Spill Unit:	Not reported
Volume To State Water:	0

45

**35 FREEMAN DRIVE  
 HAMPTON, VA**

**VA SPILLS S105952537  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	98-7489
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105952537

Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	2/12/1998
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	SEWAGE-----MAIN LINE STOPPAGE
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	757-726-2947
Report By Name:	RALF JOYNER
PI Date:	2/12/1998
Incident Time:	Not reported
Incident Type:	SEWAGE
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

46 AUTOBAHN AUTO VA UST U004060577  
 915 N ARMISTEAD AVE N/A  
 HAMPTON, VA 23669

UST:

Facility:

Facility Id: 5040150  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000224539

Owner:

Facility Id: 5040150  
 Owner Id: 43252  
 Owner Name: Autobahn Auto  
 Owner Address: 915 Armistead Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status:** REM FROM GRD  
 Tank Type: UST

Tank Number: 2  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status:** REM FROM GRD  
 Tank Type: UST

Tank Number: 3  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status:** REM FROM GRD  
 Tank Type: UST

47 RACE COAST VA UST U004111273  
 1404 E PEMBROKE AVE VA FINANCIAL ASSURANCE N/A  
 HAMPTON, VA 23663

UST:

Facility:

Facility Id: 5040682  
 Facility Type: Not reported  
 CEDS Facility ID: 200000847411

Owner:

Facility Id: 5040682  
 Owner Id: 41188  
 Owner Name: B & L Investments, Inc.  
 Owner Address: 2041 N. Battlefield Blvd., Suite 103  
 Owner Address2: Not reported  
 Owner City, State, Zip: Chesapeake, VA 23324  
 UST Status: Reg

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RACE COAST (Continued)**

**U004111273**

AST Status:	N/A
Federally Regulated:	No
Tank Number:	1
Tank Capacity:	30000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5040682
Own Id:	41188
Tank Number:	1
Install Date:	01-JUN-2007
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5040682
Own Id:	41188
Tank Number:	1
Install Date:	01-JUN-2007
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RACE COAST (Continued)**

**U004111273**

Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5040682  
 Own Id: 41188  
 Tank Number: 1  
 Install Date: 01-JUN-2007  
 Tank Status: PERM OUT OF USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Polyflexible Piping

Tank Number: 2  
 Tank Capacity: 15000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5040682  
 Own Id: 41188  
 Tank Number: 2  
 Install Date: 01-JUN-2007  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U004111273**

Release:

Tank Type:	UST
Fac Id:	5040682
Own Id:	41188
Tank Number:	2
Install Date:	01-JUN-2007
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5040682
Own Id:	41188
Tank Number:	2
Install Date:	01-JUN-2007
Tank Status:	PERM OUT OF USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Pollyflexible Piping

Tank Number:	3
Tank Capacity:	15000
Tank Contents:	GASOLINE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U004111273**

<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5040682
Own Id:	41188
Tank Number:	3
Install Date:	01-JUN-2007
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5040682
Own Id:	41188
Tank Number:	3
Install Date:	01-JUN-2007
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U004111273**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5040682  
 Own Id: 41188  
 Tank Number: 3  
 Install Date: 01-JUN-2007  
 Tank Status: PERM OUT OF USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Polyflexible Piping

**VA FINANCIAL ASSURANCE:**

Facility ID: 5040682  
 FRP Financial Assurance: Full  
 Owner Name: Race Coast  
 ROF Own Id: 41188  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: Not reported  
 CEDS Facility Name: Race Coast - 1404 East Pembroke Avenue  
 CEDS Facility Id: 200000847411  
 Tank Type Count: 3  
 Location: Not reported

47

**RACE COAST  
 1410 E PEMBROKE AVE  
 HAMPTON, VA 23663**

**VA LUST S109379492  
 VA LTANKS N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067510  
**Facility Status: Closed**  
 Completed Date: 02/01/1990  
 Pollution Complaint Num: 19900969  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH DURING UST REMOVAL.

Region: TD  
 Region Code: TRO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**S109379492**

Facility ID: 200000067510  
**Facility Status:** **Closed**  
 Completed Date: 09/13/1990  
 Pollution Complaint Num: 19900969  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067510  
**Case Status:** **Closed**  
 Pollution Complaint #: 19900969  
 Reported: 01-FEB-1990

47

**RACE COAST**  
**1410 E PEMBROKE AVE**  
**HAMPTON, VA 23663**

**VA UST**  
**VA FINANCIAL ASSURANCE**

**U003689167**  
**N/A**

UST:

Facility:

Facility Id: 5001656  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000067510

Owner:

Facility Id: 5001656  
 Owner Id: 29550  
 Owner Name: Crown Central LLC  
 Owner Address: 1 N Charles St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Baltimore, MD 21201  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5001656  
 Owner Id: 46105  
 Owner Name: JEMD Race Coast, LLC  
 Owner Address: 4545 Commerce Street Suite 3101  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23462  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 30000  
 Tank Contents: GASOLINE  
**Tank Status:** **CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5001656  
 Own Id: 46105  
 Tank Number: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U003689167**

Install Date:	01-JUN-2007
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	ACT 100
Release:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	46105
Tank Number:	1
Install Date:	01-JUN-2007
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	46105
Tank Number:	1
Install Date:	01-JUN-2007
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RACE COAST (Continued)**

**U003689167**

Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note Poly-Flex

Tank Number: 2  
 Tank Capacity: 15000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5001656  
 Own Id: 46105  
 Tank Number: 2  
 Install Date: 01-JUN-2007  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note ACT 100

Release:  
 Tank Type: UST  
 Fac Id: 5001656  
 Own Id: 46105  
 Tank Number: 2  
 Install Date: 01-JUN-2007  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness Y  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U003689167**

Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	46105
Tank Number:	2
Install Date:	01-JUN-2007
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Poly-Flex
Tank Number:	3
Tank Capacity:	15000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	46105
Tank Number:	3
Install Date:	01-JUN-2007
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U003689167**

Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	ACT 100
 Release:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	46105
Tank Number:	3
Install Date:	01-JUN-2007
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
 Pipe Material:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	46105
Tank Number:	3
Install Date:	01-JUN-2007
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U003689167**

Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Poly-Flex
Tank Number:	R1
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	29550
Tank Number:	R1
Install Date:	28-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	29550
Tank Number:	R1
Install Date:	28-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**RACE COAST (Continued)**

**U003689167**

Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5001656  
 Own Id: 29550  
 Tank Number: R1  
 Install Date: 28-MAR-1971  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R2  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5001656  
 Own Id: 29550  
 Tank Number: R2  
 Install Date: 28-MAR-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U003689167**

Release:

Tank Type:	UST
Fac Id:	5001656
Own Id:	29550
Tank Number:	R2
Install Date:	28-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5001656
Own Id:	29550
Tank Number:	R2
Install Date:	28-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R3
Tank Capacity:	8000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U003689167**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5001656
Own Id:	29550
Tank Number:	R3
Install Date:	28-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5001656
Own Id:	29550
Tank Number:	R3
Install Date:	28-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACE COAST (Continued)**

**U003689167**

Pipe Material:

Tank Type:	UST
Fac Id:	5001656
Own Id:	29550
Tank Number:	R3
Install Date:	28-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5001656
FRP Financial Assurance:	Min
Owner Name:	Race Coast
ROF Own Id:	29550
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Race Coast
CEDS Facility Id:	200000067510
Tank Type Count:	6
Location:	Not reported

Facility ID:	5001656
FRP Financial Assurance:	Full
Owner Name:	Race Coast
ROF Own Id:	46105
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Race Coast
CEDS Facility Id:	200000067510
Tank Type Count:	3
Location:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**48 JONES & BALL PROPERTY (G3LLNY00)  
 727 NORTH KING STREET  
 HAMPTON, VA 23669**

**US BROWNFIELDS 1010782521  
 N/A**

US BROWNFIELDS:

Recipient name: Hampton, City of  
 Grant type: Assessment  
 Property name: Jones & Ball Property (G3LLNY00)  
 Property #: 08D131 00 00000  
 Parcel size: 1.7  
 Latitude: 37.032869  
 Longitude: -76.354143  
 HCM label: Not reported  
 Map scale: Not reported  
 Point of reference: Not reported  
 Datum: World Geodetic System of 1984  
 ACRES property ID: 62581  
 Start date: Not reported  
 Completed date: Not reported  
 Acres cleaned up: Not reported  
 Cleanup funding: Not reported  
 Cleanup funding source: Not reported  
 Assessment funding: 20000  
 Assessment funding source: US EPA - Brownfields Assessment Cooperative Agreement  
 Redevelopment funding: Not reported  
 Redev. funding source: Not reported  
 Redev. funding entity name: Not reported  
 Redevelopment start date: Not reported  
 Assessment funding entity: EPA  
 Cleanup funding entity: Not reported  
 Grant type: N/A  
 Accomplishment type: Phase II Environmental Assessment  
 Ownership entity: Government  
 Current owner: City of Hampton  
 Did owner change: N  
 Cleanup required: Unknown  
 Video available: No  
 Photo available: Yes  
 Institutional controls required: Not reported  
 IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Not reported  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported  
 Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JONES & BALL PROPERTY (G3LLNY00) (Continued)**

**1010782521**

Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Not reported  
 Other metals cleaned: Not reported  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Y  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Y  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Y  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs: Not reported  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: 1.7  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Property Description: Most recent use as retail for brick and building supplies (Jones&Ball). Used since 1891 for manufacture of agricultural tools, cinder blocks. Adjacent former MGP plant.

48

**JONES & BALL PROPERTY (G3LLNY00)  
 727 NORTH KING STREET  
 HAMPTON, VA 23669**

**FINDS 1012097741  
 N/A**

FINDS:

Registry ID: 110038755558

Environmental Interest/Information System  
 US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)  
 is an federal online database for Brownfields Grantees to  
 electronically submit data directly to EPA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

48 JONES & BALL INC  
 727 N. KING ST.  
 HAMPTON, VA 23669

VA UST U003689091  
 N/A

UST:

Facility:

Facility Id: 5001395  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000091257

Owner:

Facility Id: 5001395  
 Owner Id: 29517  
 Owner Name: JONES AND BALL INC  
 Owner Address: 727 N. KING ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: Not reported  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5001395  
 Own Id: 29517  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5001395  
 Own Id: 29517  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JONES & BALL INC (Continued)**

**U003689091**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5001395
Own Id:	29517
Tank Number:	1
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**48**      **WORNOM PROPERTY**  
**732 N KING ST**  
**HAMPTON, VA 23669**

**FINDS 1014847798**  
**N/A**

FINDS:

Registry ID:                      110041720162

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is an federal online database for Brownfields Grantees to electronically submit data directly to EPA.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**48**      **WORNOM PROPERTY**  
**732 N KING ST**  
**HAMPTON, VA 23669**

**US BROWNFIELDS**      **1014477786**  
**N/A**

US BROWNFIELDS:

Recipient name:	Hampton, City of
Grant type:	Assessment
Property name:	Wornom Property
Property #:	Not reported
Parcel size:	4.16
Latitude:	37.0327233
Longitude:	-76.3462058
HCM label:	Not reported
Map scale:	Not reported
Point of reference:	Not reported
Datum:	Not reported
ACRES property ID:	107967
Start date:	Not reported
Completed date:	Not reported
Acres cleaned up:	Not reported
Cleanup funding:	Not reported
Cleanup funding source:	Not reported
Assessment funding:	Not reported
Assessment funding source:	Not reported
Redevelopment funding:	Not reported
Redev. funding source:	Not reported
Redev. funding entity name:	Not reported
Redevelopment start date:	Not reported
Assessment funding entity:	Not reported
Cleanup funding entity:	Not reported
Grant type:	H
Accomplishment type:	Not reported
Ownership entity:	Private
Current owner:	Charles Wornom
Did owner change:	Not reported
Cleanup required:	Yes
Video available:	Not reported
Photo available:	Yes
Institutional controls required:	U
IC Category proprietary controls:	Not reported
IC cat. info. devices:	Not reported
IC cat. gov. controls:	Not reported
IC cat. enforcement permit tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Not reported
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WORNOM PROPERTY (Continued)**

**1014477786**

Lead cleaned up:	Not reported
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Y
Other metals cleaned:	Not reported
Other contaminants found:	Y
Other contams found description:	various semi-volatile organics
PAHs found:	Not reported
PAHs cleaned up:	Not reported
PCBs found:	Not reported
PCBs cleaned up:	Not reported
Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Not reported
Sediments cleaned:	Not reported
Soil affected:	Y
Soil cleaned up:	Not reported
Surface water cleaned:	Not reported
Unknown found:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	0
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Greenspace acreage and type:	Not reported
Superfund Fed. landowner flag:	Not reported
Recipient name:	Hampton, City of
Grant type:	Assessment
Property name:	Wornom Property
Property #:	Not reported
Parcel size:	4.16
Latitude:	37.0327233
Longitude:	-76.3462058
HCM label:	Not reported
Map scale:	Not reported
Point of reference:	Not reported
Datum:	Not reported
ACRES property ID:	107967
Start date:	Not reported
Completed date:	Not reported
Acres cleaned up:	Not reported
Cleanup funding:	Not reported
Cleanup funding source:	Not reported
Assessment funding:	19525
Assessment funding source:	US EPA - Brownfields Assessment Cooperative Agreement
Redevelopment funding:	Not reported
Redev. funding source:	Not reported
Redev. funding entity name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WORNOM PROPERTY (Continued)**

**101447786**

Redevelopment start date: Not reported  
 Assessment funding entity: EPA  
 Cleanup funding entity: Not reported  
 Grant type: H  
 Accomplishment type: Phase II Environmental Assessment  
 Ownership entity: Private  
 Current owner: Charles Wornom  
 Did owner change: Not reported  
 Cleanup required: Yes  
 Video available: Not reported  
 Photo available: Yes  
 Institutional controls required: U  
 IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Not reported  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported  
 Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Y  
 Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Y  
 Other metals cleaned: Not reported  
 Other contaminants found: Y  
 Other contams found description: various semi-volatile organics  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Not reported  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Y  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs: Not reported  
 Past use greenspace acreage: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WORNOM PROPERTY (Continued)**

**1014477786**

Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Recipient name: Hampton, City of  
 Grant type: Assessment  
 Property name: Wornom Property  
 Property #: Not reported  
 Parcel size: 4.16  
 Latitude: 37.0327233  
 Longitude: -76.3462058  
 HCM label: Not reported  
 Map scale: Not reported  
 Point of reference: Not reported  
 Datum: Not reported  
 ACRES property ID: 107967  
 Start date: Not reported  
 Completed date: Not reported  
 Acres cleaned up: Not reported  
 Cleanup funding: Not reported  
 Cleanup funding source: Not reported  
 Assessment funding: 4000  
 Assessment funding source: US EPA - Brownfields Assessment Cooperative Agreement  
 Redevelopment funding: Not reported  
 Redev. funding source: Not reported  
 Redev. funding entity name: Not reported  
 Redevelopment start date: Not reported  
 Assessment funding entity: EPA  
 Cleanup funding entity: Not reported  
 Grant type: H  
 Accomplishment type: Phase I Environmental Assessment  
 Ownership entity: Private  
 Current owner: Charles Wornom  
 Did owner change: Not reported  
 Cleanup required: Yes  
 Video available: Not reported  
 Photo available: Yes  
 Institutional controls required: U  
 IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Not reported  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WORNOM PROPERTY (Continued)**

**1014477786**

Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Y  
 Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Y  
 Other metals cleaned: Not reported  
 Other contaminants found: Y  
 Other contams found description: various semi-volatile organics  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Not reported  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Y  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs: Not reported  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Property Description: The site comprises of four parcels zoned for heavy and light manufacturing and is owned by Mr. Charles Wornom who purchased the property from Mr. T.H. Wilson in 1972. Current uses include a warehouse building that has been converted into individual storage units, an outdoor storage area for empty construction dumpsters, a car repair shop, storage and maintenance of construction machinery and a tow lot. The site was formerly occupied by a feed, grain and coal supply company. The past and current uses plus the overall condition of the site lead staff to determine there is high potential for contamination of hazardous and petroleum materials in the soil and groundwater. The site is also adjacent to a tidal creek that often floods onto the site and there is concern for potentially negative impacts to the existing wetlands vegetation.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

<b>48</b>	<b>CITY OF HAMPTON 732 KING ST, HAMPTON, VA 23669</b>	<b>FINDS</b>	<b>1014848720 N/A</b>
-----------	---	--------------	---------------------------

FINDS:

Registry ID: 110042325329

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

PCS (Permit Compliance System) is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

<b>48</b>	<b>WORNOM PARCELS 732 NORTH KING STREET HAMPTON, VA 23669</b>	<b>VA VCP</b>	<b>S109526051 N/A</b>
-----------	---	---------------	---------------------------

VRP:

Facility ID: VRP00545  
 Site Status: Enrolled in Program  
 Site Status 2: Await RP Action  
 DEQ Region: Tidewater  
 Size in Acres: 4  
 Site Type: Other  
 Corrective Action Desc: Not reported  
 Owner Name: Charles A., Wornom and Charles A. Wornom  
 Owner Contact: Trustee for the Charles A. Wornom Living Revocable Trust  
 Owner Address: P.O. Box 306, Hampton, VA 23669  
 Owner Phone: 757-434-5213  
 Operator Name: Not reported  
 Operator Owner: Not reported  
 Operator Phone: Not reported  
 Participant Name: City of Hampton/Jesse T. Wallace Jr., City Manager  
 Relationship to Site: Not reported  
 Participant Contact: Mr. Joel Almquist  
 Participant Phone: 757-728-5177  
 Participant Title: Redevelopment Manager  
 Participant Affiliation: Dept. of Economic Development  
 Participant Address: One Franklin St., Suite 600  
 Participant City, St, Zip: Hampton, VA 23669  
 Additional Parts: Not reported  
 Participation Notes: 4-16-09, sent to TRO and Hazwaste, Fee waived  
 Participant Rep/Contractor: Dennis Papa

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WORNOM PARCELS (Continued)**

**S109526051**

Participant Rep/Contractor Phone: 804-503-1822  
 Participant Rep/Contractor Title: Not reported  
 Participant Rep/Contractor Affiliation: Malcolm Pirnie, Inc.  
 Participant Rep/Contractor Address: 1100 Welborne Drive, Suite 300  
 Participant Rep/Contractor City,St,Zip: Richmond, VA 23229  
 Metal Contaminants Present in Soil: Not reported  
 Organic Contaminants Present in Soil: Not reported  
 Metal Contaminants Present in GW: Not reported  
 Organic Contaminants Present GW: Not reported  
 DEQ Staff Case Manager's Initials: GJG  
 Cleanup Standards: Not reported  
 No Further VRP Action Date: Not reported  
 Date Participant Notified of NFA: Not reported  
 Certification Date: Not reported  
 Deed Received Date: Not reported  
 Terms of NFA Determination: Not reported  
 Date VRP Eligibility Declared by Participant: 2009-04-10  
 Date VRP Eligibility Determined by DEQ Region: 2009-05-07  
 Dt Office Of Waste Permitting Verified Site Eligblty: 2009-05-14  
 Date VRP Eligibility Determined by VRP: 2009-05-18  
 Date Signed Agreement Submitted By Participant: Not reported  
 Date Agreement Executed by DEQ: Not reported  
 Registration Fee Amount Submitted by Participant: 0  
 Date Registration Fee Submitted by Participant: 2009-05-18  
 Site Characterization Document Number: Not reported  
 DEQ Concurrence with Site Characterization Date: Not reported  
 Remedial Action Work Plan Document Number: Not reported  
 DEQ Concurs with Remedial Action Work Plan Date: Not reported  
 Completion Report Document Number: Not reported  
 DEQ Concurs with Completion Report Date: Not reported  
 Submittal Date for Document Number 1: 2009-08-06  
 Title of Submitted Document Number 1: SCR/VRP  
 Submittal Date for Document Number 2: Not reported  
 Title of Submitted Document Number 2: Not reported  
 Submittal Date for Document Number 3: Not reported  
 Title of Submitted Document Number 3: Not reported  
 Submittal Date for Document Number 4: Not reported  
 Title of Submitted Document Number 4: Not reported  
 Submittal Date for Document Number 5: Not reported  
 Title of Submitted Document Number 5: Not reported  
 Submittal Date for Document Number 6: Not reported  
 Title of Submitted Document Number 6: Not reported  
 Submittal Date for Document Number 7: Not reported  
 Title of Submitted Document Number 7: Not reported  
 Submittal Date for Document Number 8: Not reported  
 Title of Submitted Document Number 8: Not reported  
 DEQ Response Incident ID Number: Not reported  
 EPA CERCLIS ID: Not reported  
 EPA RCRA ID NUMBER: Not reported  
 DEQ Pollution Complaint Number: Not reported  
 Latest Action Relative To Site: Approved RTC  
 Latest Action Relative To Site Date: 2010-11-08  
 Next VRP Step Needed Relating To Site: RAP  
 Pending Since: Not reported  
 Date Next Step Should Be Completed: Not reported  
 Lat/Long: 0 / 0  
 Brownfield Tax Incentive: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WORNOM PARCELS (Continued)**

**S109526051**

Ground Water Use Restriction: False  
 Res. User Restriction: False  
 Excavation Restriction: False  
 Unrestricted: False  
 Other Condition of Issuance: False  
 GPS Lat: 37.033127999999998  
 GPS Long: -76.345179000000002  
 GPS Desc: Not reported  
 Notes: 5/7/2010 RTC to SCR comments submitted 9/3/2009 SCR Approved with comments 9-30-09, GJG Site Visit 9-3-09 Issued characterization comments to SCR 8-25-09 Issued Comfort Letter 8-18-09 Meeting with consultant Dennis Papa, Joel Almzuist and Vanessa Valdejuli

49

**INDUSTRIAL DEV AUTH CITY OF HAMPTON  
 33 PINE CHAPEL RD  
 HAMPTON, VA 23666**

**VA UST U003691783  
 N/A**

UST:

Facility:

Facility Id: 5019771  
 Facility Type: STATE  
 CEDS Facility ID: 200000091826

Owner:

Facility Id: 5019771  
 Owner Id: 30159  
 Owner Name: VDOT  
 Owner Address: 1221 E Broad St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Richmond, VA 23219  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5019771  
 Owner Id: 39985  
 Owner Name: Hampton Industrial Development Auth  
 Owner Address: 22 Lincoln St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23609  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 4  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5019771  
 Own Id: 39985  
 Tank Number: 4  
 Install Date: 01-OCT-1991  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**INDUSTRIAL DEV AUTH CITY OF HAMPTON (Continued)**

**U003691783**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5019771
Own Id:	39985
Tank Number:	4
Install Date:	01-OCT-1991
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019771
Own Id:	39985
Tank Number:	4
Install Date:	01-OCT-1991
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**INDUSTRIAL DEV AUTH CITY OF HAMPTON (Continued)**

**U003691783**

Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 5  
 Tank Capacity: 10000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5019771  
 Own Id: 39985  
 Tank Number: 5  
 Install Date: 01-OCT-1991  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5019771  
 Own Id: 39985  
 Tank Number: 5  
 Install Date: 01-OCT-1991  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INDUSTRIAL DEV AUTH CITY OF HAMPTON (Continued)**

**U003691783**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	39985
Tank Number:	5
Install Date:	01-OCT-1991
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R1
Install Date:	08-APR-1981
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INDUSTRIAL DEV AUTH CITY OF HAMPTON (Continued)**

**U003691783**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R1
Install Date:	08-APR-1981
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R1
Install Date:	08-APR-1981
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INDUSTRIAL DEV AUTH CITY OF HAMPTON (Continued)**

**U003691783**

Tank Number:	R2
Tank Capacity:	5000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R2
Install Date:	08-APR-1958
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R2
Install Date:	08-APR-1958
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INDUSTRIAL DEV AUTH CITY OF HAMPTON (Continued)**

**U003691783**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R2
Install Date:	08-APR-1958
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	5000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R3
Install Date:	08-APR-1958
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**INDUSTRIAL DEV AUTH CITY OF HAMPTON (Continued)**

**U003691783**

Install Date:	08-APR-1958
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5019771
Own Id:	30159
Tank Number:	R3
Install Date:	08-APR-1958
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

49

**VA DEPT OF TRANS-PINE CHAPEL  
 33 PINE CHAPEL RD  
 HAMPTON, VA 23666**

**RCRA-CESQG 100461125  
 FINDS VAD988193629**

RCRA-CESQG:  
 Date form received by agency: 03/14/1991  
 Facility name: VA DEPT OF TRANS-PINE CHAPEL  
 Facility address: 33 PINE CHAPEL RD  
 HAMPTON, VA 23666  
 EPA ID: VAD988193629

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VA DEPT OF TRANS-PINE CHAPEL (Continued)**

**1004611125**

Mailing address: PO BOX 3447  
 HAMPTON, VA 23663  
 Contact: JAMES COFIELD  
 Contact address: 33 PINE CHAPEL RD  
 HAMPTON, VA 23666  
 Contact country: US  
 Contact telephone: (804) 727-4846  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: VIRGINIA DEPT OF TRANSPORTATION  
 Owner/operator address: 1221 E BROAD ST  
 RICHMOND, VA 23219  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 786-6168  
 Legal status: State  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: State  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VA DEPT OF TRANS-PINE CHAPEL (Continued)**

**1004611125**

Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005241808

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

49

**VDOT - MAINTENANCE FACILITY  
 33 PINE CHAPEL RD  
 HAMPTON, VA 23666**

**VA LUST S104741508  
 VA LTANKS N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091826  
**Facility Status: Closed**  
 Completed Date: 09/18/1998  
 Pollution Complaint Num: 19992249  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: UST APPARENTLY LEAKED/SEEPED AROUND DRAINS IN WALL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091826  
**Facility Status: Closed**  
 Completed Date: 05/18/1999  
 Pollution Complaint Num: 19992249  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - MAINTENANCE FACILITY (Continued)**

**S104741508**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091826  
**Facility Status: Closed**  
 Completed Date: 10/16/1990  
 Pollution Complaint Num: 19910563  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: TANK FAILED TIGHTNESS TEST (DIESEL & GAS).

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091826  
**Facility Status: Closed**  
 Completed Date: 08/27/1994  
 Pollution Complaint Num: 19910563  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091826  
**Facility Status: Closed**  
 Completed Date: 04/03/2003  
 Pollution Complaint Num: 20035119  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091826  
**Facility Status: Closed**  
 Completed Date: 04/07/2003  
 Pollution Complaint Num: 20035119  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000091826  
**Case Status: Closed**  
 Pollution Complaint #: 20035119  
 Reported: 03-APR-2003

Region: TRO  
 CEDS Facility Id: 200000091826  
**Case Status: Closed**  
 Pollution Complaint #: 19992249  
 Reported: 18-SEP-1998

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - MAINTENANCE FACILITY (Continued)**

**S104741508**

Region: TRO  
 CEDS Facility Id: 200000091826  
**Case Status: Closed**  
 Pollution Complaint #: 19910563  
 Reported: 16-OCT-1990

50

**ALMOST A DEALERSHIP  
 701 N ARMSTEAD AVE  
 HAMPTON, VA 23669**

**VA UST U003692425  
 N/A**

UST:

Facility:

Facility Id: 5023999  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000063888

Owner:

Facility Id: 5023999  
 Owner Id: 29704  
 Owner Name: Almost A Dealership  
 Owner Address: 701 N Armstead Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5023999  
 Own Id: 29704  
 Tank Number: 1  
 Install Date: 01-JAN-1965  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ALMOST A DEALERSHIP (Continued)**

**U003692425**

Fac Id:	5023999
Own Id:	29704
Tank Number:	1
Install Date:	01-JAN-1965
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5023999
Own Id:	29704
Tank Number:	1
Install Date:	01-JAN-1965
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ALMOST A DEALERSHIP (Continued)**

**U003692425**

Tank Material:  
 Tank Type: UST  
 Fac Id: 5023999  
 Own Id: 29704  
 Tank Number: 2  
 Install Date: 01-JAN-1965  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5023999  
 Own Id: 29704  
 Tank Number: 2  
 Install Date: 01-JAN-1965  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5023999

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ALMOST A DEALERSHIP (Continued)**

**U003692425**

Own Id: 29704  
 Tank Number: 2  
 Install Date: 01-JAN-1965  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 550  
 Tank Contents: KEROSENE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5023999  
 Own Id: 29704  
 Tank Number: 3  
 Install Date: 01-JAN-1965  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5023999  
 Own Id: 29704  
 Tank Number: 3  
 Install Date: 01-JAN-1965  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ALMOST A DEALERSHIP (Continued)**

**U003692425**

Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5023999
Own Id:	29704
Tank Number:	3
Install Date:	01-JAN-1965
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

51

**600 E PEMBROKE AVENUE, CROWN VA 13  
 HAMPTON, VA**

**VA SPILLS S105943184  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	96-2365
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105943184

RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	1/25/1996
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	A CAR LOST CONTROL AND HIT ANOTHER CAR. FD & PD ON SCENE. INDUSTRIAL.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	1/25/1996
Incident Time:	12:10



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105943184

Incident Type: UNKNOWN  
 Stream: Not reported  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

51

**POP INN 14  
 601 EAST PEMBROKE AVENUE  
 HAMPTON, VA 23669**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003690689  
 N/A**

UST:

Facility:

Facility Id: 5010942  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000066609

Owner:

Facility Id: 5010942  
 Owner Id: 37307  
 Owner Name: Zooms Inc  
 Owner Address: 2451 W Pembroke Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23661  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5010942  
 Owner Id: 36636  
 Owner Name: Pop Inn Inc  
 Owner Address: 4 Ivy Home Rd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 36636  
 Tank Number: R1  
 Install Date: 01-MAY-1976  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

POP INN 14 (Continued)

U003690689

Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 36636  
 Tank Number: R1  
 Install Date: 01-MAY-1976  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 36636  
 Tank Number: R1  
 Install Date: 01-MAY-1976  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

POP INN 14 (Continued)

U003690689

Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R2
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R2
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**POP INN 14 (Continued)**

**U003690689**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R2
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R3
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**POP INN 14 (Continued)**

**U003690689**

Release:

Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R3
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R3
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R4
Tank Capacity:	4000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**POP INN 14 (Continued)**

**U003690689**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R4
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5010942
Own Id:	36636
Tank Number:	R4
Install Date:	01-MAY-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

POP INN 14 (Continued)

U003690689

Pipe Material:

Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 36636  
 Tank Number: R4  
 Install Date: 01-MAY-1976  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: RA1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 37307  
 Tank Number: RA1  
 Install Date: 01-NOV-1988  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 37307  
 Tank Number: RA1  
 Install Date: 01-NOV-1988  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

POP INN 14 (Continued)

U003690689

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA1
Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	Y
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	RA2
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA2



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**POP INN 14 (Continued)**

**U003690689**

Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA2
Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA2
Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

POP INN 14 (Continued)

U003690689

Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect Y  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: RA3  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 37307  
 Tank Number: RA3  
 Install Date: 01-NOV-1988  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5010942  
 Own Id: 37307  
 Tank Number: RA3  
 Install Date: 01-NOV-1988  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

POP INN 14 (Continued)

U003690689

Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA3
Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	Y
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	RA4
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA4
Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**POP INN 14 (Continued)**

**U003690689**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA4
Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010942
Own Id:	37307
Tank Number:	RA4
Install Date:	01-NOV-1988
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	Y
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**POP INN 14 (Continued)**

**U003690689**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5010942  
 FRP Financial Assurance: Full  
 Owner Name: POP INN 14  
 ROF Own Id: 37307  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Pop Inn 14  
 CEDS Facility Id: 200000066609  
 Tank Type Count: 4  
 Location: Not reported

52

**EDMONDS RENTAL  
 701 N. KING STREET  
 HAMPTON, VA 23669**

**VA LUST  
 VA LTANKS  
 VA UST**

**U003690783  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064951  
**Facility Status: Closed**  
 Completed Date: 04/04/2000  
 Pollution Complaint Num: 20005198  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: info rcvd

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064951  
**Facility Status: Closed**  
 Completed Date: 04/18/2000  
 Pollution Complaint Num: 20005198  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: case closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064951  
**Case Status: Closed**  
 Pollution Complaint #: 20005198  
 Reported: 04-APR-2000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EDMONDS RENTAL (Continued)**

**U003690783**

UST:

Facility:

Facility Id: 5011345  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000064951

Owner:

Facility Id: 5011345  
 Owner Id: 32025  
 Owner Name: SAFEWAY STORE INC-ICE CREAM DEP  
 Owner Address: 701 N. KING ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 550  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5011345  
 Own Id: 32025  
 Tank Number: R1  
 Install Date: 02-MAY-1973  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5011345  
 Own Id: 32025  
 Tank Number: R1  
 Install Date: 02-MAY-1973  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EDMONDS RENTAL (Continued)**

**U003690783**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R1
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	550
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R2
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EDMONDS RENTAL (Continued)**

**U003690783**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R2
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R2
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EDMONDS RENTAL (Continued)**

**U003690783**

Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	550
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R3
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R3
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EDMONDS RENTAL (Continued)**

**U003690783**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R3
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	550
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R4
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EDMONDS RENTAL (Continued)**

**U003690783**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R4
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5011345
Own Id:	32025
Tank Number:	R4
Install Date:	02-MAY-1973
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

53      **GBS TOWING SERVICE**  
**601 N ARMISTEAD AVE**  
**HAMPTON, VA 23669**

**VA LUST**      **S107472311**  
**VA LTANKS**      **N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000222729  
**Facility Status: Closed**  
 Completed Date: 11/14/2005  
 Pollution Complaint Num: 20065071  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000222729  
**Facility Status: Closed**  
 Completed Date: 11/17/2005  
 Pollution Complaint Num: 20065071  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000222729  
**Case Status: Closed**  
 Pollution Complaint #: 20065071  
 Reported: 14-NOV-2005

53      **RIP RAP RD AND N ARMISTEAD RD**  
**HAMPTON, VA**

**VA SPILLS**      **S105953421**  
**N/A**

SPILLS TD:

Region: TD  
 PC Number: 99-7167  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105953421

Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	11/4/1998
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	11/4/1998
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	PRIVATE CITIZEN DROVE VEHICLE INTO BUSINESS ABOVE GROUND OIL TANK CAUSING LINES TO RUPTURE AND SPILL BEGAN. VEHICLE LEFT SCENE. PRODUCT BEING CONTAINED TO KEEP FROM GETTING INTO STORM DRAINS. PROPERTY OWNER WILL HANDLE CLEAN UP.
Reported By Company:	HAMPTON FD
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	HAMPTON, VA
Reported By Phone:	7578105020
Report By Name:	CAPT WITHERSPOON
PI Date:	11/4/1998
Incident Time:	6:05:00 PM
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	500
Spill Unit:	GALLONS
Volume To State Water:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**54 FORMER NOWLIN STEELCRAFT  
 317 POPLAR AVENUE  
 HAMPTON, VA 23669**

**US BROWNFIELDS 1009806907  
 N/A**

US BROWNFIELDS:

Recipient name: Hampton, City of  
 Grant type: Assessment  
 Property name: Former Nowlin Steelcraft  
 Property #: 02K001 00 13115C0  
 Parcel size: .21  
 Latitude: 37.03322  
 Longitude: -76.34135  
 HCM label: Address Matching-House Number  
 Map scale: 1:24,000  
 Point of reference: Center of a Facility or Station  
 Datum: World Geodetic System of 1984  
 ACRES property ID: 27782  
 Start date: Not reported  
 Completed date: Not reported  
 Acres cleaned up: Not reported  
 Cleanup funding: Not reported  
 Cleanup funding source: Not reported  
 Assessment funding: 5000  
 Assessment funding source: US EPA - Brownfields Assessment Cooperative Agreement  
 Redevelopment funding: Not reported  
 Redev. funding source: Not reported  
 Redev. funding entity name: Not reported  
 Redevelopment start date: Not reported  
 Assessment funding entity: Not reported  
 Cleanup funding entity: Not reported  
 Grant type: H  
 Accomplishment type: Phase I Environmental Assessment  
 Ownership entity: Government  
 Current owner: City of Hampton  
 Did owner change: N  
 Cleanup required: Unknown  
 Video available: No  
 Photo available: Yes  
 Institutional controls required: Not reported  
 IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Unknown  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported  
 Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER NOWLIN STEELCRAFT (Continued)**

**1009806907**

Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Y  
 Other metals cleaned: Y  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Y  
 Petro products cleaned: Y  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Y  
 Soil cleaned up: Y  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs: Not reported  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Property Highlights: This property operated as a steel fabricating business that specialized in small items, and prior to that as a moving and storage business. The City of Hampton purchased the property with intent to redevelop as part of the brownfield project area.(PPF - Former Nowlin Steelcraft, 8/17/06)

Property Description: The property included a steel fabrication business that rented the small building on the site since the 1970s. Former property owner was James and Mary Gordon, and previously operated as Monroe Transfer and Storage since approximately 1958.

54

**FORMER NOWLIN STEELCRAFT  
 317 POPLAR AVENUE  
 HAMPTON, VA 23669**

**FINDS 1010382087  
 N/A**

FINDS:

Registry ID: 110038751623

Environmental Interest/Information System  
 US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)  
 is an federal online database for Brownfields Grantees to  
 electronically submit data directly to EPA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

54 W.T. PHILLIPS & SON; INC  
 609 WASHINGTON STREET  
 HAMPTON, VA 23669

VA UST U003689591  
 N/A

UST:

Facility:

Facility Id: 5004742  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000091855

Owner:

Facility Id: 5004742  
 Owner Id: 32261  
 Owner Name: W.T. PHILLIPS & SON; INC  
 Owner Address: 609 WASHINGTON STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: G1  
 Tank Capacity: 500  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5004742  
 Own Id: 32261  
 Tank Number: G1  
 Install Date: 18-APR-1922  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5004742  
 Own Id: 32261  
 Tank Number: G1  
 Install Date: 18-APR-1922  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**W.T. PHILLIPS & SON; INC (Continued)**

**U003689591**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004742
Own Id:	32261
Tank Number:	G1
Install Date:	18-APR-1922
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

55

**RON'S HYDRAULIC  
 520 NORTH ARMISTEAD AVENUE  
 HAMPTON, VA 23669**

**FINDS 1010382088  
 N/A**

FINDS:

Registry ID: 110038751632

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES) is a federal online database for Brownfields Grantees to electronically submit data directly to EPA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**55**      **RON'S HYDRAULIC**  
**520 NORTH ARMISTEAD AVENUE**  
**HAMPTON, VA 23669**

**US BROWNFIELDS**      **1009806909**  
 N/A

US BROWNFIELDS:

Recipient name:	Hampton, City of
Grant type:	Assessment
Property name:	Ron's Hydraulic
Property #:	08D128 00 00000
Parcel size:	.71
Latitude:	37.03307
Longitude:	-76.35484
HCM label:	Address Matching-House Number
Map scale:	1:24,000
Point of reference:	Center of a Facility or Station
Datum:	World Geodetic System of 1984
ACRES property ID:	27783
Start date:	Not reported
Completed date:	Not reported
Acres cleaned up:	Not reported
Cleanup funding:	Not reported
Cleanup funding source:	Not reported
Assessment funding:	5000
Assessment funding source:	US EPA - Brownfields Assessment Cooperative Agreement
Redevelopment funding:	Not reported
Redev. funding source:	Not reported
Redev. funding entity name:	Not reported
Redevelopment start date:	Not reported
Assessment funding entity:	Not reported
Cleanup funding entity:	Not reported
Grant type:	N/A
Accomplishment type:	Phase I Environmental Assessment
Ownership entity:	Government
Current owner:	City of Hampton
Did owner change:	N
Cleanup required:	Unknown
Video available:	No
Photo available:	Yes
Institutional controls required:	Not reported
IC Category proprietary controls:	Not reported
IC cat. info. devices:	Not reported
IC cat. gov. controls:	Not reported
IC cat. enforcement permit tools:	Not reported
IC in place date:	Not reported
IC in place:	Unknown
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Y
Asbestos cleaned:	Not reported
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RON'S HYDRAULIC (Continued)**

**1009806909**

Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Y  
 Other metals cleaned: Not reported  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Y  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Y  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs: Not reported  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Property Highlights: This property operated as a hydraulic repair shop for automobiles and boats, and resulted in stained soils and poor house keeping. The City of Hampton purchased the property with intent to redevelop as part of the brownfield project area. (PPF - Roon's Hydraulic, 8/17/06)

Property Description: The property was a hydraulic repair shop with two buildings built in 1950. Poor housekeeping has been observed at the property. Spills have been reported to VA DEQ in 1995 and 2003 at the property. It is suspected that hydraulic, motor oils and other engine fluids have been released at the property.

55

**526/528/530 N ARMISTEAD AVE  
 HAMPTON, VA**

**VA SPILLS S105944745  
 N/A**

**SPILLS TD:**

Region: TD  
 PC Number: 96-1635  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944745

Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/25/1995
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	3 BUSINESSES OPERATING AS A GARAGE. SOIL SATURATED WITH OIL. SITE BEEN A GARAGE FOR A LONG TIME.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105944745

Report By Name: Not reported  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

55

**RON'S HYDRAULIC  
 530 N ARMISTEAD AVE  
 HAMPTON (County), VA**

**VA SPILLS S106050086  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2003-T-1822  
 Incident Date: 3/26/2003  
 Time In: 8:45:00 AM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: 23669  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: True  
 Solid Waste: False  
 Haz Waste: False  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: OIL, HYDRAULIC FLUIDS  
 Possible Receptors: Not reported  
 Qty Released: 0  
 Unit: Not reported  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: 3/28/2003  
 Call Date: Not reported  
 Inspector: CGL  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 5/13/2003**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RON'S HYDRAULIC (Continued)**

**S106050086**

Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: CALLER DID AN INSPECTION AT LOCATION ABOVE AND FOUND PETROLEUM PRODUCTS ON THE GROUND NEAR FRONT OF BLDG  
 Comments: LETTERS SENT, RECEIVED  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: CITY OF HAMPTON  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7577276754  
 Report By Name: CHUCK FLEMING  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

56

**HAMPTON MUNICIPLE FACILITY  
 552 BACK RIVER RD  
 HAMPTON, VA 23669**

**VA LUST U003692886  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000066227  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972216  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS IN UST AREA

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066227  
**Facility Status: Closed**  
 Completed Date: 03/12/1998  
 Pollution Complaint Num: 19972216  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MUNICIPAL FACILITY (Continued)**

**U003692886**

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066227  
**Case Status: Closed**  
 Pollution Complaint #: 19972216  
 Reported: 26-JUL-1996

UST:

Facility:

Facility Id: 5027774  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066227

Owner:

Facility Id: 5027774  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 1000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5027774  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 01-JAN-1973  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5027774

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MUNICIPALE FACILITY (Continued)**

**U003692886**

Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1973
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5027774
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1973
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5027774
FRP Financial Assurance:	Min
Owner Name:	HAMPTON MUNICIPALE FACILITY
ROF Own Id:	36544
Tank Type:	UST
Mechanism:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MUNICIPAL FACILITY (Continued)**

**U003692886**

Gallorage: Not reported  
 Per Occurrence: 20000  
 Third Party: 60000  
 Annual Aggregate: 80000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Hampton City Municipal Facility  
 CEDS Facility Id: 200000066227  
 Tank Type Count: 1  
 Location: 552 Back River Rd

**56 EMPIRE INCORPORATED - PIPE DIVISION  
 615 BACK RIVER ROAD  
 HAMPTON, VA 23669**

**FINDS 1004607020  
 N/A**

FINDS:

Registry ID: 110001890534

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

**56 EMPIRE SALES, INC  
 615 BACK RIVER ROAD  
 HAMPTON, VA 23669**

**VA UST U003689078  
 N/A**

UST:

Facility:

Facility Id: 5001347  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000064976

Owner:

Facility Id: 5001347  
 Owner Id: 35799  
 Owner Name: EMPIRE SALES, INC  
 Owner Address: 615 NORTH BACK RIVER ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EMPIRE SALES, INC (Continued)**

**U003689078**

Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	6000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5001347
Own Id:	35799
Tank Number:	R1
Install Date:	01-JUL-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5001347
Own Id:	35799
Tank Number:	R1
Install Date:	01-JUL-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EMPIRE SALES, INC (Continued)**

**U003689078**

Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5001347
Own Id:	35799
Tank Number:	R1
Install Date:	01-JUL-1982
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	2000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5001347
Own Id:	35799
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5001347

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EMPIRE SALES, INC (Continued)**

**U003689078**

Own Id:	35799
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5001347
Own Id:	35799
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

57      **509 WINE ST**  
**509 WINE ST**  
**HAMPTON, VA**

ERNS      94371347  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

57      **509 WINE STREET**  
**HAMPTON, VA**

VA SPILLS      S105946026  
 N/A

SPILLS TD:

Region:	TD
PC Number:	94-3898
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105946026

Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	5/13/1994
Source:	UNKNOWN
Summary:	Not reported
Comments:	Not reported
Report Notes:	UNKNOWN AMOUNT OF UNKNOWN SUBSTANCE AT 509 WINE STREET; REPORTS A TOXIC ODOR BURNS HER EYES
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	5/13/1994
Incident Time:	22:00
Incident Type:	UNKNOWN
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

58

**HARRISON LEAR INC  
 30 W PEMBROKE  
 HAMPTON, VA 23669**

**VA UST U003691084  
 N/A**

UST:

Facility:

Facility Id:	5013617
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000065466

Owner:

Facility Id:	5013617
Owner Id:	30258
Owner Name:	KAYO OIL COMPANY
Owner Address:	FLOOR MO ROOM 3048
Owner Address2:	Not reported
Owner City, State, Zip:	HOUSTON, TX 77210
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number:	1
Tank Capacity:	8000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST

Tank Material:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISON LEAR INC (Continued)**

**U003691084**

Tank Type:	UST
Fac Id:	5013617
Own Id:	30258
Tank Number:	1
Install Date:	06-MAY-1967
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5013617
Own Id:	30258
Tank Number:	1
Install Date:	06-MAY-1967
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5013617
Own Id:	30258

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HARRISON LEAR INC (Continued)**

**U003691084**

Tank Number: 1  
 Install Date: 06-MAY-1967  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 8000  
 Tank Contents: UNKNOWN  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5013617  
 Own Id: 30258  
 Tank Number: 2  
 Install Date: 06-MAY-1967  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown Y  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5013617  
 Own Id: 30258  
 Tank Number: 2  
 Install Date: 06-MAY-1967  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISON LEAR INC (Continued)**

**U003691084**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5013617
Own Id:	30258
Tank Number:	2
Install Date:	06-MAY-1967
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

58

**CITY OF HAMPTON PROPERTY  
 8 W PEMBROKE AVE  
 HAMPTON, VA 23669**

**VA UST U003692601  
 VA FINANCIAL ASSURANCE N/A**

UST:

Facility:

Facility Id:	5025629
Facility Type:	LOCAL
CEDS Facility ID:	200000064566
Facility Id:	5041868
Facility Type:	LOCAL
CEDS Facility ID:	200000855104

Owner:

Facility Id:	5041868
Owner Id:	39985

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF HAMPTON PROPERTY (Continued)**

**U003692601**

Owner Name:	Hampton Industrial Development Auth
Owner Address:	22 Lincoln St
Owner Address2:	Not reported
Owner City, State, Zip:	Hampton, VA 23609
UST Status:	Reg
AST Status:	N/A
Federally Regulated:	No
Tank Number:	1
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Number:	1
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	1
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	1
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF HAMPTON PROPERTY (Continued)**

**U003692601**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	1
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Number:	2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF HAMPTON PROPERTY (Continued)**

**U003692601**

Tank Number:	2
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	2
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	2
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CITY OF HAMPTON PROPERTY (Continued)**

**U003692601**

Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5025629  
 Own Id: 36544  
 Tank Number: 3  
 Install Date: 01-DEC-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5025629  
 Own Id: 36544  
 Tank Number: 3  
 Install Date: 01-DEC-1971  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF HAMPTON PROPERTY (Continued)**

**U003692601**

Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	3
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Number:	4
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF HAMPTON PROPERTY (Continued)**

**U003692601**

Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	4
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025629
Own Id:	36544
Tank Number:	4
Install Date:	01-DEC-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF HAMPTON PROPERTY (Continued)**

**U003692601**

Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 4  
 Tank Capacity: 1000  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

VA FINANCIAL ASSURANCE:

Facility ID: 5025629  
 FRP Financial Assurance: Min  
 Owner Name: CITY OF HAMPTON  
 ROF Own Id: 36544  
 Tank Type: UST  
 Mechanism: Not reported  
 Gallonage: Not reported  
 Per Occurrence: 20000  
 Third Party: 60000  
 Annual Aggregate: 80000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Hampton City  
 CEDS Facility Id: 200000064566  
 Tank Type Count: 4  
 Location: Not reported

58

**PENTRAN TRANSPORTATION CENTER  
 2 W PEMBROKE AVENUE  
 HAMPTON, VA 23669**

**VA LUST U003692781  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066531  
**Facility Status: Closed**  
 Completed Date: 10/07/1993  
 Pollution Complaint Num: 19940607  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HOLE IN BOTTOM OF TANK FOUND DURING REMOVAL. (REGULATED?)  
  
 Region: TD  
 Region Code: TRO



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PENTRAN TRANSPORTATION CENTER (Continued)**

**U003692781**

Facility ID: 200000066531  
**Facility Status: Closed**  
 Completed Date: 08/19/1994  
 Pollution Complaint Num: 19940607  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-DISPOSE OF SOILS PER WASTE GUIDELINES.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000066531  
**Case Status: Closed**  
 Pollution Complaint #: 19940607  
 Reported: 07-OCT-1993

**UST:**

**Facility:**

Facility Id: 5026950  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066531

**Owner:**

Facility Id: 5026950  
 Owner Id: 34934  
 Owner Name: TRANSPORT DISTRICT COMMISSION OF HAMPTON  
 Owner Address: ROADS DBA HAMPTON ROADS TRANSIT- HRT  
 Owner Address2: 3400 VICTORIA BLVD  
 Owner City, State, Zip: HAMPTON, VA 23661  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 300  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

**Tank Material:**

Tank Type: UST  
 Fac Id: 5026950  
 Own Id: 34934  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PENTRAN TRANSPORTATION CENTER (Continued)**

**U003692781**

Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5026950
Own Id:	34934
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026950
Own Id:	34934
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	NONE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PENTRAN TRANSPORTATION CENTER (Continued)**

**U003692781**

VA FINANCIAL ASSURANCE:

Facility ID: 5026950  
 FRP Financial Assurance: Full  
 Owner Name: PENTRAN TRANSPORTATION CENTER  
 ROF Own Id: 34934  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Pentran Transportation Center Hampton  
 CEDS Facility Id: 200000066531  
 Tank Type Count: 1  
 Location: Not reported

58

**DIXIE DIGGS AUTO PARTS INC  
 400 NORTH KING STREET  
 HAMPTON, VA 23669**

**VA UST U003690420  
 N/A**

UST:

Facility:

Facility Id: 5009709  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000090952

Owner:

Facility Id: 5009709  
 Owner Id: 32116  
 Owner Name: WILLIAM E DIGGS  
 Owner Address: 400 N. KING ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1R  
 Tank Capacity: 550  
 Tank Contents: UNKNOWN  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5009709  
 Own Id: 32116  
 Tank Number: 1R  
 Install Date: 01-MAY-1961  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DIXIE DIGGS AUTO PARTS INC (Continued)**

**U003690420**

Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009709
Own Id:	32116
Tank Number:	1R
Install Date:	01-MAY-1961
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009709
Own Id:	32116
Tank Number:	1R
Install Date:	01-MAY-1961
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIXIE DIGGS AUTO PARTS INC (Continued)**

**U003690420**

Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2R
Tank Capacity:	500
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009709
Own Id:	32116
Tank Number:	2R
Install Date:	01-MAY-1961
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009709
Own Id:	32116
Tank Number:	2R
Install Date:	01-MAY-1961
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIXIE DIGGS AUTO PARTS INC (Continued)**

**U003690420**

Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009709
Own Id:	32116
Tank Number:	2R
Install Date:	01-MAY-1961
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

58

**DIXIE DIGGS AUTO PARTS INC  
 400 N KING ST  
 HAMPTON, VA 23669**

**RCRA-SQG 1000448421  
 FINDS VAD988175428**

RCRA-SQG:  
 Date form received by agency: 09/19/1990  
 Facility name: DIXIE DIGGS AUTO PARTS INC  
 Facility address: 400 N KING ST  
 HAMPTON, VA 23669  
 EPA ID: VAD988175428  
 Mailing address: PO BOX 368  
 HAMPTON, VA 23669  
 Contact: WILLIAM DIGGS  
 Contact address: 400 N KING ST  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 722-3372  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIXIE DIGGS AUTO PARTS INC (Continued)**

**1000448421**

Owner/Operator Summary:

Owner/operator name: DIGGS WILLIAM\_E  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110005238288

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DIXIE DIGGS AUTO PARTS INC (Continued)**

**1000448421**

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

58

**VAARNG-ARMORY-HAMPTON  
 504 N KING ST  
 HAMPTON, VA 23669**

**RCRA-NonGen**

**1000365332  
 VAD982677395**

RCRA-NonGen:

Date form received by agency: 07/16/2010  
 Facility name: VAARNG-ARMORY-HAMPTON  
 Facility address: 504 N. KING STREET  
 HAMPTON, VA 23669  
 EPA ID: VAD982677395  
 Mailing address: N. KING STREET  
 HAMPTON, VA 23669  
 Contact: PAMELA W COLEMAN  
 Contact address: BLDG 316, PRN 160 FORT PICKETT  
 BLACKSTONE, VA 23824  
 Contact country: US  
 Contact telephone: (434) 298-6445  
 Contact email: PAM.COLEMAN1@US.ARMY.MIL  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: VA DEPARTMENT OF MILITARY AFFAIRS  
 Owner/operator address: BLDG 316 FORT PICKETT  
 BLACKSTONE, VA 23824  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: State  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/1940  
 Owner/Op end date: Not reported

Owner/operator name: VA DEPARTMENT OF MILITARY AFFAIRS  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: State  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/01/1940  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VAARNG-ARMORY-HAMPTON (Continued)**

**1000365332**

On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 05/14/1990  
 Facility name: VAARNG-ARMORY-HAMPTON  
 Classification: Small Quantity Generator

Violation Status: No violations found

58

**HAMPTON ARMORY  
 504 NORTH KING STREET  
 HAMPTON, VA 23669**

**VA UST U003692261  
 N/A**

UST:

Facility:

Facility Id: 5022986  
 Facility Type: STATE  
 CEDS Facility ID: 200000065415

Owner:

Facility Id: 5022986  
 Owner Id: 27238  
 Owner Name: Virginia Dept Military Affairs  
 Owner Address: Bldg 316 VAFM-E Fort Pickett  
 Owner Address2: Not reported  
 Owner City, State, Zip: Blackstone, VA 23824  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 2R  
 Tank Capacity: 1000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5022986  
 Own Id: 27238  
 Tank Number: 2R  
 Install Date: 01-JAN-1954  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON ARMORY (Continued)**

**U003692261**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5022986
Own Id:	27238
Tank Number:	2R
Install Date:	01-JAN-1954
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5022986
Own Id:	27238
Tank Number:	2R
Install Date:	01-JAN-1954
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**HAMPTON ARMORY (Continued)**

**U003692261**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

---

**58 VAARNG-ARMORY-HAMPTON  
504 N. KING STREET  
HAMPTON, VA 23669**

**FINDS 1014848551  
N/A**

**FINDS:**

Registry ID: 110042295726

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

---

**58 DMA HAMPTON ARMORY  
504 NORTH KING STREET  
HAMPTON, VA 23669**

**VA LUST S105984771  
N/A**

**LUST REG TD:**

Region:	TD
Region Code:	TRO
Facility ID:	200000065415
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	10/13/1989
Pollution Complaint Num:	19900457
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	TWO USTS FAILED TIGHTNESS TESTS.

Region:	TD
Region Code:	TRO
Facility ID:	200000065415
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	05/07/1990
Pollution Complaint Num:	19900457
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLOSED-NO FURTHER ACTION REQUIRED.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

<b>58</b>	<b>FORMER PETE'S TOP SHOP 520 NORTH KING STREET HAMPTON, VA 23669</b>	<b>FINDS</b>	<b>1010382086 N/A</b>
-----------	---	--------------	---------------------------

FINDS:

Registry ID: 110038751614

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)  
is an federal online database for Brownfields Grantees to  
electronically submit data directly to EPA.

<b>58</b>	<b>FORMER PETE'S TOP SHOP 520 NORTH KING STREET HAMPTON, VA 23669</b>	<b>US BROWNFIELDS</b>	<b>1009806908 N/A</b>
-----------	---	-----------------------	---------------------------

US BROWNFIELDS:

Recipient name:	Hampton, City of
Grant type:	Assessment
Property name:	Former Pete's Top Shop
Property #:	02K079 00 00000
Parcel size:	.36
Latitude:	37.03136
Longitude:	-76.34581
HCM label:	Address Matching-House Number
Map scale:	1:24,000
Point of reference:	Center of a Facility or Station
Datum:	World Geodetic System of 1984
ACRES property ID:	27781
Start date:	Not reported
Completed date:	Not reported
Acres cleaned up:	Not reported
Cleanup funding:	Not reported
Cleanup funding source:	Not reported
Assessment funding:	Not reported
Assessment funding source:	Not reported
Redevelopment funding:	Not reported
Redev. funding source:	Not reported
Redev. funding entity name:	Not reported
Redevelopment start date:	Not reported
Assessment funding entity:	Not reported
Cleanup funding entity:	Not reported
Grant type:	H
Accomplishment type:	Not reported
Ownership entity:	Government
Current owner:	City of Hampton, VA
Did owner change:	N
Cleanup required:	No
Video available:	No
Photo available:	Yes
Institutional controls required:	N
IC Category proprietary controls:	Not reported
IC cat. info. devices:	Not reported
IC cat. gov. controls:	Not reported
IC cat. enforcement permit tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER PETE'S TOP SHOP (Continued)**

**1009806908**

State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Y  
 Asbestos cleaned: Y  
 Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Not reported  
 Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Not reported  
 Other metals cleaned: Not reported  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Not reported  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Y  
 Soil cleaned up: Y  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs:0  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: N

Recipient name: Hampton, City of  
 Grant type: Assessment  
 Property name: Former Pete's Top Shop  
 Property #: 02K079 00 00000  
 Parcel size: .36  
 Latitude: 37.03136  
 Longitude: -76.34581  
 HCM label: Address Matching-House Number  
 Map scale: 1:24,000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER PETE'S TOP SHOP (Continued)**

**1009806908**

Point of reference:	Center of a Facility or Station
Datum:	World Geodetic System of 1984
ACRES property ID:	27781
Start date:	Not reported
Completed date:	Not reported
Acres cleaned up:	Not reported
Cleanup funding:	Not reported
Cleanup funding source:	Not reported
Assessment funding:	5000
Assessment funding source:	US EPA - Brownfields Assessment Cooperative Agreement
Redevelopment funding:	Not reported
Redev. funding source:	Not reported
Redev. funding entity name:	Not reported
Redevelopment start date:	Not reported
Assessment funding entity:	Not reported
Cleanup funding entity:	Not reported
Grant type:	H
Accomplishment type:	Phase I Environmental Assessment
Ownership entity:	Government
Current owner:	City of Hampton, VA
Did owner change:	N
Cleanup required:	No
Video available:	No
Photo available:	Yes
Institutional controls required:	N
IC Category proprietary controls:	Not reported
IC cat. info. devices:	Not reported
IC cat. gov. controls:	Not reported
IC cat. enforcement permit tools:	Not reported
IC in place date:	Not reported
IC in place:	Not reported
State/tribal program date:	Not reported
State/tribal program ID:	Not reported
State/tribal NFA date:	Not reported
Air contaminated:	Not reported
Air cleaned:	Not reported
Asbestos found:	Y
Asbestos cleaned:	Y
Controlled substance found:	Not reported
Controlled substance cleaned:	Not reported
Drinking water affected:	Not reported
Drinking water cleaned:	Not reported
Groundwater affected:	Not reported
Groundwater cleaned:	Not reported
Lead contaminant found:	Not reported
Lead cleaned up:	Not reported
No media affected:	Not reported
Unknown media affected:	Not reported
Other cleaned up:	Not reported
Other metals found:	Not reported
Other metals cleaned:	Not reported
Other contaminants found:	Not reported
Other contams found description:	Not reported
PAHs found:	Not reported
PAHs cleaned up:	Not reported
PCBs found:	Not reported
PCBs cleaned up:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**FORMER PETE'S TOP SHOP (Continued)**

**1009806908**

Petro products found:	Not reported
Petro products cleaned:	Not reported
Sediments found:	Not reported
Sediments cleaned:	Not reported
Soil affected:	Y
Soil cleaned up:	Y
Surface water cleaned:	Not reported
Unknown found:	Not reported
VOCs found:	Not reported
VOCs cleaned:	Not reported
Cleanup other description:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
Past use commercial acreage:	Not reported
Past use industrial acreage:	Not reported
Future use greenspace acreage:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Future use industrial acreage:	Not reported
Greenspace acreage and type:	Not reported
Superfund Fed. landowner flag:	N

Property Highlights: This property operated as a repair shop for small boat upholstery repair and is currently vacant. The City of Hampton purchased the property with intent to redevelop as part the brownfield project area. PPF - Former Pete's Top Shop, 8/17/06

Property Description: The property operated as a boat upholstery repair business in a former residential building and has been owned by the Simmons family since 1977.

**59**      **413 NORTH ARMISTAD AVE**  
**413 NORTH ARMISTAD AVE**  
**HAMPTON, VA 23669**

**ERNS 98447762**  
**N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**59**      **HAMPTON FLEET MANAGEMENT DIV CITY OF**  
**413 N ARMISTEAD AVE**  
**HAMPTON, VA 23669**

**RCRA-SQG 1000350039**  
**FINDS VAD982566838**

RCRA-SQG:  
 Date form received by agency: 03/17/1988  
 Facility name: HAMPTON FLEET MANAGEMENT DIV CITY OF  
 Facility address: 413 N ARMISTEAD AVE  
 HAMPTON, VA 23669  
 EPA ID: VAD982566838  
 Contact: NEVADOR EVANS  
 Contact address: 413 N ARMISTEAD AVE  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 727-6217  
 Contact email: Not reported  
 EPA Region: 03

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON FLEET MANAGEMENT DIV CITY OF (Continued)**

**1000350039**

Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: CITY OF HAMPTON  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Municipal  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Municipal  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON FLEET MANAGEMENT DIV CITY OF (Continued)**

**1000350039**

Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005233158

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

59

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG  
 413 N ARMISTEAD AVE  
 HAMPTON, VA 23669**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003690298  
 N/A**

**UST:**

**Facility:**

Facility Id: 5009193  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000065173

**Owner:**

Facility Id: 5009193  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)

U003690298

Federally Regulated:	Yes
Tank Number:	13-C2SVCGR
Tank Capacity:	550
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	13-C2SVCGR
Install Date:	01-DEC-1996
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	13-C2SVCGR
Install Date:	01-DEC-1996
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	13-C2SVCGR
Install Date:	01-DEC-1996
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	15-SCHBRD
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	15-SCHBRD
Install Date:	01-MAY-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)

U003690298

Own Id: 36544  
 Tank Number: 15-SCHBRD  
 Install Date: 01-MAY-1998  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness Y  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory Y  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment Y  
 Tank Release Detection: Int Double Walled Y  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment Y  
 Pipe Release Det: Interior Double Walled Y  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5009193  
 Own Id: 36544  
 Tank Number: 15-SCHBRD  
 Install Date: 01-MAY-1998  
 Tank Status: CURR IN USE  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note FLEXIBLE

Tank Number: 16-SWRMNT  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	16-SWRMNT
Install Date:	01-DEC-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	16-SWRMNT
Install Date:	01-DEC-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Number:	16-SWRMNT
Install Date:	01-DEC-1998
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	FLEXIBLE PLASTIC

Tank Number:	17-SWRMNT
Tank Capacity:	12000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	17-SWRMNT
Install Date:	01-DEC-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	17-SWRMNT
Install Date:	01-DEC-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	17-SWRMNT
Install Date:	01-DEC-1998
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	FLEXIBLE PLASTIC

Tank Number:	G2
Tank Capacity:	300
Tank Contents:	HYDRAULIC OIL
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	G2
Install Date:	01-MAY-1975
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	G2
Install Date:	01-MAY-1975
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	G2
Install Date:	01-MAY-1975
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	300
Tank Contents:	HYDRAULIC OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R1
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R1
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)

U003690298

Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5009193  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 01-MAY-1975  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R10-SWRMNT  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5009193  
 Own Id: 36544  
 Tank Number: R10-SWRMNT  
 Install Date: 01-MAY-1975  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R10-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R10-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Number:	R11-SWRMNT
Tank Capacity:	12000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R11-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R11-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R11-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R12-C2SVCG
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R12-C2SVCG
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R12-C2SVCG

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R12-C2SVCG
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R14-SCHBRD
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)

U003690298

Own Id:	36544
Tank Number:	R14-SCHBRD
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R14-SCHBRD
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R14-SCHBRD
Install Date:	01-JAN-1975

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)

U003690298

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	300
Tank Contents:	HYDRAULIC OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R3
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R3
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R3
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R4
Install Date:	30-APR-1970
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R4
Install Date:	30-APR-1970
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R4
Install Date:	30-APR-1970
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R5
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R5
Install Date:	30-APR-1970
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R5
Install Date:	30-APR-1970
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R5
Install Date:	30-APR-1970
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R6
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R6
Install Date:	30-APR-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R6
Install Date:	30-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R6
Install Date:	30-APR-1972
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)

U003690298

Tank Number:	R7
Tank Capacity:	1500
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R7
Install Date:	01-MAY-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R7
Install Date:	01-MAY-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)

U003690298

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R7
Install Date:	01-MAY-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R8-SWRMNT
Tank Capacity:	3000
Tank Contents:	MOTOR OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R8-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R8-SWRMNT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R8-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R9-SWRMNT
Tank Capacity:	12000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009193



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Own Id:	36544
Tank Number:	R9-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R9-SWRMNT
Install Date:	01-MAY-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009193
Own Id:	36544
Tank Number:	R9-SWRMNT
Install Date:	01-MAY-1975

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG (Continued)**

**U003690298**

Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5009193
FRP Financial Assurance:	Min
Owner Name:	FLEET MAINTENANCE COMPLEX / SCHOOL BOARD BLDG
ROF Own Id:	36544
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	20000
Third Party:	60000
Annual Aggregate:	80000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Hampton City - Garage
CEDS Facility Id:	200000065173
Tank Type Count:	17
Location:	Not reported

59

**HAMPTON CITY - GARAGE**  
**413 N ARMISTEAD AVE**  
**HAMPTON, VA 23669**

**VA LUST S106048263**  
**VA LTANKS N/A**  
**VA SPILLS**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000065173
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	07/25/1998
Pollution Complaint Num:	19991644
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported

Region:	TD
Region Code:	TRO
Facility ID:	200000065173
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	08/21/1998
Pollution Complaint Num:	19991644
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY - GARAGE (Continued)**

**S106048263**

Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further action letter sent 2/18/04

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 07/25/1998  
 Pollution Complaint Num: 19992212  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: LOOSE FILL CAP & HEAVY RAINS CAUSED A RELEASE OF DIESEL FUEL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 03/05/1999  
 Pollution Complaint Num: 19992212  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 08/09/1995  
 Pollution Complaint Num: 19962220  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: 12K DIESEL UST LINE FAILED A TIGHTNESS TEST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 03/21/1996  
 Pollution Complaint Num: 19962220  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972214  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS FOUND DURING UST REMOVAL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY - GARAGE (Continued)**

**S106048263**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 09/12/1997  
 Pollution Complaint Num: 19972214  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED. NFAR.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972215  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS FOUND DURING UST REMOVAL

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 03/02/1999  
 Pollution Complaint Num: 19972215  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 08/10/1989  
 Pollution Complaint Num: 19891393  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: REPORTED LEAK IN FILL PIPE, DISCOVERED ON 7-14-89.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status: Closed**  
 Completed Date: 08/09/1994  
 Pollution Complaint Num: 19891393  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

Region: TD  
 Region Code: TRO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON CITY - GARAGE (Continued)**

**S106048263**

Facility ID: 200000065173  
**Facility Status:** **Closed**  
 Completed Date: 07/17/1989  
 Pollution Complaint Num: 19900075  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: LEAK IN FILL PIPE FOUND DURING TT TESTING-APPROX. 2-3 GALLONS LOST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065173  
**Facility Status:** **Closed**  
 Completed Date: 08/06/1994  
 Pollution Complaint Num: 19900075  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065173  
**Case Status:** **Closed**  
 Pollution Complaint #: 19992212  
 Reported: 25-JUL-1998

Region: TRO  
 CEDS Facility Id: 200000065173  
**Case Status:** **Closed**  
 Pollution Complaint #: 19991644  
 Reported: 25-JUL-1998

Region: TRO  
 CEDS Facility Id: 200000065173  
**Case Status:** **Closed**  
 Pollution Complaint #: 19972215  
 Reported: 26-JUL-1996

Region: TRO  
 CEDS Facility Id: 200000065173  
**Case Status:** **Closed**  
 Pollution Complaint #: 19972214  
 Reported: 26-JUL-1996

Region: TRO  
 CEDS Facility Id: 200000065173  
**Case Status:** **Closed**  
 Pollution Complaint #: 19962220  
 Reported: 09-AUG-1995

Region: TRO  
 CEDS Facility Id: 200000065173  
**Case Status:** **Closed**  
 Pollution Complaint #: 19900075  
 Reported: 17-JUL-1989

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY - GARAGE (Continued)**

**S106048263**

Region: TRO  
 CEDS Facility Id: 200000065173  
**Case Status: Closed**  
 Pollution Complaint #: 19891393  
 Reported: 10-AUG-1989

**SPILLS TD:**

Region: TD  
 PC Number: Not reported  
 Incident Response: 2002-T-1530  
 Incident Date: 2/25/2002  
 Time In: 11:30:00 AM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: False  
 Solid Waste: False  
 Haz Waste: True  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: PAINT  
 Possible Receptors: Not reported  
 Qty Released: 0  
 Unit: Not reported  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: TLK  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY - GARAGE (Continued)**

**S106048263**

Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: DURING INSPECTION YELLOW PAINT ON SIDE OF BLDG & GROUND WAS OBSERVED  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: DEQ - TRO  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7575182000  
 Report By Name: DEANNA DODSON  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

60

**MCDONALD TRACT  
 1265, 1315, AND 1321 QUEEN ST  
 HAMPTON, VA 23661**

**VA LUST S106544829  
 VA LTANKS N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000217058  
**Facility Status: Closed**  
 Completed Date: 09/09/2004  
 Pollution Complaint Num: 20055057  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000217058  
**Facility Status: Closed**  
 Completed Date: 08/09/2005  
 Pollution Complaint Num: 20055057  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000217058  
**Case Status: Closed**  
 Pollution Complaint #: 20055057  
 Reported: 09-SEP-2004

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

61 HAMPTON COMMUNITY SERVICE CENTER  
 1320 LASALLE AVENUE  
 HAMPTON, VA 23669

VA LUST U003692133  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091155  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972218  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS DISCOVERED FURING UST REMOVAL

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091155  
**Facility Status: Closed**  
 Completed Date: 05/07/1998  
 Pollution Complaint Num: 19972218  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000091155  
**Case Status: Closed**  
 Pollution Complaint #: 19972218  
 Reported: 26-JUL-1996

UST:

Facility:  
 Facility Id: 5022040  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000091155

Owner:  
 Facility Id: 5022040  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: G1  
 Tank Capacity: 6000  
 Tank Contents: HEATING OIL  
**Tank Status: CLS IN GRD**  
 Tank Type: UST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON COMMUNITY SERVICE CENTER (Continued)**

**U003692133**

Tank Material:

Tank Type:	UST
Fac Id:	5022040
Own Id:	36544
Tank Number:	G1
Install Date:	26-MAY-1987
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5022040
Own Id:	36544
Tank Number:	G1
Install Date:	26-MAY-1987
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5022040

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON COMMUNITY SERVICE CENTER (Continued)**

**U003692133**

Own Id:	36544
Tank Number:	G1
Install Date:	26-MAY-1987
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5022040
FRP Financial Assurance:	Min
Owner Name:	HAMPTON COMMUNITY SERVICE CENTER
ROF Own Id:	36544
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	20000
Third Party:	60000
Annual Aggregate:	80000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Hampton Community Service Center
CEDS Facility Id:	200000091155
Tank Type Count:	1
Location:	Not reported

61

**EXXON S/S #2-4535  
 1307 LASALLE AVE  
 HAMPTON, VA 23369**

**VA UST U003690482  
 N/A**

UST:

Facility:

Facility Id:	5010008
Facility Type:	GAS STATION
CEDS Facility ID:	200000096917

Owner:

Facility Id:	5010008
Owner Id:	36553
Owner Name:	Exxon Company USA
Owner Address:	PO Box 4415
Owner Address2:	Not reported
Owner City, State, Zip:	Houston, TX 77210
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated:	Yes
----------------------	-----

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4535 (Continued)**

**U003690482**

Tank Number:	R1
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R1
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R1
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-4535 (Continued)**

**U003690482**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R1
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R2
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-4535 (Continued)**

**U003690482**

Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R2
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010008

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON S/S #2-4535 (Continued)**

**U003690482**

Own Id: 36553  
 Tank Number: R3  
 Install Date: 01-MAY-1982  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5010008  
 Own Id: 36553  
 Tank Number: R3  
 Install Date: 01-MAY-1982  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5010008  
 Own Id: 36553  
 Tank Number: R3  
 Install Date: 01-MAY-1982

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-4535 (Continued)**

**U003690482**

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R4
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R4
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON S/S #2-4535 (Continued)**

**U003690482**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010008
Own Id:	36553
Tank Number:	R4
Install Date:	01-MAY-1982
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

62

**HOOKS RESIDENCE - HURRICAN IDA  
 143 WOODLAND RD  
 HAMPTON, VA 23663**

**VA LUST S110145430  
 VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000852707
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	12/04/2009
Pollution Complaint Num:	20105095
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release Reported

Region:	TD
Region Code:	TRO



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOOKS RESIDENCE - HURRICAN IDA (Continued)**

**S110145430**

Facility ID: 200000852707  
**Facility Status: Closed**  
 Completed Date: 01/26/2010  
 Pollution Complaint Num: 20105095  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000852707  
**Case Status: Closed**  
 Pollution Complaint #: 20105095  
 Reported: 04-DEC-2009

63

**MTM AUTOMOTIVE AMOCO**  
**234 W. PEMBROKE AVE.**  
**HAMPTON, VA 23669**

**VA LUST U003690881**  
**VA LTANKS N/A**  
**VA UST**  
**VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066224  
**Facility Status: Closed**  
 Completed Date: 12/05/1989  
 Pollution Complaint Num: 19900697  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: GASOLINE LEACHING INTO STORM SEWER (INTO TRIB. TO BRIGHT'S CREEK).

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066224  
**Facility Status: Closed**  
 Completed Date: 08/12/1994  
 Pollution Complaint Num: 19900697  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066224  
**Case Status: Closed**  
 Pollution Complaint #: 19900697  
 Reported: 05-DEC-1989

UST:

Facility:  
 Facility Id: 5012193  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000066224

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MTM AUTOMOTIVE AMOCO (Continued)**

**U003690881**

Owner:  
 Facility Id: 5012193  
 Owner Id: 27789  
 Owner Name: Miller Oil Co Inc  
 Owner Address: 1000 E City Hall Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5012193  
 Own Id: 27789  
 Tank Number: 1  
 Install Date: 02-APR-1966  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5012193  
 Own Id: 27789  
 Tank Number: 1  
 Install Date: 02-APR-1966  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MTM AUTOMOTIVE AMOCO (Continued)**

**U003690881**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	1
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	2
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MTM AUTOMOTIVE AMOCO (Continued)**

**U003690881**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	2
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	2
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MTM AUTOMOTIVE AMOCO (Continued)

U003690881

Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	3
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	3
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MTM AUTOMOTIVE AMOCO (Continued)**

**U003690881**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	3
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	550
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	4
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MTM AUTOMOTIVE AMOCO (Continued)**

**U003690881**

Release:

Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	4
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5012193
Own Id:	27789
Tank Number:	4
Install Date:	02-APR-1966
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5012193
FRP Financial Assurance:	Full
Owner Name:	MTM AUTOMOTIVE AMOCO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MTM AUTOMOTIVE AMOCO (Continued)**

**U003690881**

ROF Own Id: 27789  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: MTM Automotive Amoco  
 CEDS Facility Id: 200000066224  
 Tank Type Count: 4  
 Location: Not reported

63

**MR YIS AUTO REPAIR/WESCOTT AMOCO  
 201 W PEMBROKE AVE  
 HAMPTON, VA 23669**

**VA UST U003690886  
 N/A**

UST:

Facility:

Facility Id: 5012199  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000066220

Owner:

Facility Id: 5012199  
 Owner Id: 29555  
 Owner Name: JEANNETTE H. WHEELER  
 Owner Address: 180 WEST STREET EXT  
 Owner Address2: Not reported  
 Owner City, State, Zip: WARWICH, NY 10990  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5012199  
 Own Id: 29555  
 Tank Number: R1  
 Install Date: 10-APR-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R1
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R1
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Tank Number:	R2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R2
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R2
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)

U003690886

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R2
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R3
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R3
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5012199

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Own Id:	29555
Tank Number:	R4
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R4
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R4
Install Date:	10-APR-1971

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R5
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R5
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R5
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5012199  
 Own Id: 29555  
 Tank Number: R5  
 Install Date: 10-APR-1971  
 Tank Status: REM FROM GRD  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R6  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5012199  
 Own Id: 29555  
 Tank Number: R6  
 Install Date: 10-APR-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R6
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5012199
Own Id:	29555
Tank Number:	R6
Install Date:	10-APR-1971
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R7  
 Tank Capacity: 550  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5012199  
 Own Id: 29555  
 Tank Number: R7  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5012199  
 Own Id: 29555  
 Tank Number: R7  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**U003690886**

Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5012199  
 Own Id: 29555  
 Tank Number: R7  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

63

**MR YIS AUTO REPAIR/WESCOTT AMOCO**  
**201 W PEMBROKE AVE**  
**HAMPTON, VA 23669**

**VA LUST S108921306**  
**VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066220  
**Facility Status: Closed**  
 Completed Date: 12/20/1994  
 Pollution Complaint Num: 19952306  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: RCVD. CLOSURE REPORT ON 5 GASOLINE & 1 WASTE OIL UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066220  
**Facility Status: Closed**  
 Completed Date: 09/13/1995  
 Pollution Complaint Num: 19952306  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: SOIL DISPOSAL INFO. RCVD. -CASE CLOSED AGAIN. Case originally closed

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MR YIS AUTO REPAIR/WESCOTT AMOCO (Continued)**

**S108921306**

on 5/12/95 (waste handling soil disposal part)

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066220  
**Case Status: Closed**  
 Pollution Complaint #: 19952306  
 Reported: 20-DEC-1994

**63 PETTIES CAR SALES  
 201 W. PEMBROKE AVE  
 HAMPTON, VA 23669**

**FINDS 1014847796  
 N/A**

FINDS:

Registry ID: 110041720144

Environmental Interest/Information System

US EPA Assessment, Cleanup and Redevelopment Exchange System (ACRES)  
 is an federal online database for Brownfields Grantees to  
 electronically submit data directly to EPA.

**63 PETTIES CAR SALES  
 201 W. PEMBROKE AVE  
 HAMPTON, VA 23669**

**US BROWNFIELDS 1014477784  
 N/A**

US BROWNFIELDS:

Recipient name: Hampton, City of  
 Grant type: Assessment  
 Property name: Petties Car Sales  
 Property #: Not reported  
 Parcel size: .34  
 Latitude: 37.0295018  
 Longitude: -76.3504873  
 HCM label: Not reported  
 Map scale: Not reported  
 Point of reference: Not reported  
 Datum: Not reported  
 ACRES property ID: 107962  
 Start date: Not reported  
 Completed date: Not reported  
 Acres cleaned up: Not reported  
 Cleanup funding: Not reported  
 Cleanup funding source: Not reported  
 Assessment funding: Not reported  
 Assessment funding source: Not reported  
 Redevelopment funding: Not reported  
 Redev. funding source: Not reported  
 Redev. funding entity name: Not reported  
 Redevelopment start date: Not reported  
 Assessment funding entity: Not reported  
 Cleanup funding entity: Not reported  
 Grant type: H  
 Accomplishment type: Not reported  
 Ownership entity: Private

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PETTIES CAR SALES (Continued)**

**1014477784**

Current owner: Not reported  
 Did owner change: Not reported  
 Cleanup required: Unknown  
 Video available: Not reported  
 Photo available: Not reported  
 Institutional controls required: U  
 IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Not reported  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported  
 Controled substance found: Not reported  
 Controled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported  
 Lead contaminant found: Not reported  
 Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Not reported  
 Other metals cleaned: Not reported  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Not reported  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Not reported  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs:0  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PETTIES CAR SALES (Continued)**

**1014477784**

Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Recipient name: Hampton, City of  
 Grant type: Assessment  
 Property name: Petties Car Sales  
 Property #: Not reported  
 Parcel size: .34  
 Latitude: 37.0295018  
 Longitude: -76.3504873  
 HCM label: Not reported  
 Map scale: Not reported  
 Point of reference: Not reported  
 Datum: Not reported  
 ACRES property ID: 107962  
 Start date: Not reported  
 Completed date: Not reported  
 Acres cleaned up: Not reported  
 Cleanup funding: Not reported  
 Cleanup funding source: Not reported  
 Assessment funding: 4000  
 Assessment funding source: US EPA - Brownfields Assessment Cooperative Agreement  
 Redevelopment funding: Not reported  
 Redev. funding source: Not reported  
 Redev. funding entity name: Not reported  
 Redevelopment start date: Not reported  
 Assessment funding entity: EPA  
 Cleanup funding entity: Not reported  
 Grant type: H  
 Accomplishment type: Phase I Environmental Assessment  
 Ownership entity: Private  
 Current owner: Not reported  
 Did owner change: Not reported  
 Cleanup required: Unknown  
 Video available: Not reported  
 Photo available: Not reported  
 Institutional controls required: U  
 IC Category proprietary controls: Not reported  
 IC cat. info. devices: Not reported  
 IC cat. gov. controls: Not reported  
 IC cat. enforcement permit tools: Not reported  
 IC in place date: Not reported  
 IC in place: Not reported  
 State/tribal program date: Not reported  
 State/tribal program ID: Not reported  
 State/tribal NFA date: Not reported  
 Air contaminated: Not reported  
 Air cleaned: Not reported  
 Asbestos found: Not reported  
 Asbestos cleaned: Not reported  
 Controlled substance found: Not reported  
 Controlled substance cleaned: Not reported  
 Drinking water affected: Not reported  
 Drinking water cleaned: Not reported  
 Groundwater affected: Not reported  
 Groundwater cleaned: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PETTIES CAR SALES (Continued)**

**1014477784**

Lead contaminant found: Not reported  
 Lead cleaned up: Not reported  
 No media affected: Not reported  
 Unknown media affected: Not reported  
 Other cleaned up: Not reported  
 Other metals found: Not reported  
 Other metals cleaned: Not reported  
 Other contaminants found: Not reported  
 Other contams found description: Not reported  
 PAHs found: Not reported  
 PAHs cleaned up: Not reported  
 PCBs found: Not reported  
 PCBs cleaned up: Not reported  
 Petro products found: Not reported  
 Petro products cleaned: Not reported  
 Sediments found: Not reported  
 Sediments cleaned: Not reported  
 Soil affected: Not reported  
 Soil cleaned up: Not reported  
 Surface water cleaned: Not reported  
 Unknown found: Not reported  
 VOCs found: Not reported  
 VOCs cleaned: Not reported  
 Cleanup other description: Not reported  
 Num. of cleanup and re-dev. jobs: Not reported  
 Past use greenspace acreage: Not reported  
 Past use residential acreage: Not reported  
 Past use commercial acreage: Not reported  
 Past use industrial acreage: Not reported  
 Future use greenspace acreage: Not reported  
 Future use residential acreage: Not reported  
 Future use commercial acreage: Not reported  
 Future use industrial acreage: Not reported  
 Greenspace acreage and type: Not reported  
 Superfund Fed. landowner flag: Not reported

Property Description: The site is currently houses a used car lot and car wash operation. Mr. Basseri Darvish Hoshang purchased the property in 1995 from Ms. Jeannette Wheeler and now leases it to Mr. Douglas Pettie who owns and operates the vehicle sales and washing business. The site was formerly occupied by a filling station prior to becoming a car lot. This historical use triggered the desire to study the property for evidence of petroleum by products in the soil and any left over USTs.

63

**FORMER CAR WASH SITE  
 212 W PEMBROKE AVE  
 HAMPTON, VA 23669**

**VA UST U003691863  
 N/A**

UST:

Facility:

Facility Id: 5020256  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065192

Owner:

Facility Id: 5020256  
 Owner Id: 32946  
 Owner Name: OLD POINT NATIONAL BANK  
 Owner Address: BOX 3392

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER CAR WASH SITE (Continued)**

**U003691863**

Owner Address2:	Not reported
Owner City, State, Zip:	HAMPTON, VA 23663
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020256
Own Id:	32946
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020256
Own Id:	32946
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORMER CAR WASH SITE (Continued)**

**U003691863**

Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5020256  
 Own Id: 32946  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R2  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5020256  
 Own Id: 32946  
 Tank Number: R2  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER CAR WASH SITE (Continued)**

**U003691863**

Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020256
Own Id:	32946
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020256
Own Id:	32946
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**63 SUNOCO SERVICE STATION  
 200 W PEMBROKE AVE  
 HAMPTON, VA 23369**

**RCRA-NonGen 1000329914  
 FINDS VAD096699483**

RCRA-NonGen:

Date form received by agency: 08/18/1980  
 Facility name: SUNOCO SERVICE STATION  
 Facility address: 200 W PEMBROKE AVE  
 HAMPTON, VA 23369  
 EPA ID: VAD096699483  
 Contact: DON GRAY  
 Contact address: 200 W PEMBROKE AVE  
 HAMPTON, VA 23369  
 Contact country: US  
 Contact telephone: (301) 341-0100  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: SUN OIL COMPANY OF PA  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SUNOCO SERVICE STATION (Continued)**

**1000329914**

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110006454899

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**63**

**ARMISTEAD & PEMBROKE  
 HAMPTON, VA 23669**

**FINDS 1007992932  
 N/A**

**FINDS:**

Registry ID: 110020786755

Environmental Interest/Information System

US EPA Air Quality System (AQS) contains ambient air pollution data collected by EPA, State, Local, and Tribal air pollution control agencies from thousands of monitoring stations.

**64**

**BUDGET TRANS  
 303 W PEMBROKE AVENUE  
 HAMPTON, VA 23669**

**VA UST U003689705  
 N/A**

**UST:**

Facility:

Facility Id: 5005153  
 Facility Type: TRUCKING/TRANSPORT  
 CEDS Facility ID: 200000064322

Owner:

Facility Id: 5005153  
 Owner Id: 31216  
 Owner Name: BUDGET TRANS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BUDGET TRANS (Continued)**

**U003689705**

Owner Address:	303 W PEMBROKE AVENUE
Owner Address2:	Not reported
Owner City, State, Zip:	HAMPTON, VA 23669
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	No
Tank Number:	1
Tank Capacity:	250
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5005153
Own Id:	31216
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5005153
Own Id:	31216
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BUDGET TRANS (Continued)**

**U003689705**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5005153
Own Id:	31216
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

64

**HOPS PLACE INC  
 320 WEST PEMBROKE AVE  
 HAMPTON, VA 23669**

**RCRA-SQG 1000582361  
 FINDS VAD988211991**

RCRA-SQG:  
 Date form received by agency: 02/05/1992  
 Facility name: HOPS PLACE INC  
 Facility address: 320 WEST PEMBROKE AVE  
 HAMPTON, VA 23669  
 EPA ID: VAD988211991  
 Contact: CHARLES HOPKINS  
 Contact address: 320 WEST PEMBROKE AVE  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 723-0747  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:  
 Owner/operator name: HOPS PLACE INC

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOPS PLACE INC (Continued)**

**1000582361**

Owner/operator address: 320 WEST PEMBROKKE AVE  
 HAMPTON, VA 23669  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 723-0747  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined  
  
 Waste code: D008  
 Waste name: LEAD  
  
 Violation Status: No violations found

FINDS:

Registry ID: 110005250343

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

65 TIRE WORLD  
 430 W PEMBROKE AVE  
 HAMPTON (County), VA

VA SPILLS S106049251  
 N/A

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2003-T-0429
Incident Date:	8/27/2002
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	RALPH FLOYD
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	7577223505
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	True
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	DEBRIS-CONSTRUCTION
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	REF
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>9/13/2002</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TIRE WORLD (Continued)**

**S106049251**

Date Received: Not reported  
 Source: Not reported  
 Summary: CALLER ALLEGED THAT CONSTRUCTION DEBRIS FROM 424 W PEMBROKE WAS DUMPED ON LOCATION ABOVE  
 Comments: MEMO  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7573289794  
 Report By Name: BRIAN BULL  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

**66 30-307 BROUGH LANE  
 30-307 BROUGH LANE  
 HAMPTON, VA**

**ERNS 91203106  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**67 7-ELEVEN 34306  
 355 MERCURY BLVD  
 HAMPTON, VA 23663**

**FINDS 1014848496  
 N/A**

**FINDS:**

Registry ID: 110041195514

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

67 ZOOMS #5  
 355 E MERCURY BLVD  
 HAMPTON, VA 23663

VA LUST S110145261  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067844  
**Facility Status: Closed**  
 Completed Date: 05/22/1995  
 Pollution Complaint Num: 19952398  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: 17 GALLON LOSS OF PRODUCT DETECTED WITH THE SIR METHOD.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067844  
**Facility Status: Closed**  
 Completed Date: 06/14/1995  
 Pollution Complaint Num: 19952398  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067844  
**Case Status: Closed**  
 Pollution Complaint #: 19952398  
 Reported: 22-MAY-1995

67 7-ELEVEN 34306  
 355 E MERCURY BLVD  
 HAMPTON, VA 23663

VA UST U004149566  
 VA FINANCIAL ASSURANCE N/A

UST:

Facility:  
 Facility Id: 5010937  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000067844

Owner:  
 Facility Id: 5010937  
 Owner Id: 37307  
 Owner Name: Zooms Inc  
 Owner Address: 2451 W Pembroke Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23661  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5010937  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated  
 Owner Address: PO Box 711  
 Owner Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN 34306 (Continued)**

**U004149566**

Owner City, State, Zip:	Dallas, TX 75221
UST Status:	Un-Reg
AST Status:	N/A
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	1
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Tank lining Internally inspected July 3, 2007.
Release:	
Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	1
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34306 (Continued)**

**U004149566**

Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	1
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	2
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Tank lining Internally inspected July 3, 2007.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34306 (Continued)**

**U004149566**

Release:

Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	2
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	2
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	6000
Tank Contents:	DIESEL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34306 (Continued)**

**U004149566**

<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	3
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Tank lining Internally inspected July 3, 2007.
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5010937
Own Id:	38838
Tank Number:	3
Install Date:	01-MAY-1980
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34306 (Continued)**

**U004149566**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5010937  
 Own Id: 38838  
 Tank Number: 3  
 Install Date: 01-MAY-1980  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID: 5010937  
 FRP Financial Assurance: Full  
 Owner Name: 7-Eleven 34306  
 ROF Own Id: 38838  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$2,000,000  
 Third Party: \$2,000,000  
 Annual Aggregate: \$2,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: 7-Eleven 34306  
 CEDS Facility Id: 200000067844  
 Tank Type Count: 3  
 Location: Not reported

68

**ADB INC T/A MAACO AUTO PNT & BDYWORK  
 827 W PEMBROKE AVE  
 HAMPTON, VA 23669**

**RCRA-SQG 1000174932  
 FINDS VAD131401812**

**RCRA-SQG:**

Date form received by agency: 04/29/1986  
 Facility name: ADB INC T/A MAACO AUTO PNT & BDYWORK  
 Facility address: 827 W PEMBROKE AVE  
 HAMPTON, VA 23669  
 EPA ID: VAD131401812  
 Contact: REGINA BLANKENSHIP  
 Contact address: 827 W PEMBROKE AVE  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 723-0765  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Facility is not located on Indian land. Additional information is not known.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ADB INC T/A MAACO AUTO PNT & BDYWORK (Continued)**

**1000174932**

Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: BLANKENSHIP DALE A & REGINA  
 Owner/operator address: 827 W PEMBROKE AVE  
 HAMPTON, VA 23669  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 723-0765  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Facility Has Received Notices of Violations:

Regulation violated: SR - VHWMR 6.4.E.&9.8  
 Area of violation: Generators - General  
 Date violation determined: 06/18/1993  
 Date achieved compliance: 07/27/1993  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 06/18/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ADB INC T/A MAACO AUTO PNT & BDYWORK (Continued)**

**1000174932**

Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 15.1.G.  
 Area of violation: LDR - General  
 Date violation determined: 06/18/1993  
 Date achieved compliance: 05/13/1999  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 06/18/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.4  
 Area of violation: Generators - General  
 Date violation determined: 06/18/1993  
 Date achieved compliance: 07/27/1993  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 06/18/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Evaluation Action Summary:  
 Evaluation date: 04/08/1999  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: EPA

Evaluation date: 06/18/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: LDR - General  
 Date achieved compliance: 05/13/1999  
 Evaluation lead agency: State

Evaluation date: 06/18/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 07/27/1993  
 Evaluation lead agency: State

**FINDS:**

Registry ID: 110005227673

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ADB INC T/A MAACO AUTO PNT & BDYWORK (Continued)**

**1000174932**

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**68 CHESAPEAKE BAY MANUFACTURING INCORPORATED**  
**813 W PEMBROKE AVENUE**  
**HAMPTON, VA 23669**

**FINDS 1005832032**  
**N/A**

**FINDS:**

Registry ID: 110012168297

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

**68 CHESAPEAKE BAY SHUTTERS**  
**813 W PEMBROKE AVE**  
**HAMPTON (County), VA**

**VA SPILLS S108921823**  
**N/A**

**SPILLS TD:**

Region: TD  
 PC Number: Not reported  
 Incident Response: 2001-T-1218  
 Incident Date: 12/21/2000  
 Time In: 8:30:00 AM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

CHESAPEAKE BAY SHUTTERS (Continued)

S108921823

Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	12/21/2000
Call Date:	Not reported
Inspector:	TAD
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>1/3/2001</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	FD INFORMED US THAT THERE IS A POSSIBLE FUGITIVE PAINT EMISSION ISSUE FROM THE SPRAY PAINT BOOTH
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	HAMPTON FD
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7577271207
Report By Name:	CAPT WITHERSPOON
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0
Region:	TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

CHESAPEAKE BAY SHUTTERS (Continued)

S108921823

PC Number:	Not reported
Incident Response:	2005-T-1348
Incident Date:	4/4/2005
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	CHESAPEAKE BAY SHUTTERS
RP Company:	Not reported
RP Address:	813 W PEMBROKE AVE
RP City,St,Zip:	HAMPTON, VA 23669
Resp Party Phone:	7577233435
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	4/6/2005
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>4/14/2005</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	MR WINDER COMPLAINS ABOUT ODORS COMING TO HIS BARBER SHOP FROM CHESAPEAKE BAY SHUTTERS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CHESAPEAKE BAY SHUTTERS (Continued)**

**S108921823**

Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7577239825  
 Report By Name: MR LEON WINDER  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

68

**PEMBROKE CONSTRUCTION COMPANY, INC**  
**802 WEST PEMBROKE AVENUE**  
**HAMPTON, VA 23669**

**VA UST U003691609**  
**N/A**

UST:

Facility:

Facility Id: 5018088  
 Facility Type: CONTRACTOR  
 CEDS Facility ID: 200000066515

Owner:

Facility Id: 5018088  
 Owner Id: 34743  
 Owner Name: PEMBROKE CONSTRUCTION COMPANY, INC  
 Owner Address: 802 WEST PEMBROKE AVENUE  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 5000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5018088  
 Own Id: 34743  
 Tank Number: R1  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PEMBROKE CONSTRUCTION COMPANY, INC (Continued)**

**U003691609**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5018088
Own Id:	34743
Tank Number:	R1
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5018088
Own Id:	34743
Tank Number:	R1
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEMBROKE CONSTRUCTION COMPANY, INC (Continued)**

**U003691609**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5018088
Own Id:	34743
Tank Number:	R2
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5018088
Own Id:	34743
Tank Number:	R2
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEMBROKE CONSTRUCTION COMPANY, INC (Continued)**

**U003691609**

Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5018088  
 Own Id: 34743  
 Tank Number: R2  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R3  
 Tank Capacity: 10000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5018088  
 Own Id: 34743  
 Tank Number: R3  
 Install Date: 06-MAY-1972  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PEMBROKE CONSTRUCTION COMPANY, INC (Continued)**

**U003691609**

Release:

Tank Type:	UST
Fac Id:	5018088
Own Id:	34743
Tank Number:	R3
Install Date:	06-MAY-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5018088
Own Id:	34743
Tank Number:	R3
Install Date:	06-MAY-1972
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

68      **PEMBROKE CONSTRUCTION CO INC**      **RCRA-CESQG**      **1004790178**  
**802 W PEMBROKE AVE**      **FINDS**      **VAD988197844**  
**HAMPTON, VA 23669**

RCRA-CESQG:

Date form received by agency: 04/15/1991  
 Facility name: PEMBROKE CONSTRUCTION CO INC  
 Facility address: 802 W PEMBROKE AVE  
 HAMPTON, VA 23669  
 EPA ID: VAD988197844  
 Mailing address: PO BOX 486  
 HAMPTON, VA 23669  
 Contact: FRANK HACKNEY  
 Contact address: 802 W PEMBROKE AVE  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 722-2591  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: PEMBROKE CONSTRUCTION CO INC  
 Owner/operator address: 802 W PEMBROKE AVE  
 HAMPTON, VA 23669  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 722-2591  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEMBROKE CONSTRUCTION CO INC (Continued)**

**1004790178**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name:

IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110001893201

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEMBROKE CONSTRUCTION CO INC (Continued)**

**1004790178**

complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

69

**MAACO  
 CORNER OF PEMBROKE & PATTERSON AVE  
 HAMPTON (County), VA**

**VA SPILLS S106046387  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2001-T-1134
Incident Date:	12/7/2000
Time In:	8:40:00 AM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	PAINT FUMES
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	12/7/2000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MAACO (Continued)

S106046387

Call Date: Not reported  
 Inspector: TAD  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 1/3/2001**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: RESIDENT COMPLAINING OF ODOR FROM LOCATION ABOVE AT LEAST 2-3x A WEEK.  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7577239825  
 Report By Name: JAMES WYNDER  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

69

228 PATTERSON AVE  
 HAMPTON, VA

VA LUST S105987325  
 VA SPILLS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065430  
**Facility Status: Closed**  
 Completed Date: 11/29/1993  
 Pollution Complaint Num: 19940917  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: POSSIBLE CONTAMINATION ASSOC. W/MINERAL SPIRITS, RESIN, ANTFRZE USTS

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065430  
**Facility Status: Closed**  
 Completed Date: 08/24/1994  
 Pollution Complaint Num: 19940917  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105987325

Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-WASTE'S ENFORCEMENT ORDER TO BE HANDLED SEPARATELY.

SPILLS TD:

Region:	TD
PC Number:	94-917
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**(Continued)**

**S105987325**

NOV Number: Not reported  
 Date Received: 11/29/1993  
 Source: UST  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: REPORTED REMOVAL OF USTs AT FACILITY IN MID-SEPT.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 11/29/1993  
 Incident Time: 15:20  
 Incident Type: PETROLEUM  
 Stream: GROUND  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

69

**GARDCO INTL COATINGS  
 228B PATTERSON AVE  
 HAMPTON, VA 23669**

**RCRA-SQG 1001125924  
 FINDS VAR000005991**

RCRA-SQG:

Date form received by agency: 11/01/1996  
 Facility name: GARDCO INTL COATINGS  
 Facility address: 228B PATTERSON AVE  
 HAMPTON, VA 23669  
 EPA ID: VAR000005991  
 Contact: BERNARD GARDIER  
 Contact address: 228B PATTERSON AVE  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (757) 722-9155  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: PENNY COLIN  
 Owner/operator address: 228A PATTERSON AVE  
 HAMPTON, VA 23669  
 Owner/operator country: Not reported  
 Owner/operator telephone: (757) 723-6520  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GARDCO INTL COATINGS (Continued)**

**1001125924**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D004  
 Waste name: ARSENIC

Waste code: D005  
 Waste name: BARIUM

Waste code: D006  
 Waste name: CADMIUM

Waste code: D007  
 Waste name: CHROMIUM

Waste code: D008  
 Waste name: LEAD

Waste code: D035  
 Waste name: METHYL ETHYL KETONE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005259727

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

69 HAMPTON PAINT MFG CO INC CERC-NFRAP 1000350033  
 228 PATTERSON AVE CORRACTS VAD003146982  
 HAMPTON, VA 23669 RCRA-TSDF  
 RCRA-NonGen  
 FINDS  
 VA UST

CERC-NFRAP:

Site ID: 0302532  
 Federal Facility: Not a Federal Facility  
 NPL Status: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

CERCLIS-NFRAP Assessment History:

Action: DISCOVERY  
 Date Started: Not reported  
 Date Completed: 09/01/1980  
 Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT  
 Date Started: Not reported  
 Date Completed: 04/01/1982  
 Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

Action: ARCHIVE SITE  
 Date Started: Not reported  
 Date Completed: 04/01/1982  
 Priority Level: Not reported

Action: ARCHIVE SITE  
 Date Started: Not reported  
 Date Completed: 04/01/1982  
 Priority Level: Not reported

Action: NON-NATIONAL PRIORITIES LIST POTENTIALLY RESPONSIBLE PARTY SEARCH  
 Date Started: Not reported  
 Date Completed: 01/24/1985  
 Priority Level: Not reported

Action: Notice Letters Issued  
 Date Started: Not reported  
 Date Completed: 01/24/1985  
 Priority Level: Not reported

CORRACTS:

EPA ID: VAD003146982  
 EPA Region: 03  
 Area Name: ENTIRE FACILITY  
 Actual Date: 09/18/2004  
 Action: CA100 - RFI Imposition  
 NAICS Code(s): 32551  
 Paint and Coating Manufacturing  
 Original schedule date: Not reported  
 Schedule end date: Not reported

RCRA-TSDF:



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Date form received by agency: 10/27/1999  
 Facility name: HAMPTON PAINT MFG CO INC  
 Facility address: 228 PATTERSON AVE  
 HAMPTON, VA 23669  
 EPA ID: VAD003146982  
 Contact: Not reported  
 Contact address: Not reported  
 Contact country: Not reported  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Private  
 Classification: TSD  
 Description: Handler is engaged in the treatment, storage or disposal of hazardous waste  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: COPEN INC  
 Owner/operator address: 228C PATTERSON AVE  
 HAMPTON, VA 23669  
 Owner/operator country: Not reported  
 Owner/operator telephone: (757) 723-6524  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: Yes  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Historical Generators:

Date form received by agency: 08/08/1980  
 Facility name: HAMPTON PAINT MFG CO INC  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: K078  
 Waste name: K078

Waste code: K079  
 Waste name: K079

Corrective Action Summary:

Event date: 09/18/2004  
 Event: RFI Imposition

Facility Has Received Notices of Violations:

Regulation violated: SR - VHWMR 6.4.E.2  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 07/15/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: 19900  
 Paid penalty amount: 19900

Regulation violated: SR - VHWMR 9.7.C.D & G  
 Area of violation: TSD - Financial Requirements  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 08/20/1999  
 Violation lead agency: State  
 Enforcement action: Referral to Enforcement  
 Enforcement action date: 01/17/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.1.F  
 Area of violation: Generators - General  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Regulation violated: Not reported  
 Area of violation: Generators - Manifest  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 07/15/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: 19900  
 Paid penalty amount: 19900

Regulation violated: SR - VHWMR & 6.4.E.& 9.2.E  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR & 6.4.E.& 9.2.E  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.6 & 9.7  
 Area of violation: TSD - Closure/Post-Closure  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 10/18/1996  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E & 9.8  
 Area of violation: TSD - Container Use and Management  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: Not reported  
 Area of violation: Generators - Manifest  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: Revision of Enforcement Order  
 Enforcement action date: 04/24/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.4.D & 6.4 & 6.5  
 Area of violation: Generators - Records/Reporting  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.6 & 9.7  
 Area of violation: TSD - Closure/Post-Closure  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 10/18/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.6 & 9.7  
 Area of violation: TSD - Closure/Post-Closure  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 10/18/1996  
 Violation lead agency: State  
 Enforcement action: Revision of Enforcement Order  
 Enforcement action date: 04/24/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4. & 9.3  
 Area of violation: TSD - Contingency Plan and Emergency Procedures  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.6 & 9.7  
 Area of violation: TSD - Closure/Post-Closure  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 10/18/1996  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 03/29/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.6 & 9.7  
 Area of violation: TSD - Closure/Post-Closure  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 10/18/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 07/15/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: 19900  
 Paid penalty amount: 19900

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Regulation violated: SR - VHWMR 6.4.E.2  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.2  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: Referral to Enforcement  
 Enforcement action date: 01/17/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.1.F  
 Area of violation: Generators - General  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.6 & 9.7  
 Area of violation: TSD - Closure/Post-Closure  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 10/18/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.1  
 Area of violation: TSD - General  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.6 & 9.7  
 Area of violation: TSD - Closure/Post-Closure  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 10/18/1996  
 Violation lead agency: State  
 Enforcement action: Referral to Enforcement  
 Enforcement action date: 01/17/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.7.C.D & G  
 Area of violation: TSD - Financial Requirements  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 08/20/1999  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.7.C.D & G  
 Area of violation: TSD - Financial Requirements

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Date violation determined: 07/28/1993  
 Date achieved compliance: 08/20/1999  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 03/29/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.7.C.D & G  
 Area of violation: TSD - Financial Requirements  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 08/20/1999  
 Violation lead agency: State  
 Enforcement action: Revision of Enforcement Order  
 Enforcement action date: 04/24/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4. & 9.3  
 Area of violation: TSD - Contingency Plan and Emergency Procedures  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.2  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 03/29/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4. & 9.1.G  
 Area of violation: Generators - General  
 Date violation determined: 07/28/1993



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.1.F  
 Area of violation: Generators - General  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: Not reported  
 Area of violation: Generators - Manifest  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 03/29/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.4.D & 6.4 & 6.5  
 Area of violation: Generators - Records/Reporting  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.4.D & 6.4 & 6.5  
 Area of violation: Generators - Records/Reporting  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.7.C.D & G  
 Area of violation: TSD - Financial Requirements  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 08/20/1999  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4. & 9.3  
 Area of violation: TSD - Contingency Plan and Emergency Procedures  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.1.D  
 Area of violation: TSD - General Facility Standards  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 07/28/1993  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.2  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.2  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: Revision of Enforcement Order  
 Enforcement action date: 04/24/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E & 9.8  
 Area of violation: TSD - Container Use and Management  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4. & 9.1.G  
 Area of violation: Generators - General  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: Not reported  
 Area of violation: Generators - Manifest  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 12/05/2001  
 Violation lead agency: State  
 Enforcement action: Referral to Enforcement

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Enforcement action date: 01/17/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.7.C.D & G  
 Area of violation: TSD - Financial Requirements  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 08/20/1999  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.7.C.D & G  
 Area of violation: TSD - Financial Requirements  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 08/20/1999  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 07/15/1996  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: 19900  
 Paid penalty amount: 19900

Regulation violated: SR - VHWMR 6.4.E & 9.8  
 Area of violation: TSD - Container Use and Management  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 08/29/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR & 6.4.E. & 9.2.E  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4. & 9.1.G  
 Area of violation: Generators - General  
 Date violation determined: 07/28/1993  
 Date achieved compliance: 07/15/1996  
 Violation lead agency: State  
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER  
 Enforcement action date: 12/16/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: 19900  
 Final penalty amount: 19900  
 Paid penalty amount: Not reported

Evaluation Action Summary:  
 Evaluation date: 09/24/2001  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

Evaluation date: 09/24/2001  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Manifest  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

Evaluation date: 05/16/2000  
 Evaluation: FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 10/27/1999  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Closure/Post-Closure  
 Date achieved compliance: 10/18/1996  
 Evaluation lead agency: State

Evaluation date: 10/27/1999  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Financial Requirements  
 Date achieved compliance: 08/20/1999  
 Evaluation lead agency: State

Evaluation date: 10/27/1999  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Manifest  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Evaluation date: 10/27/1999  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

Evaluation date: 09/14/1999  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 08/19/1999  
 Evaluation: FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 01/08/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Manifest  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

Evaluation date: 01/08/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

Evaluation date: 01/08/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Closure/Post-Closure  
 Date achieved compliance: 10/18/1996  
 Evaluation lead agency: State

Evaluation date: 01/08/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Financial Requirements  
 Date achieved compliance: 08/20/1999  
 Evaluation lead agency: State

Evaluation date: 09/27/1994  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 08/15/1994  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 05/26/1994  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 04/11/1994  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 07/15/1996  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - General  
 Date achieved compliance: 07/15/1996  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 07/15/1996  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Container Use and Management  
 Date achieved compliance: 07/15/1996  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Contingency Plan and Emergency Procedures  
 Date achieved compliance: 07/15/1996  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Financial Requirements  
 Date achieved compliance: 08/20/1999  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - Closure/Post-Closure  
 Date achieved compliance: 10/18/1996  
 Evaluation lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Manifest  
 Date achieved compliance: 12/05/2001  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Records/Reporting  
 Date achieved compliance: 07/15/1996  
 Evaluation lead agency: State

Evaluation date: 07/28/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: TSD - General Facility Standards  
 Date achieved compliance: 07/15/1996  
 Evaluation lead agency: State

**FINDS:**

Registry ID: 110000620123

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**UST:**

**Facility:**

Facility Id: 5016804  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000065430

**Owner:**

Facility Id: 5016804  
 Owner Id: 33619  
 Owner Name: HAMPTON PAINT MFG CO INC  
 Owner Address: 228 PATTERSON AVE.  
 Owner Address2: HAMPTON  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 6000  
 Tank Contents: HAZARD  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

**Tank Material:**

Tank Type: UST  
 Fac Id: 5016804



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Own Id:	33619
Tank Number:	R1
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R1
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R1
Install Date:	06-MAY-1956

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	6000
Tank Contents:	HAZARD
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R2
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R2
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R2
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	10000
Tank Contents:	HAZARD
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R3
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R3
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016804
Own Id:	33619
Tank Number:	R3
Install Date:	06-MAY-1956
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON PAINT MFG CO INC (Continued)**

**1000350033**

Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

70

**FIRST BAPTIST CHURCH  
 229 NORTH KING STREET  
 HAMPTON, VA 23669**

**VA LUST U003692741  
 VA LTANKS N/A  
 VA UST  
 VA SPILLS**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000087465  
**Facility Status: Closed**  
 Completed Date: 02/05/1993  
 Pollution Complaint Num: 19931515  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CLOSURE REPORT RCVD.-HIGH SOIL TPH PRESENT ASSOCIATED WITH UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000087465  
**Facility Status: Closed**  
 Completed Date: 08/17/1994  
 Pollution Complaint Num: 19931515  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000087465  
**Case Status: Closed**  
 Pollution Complaint #: 19931515  
 Reported: 05-FEB-1993

UST:

Facility:

Facility Id: 5026641  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000087465

Owner:

Facility Id: 5026641  
 Owner Id: 32330  
 Owner Name: FIRST BAPTIST CHURCH  
 Owner Address: 229 NORTH KING STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST BAPTIST CHURCH (Continued)**

**U003692741**

Federally Regulated:	No
Tank Number:	1
Tank Capacity:	1000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5026641
Own Id:	32330
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5026641
Own Id:	32330
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST BAPTIST CHURCH (Continued)**

**U003692741**

Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5026641
Own Id:	32330
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

SPILLS TD:	
Region:	TD
PC Number:	93-1515
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST BAPTIST CHURCH (Continued)**

**U003692741**

Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	2/5/1993
Source:	HEATING OIL TANK REMOVAL
Summary:	Not reported
Comments:	Not reported
Report Notes:	UST CLOSURE ASSESSMENT OF A 1 K-GAL HEATING OIL TANK REMOVED IN SEPTEMBER REVEALED THAT A SOIL SAMPLE COLLECTED 10 FEET BLS YEILDED A TPH OF 4173 PPM.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	9/1/1992
Incident Time:	9:00
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

71

**40 LINCOLN ST  
 HAMPTON, VA**

**VA SPILLS S106122582  
 N/A**

SPILLS TD:  
 Region: TD  
 PC Number: 96-1581  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S106122582

Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/17/1995
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	FAULTY WIRING CAUSED OVERFILL OF A DAY TANK, SPILL CONFINED TO THE BASEMENT OF THE POLICE STATION, HAMPTON IS CLEANING THE SPILL.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S106122582

Report By Name: Not reported  
 PI Date: 7/14/1995  
 Incident Time: 7:28  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: 100  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

71

**PUBLIC SAFETY BUILDING  
 40 LINCOLN STREET  
 HAMPTON, VA 23669**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003692602  
 N/A**

UST:

Facility:

Facility Id: 5025642  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066669

Owner:

Facility Id: 5025642  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 2  
 Tank Capacity: 3000  
 Tank Contents: DIESEL  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5025642  
 Own Id: 36544  
 Tank Number: 2  
 Install Date: 01-JUN-1998  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PUBLIC SAFETY BUILDING (Continued)**

**U003692602**

Release:

Tank Type:	UST
Fac Id:	5025642
Own Id:	36544
Tank Number:	2
Install Date:	01-JUN-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	Y
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025642
Own Id:	36544
Tank Number:	2
Install Date:	01-JUN-1998
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	FLEXIBLE

Tank Number:	R1
Tank Capacity:	1500
Tank Contents:	EMERGENCY GENERATOR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PUBLIC SAFETY BUILDING (Continued)**

**U003692602**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025642
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5025642
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PUBLIC SAFETY BUILDING (Continued)**

**U003692602**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5025642  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 01-JAN-1979  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID: 5025642  
 FRP Financial Assurance: Min  
 Owner Name: PUBLIC SAFETY BUILDING  
 ROF Own Id: 36544  
 Tank Type: UST  
 Mechanism: Not reported  
 Gallonage: Not reported  
 Per Occurrence: 20000  
 Third Party: 60000  
 Annual Aggregate: 80000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Hampton City Public Safety Building  
 CEDS Facility Id: 200000066669  
 Tank Type Count: 2  
 Location: Not reported

71

**HAMPTON CITY HALL  
 21 LINCOLN ST  
 HAMPTON (County), VA**

**VA SPILLS S106655190  
 N/A**

SPILLS TD:  
 Region: TD  
 PC Number: Not reported  
 Incident Response: 2005-T-0472  
 Incident Date: 8/24/2004  
 Time In: 8:33:00 PM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON CITY HALL (Continued)**

**S106655190**

Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	8/24/2004
Incident Time:	6:00:00 PM
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	FREON
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>8/25/2004</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	FREON LEAK AT A CITY BLDG
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	VDEM
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	8046742400
Report By Name:	RICHARD PARKER
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

**HAMPTON CITY HALL (Continued)**

**S106655190**

Spill Unit: Not reported  
 Volume To State Water: 0

71

**HAMPTON CITY JAIL  
 22 LINCOLN STREET  
 HAMPTON, VA 23669**

**VA LUST  
 VA UST  
 VA FINANCIAL ASSURANCE**

**U003691345  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065418  
**Facility Status: Closed**  
 Completed Date: 07/06/1999  
 Pollution Complaint Num: 20005004  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAMINATION FOUND DURING TANK REMOVAL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065418  
**Facility Status: Closed**  
 Completed Date: 07/13/1999  
 Pollution Complaint Num: 20005004  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: BASED ON INFO IN CLOSURE RPT, CASE CLOSED.

UST:

Facility:

Facility Id: 5021802  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000065418  
 Facility Id: 5015784  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000065418

Owner:

Facility Id: 5021802  
 Owner Id: 38723  
 Owner Name: HAMPTON REDEVELOPMENT & HOUSING AUTHORITY  
 Owner Address: 67 ROBERTS RD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23666  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5021802  
 Owner Id: 37157  
 Owner Name: HAMPTON FACILITIES MANAGEMENT  
 Owner Address: 231 SPRINGFIELD AVENUE  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Federally Regulated:	No
Tank Number:	1
Tank Capacity:	6000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5021802
Own Id:	37157
Tank Number:	1
Install Date:	01-JAN-1997
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021802
Own Id:	37157
Tank Number:	1
Install Date:	01-JAN-1997
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5021802
Own Id:	37157
Tank Number:	1
Install Date:	01-JAN-1997
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible Piping
Tank Number:	2
Tank Capacity:	1000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015784
Own Id:	36544
Tank Number:	2
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015784

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Own Id:	36544
Tank Number:	2
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015784
Own Id:	36544
Tank Number:	2
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	FLEXIBLE
Tank Number:	R1
Tank Capacity:	500
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Tank Type:	UST
Fac Id:	5015784
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1987
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015784
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1987
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015784
Own Id:	36544

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Tank Number:	R1
Install Date:	01-JAN-1987
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R1
Tank Capacity:	20000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5021802
Own Id:	37157
Tank Number:	R1
Install Date:	25-MAY-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5021802
Own Id:	37157
Tank Number:	R1
Install Date:	25-MAY-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5021802
Own Id:	37157
Tank Number:	R1
Install Date:	25-MAY-1976
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5021802
Own Id:	38723
Tank Number:	R2
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5021802
Own Id:	38723
Tank Number:	R2
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5021802
Own Id:	38723
Tank Number:	R2
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5021802
Own Id:	38723
Tank Number:	R3
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021802
Own Id:	38723
Tank Number:	R3
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY JAIL (Continued)**

**U003691345**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5021802
Own Id:	38723
Tank Number:	R3
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5015784
FRP Financial Assurance:	Min
Owner Name:	HAMPTON CITY JAIL
ROF Own Id:	36544
Tank Type:	UST
Mechanism:	Not reported
Gallorage:	Not reported
Per Occurence:	20000
Third Party:	60000
Annual Aggregate:	80000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Hampton City - City Hall Building
CEDS Facility Id:	200000065418
Tank Type Count:	2
Location:	22 Lincoln Street



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>71</b>	<b>HAMPTON CITY - CITY HALL BUILDING</b> <b>22 LINCOLN STREET</b> <b>HAMPTON, VA 23669</b>	<b>FINDS</b>	<b>1008166759</b> <b>N/A</b>
-----------	--	--------------	---------------------------------

FINDS:

Registry ID: 110020678827

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

**CRITERIA AND HAZARDOUS AIR POLLUTANT INVENTORY**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

PCS (Permit Compliance System) is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

72

VA SPILLS S105944851  
 N/A

**LASALLE & PEMBROKE  
 HAMPTON, VA**

SPILLS TD:

Region:	TD
PC Number:	96-1751
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944851

Date Received: 8/16/1995  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: DIESEL & MOTOR OIL SPILL, FD ON SCENE AND DID CLEAN UP.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 8/14/1995  
 Incident Time: 16:00  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: 20  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

72

LINCOLN PARK VA 17-2  
 1135 LASALLE AVE  
 HAMPTON, VA 23666

VA UST U003689835  
 N/A

UST:

Facility:

Facility Id: 5005851  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000091328

Owner:

Facility Id: 5005851  
 Owner Id: 33634  
 Owner Name: HAMPTON REDEVELOPMENT AND HOUSIN  
 Owner Address: P.O. BOX 280  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 1000  
 Tank Contents: DIESEL  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5005851  
 Own Id: 33634  
 Tank Number: 1  
 Install Date: 02-APR-1985  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LINCOLN PARK VA 17-2 (Continued)**

**U003689835**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5005851
Own Id:	33634
Tank Number:	1
Install Date:	02-APR-1985
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5005851
Own Id:	33634
Tank Number:	1
Install Date:	02-APR-1985
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	Y
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LINCOLN PARK VA 17-2 (Continued)**

**U003689835**

Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

72

**HRHA - RESIDENT COMMUNITY SERVICES BUILDING  
 1139 LASALLE AVE  
 HAMPTON, VA 23669**

**VA UST U003745838  
 N/A**

UST:

Facility:

Facility Id: 5037459  
 Facility Type: STATE  
 CEDS Facility ID: 200000197131

Owner:

Facility Id: 5037459  
 Owner Id: 38723  
 Owner Name: HAMTON REDEVELOPMENT & HOUSING AUTHORITY  
 Owner Address: 67 ROBERTS RD  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23666  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: G1  
 Tank Capacity: 1000  
 Tank Contents: EMERGENCY GENERATOR  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5037459  
 Own Id: 38723  
 Tank Number: G1  
 Install Date: 01-NOV-1985  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HRHA - RESIDENT COMMUNITY SERVICES BUILDING (Continued)**

**U003745838**

Release:

Tank Type:	UST
Fac Id:	5037459
Own Id:	38723
Tank Number:	G1
Install Date:	01-NOV-1985
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5037459
Own Id:	38723
Tank Number:	G1
Install Date:	01-NOV-1985
Tank Status:	CLS IN GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

73 OLD HAMPTON COMMUNITY CENTER VA UST U003692128  
 201 WEST LINCOLN STREET VA FINANCIAL ASSURANCE N/A  
 HAMPTON, VA 23669

UST:

Facility:

Facility Id: 5022027  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066424

Owner:

Facility Id: 5022027  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 10000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5022027  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 26-MAY-1973  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5022027  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 26-MAY-1973  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD HAMPTON COMMUNITY CENTER (Continued)**

**U003692128**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5022027
Own Id:	36544
Tank Number:	R1
Install Date:	26-MAY-1973
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5022027
FRP Financial Assurance:	Min
Owner Name:	OLD HAMPTON COMMUNITY CENTER
ROF Own Id:	36544
Tank Type:	UST
Mechanism:	Not reported
Gallonage:	Not reported
Per Occurrence:	20000
Third Party:	60000
Annual Aggregate:	80000
In Compliance:	Not reported
Total Capacity:	0



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**OLD HAMPTON COMMUNITY CENTER (Continued)**

**U003692128**

CEDS Facility Name: Old Hampton Community Center  
 CEDS Facility Id: 200000066424  
 Tank Type Count: 1  
 Location: Not reported

**73 DOWNTOWN HAMPTON DAY CARE CTR**  
**201 LINCOLN STREET**  
**HAMPTON, VA 23669**

**FINDS 1006258452**  
**N/A**

FINDS:

Registry ID: 110010615619

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

**73 DOWNTOWN HAMPTON DAY CARE**  
**201 LINCOLN STREET HAMPTON VA 236693409**  
**HAMPTON, VA 23669**

**ICIS 1011591564**  
**N/A**

ICIS:

Enforcement Action ID: 03-1989-0270  
 FRS ID: 110010615619  
 Program ID: FRS 110010615619  
 Action Name: DOWNTOWN HAMPTON DAY CARE  
 Facility Name: DOWNTOWN HAMPTON DAY CARE CTR  
 Facility Address: 201 LINCOLN STREET HAMPTON VA 236693409  
 HAMPTON, Virginia 236693409  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Hampton City  
 EPA Region #: 3

Enforcement Action ID: 03-1989-0270  
 FRS ID: 110010615619  
 Program ID: NCDB C03#89-0116  
 Action Name: DOWNTOWN HAMPTON DAY CARE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DOWNTOWN HAMPTON DAY CARE (Continued)**

**1011591564**

Facility Name: DOWNTOWN HAMPTON DAY CARE  
 Facility Address: 201 LINCOLN STREET HAMPTON VA 236693409  
 HAMPTON, Virginia 236693409  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Hampton City  
 EPA Region #: 3

Program ID: FRS 110010615619  
 Facility Name: DOWNTOWN HAMPTON DAY CARE CTR  
 Address: 201 LINCOLN STREET  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 37.02755  
 Longitude: -76.34984

Program ID: NCDB C03#89-0116  
 Facility Name: DOWNTOWN HAMPTON DAY CARE CTR  
 Address: 201 LINCOLN STREET  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 37.02755  
 Longitude: -76.34984

74

**WINSTON ALBERT S  
 345 LINCOLN ST.  
 HAMPTON, VA 23669**

**VA UST U003691816  
 N/A**

UST:

Facility:  
 Facility Id: 5019958  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000067790

Owner:

Facility Id: 5019958  
 Owner Id: 35957  
 Owner Name: ALBERT S WINSTON  
 Owner Address: 254 LINCOLN ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23169  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: Not reported  
 Tank Contents: HEATING OIL  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINSTON ALBERT S (Continued)**

**U003691816**

Fac Id:	5019958
Own Id:	35957
Tank Number:	1
Install Date:	07-MAY-1955
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019958
Own Id:	35957
Tank Number:	1
Install Date:	07-MAY-1955
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019958
Own Id:	35957
Tank Number:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINSTON ALBERT S (Continued)**

**U003691816**

Install Date:	07-MAY-1955
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	Not reported
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019958
Own Id:	35957
Tank Number:	2
Install Date:	07-MAY-1955
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019958
Own Id:	35957
Tank Number:	2
Install Date:	07-MAY-1955
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WINSTON ALBERT S (Continued)**

**U003691816**

Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019958
Own Id:	35957
Tank Number:	2
Install Date:	07-MAY-1955
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

75

**TYSINGER MOTOR CO**  
**44 S KING ST**  
**HAMPTON, VA 23669**

**RCRA-NonGen 1000257199**  
**FINDS VAD101709400**

RCRA-NonGen:

Date form received by agency:	08/09/1993
Facility name:	TYSINGER MOTOR CO
Facility address:	44 S KING ST HAMPTON, VA 23669
EPA ID:	VAD101709400
Contact:	Not reported
Contact address:	Not reported
Contact country:	Not reported
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	03

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TYSINGER MOTOR CO (Continued)**

**1000257199**

Land type: Facility is not located on Indian land. Additional information is not known.  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TYSINGER, J L  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 10/29/1986  
 Facility name: TYSINGER MOTOR CO  
 Classification: Not a generator, verified

Hazardous Waste Summary:

Waste code: NONE  
 Waste name: None  
 Waste code: D000  
 Waste name: Not Defined  
 Waste code: D001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TYSINGER MOTOR CO (Continued)**

**1000257199**

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F004  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/09/1993  
 Evaluation: FOCUSED COMPLIANCE INSPECTION  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

FINDS:

Registry ID: 110005226763

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

75 TYSINGER MOTOR COMPANY  
 44 SOUTH KING STREET  
 HAMPTON, VA 23669

VA UST  
 VA FINANCIAL ASSURANCE

U003691914  
 N/A

UST:

Facility:

Facility Id: 5020605  
 Facility Type: AUTO DEALER  
 CEDS Facility ID: 200000067419

Owner:

Facility Id: 5020605  
 Owner Id: 27735  
 Owner Name: Tysinger Motor Company  
 Owner Address: 44 S King St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5020605  
 Own Id: 27735  
 Tank Number: 1  
 Install Date: 08-MAY-1965  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5020605  
 Own Id: 27735  
 Tank Number: 1  
 Install Date: 08-MAY-1965  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TYSINGER MOTOR COMPANY (Continued)**

**U003691914**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5020605
Own Id:	27735
Tank Number:	1
Install Date:	08-MAY-1965
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5020605
FRP Financial Assurance:	Full
Owner Name:	TYSINGER MOTOR COMPANY
ROF Own Id:	27735
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$1,000,000
In Compliance:	Not reported
Total Capacity:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**TYSINGER MOTOR COMPANY (Continued)**

**U003691914**

CEDS Facility Name: Tysinger Motor Company  
 CEDS Facility Id: 200000067419  
 Tank Type Count: 1  
 Location: Not reported

75

**700 SETTLERS LANDING ROAD  
 HAMPTON, VA**

**VA LUST S105950622  
 VA LTANKS N/A  
 VA SPILLS**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854622  
**Facility Status: Open**  
 Completed Date: 12/14/2010  
 Pollution Complaint Num: 20115058  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000854622  
**Case Status: Open**  
 Pollution Complaint #: 20115058  
 Reported: 14-DEC-2010

**SPILLS:**

Fips City/County: Hampton City  
 Status: Closed  
 Reference Id: 7085  
 IR Number: 2011-T-1679  
 Associated IR: Not reported  
 Incident Date: 14-Dec-2010  
 Call Received Date: 15-Dec-2010  
 Closure Comments: Case to be resolved via Remediation care of LeAnn Moran.No further PREP action required at this time.  
 Threat To: Not reported  
 Terrorism (Y/N): N  
 Characterize Incident: Accidental  
 Incident Type: \* Petroleum \* Water  
 Incident Subtype: \* Non-Point Source \* Petroleum \* UST \* Water  
 Materials: \* Heating oil (800-900 Gallons)  
 Effect To Receptor: Impacted  
 Water Body: Hampton River  
 Low Quantity To Water: 800  
 High Quantity To Water: 900  
 Quantity Units: Gallons  
 Other Receptors: Storm Drain  
 RP Company: Crowne Plaza  
 RP Name: Burrell, Mike  
 Property Owner: Burrell, Mike  
 Property Company: Crowne Plaza  
 Duration Of Event (Hrs): 0  
 Impacts: Not reported  
 Other Impacts: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105950622

Steps Taken: Not reported  
 Steps Taken Description: Not reported  
 System Components: Not reported  
 Other System Components: Not reported  
 Cause Of Event: Not reported  
 Corrective Action Taken: Not reported  
 Weather Status: N/A  
 Precipitation (Wet): 0  
 Discharge Type: N/A  
 Discharge Volume: 0  
 Unknown Discharge (Y/N): N  
 Site Name: Crowne Plaza - Heating Oil Release  
 Closure Date: 11-Apr-2011 10:49 AM  
 Orig. Call Incident Description: WHILE SERVICING A GENERATOR DIESEL WAS NOTICED COMING OUT OF THE GROUND. DIESEL HAS MIGRATED DOWN THE STREET INTO A STORM DRAIN AND INTO THE HAMPTON RIVER. REMEDIAL ACTIONS: LOCAL FD ON SCENE BOOMS PLACED, STORM DRAIN BLOCKED RELEASE NOT SECURE. SHEEN INFO 60 FT WIDE 1000 GAL UNDERGROUND STORAGE TANK SUFFERED SOME SORT OF FAILURE CAUSING RELEASE OD APPROX 800-900 GAL OF HOME HEATING OIL. CLEAN UP CONTRACTOR LCM ENROUTE TO OFFLOAD WHAT LITTLE PRODUCT REMAINS IN TANK. PRODUCT HAS ENTERED NEARBY WATERWAY (UNK), BOOMS HAVE BEEN APPLIED @ NEARBY MARINA. RHMO CANNON REQUESTS CALL FROM DEQ TRO. Cleanup underway. LCM contracted by owner to cleanup spill on land and in the effected waterway. DEQ notified via phone of the under ground storage tank involved in the release. Coast guard and Hampton Fire Marshal will follow up on cleanup efforts overnight tomorrow.  
 Original Call Material Description: HOME HEATING OIL  
 Original Call Location Description: CROWNE PLAZA 700 SETTLERS LANDING RD  
 Incident Ongoing at time of Call: Not reported  
 Agencies Notified (Y/N): Y  
 Other Agencies: VEOC HMVA 10223, LFD, LCM, USCG  
 Permitted (Y/N): N  
 Call Reported By Company Name: HAMPTON DIVISION OF FIRE AND RESCUE  
 Call RP Company Name: Crowne Plaza  
 Call RP Name: Burrell, Mike  
 Call Property Owner Company Name: Not reported  
 Call Property Owner Name: Not reported  
 Site Summary: Not reported

SPILLS TD:

Region: TD  
 PC Number: 99-7094  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105950622

Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	NA
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	10/23/1998
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	OVERFILL OF FUEL TANK. OIL DRY WAS PUT ON SPILL. SMALL SHEEN IN RIVER.
Reported By Company:	HAMPTON FD
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7578105020
Report By Name:	CAPT WITHERSPOON
PI Date:	10/22/1998
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	HAMPTON RIVER
Spill Volume:	8
Spill Unit:	GALLONS
Volume To State Water:	0
Region:	TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105950622

PC Number:	99-5325
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	6/17/1999
Call Date:	Not reported
Inspector:	NA
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>6/20/1999</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	6/17/1999
Source:	Not reported
Summary:	Not reported
Comments:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105950622

Report Notes: F/V HAPPY DAYS DISCHARGING BILGE RELEASED DIESEL INTO CREEK  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: VA  
 Reported By Phone: 8004248802  
 Report By Name: NRC  
 PI Date: 6/17/1999  
 Incident Time: 7:20:00 AM  
 Incident Type: PETROLEUM  
 Stream: SUNSET CREEK  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

75

**GOODYEAR TIRE CENTER**  
**25 S KING ST**  
**HAMPTON, VA 23666**

VA UST U003988739  
 N/A

UST:

Facility:

Facility Id: 5016600  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065323

Owner:

Facility Id: 5016600  
 Owner Id: 31184  
 Owner Name: Goodyear Tire & Rubber Company  
 Owner Address: 1144 E Market St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Akron, OH 44316  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5016600  
 Own Id: 31184  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GOODYEAR TIRE CENTER (Continued)**

**U003988739**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016600
Own Id:	31184
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016600
Own Id:	31184
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GOODYEAR TIRE CENTER (Continued)**

**U003988739**

Pipe Materials: Other Note Not reported

75

**GOODYEAR TIRE CENTER  
 25 S KING ST  
 HAMPTON, VA 23666**

**VA LUST  
 VA LTANKS**

**U003691458  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065323  
**Facility Status: Closed**  
 Completed Date: 12/10/2004  
 Pollution Complaint Num: 20055100  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065323  
**Facility Status: Closed**  
 Completed Date: 01/07/2005  
 Pollution Complaint Num: 20055100  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065323  
**Facility Status: Closed**  
 Completed Date: 01/06/1995  
 Pollution Complaint Num: 19952314  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: ELEVATED TPH IN SOILS DURING UST CLOSURE.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065323  
**Facility Status: Closed**  
 Completed Date: 02/08/1995  
 Pollution Complaint Num: 19952314  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065323  
**Case Status: Closed**  
 Pollution Complaint #: 20055100



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GOODYEAR TIRE CENTER (Continued)**

**U003691458**

Reported: 10-DEC-2004  
 Region: TRO  
 CEDS Facility Id: 200000065323  
**Case Status: Closed**  
 Pollution Complaint #: 19952314  
 Reported: 06-JAN-1995

75

**GOODYEAR AUTO SERVICE CTR - HAMPTON  
 25 S KING ST  
 HAMPTON, VA 23669**

**RCRA-SQG 1000194125  
 FINDS VAD149981136**

RCRA-SQG:

Date form received by agency: 11/06/1986  
 Facility name: GOODYEAR AUTO SERVICE CTR - HAMPTON  
 Facility address: 25 S KING ST  
 HAMPTON, VA 23669  
 EPA ID: VAD149981136  
 Mailing address: W ROSLYN RD ROSLYN IND PK  
 COLONIAL HEIGHTS, VA 23834  
 Contact: G. GRIFFIN  
 Contact address: 25 S KING ST  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 526-4950  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: GOODYEAR T & R CO  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GOODYEAR AUTO SERVICE CTR - HAMPTON (Continued)**

**1000194125**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name:

IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005228011

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

75

**708 SETTLERS LANDING RD BETWEEN MUSEUM AND RADISON HOTEL  
 708 SETTLERS LANDING RD BETWEEN MUSEUM AND RADISON HOTEL  
 HAMPTON, VA**

**ERNS 99647198  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

75	<b>VISITOR CENTER DOCK 710 SETTLERS LANDING RD VISITOR CENTER DOCK 710 SETTLERS LANDING RD HAMPTON, VA</b>	<b>ERNS</b>	<b>90165441 N/A</b>
----	--	-------------	-------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>2 EATON ST SUITE 1102 2 EATON ST SUITE 1102 HAMPTON, VA</b>	<b>ERNS</b>	<b>91240051 N/A</b>
----	--	-------------	-------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>2 EATON ST 2 EATON ST HAMPTON, VA 23669</b>	<b>ERNS</b>	<b>94358524 N/A</b>
----	--	-------------	-------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>756 SETTLERS LANDING ROAD 756 SETTLERS LANDING ROAD HAMPTON, VA</b>	<b>ERNS</b>	<b>2007311041 N/A</b>
----	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>756 SETTLERS LANDING RD 756 SETTLERS LANDING RD HAMPTON, VA 0</b>	<b>ERNS</b>	<b>2002611811 N/A</b>
----	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

75	<b>756 SETTLERS LANDING RD</b> <b>756 SETTLERS LANDING RD</b> <b>HAMPTON, VA 23669</b>	ERNS	2008887027 N/A
----	--	------	-------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>756 SETTLERS LANDING RD</b> <b>756 SETTLERS LANDING RD</b> <b>HAMPTON (County), VA</b>	ERNS	2008887019 N/A
----	---	------	-------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>HAMPTON MARINA</b> <b>756 SETTLERS LANDING ROAD</b> <b>HAMPTON (County), VA</b>	VA SPILLS	S109380081 N/A
----	--	-----------	-------------------

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2009-T-0364
Incident Date:	10/13/2008
Time In:	5:42:00 PM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	10/13/2008
Incident Time:	4:15:00 PM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	SHEEN
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON MARINA (Continued)**

**S109380081**

Qty In Water: 0  
 Receiving Waters: HAMPTON MARINA  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 10/14/2008**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: SHEEN APPEARS TO BE FROM BILGE OF BOAT; FIRE DEPT FEELS SHEEN UNRECOVERABLE; NO PREP ACTION  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: HAMPTON CITY PUBLIC AFFAIRS  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7577271276  
 Report By Name: KATE LAWRENCE  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

75

**BELL ATLANTIC  
 21 EATON ST.  
 HAMPTON, VA 23669**

**VA UST U003917262  
 VA FINANCIAL ASSURANCE N/A**

UST:

Facility:

Facility Id: 5005395  
 Facility Type: UTILITY  
 CEDS Facility ID: 200000090734

Owner:

Facility Id: 5005395  
 Owner Id: 31843  
 Owner Name: Verizon Virginia Incorporated  
 Owner Address: 3011 Hungary Spring Rd 2nd Fl  
 Owner Address2: Not reported  
 Owner City, State, Zip: Richmond, VA 23228  
 UST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC (Continued)**

**U003917262**

AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	300
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5005395
Own Id:	31843
Tank Number:	1
Install Date:	31-MAR-1966
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5005395
Own Id:	31843
Tank Number:	1
Install Date:	31-MAR-1966
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC (Continued)**

**U003917262**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5005395
Own Id:	31843
Tank Number:	1
Install Date:	31-MAR-1966
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	COPPER

**VA FINANCIAL ASSURANCE:**

Facility ID:	5005395
FRP Financial Assurance:	Full
Owner Name:	BELL ATLANTIC
ROF Own Id:	31843
Tank Type:	UST
Mechanism:	Insurance
Gallorage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Bell Atlantic 21 Eaton Street
CEDS Facility Id:	200000090734
Tank Type Count:	2
Location:	Not reported

75

**METRO DENTAL LABORATORY  
 30 B WEST QUEEN ST  
 HAMPTON, VA 23669**

**RCRA-NonGen 1000365782  
 FINDS VAD070427778**

RCRA-NonGen:  
 Date form received by agency: 08/18/1980  
 Facility name: METRO DENTAL LABORATORY  
 Facility address: 30 B WEST QUEEN ST  
 HAMPTON, VA 23669  
 EPA ID: VAD070427778  
 Contact: ENVIRONMENTAL COORDINATOR  
 Contact address: 30 B WEST QUEEN ST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**METRO DENTAL LABORATORY (Continued)**

**1000365782**

HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (215) 555-1212  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: Not reported  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Violation Status: No violations found

**FINDS:**

Registry ID: 110005224809

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**METRO DENTAL LABORATORY (Continued)**

**1000365782**

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**75 OLD HAMPTON BANKING CENTER  
 ONE WEST QUEENS WAY  
 HAMPTON, VA 23669**

**VA LUST S104742212  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000195500  
**Facility Status: Closed**  
 Completed Date: 06/02/1999  
 Pollution Complaint Num: 19992414  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000195500  
**Facility Status: Closed**  
 Completed Date: 07/03/2001  
 Pollution Complaint Num: 19992414  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed/letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000195500  
**Case Status: Closed**  
 Pollution Complaint #: 19992414  
 Reported: 02-JUN-1999

**75 32 EAST QUEENS WAY  
 HAMPTON, VA**

**VA SPILLS S105946834  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: 95-2139  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105946834

Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	11/21/1994
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	IMAGES IS DUMPING PRODUCTS
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	11/21/1994
Incident Time:	10:00
Incident Type:	UNKNOWN
Stream:	STORM DRAIN
Spill Volume:	5

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

(Continued)

S105946834

Spill Unit: Not reported  
 Volume To State Water: 5

75	<b>32 EAST QUEENS WAY          32 EAST QUEENS WAY          HAMPTON, VA 23661</b>	ERNS	94403635 N/A
----	--	------	-----------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>HAMPTON CITY - FORMER MASONIC TEMPLE          34 E QUEENS WAY          HAMPTON, VA 23669</b>	VA LUST VA LTANKS	S111225263 N/A
----	---	----------------------	-------------------

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000855840  
**Facility Status: Closed**  
 Completed Date: 08/16/2011  
 Pollution Complaint Num: 20125018  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000855840  
**Facility Status: Closed**  
 Completed Date: 01/23/2012  
 Pollution Complaint Num: 20125018  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000855840  
**Case Status: Closed**  
 Pollution Complaint #: 20125018  
 Reported: 16-AUG-2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

75 HAMPTON UNIVERSITY  
 1 EAST QUEEN STREET  
 HAMPTON (County), VA

VA SPILLS S108923059  
 N/A

SPILLS TD:  
 Region: TD  
 PC Number: Not reported  
 Incident Response: 2006-T-0989  
 Incident Date: 3/1/2006  
 Time In: Not reported  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: False  
 Solid Waste: False  
 Haz Waste: True  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: CHEMICALS, ETC.  
 Possible Receptors: Not reported  
 Qty Released: 0  
 Unit: Not reported  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: 3/3/2006  
 Call Date: 3/3/2006  
 Inspector: JRS  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 5/30/2006**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY (Continued)**

**S108923059**

Date Received: Not reported  
 Source: Not reported  
 Summary: WASTES FROM SCIENCE LABS WERE DISCHARGED "WILLY-NILLY;" CLASSROOM BLDGS WERE NOT EQUIPPED WITH BACTERIOLOGICAL HOODS OR CHEMICAL FUME HOODS; VENTILATION SYSTEMS DID NOT WORK; ODD SMELLS IN OFFICES, NON-LAB CLASSROOMS  
 Comments: EMAILS, LETTERS RECEIVED  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: EPA  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: KURT ELSNER  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

75

**OLD POINT NATIONAL BANK PROPERTY  
 101 E QUEEN ST  
 HAMPTON, VA 23669**

**VA LUST S110633812  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854336  
**Facility Status: Closed**  
 Completed Date: 10/06/2010  
 Pollution Complaint Num: 20115031  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854336  
**Facility Status: Closed**  
 Completed Date: 12/02/2010  
 Pollution Complaint Num: 20115031  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000854336  
**Case Status: Closed**  
 Pollution Complaint #: 20115031  
 Reported: 06-OCT-2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

75 BELL ATLANTIC  
 131 EAST QUEENS WAY  
 HAMPTON, VA 23669

VA LUST U003917652  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064137  
**Facility Status: Closed**  
 Completed Date: 10/03/1991  
 Pollution Complaint Num: 19920621  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAMINATED SOILS

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064137  
**Facility Status: Closed**  
 Completed Date: 09/03/1993  
 Pollution Complaint Num: 19920621  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064137  
**Case Status: Closed**  
 Pollution Complaint #: 19920621  
 Reported: 03-OCT-1991

UST:

Facility:

Facility Id: 5005398  
 Facility Type: UTILITY  
 CEDS Facility ID: 200000064137

Owner:

Facility Id: 5005398  
 Owner Id: 31843  
 Owner Name: Verizon Virginia Incorporated  
 Owner Address: 3011 Hungary Spring Rd 2nd Fl  
 Owner Address2: Not reported  
 Owner City, State, Zip: Richmond, VA 23228  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 2  
 Tank Capacity: 2500  
 Tank Contents: DIESEL  
**Tank Status: CURR IN USE**  
 Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BELL ATLANTIC (Continued)**

**U003917652**

Tank Material:  
 Tank Type: UST  
 Fac Id: 5005398  
 Own Id: 31843  
 Tank Number: 2  
 Install Date: 05-AUG-1991  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5005398  
 Own Id: 31843  
 Tank Number: 2  
 Install Date: 05-AUG-1991  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness Y  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled Y  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled Y  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5005398

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC (Continued)**

**U003917652**

Own Id:	31843
Tank Number:	2
Install Date:	05-AUG-1991
Tank Status:	CURR IN USE
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	Y
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R1
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:	
Tank Type:	UST
Fac Id:	5005398
Own Id:	31843
Tank Number:	R1
Install Date:	20-MAR-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5005398
Own Id:	31843
Tank Number:	R1
Install Date:	20-MAR-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC (Continued)**

**U003917652**

Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5005398
Own Id:	31843
Tank Number:	R1
Install Date:	20-MAR-1979
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5005398
FRP Financial Assurance:	Full
Owner Name:	BELL ATLANTIC
ROF Own Id:	31843
Tank Type:	UST
Mechanism:	Insurance
Gallorage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Bell Atlantic

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC (Continued)**

**U003917652**

CEDS Facility Id: 200000064137  
 Tank Type Count: 4  
 Location: 131 East Queens Way

**75 VERIZON VIRGINIA INC - QUEEN STREET  
 131 E QUEEN ST  
 HAMPTON, VA 23669**

**FINDS 1014847539  
 N/A**

**FINDS:**

Registry ID: 110040836593

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

**75 VERIZON HAMPTON ESS (VA55008)  
 131 E. QUEEN STREET  
 HAMPTON, VA 23669**

**VA TIER 2 S109941712  
 N/A**

**TIER 2:**

CAS Number: 7664-93-9  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 888-696-3973  
 Contact Type: Not reported

CAS Number: 8008-20-6  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: KEROSENE  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 888-696-3973  
 Contact Type: Not reported

CAS Number: 7664-93-9  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 978-469-1661

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VERIZON HAMPTON ESS (VA55008) (Continued)**

**S109941712**

Contact Type:	Not reported
CAS Number:	8008-20-6
SIC Code:	4813
NAICS:	Not reported
Entered Chemical Name:	KEROSENE
Average Amt Code:	4
Owner Name:	Verizon Virginia Inc.
Owner Phone:	978-469-1648
Contact Type:	Not reported
CAS Number:	7664-93-9
SIC Code:	4813
NAICS:	Not reported
Entered Chemical Name:	Lead Acid Batteries
Average Amt Code:	4
Owner Name:	Verizon Virginia Inc.
Owner Phone:	978-469-1648
Contact Type:	Not reported
CAS Number:	8008-20-6
SIC Code:	517110
NAICS:	Not reported
Entered Chemical Name:	KEROSENE
Average Amt Code:	4
Owner Name:	Verizon Virginia Inc.
Owner Phone:	978-469-1661
Contact Type:	Not reported
CAS Number:	7664-93-9
SIC Code:	517110
NAICS:	Not reported
Entered Chemical Name:	Lead Acid Batteries
Average Amt Code:	4
Owner Name:	Verizon Virginia Inc.
Owner Phone:	978-469-1661
Contact Type:	Not reported
CAS Number:	8008-20-6
SIC Code:	Not reported
NAICS:	517110
Entered Chemical Name:	KEROSENE
Average Amt Code:	Not reported
Owner Name:	William Irwin
Owner Phone:	978-837-3604
Contact Type:	Owner / Operator
CAS Number:	8008-20-6
SIC Code:	Not reported
NAICS:	517110
Entered Chemical Name:	KEROSENE
Average Amt Code:	Not reported
Owner Name:	William Irwin
Owner Phone:	800-386-9639
Contact Type:	Owner / Operator
CAS Number:	7664-93-9

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VERIZON HAMPTON ESS (VA55008) (Continued)**

**S109941712**

SIC Code: Not reported  
 NAICS: 517110  
 Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: Not reported  
 Owner Name: William Irwin  
 Owner Phone: 800-386-9639  
 Contact Type: Owner / Operator

CAS Number: 7664-93-9  
 SIC Code: Not reported  
 NAICS: 517110  
 Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: Not reported  
 Owner Name: William Irwin  
 Owner Phone: 978-837-3604  
 Contact Type: Owner / Operator

CAS Number: 8008-20-6  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: KEROSENE  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 978-469-1661  
 Contact Type: Not reported

75

**QUEENS STREET BAPTIST CHURCH - PARKING LOT  
 190 E QUEENS STREET  
 HAMPTON, VA 23669**

**VA LUST S104915943  
 VA LTANKS N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000200453  
**Facility Status: Closed**  
 Completed Date: 12/07/2000  
 Pollution Complaint Num: 20015077  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000200453  
**Facility Status: Closed**  
 Completed Date: 06/12/2001  
 Pollution Complaint Num: 20015077  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed/letter sent no further corrective action

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000200453  
**Case Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**QUEENS STREET BAPTIST CHURCH - PARKING LOT (Continued)**

**S104915943**

Pollution Complaint #: 20015077  
 Reported: 07-DEC-2000

75

**BELL ATLANTIC VA 55008  
 131 QUEEN ST  
 HAMPTON, VA 23669**

**RCRA-SQG 1000377283  
 FINDS VAD980719892**

RCRA-SQG:

Date form received by agency: 04/01/1981  
 Facility name: BELL ATLANTIC VA 55008  
 Facility address: 131 QUEEN ST  
 HAMPTON, VA 23669  
 EPA ID: VAD980719892  
 Mailing address: 600 E MAIN ST 11TH FL  
 RICHMOND, VA 23219  
 Contact: RANDOLPH MOORE  
 Contact address: 600 E MAIN ST 11TH FL  
 RICHMOND, VA 23219  
 Contact country: US  
 Contact telephone: (804) 772-1120  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: BELL ATLANTIC VIRGINIA INC  
 Owner/operator address: 600 E MAIN ST 11TH FL  
 RICHMOND, VA 23219  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 772-1120  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC VA 55008 (Continued)**

**1000377283**

On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D009  
 Waste name: MERCURY

Violation Status: No violations found

**FINDS:**

Registry ID: 110005229145

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

75

**VA SPILLS S105946053  
 N/A**

**1 1/2 MILES FROM THIMBLE SHOAL LIGHT  
 HAMPTON, VA**

**SPILLS TD:**

Region: TD  
 PC Number: 94-3950  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105946053

Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	5/17/1994
Source:	SINKING VESSEL
Summary:	Not reported
Comments:	Not reported
Report Notes:	REPORT A POTENTIAL SPILL OF 70 GALLONS OF DIESEL FUEL FROM A 24 FOOT VESSEL THAT HAS SUNK IN THIMBLE SHOALS CHANNEL, 1 1/2 MILES FROM THE THIMBLE SHOAL LIGHT
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	5/17/1994
Incident Time:	14:00
Incident Type:	PETROLEUM
Stream:	THIMBLE SHOALS CHANNEL
Spill Volume:	70
Spill Unit:	Not reported
Volume To State Water:	70

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

75	<b>142 MILL POINT DR. HAMPTON RIVER</b> <b>142 MILL POINT DR. HAMPTON RIVER</b> <b>HAMPTON, VA</b>	ERNS	<b>90163287</b> <b>N/A</b>
----	--	------	-------------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

75	<b>160 MILL POINT DR.</b> <b>160 MILL POINT DR.</b> <b>HAMPTON, VA 23669</b>	ERNS	<b>92265854</b> <b>N/A</b>
----	--	------	-------------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

76	<b>135 KINGS WAY</b> <b>HAMPTON, VA 23669</b>	VA SPILLS	<b>S110324051</b> <b>N/A</b>
----	--	-----------	---------------------------------

SPILLS:

Fips City/County:	Hampton City
Status:	Closed
Reference Id:	3852
IR Number:	2010-T-2987
Associated IR:	Not reported
Incident Date:	25-Apr-2010
Call Received Date:	26-Apr-2010
Closure Comments:	5-day letter received.No further action required at this time.
Threat To:	Not reported
Terrorism (Y/N):	N
Characterize Incident:	Accidental
Incident Type:	* Petroleum
Incident Subtype:	* Art. 11 Excepted * Petroleum
Materials:	* Mineral Oil (non PCB) (25-25 Gallons)
Effect To Receptor:	Threatened
Water Body:	Not reported
Low Quantity To Water:	-1
High Quantity To Water:	25
Quantity Units:	Gallons
Other Receptors:	Storm Drain
RP Company:	DOMINION POWER
RP Name:	BIRCH, LACI
Property Owner:	Not reported
Property Company:	Not reported
Duration Of Event (Hrs):	0
Impacts:	Not reported
Other Impacts:	Not reported
Steps Taken:	Not reported
Steps Taken Description:	Not reported
System Components:	Not reported
Other System Components:	Not reported
Cause Of Event:	Not reported
Corrective Action Taken:	Not reported
Weather Status:	N/A



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S110324051

Precipitation (Wet): 0  
 Discharge Type: N/A  
 Discharge Volume: 0  
 Unknown Discharge (Y/N): N  
 Site Name: City of Hampton - Non PCB Oil Spill  
 Closure Date: 17-May-2010 08:48 PM  
 Orig. Call Incident Description: THE CALLER REPORTS THAT A PIECE OF EQUIPMENT'S MOOR FAILED RELEASING LESS THAN 25 GALLONS OF MOTOR OIL INTO A STORM DRAIN...IMS IS CONDUCTING THE CLEAN UP...  
 Original Call Material Description: MOTOR OIL  
 Original Call Location Description: 135 KINGS WAY  
 Incident Ongoing at time of Call: N  
 Agencies Notified (Y/N): Y  
 Other Agencies: VEOC HMVA 7859, NRC 938091  
 Permitted (Y/N): N  
 Call Reported By Company Name: DOMINION POWER  
 Call RP Company Name: DOMINION POWER  
 Call RP Name: BIRCH, LACI  
 Call Property Owner Company Name: Not reported  
 Call Property Owner Name: Not reported  
 Site Summary: Not reported

76 135 KINGS WAY  
 135 KINGS WAY  
 HAMPTON, VA

ERNS 2010938091  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

77 JAHRMARKT NICHOLAS RESIDENCE  
 48 W SHERWOOD AVE  
 HAMPTON, VA 26663

VA LUST S109848464  
 VA LTANKS N/A

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000851605  
**Facility Status: Closed**  
 Completed Date: 07/02/2009  
 Pollution Complaint Num: 20105001  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000851605  
**Facility Status: Closed**  
 Completed Date: 10/01/2009  
 Pollution Complaint Num: 20105001  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JAHMARKT NICHOLAS RESIDENCE (Continued)**

**S109848464**

Comments: confirmed no vapor in home w/ homeowner prior to closure - Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000851605  
**Case Status: Closed**  
 Pollution Complaint #: 20105001  
 Reported: 02-JUL-2009

78

**1259 WEST QUEEN STREET  
 HAMPTON, VA**

**VA SPILLS S105945166  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: 96-2097  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: Not reported  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105945166

<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	11/8/1995
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	PRODUCT WAS RELEASED FROM AN GROUND TANK DURING REMOVAL.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	20
Spill Unit:	Not reported
Volume To State Water:	Not reported

79

**HAMPTON HIGH SCHOOL**  
**1491 W QUEEN ST**  
**HAMPTON, VA 23669**

**VA UST U003692472**  
**N/A**

UST:

Facility:

Facility Id:	5024318
Facility Type:	LOCAL
CEDS Facility ID:	200000065881

Owner:

Facility Id:	5024318
Owner Id:	38007
Owner Name:	HAMPTON CITY SCHOOLS
Owner Address:	1819 NICKERSON BLVD
Owner Address2:	Not reported
Owner City, State, Zip:	HAMPTON, VA 23663
UST Status:	Reg
AST Status:	Not reported

Federally Regulated: No

Tank Number:	R1
Tank Capacity:	18000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON HIGH SCHOOL (Continued)**

**U003692472**

Tank Material:

Tank Type:	UST
Fac Id:	5024318
Own Id:	38007
Tank Number:	R1
Install Date:	01-JUN-1958
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5024318
Own Id:	38007
Tank Number:	R1
Install Date:	01-JUN-1958
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5024318

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON HIGH SCHOOL (Continued)**

**U003692472**

Own Id:	38007
Tank Number:	R1
Install Date:	01-JUN-1958
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

79

**HAMPTON HIGH  
 1491 WEST QUEEN ST  
 HAMPTON, VA 23669**

**RCRA-CESQG 1000891623  
 FINDS VA0000137042**

RCRA-CESQG:

Date form received by agency: 04/21/2004  
 Facility name: HAMPTON CITY SCHOOLS-HAMPTON HIGH SCHOOL  
 Facility address: 1491 WEST QUEEN ST  
 HAMPTON, VA 23663  
 EPA ID: VA0000137042  
 Mailing address: FRANKLIN ST.  
 HAMPTON, VA 236693570  
 Contact: RICHARD MACDONALD  
 Contact address: Not reported  
 Not reported  
 Contact country: US  
 Contact telephone: (757) 727-2470  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: HAMPTON CITY SCHOOLS  
 Owner/operator address: 1819 NICKERSON BLVD  
 HAMPTON, VA 23663

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON HIGH (Continued)**

**1000891623**

Owner/operator country: Not reported  
 Owner/operator telephone: (804) 850-5200  
 Legal status: Municipal  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/0001  
 Owner/Op end date: Not reported

Owner/operator name: HAMPTON CITY SCHOOLS  
 Owner/operator address: Not reported  
 Not reported

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Municipal  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/1954  
 Owner/Op end date: Not reported

Owner/operator name: HAMPTON CITY SCHOOLS  
 Owner/operator address: Not reported  
 Not reported

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Municipal  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/01/1954  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 02/25/1994  
 Facility name: HAMPTON CITY SCHOOLS-HAMPTON HIGH SCHOOL  
 Site name: HAMPTON HIGH SCHOOL  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET,

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**HAMPTON HIGH (Continued)**

**1000891623**

WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: LABP  
 Waste name: LAB PACK

Violation Status: No violations found

**FINDS:**

Registry ID: 110005213697

**Environmental Interest/Information System**

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

80

**ANTHONY S CLEANERS - FRANKLIN STREET  
 125 FRANKLIN STREET  
 HAMPTON, VA 23669**

**RCRA-CESQG 1004610428  
 FINDS VAD981044670**

**RCRA-CESQG:**

Date form received by agency: 07/15/1985  
 Facility name: ANTHONY CLEANERS INC  
 Facility address: 125 FRANKLIN ST  
 HAMPTON, VA 23669  
 EPA ID: VAD981044670  
 Contact: TONY HARRIS  
 Contact address: 125 FRANKLIN ST  
 HAMPTON, VA 23669  
 Contact country: US  
 Contact telephone: (804) 722-1203  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ANTHONY S CLEANERS - FRANKLIN STREET (Continued)**

**1004610428**

waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: HARRIS, TONY  
 Owner/operator address: 125 FRANKLIN ST  
 HAMPTON, VA 23669  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 722-1203  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING,



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ANTHONY S CLEANERS - FRANKLIN STREET (Continued)**

**1004610428**

BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**FINDS:**

Registry ID: 110001899125

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

80

**ANTHONY'S CLEANERS - FRANKLIN STREET  
 125 FRANKLIN STREET  
 HAMPTON, VA 23669**

**VA DRYCLEANERS S106480106  
 N/A**

**DRYCLEANERS:**

DEQ Region: TRO  
 Registration Number: 61173  
 SIC: 7216  
 FIPS: 650  
 Oper Status: Permanently Shutdown  
 Mailing Address: 125 Franklin Street  
 Mailing City, St, Zip: Hampton, VA 23669  
 SI Number: 303  
 SEQ Description: DRY-TO-DRY  
 Plant Classification: True Minor  
 FAC Inserted Date: 12/1/1999 5:16:17 PM  
 FAC Changed Date: 2/28/2007 12:42:22 PM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

81 **QUEEN STREET CONNECTOR**  
**336 QUEEN ST**  
**HAMPTON, VA**

**VA LUST** **S110068040**  
**VA LTANKS** **N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000852168  
**Facility Status: Closed**  
 Completed Date: 10/02/2009  
 Pollution Complaint Num: 20105036  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000852168  
**Facility Status: Closed**  
 Completed Date: 10/08/2009  
 Pollution Complaint Num: 20105036  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000852168  
**Case Status: Closed**  
 Pollution Complaint #: 20105036  
 Reported: 02-OCT-2009

82 **TINEE GIANT STORE #71**  
**930 LASALLE AVE**  
**HAMPTON, VA 23669**

**VA UST** **U003690009**  
**VA FINANCIAL ASSURANCE** **N/A**

UST:

Facility:

Facility Id: 5007013  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000091779

Owner:

Facility Id: 5007013  
 Owner Id: 28588  
 Owner Name: Coastal Investments Inc  
 Owner Address: 329 Office Square Lane #200  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23462  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5007013  
 Owner Id: 32659  
 Owner Name: FARM FRESH, INC  
 Owner Address: P.O. BOX 1289  
 Owner Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TINEE GIANT STORE #71 (Continued)**

**U003690009**

Owner City, State, Zip:	NORFOLK, VA 23501
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007013
Own Id:	28588
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5007013
Own Id:	28588
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TINEE GIANT STORE #71 (Continued)**

**U003690009**

Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5007013  
 Own Id: 28588  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: CURR IN USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5007013  
 Own Id: 28588  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT STORE #71 (Continued)**

**U003690009**

Release:

Tank Type:	UST
Fac Id:	5007013
Own Id:	28588
Tank Number:	2
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5007013
Own Id:	28588
Tank Number:	2
Install Date:	Not reported
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT STORE #71 (Continued)**

**U003690009**

<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007013
Own Id:	28588
Tank Number:	3
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5007013
Own Id:	28588
Tank Number:	3
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT STORE #71 (Continued)**

**U003690009**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5007013  
 Own Id: 28588  
 Tank Number: 3  
 Install Date: Not reported  
 Tank Status: CURR IN USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID: 5007013  
 FRP Financial Assurance: Full  
 Owner Name: TINEE GIANT STORE #71  
 ROF Own Id: 28588  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Tinee Giant 71  
 CEDS Facility Id: 200000091779  
 Tank Type Count: 3  
 Location: Not reported

83

**MILLER MART 27  
 37 SOUTH ARMISTEAD AVENUE  
 HAMPTON, VA 23669**

**VA UST U003948146  
 VA FINANCIAL ASSURANCE N/A**

UST:  
 Facility:  
     Facility Id: 5019994  
     Facility Type: GAS STATION  
     CEDS Facility ID: 200000064936  
 Owner:  
     Facility Id: 5019994  
     Owner Id: 27789  
     Owner Name: Miller Oil Co Inc  
     Owner Address: 1000 E City Hall Ave  
     Owner Address2: Not reported  
     Owner City, State, Zip: Norfolk, VA 23504  
     UST Status: Reg

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 27 (Continued)**

**U003948146**

AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	1
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	1
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER MART 27 (Continued)**

**U003948146**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	1
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	2
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER MART 27 (Continued)**

**U003948146**

Release:

Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	2
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	2
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	6000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 27 (Continued)**

**U003948146**

<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	3
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	3
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 27 (Continued)**

**U003948146**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5019994  
 Own Id: 27789  
 Tank Number: 3  
 Install Date: 02-MAY-1973  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 4  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5019994  
 Own Id: 27789  
 Tank Number: 4  
 Install Date: 02-MAY-1973  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5019994  
 Own Id: 27789  
 Tank Number: 4  
 Install Date: 02-MAY-1973  
 Tank Status: CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 27 (Continued)**

**U003948146**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	4
Install Date:	02-MAY-1973
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	5
Tank Capacity:	2000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MILLER MART 27 (Continued)**

**U003948146**

Install Date:	02-MAY-1984
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	5
Install Date:	02-MAY-1984
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019994
Own Id:	27789
Tank Number:	5
Install Date:	02-MAY-1984
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MILLER MART 27 (Continued)**

**U003948146**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5019994
FRP Financial Assurance:	Full
Owner Name:	Miller Mart 27
ROF Own Id:	27789
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	Not reported
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Easy Go Convenience Store #9
CEDS Facility Id:	200000064936
Tank Type Count:	5
Location:	Not reported

83

**76 RECON**  
**21 SOUTH ARMISTEAD AVENUE**  
**HAMPTON, VA 23669**

**VA UST U003691629**  
**N/A**

UST:

Facility:

Facility Id:	5018526
Facility Type:	GAS STATION
CEDS Facility ID:	200000063736

Owner:

Facility Id:	5018526
Owner Id:	32537
Owner Name:	SANFORD & CHARLES, INC
Owner Address:	P.O. BOX 42
Owner Address2:	Not reported
Owner City, State, Zip:	NEWPORT NEWS, VA 23607
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number:	1
Tank Capacity:	5000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**76 RECON (Continued)**

**U003691629**

Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5018526
Own Id:	32537
Tank Number:	1
Install Date:	06-MAY-1972
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5018526
Own Id:	32537
Tank Number:	1
Install Date:	06-MAY-1972
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**76 RECON (Continued)**

**U003691629**

Fac Id: 5018526  
 Own Id: 32537  
 Tank Number: 1  
 Install Date: 06-MAY-1972  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 5000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5018526  
 Own Id: 32537  
 Tank Number: 2  
 Install Date: 06-MAY-1972  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5018526  
 Own Id: 32537  
 Tank Number: 2  
 Install Date: 06-MAY-1972  
 Tank Status: PERM OUT OF USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**76 RECON (Continued)**

**U003691629**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5018526
Own Id:	32537
Tank Number:	2
Install Date:	06-MAY-1972
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

83

**FORMER GREYHOUND BUS STATION**  
**22 SOUTH ARMISTEAD AVENUE**  
**HAMPTON, VA 23668**

**VA UST U003690282**  
**N/A**

UST:

Facility:

Facility Id:	5009023
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000065206

Owner:

Facility Id:	5009023
Owner Id:	32729
Owner Name:	DORIS MADDEN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORMER GREYHOUND BUS STATION (Continued)**

**U003690282**

Owner Address:	BOX 3054
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23514
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009023
Own Id:	32729
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009023
Own Id:	32729
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER GREYHOUND BUS STATION (Continued)**

**U003690282**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009023
Own Id:	32729
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

83

**HAMPTON AUTOMOTIVE  
 2 SOUTH ARMISTEAD AVENUE  
 HAMPTON, VA 23669**

**VA LUST U003692710  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000065417
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	05/15/1992
Pollution Complaint Num:	19922122
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	HIGH SOIL TPH DURING UST CLOSURES.
Region:	TD
Region Code:	TRO
Facility ID:	200000065417
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	04/08/1994
Pollution Complaint Num:	19922122
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065417  
**Case Status: Closed**  
 Pollution Complaint #: 19922122  
 Reported: 15-MAY-1992

UST:

Facility:

Facility Id: 5026583  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065417

Owner:

Facility Id: 5026583  
 Owner Id: 29295  
 Owner Name: UNOCAL CORPORATION  
 Owner Address: 1650 E. GOLF ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: SCHAUMBURG, IL 60196  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5026583  
 Own Id: 29295  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Tank Type: UST  
 Fac Id: 5026583  
 Own Id: 29295  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5026583  
 Own Id: 29295  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 550  
 Tank Contents: KEROSENE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Tank Material:

Tank Type:	UST
Fac Id:	5026583
Own Id:	29295
Tank Number:	2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5026583
Own Id:	29295
Tank Number:	2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026583

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Own Id: 29295  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 550  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5026583  
 Own Id: 29295  
 Tank Number: 3  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5026583  
 Own Id: 29295  
 Tank Number: 3  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5026583
Own Id:	29295
Tank Number:	3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	5000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5026583
Own Id:	29295
Tank Number:	4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5026583
Own Id:	29295
Tank Number:	4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026583
Own Id:	29295
Tank Number:	4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 5  
 Tank Capacity: 5000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5026583  
 Own Id: 29295  
 Tank Number: 5  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5026583  
 Own Id: 29295  
 Tank Number: 5  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON AUTOMOTIVE (Continued)**

**U003692710**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026583
Own Id:	29295
Tank Number:	5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5026583
FRP Financial Assurance:	Min
Owner Name:	HAMPTON AUTOMOTIVE
ROF Own Id:	29295
Tank Type:	UST
Mechanism:	Financial Test
Gallonage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Hampton Automotive
CEDS Facility Id:	200000065417
Tank Type Count:	5
Location:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

84 MOTON EARLY CHILDHOOD CENTER FINDS 1011476607  
 339 OLD BUCKROE RD N/A  
 HAMPTON, VA 23663

FINDS:

Registry ID: 110036848383

Environmental Interest/Information System

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

85 HARRISONS SERVICE CENTER VA LUST U003689406  
 1107 W. PEMBROKE AVENUE VA LTANKS N/A  
 HAMPTON, VA 23661 VA UST

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091168  
**Facility Status: Closed**  
 Completed Date: 11/17/1988  
 Pollution Complaint Num: 19890551  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL & GW CONTAMINATION ASSOCIATED WITH USTS.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091168  
**Facility Status: Closed**  
 Completed Date: 12/30/1996  
 Pollution Complaint Num: 19890551  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED. NO FURTHON REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000091168  
**Case Status: Closed**  
 Pollution Complaint #: 19890551  
 Reported: 17-NOV-1988

UST:

Facility:

Facility Id: 5003531  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000091168

Owner:

Facility Id: 5003531  
 Owner Id: 30159  
 Owner Name: VDOT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Owner Address:	1221 E Broad St
Owner Address2:	Not reported
Owner City, State, Zip:	Richmond, VA 23219
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	G5
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	G5
Install Date:	01-JAN-1959
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	G5
Install Date:	01-JAN-1959
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	G5
Install Date:	01-JAN-1959
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R1
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R1
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R1
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R1
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Number:	R10
Tank Capacity:	550
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R10
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R10
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R10
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R11
Tank Capacity:	550
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R11
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R11

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R11
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R12
Tank Capacity:	1000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Own Id:	30159
Tank Number:	R12
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R12
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R12
Install Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R2
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R2
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R2
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R3
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R3
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R3
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R4
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R4
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R4
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R6
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R6
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R6
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R6
Install Date:	01-JAN-1959
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Number:	R7
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R7
Install Date:	01-JAN-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R7
Install Date:	01-JAN-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R7
Install Date:	01-JAN-1966
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R8
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R8
Install Date:	01-JAN-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R8

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Install Date:	01-JAN-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R8
Install Date:	01-JAN-1966
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R9
Tank Capacity:	Not reported
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003531

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Own Id:	30159
Tank Number:	R9
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R9
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003531
Own Id:	30159
Tank Number:	R9
Install Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISONS SERVICE CENTER (Continued)**

**U003689406**

Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**85**      **1107 W. PEMBROKE AVE.**  
**1107 W. PEMBROKE AVE.**  
**HAMPTON, VA**

**ERNS**    **89102865**  
**N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**86**      **FIRST UNITED METHODIST CHURCH**  
**110 QUEENS STREET**  
**HAMPTON, VA 23188**

**VA LUST**    **S104196441**  
**VA LTANKS**    **N/A**

**LUST REG TD:**

Region:	TD
Region Code:	TRO
Facility ID:	200000191271
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	07/15/1999
Pollution Complaint Num:	20005009
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	FP SEEPING INTO HAMPTON RIVER.

Region:	TD
Region Code:	TRO
Facility ID:	200000191271
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	03/04/2005
Pollution Complaint Num:	20005009
Fed Regulated Tank:	No
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case closed, letter sent

**LTANKS:**

Region:	TRO
CEDS Facility Id:	200000191271
<b>Case Status:</b>	<b>Closed</b>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FIRST UNITED METHODIST CHURCH (Continued)**

**S104196441**

Pollution Complaint #: 20005009  
 Reported: 15-JUL-1999

87

**LE-MAC NURSERIES, 1321 W QUEEN ST  
 HAMPTON, VA**

**VA SPILLS S106754965  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	98-1866
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	BOBBY NEWSOME
RP Company:	BNE
RP Address:	16168 CARROLLTON BLVD
RP City,St,Zip:	CARROLLTON, VA 23314
Resp Party Phone:	7572389911
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	KLK/LBF
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**(Continued)**

**S106754965**

Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	9/4/1997
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	CONSTRUCTION DEBRIS WAS TRANSFERRED FROM A SITE IN NEWPORT NEWS TO HAMPTON; MATERIAL IS MIXED WASTE
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7577276170
Report By Name:	PATRICK HOWARD
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	SOLID WASTE
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

87

**LE MAC NURSERY, 1321 W QUEEN ST  
 HAMPTON, VA**

**VA SPILLS S108925209  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	97-1789
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	LE MAC NURSERY
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S108925209

Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	MLJ
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>8/29/1996</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	8/20/1996
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	DEPT OF AG/DES DISCOVERED SODIUMAZIDE LEFT BY VPI IN THE 70'S AT THE ABOVE LOCATION
Reported By Company:	DES
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	WILLIE HOWLET
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	CHEM/HAZ
Stream:	Not reported
Spill Volume:	375
Spill Unit:	POUNDS
Volume To State Water:	Not reported

88

**7-ELEVEN #24089**  
**110 SOUTH ARMISTEAD AVE**  
**HAMPTON, VA 23669**

**RCRA-SQG 1000459955**  
**FINDS VAD988191573**

RCRA-SQG:  
 Date form received by agency: 01/29/1991  
 Facility name: 7-ELEVEN #24089  
 Facility address: 110 SOUTH ARMISTEAD AVE  
 HAMPTON, VA 23669  
 EPA ID: VAD988191573  
 Mailing address: REFLECTIONS III STE 400  
 VIRGINIA BEACH, VA 23452  
 Contact: GARRY BLAIR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN #24089 (Continued)**

**1000459955**

Contact address: 110 SOUTH ARMISTEAD AVE  
 HAMPTON, VA 23669

Contact country: US

Contact telephone: (804) 498-4711

Contact email: Not reported

EPA Region: 03

Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME

Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999

Owner/operator country: Not reported

Owner/operator telephone: (215) 555-1212

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: SOUTHLAND CORPORATION THE

Owner/operator address: REFLECTIONS III STE 400  
 VIRGINIA BEACH, VA 23452

Owner/operator country: Not reported

Owner/operator telephone: (804) 498-4711

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000

Waste name: Not Defined

Waste code: D018

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN #24089 (Continued)**

**1000459955**

Waste name: BENZENE  
 Violation Status: No violations found

**FINDS:**

Registry ID: 110005240952

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

88

**7-ELEVEN STORE 24089  
 110 SOUTH ARMISTEAD AVENUE  
 HAMPTON, VA 23669**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003689611  
 N/A**

**UST:**

**Facility:**

Facility Id: 5004807  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000063753

**Owner:**

Facility Id: 5004807  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated  
 Owner Address: PO Box 711  
 Owner Address2: Not reported  
 Owner City, State, Zip: Dallas, TX 75221  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

**Tank Material:**

Tank Type: UST  
 Fac Id: 5004807  
 Own Id: 38838  
 Tank Number: 1  
 Install Date: 01-FEB-1983  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 24089 (Continued)**

**U003689611**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	1
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	1
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 24089 (Continued)**

**U003689611**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	2
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	2
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 24089 (Continued)**

**U003689611**

Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	2
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	MANIFOLDED WITH TANK #1
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	3
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 24089 (Continued)**

**U003689611**

Release:

Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	3
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004807
Own Id:	38838
Tank Number:	3
Install Date:	01-FEB-1983
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5004807
FRP Financial Assurance:	Full
Owner Name:	7-ELEVEN STORE 24089



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 24089 (Continued)**

**U003689611**

ROF Own Id: 38838  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$2,000,000  
 Third Party: \$2,000,000  
 Annual Aggregate: \$2,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: 7-Eleven #24089  
 CEDS Facility Id: 200000063753  
 Tank Type Count: 6  
 Location: Not reported

**88 CAMERA CITY FORMER - PROPOSED WALGREENS 11572  
 101 S ARMISTEAD AVE  
 HAMPTON, VA 23669**

**VA UST U004189346  
 N/A**

UST:

Facility:

Facility Id: 5042074  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000851492

Owner:

Facility Id: 5042074  
 Owner Id: 47065  
 Owner Name: Walgreen Co  
 Owner Address: 106 Wilmot Rd Suite 1620  
 Owner Address2: Not reported  
 Owner City, State, Zip: Deerfield, IL 60015  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: Yes

Tank Number: UST-D  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

**88 CAMERA CITY FORMER - PROPOSED WALGREENS 11572  
 101 S ARMISTEAD AVE  
 HAMPTON, VA 23669**

**VA LUST S109609721  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000851492  
**Facility Status: Closed**  
 Completed Date: 06/16/2009  
 Pollution Complaint Num: 20095119  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CAMERA CITY FORMER - PROPOSED WALGREENS 11572 (Continued)**

**S109609721**

Comments:	Release Reported
Region:	TD
Region Code:	TRO
Facility ID:	200000851492
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	09/03/2009
Pollution Complaint Num:	20095119
Fed Regulated Tank:	No
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case Closed
Region:	TD
Region Code:	TRO
Facility ID:	200000851492
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	11/14/2011
Pollution Complaint Num:	20125063
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release Reported
Region:	TD
Region Code:	TRO
Facility ID:	200000851492
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	11/29/2011
Pollution Complaint Num:	20125063
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case Closed (after review of UST CLS Rpt)
Region:	TD
Region Code:	TRO
Facility ID:	200000851492
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	11/14/2011
Pollution Complaint Num:	20125073
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release Reported
Region:	TD
Region Code:	TRO
Facility ID:	200000851492
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	12/16/2011
Pollution Complaint Num:	20125073
Fed Regulated Tank:	No
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case Closed

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CAMERA CITY FORMER - PROPOSED WALGREENS 11572 (Continued)**

**S109609721**

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000851492  
**Case Status: Closed**  
 Pollution Complaint #: 20125073  
 Reported: 14-NOV-2011

Region: TRO  
 CEDS Facility Id: 200000851492  
**Case Status: Closed**  
 Pollution Complaint #: 20125063  
 Reported: 14-NOV-2011

Region: TRO  
 CEDS Facility Id: 200000851492  
**Case Status: Closed**  
 Pollution Complaint #: 20095119  
 Reported: 16-JUN-2009

89

**7-ELEVEN 34310  
 1401 W QUEEN ST  
 HAMPTON, VA 23669**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U004149564  
 N/A**

UST:

Facility:

Facility Id: 5010941  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000090012

Owner:

Facility Id: 5010941  
 Owner Id: 37307  
 Owner Name: Zooms Inc  
 Owner Address: 2451 W Pembroke Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23661  
 UST Status: Reg  
 AST Status: Not reported

Facility Id: 5010941  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated  
 Owner Address: PO Box 711  
 Owner Address2: Not reported  
 Owner City, State, Zip: Dallas, TX 75221  
 UST Status: Un-Reg  
 AST Status: N/A

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Fac Id:	5010941
Own Id:	38838
Tank Number:	1
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	38838
Tank Number:	1
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	38838
Tank Number:	1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN 34310 (Continued)**

**U004149564**

Install Date: 01-NOV-1994  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment Y  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5010941  
 Own Id: 38838  
 Tank Number: 2  
 Install Date: 01-NOV-1994  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5010941  
 Own Id: 38838  
 Tank Number: 2  
 Install Date: 01-NOV-1994  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge Y  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness Y  
 Tank Release Detection: Vapor Monitor N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	38838
Tank Number:	2
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	38838
Tank Number:	3
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN 34310 (Continued)**

**U004149564**

Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5010941
Own Id:	38838
Tank Number:	3
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010941
Own Id:	38838
Tank Number:	3
Install Date:	01-NOV-1994
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN 34310 (Continued)**

**U004149564**

Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment Y  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5010941  
 Own Id: 37307  
 Tank Number: R1  
 Install Date: 01-MAY-1970  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5010941  
 Own Id: 37307  
 Tank Number: R1  
 Install Date: 01-MAY-1970  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R1
Install Date:	01-MAY-1970
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R2
Install Date:	01-MAY-1970
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R2
Install Date:	01-MAY-1970
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R2
Install Date:	01-MAY-1970
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Tank Number:	R3
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R3
Install Date:	02-MAY-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R3
Install Date:	02-MAY-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R3
Install Date:	02-MAY-1979
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R4
Install Date:	02-MAY-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Install Date:	02-MAY-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R4
Install Date:	02-MAY-1979
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R5
Tank Capacity:	3000
Tank Contents:	KEROSENE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5010941

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Own Id:	37307
Tank Number:	R5
Install Date:	01-MAY-1968
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R5
Install Date:	01-MAY-1968
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R5
Install Date:	01-MAY-1968

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN 34310 (Continued)**

**U004149564**

Tank Status: REM FROM GRD  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R6  
 Tank Capacity: 3000  
 Tank Contents: KEROSENE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5010941  
 Own Id: 37307  
 Tank Number: R6  
 Install Date: 01-MAY-1968  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5010941  
 Own Id: 37307  
 Tank Number: R6  
 Install Date: 01-MAY-1968  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010941
Own Id:	37307
Tank Number:	R6
Install Date:	01-MAY-1968
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5010941
FRP Financial Assurance:	Full
Owner Name:	7-Eleven 34310
ROF Own Id:	37307
Tank Type:	UST
Mechanism:	Financial Test
Gallorage:	Not reported
Per Occurence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	7-Eleven 34310
CEDS Facility Id:	200000090012
Tank Type Count:	6
Location:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN 34310 (Continued)**

**U004149564**

Facility ID: 5010941  
 FRP Financial Assurance: Full  
 Owner Name: 7-Eleven 34310  
 ROF Own Id: 38838  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$2,000,000  
 Third Party: \$2,000,000  
 Annual Aggregate: \$2,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: 7-Eleven 34310  
 CEDS Facility Id: 200000090012  
 Tank Type Count: 3  
 Location: Not reported

89

**ZOOMS 9  
 1401 W QUEEN ST  
 HAMPTON, VA 23669**

**VA LUST S110145262  
 VA LTANKS N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000090012  
**Facility Status: Closed**  
 Completed Date: 09/28/2009  
 Pollution Complaint Num: 20105032  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000090012  
**Facility Status: Closed**  
 Completed Date: 12/03/2009  
 Pollution Complaint Num: 20105032  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000090012  
**Case Status: Closed**  
 Pollution Complaint #: 20105032  
 Reported: 28-SEP-2009

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

90 OLD GOLF COURSE - MAINTENANCE VA UST U003691344  
 140 W. COUNTY STREET VA AST N/A  
 HAMPTON, VA 23663 VA FINANCIAL ASSURANCE

UST:

Facility:

Facility Id: 5015783  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000065318

Owner:

Facility Id: 5015783  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5015783  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5015783  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OLD GOLF COURSE - MAINTENANCE (Continued)**

**U003691344**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5015783
Own Id:	36544
Tank Number:	R1
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

AST:

Facility:

Facility ID:	5015783
Facility Type:	LOCAL
CEDS Facility ID:	200000065318

Owner:

Facility Id:	5015783
Owner Id:	36544
Owner Name:	City of Hampton Dept of General Svcs
Owner Address:	30 Kings Way
Owner Address2:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**OLD GOLF COURSE - MAINTENANCE (Continued)**

**U003691344**

Owner City:	Hampton
Owner State:	VA
Owner Zip:	23669
Ust Status:	Not reported
Ast Status:	Not reported
Fed Regulated:	No
Tank Number:	1
Tank Type:	AST
Tank Capacity:	1000
Tank Contents:	OTHER
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5015783
Own Id:	36544
Tank Number:	1
Install Date:	01-SEP-1998
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5015783
Own Id:	36544
Tank Number:	1
Install Date:	01-SEP-1998
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**OLD GOLF COURSE - MAINTENANCE (Continued)**

**U003691344**

Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5015783
Own Id:	36544
Tank Number:	1
Install Date:	01-SEP-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5015783
FRP Financial Assurance:	Min
Owner Name:	Old Golf Course - Maintenance
ROF Own Id:	36544
Tank Type:	UST
Mechanism:	Not reported
Gallorage:	Not reported
Per Occurrence:	20000
Third Party:	60000
Annual Aggregate:	80000
In Compliance:	Not reported
Total Capacity:	1000
CEDS Facility Name:	Hampton City Golf Course
CEDS Facility Id:	200000065318
Tank Type Count:	2
Location:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

90 OLD GOLF COURSE - MAINTENANCE  
 9 WOODLAND ROAD  
 HAMPTON, VA 23669

VA LUST S105985819  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091487  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972217  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS IN UST AREA

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091487  
**Facility Status: Closed**  
 Completed Date: 03/27/1998  
 Pollution Complaint Num: 19972217  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000091487  
**Case Status: Closed**  
 Pollution Complaint #: 19972217  
 Reported: 26-JUL-1996

91 HAMPTON UNIVERSITY PROPERTY - SAGE COURT  
 3 SAGE CT  
 HAMPTON, VA 23668

VA LUST S110608194  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854131  
**Facility Status: Closed**  
 Completed Date: 08/30/2010  
 Pollution Complaint Num: 20115013  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854131  
**Facility Status: Closed**  
 Completed Date: 09/02/2010  
 Pollution Complaint Num: 20115013  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY PROPERTY - SAGE COURT (Continued)**

**S110608194**

Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000854131  
**Case Status: Closed**  
 Pollution Complaint #: 20115013  
 Reported: 30-AUG-2010

92

**VPI&SU VIRGINIA SEAFOOD AES  
 102 SOUTH KING ST  
 HAMPTON, VA 23669**

**RCRA-CESQG 1004790831  
 FINDS VAD988224929**

RCRA-CESQG:

Date form received by agency: 03/18/1993  
 Facility name: VPI&SU VIRGINIA SEAFOOD AES  
 Facility address: 102 SOUTH KING ST  
 HAMPTON, VA 23669  
 EPA ID: VAD988224929  
 Mailing address: VPI&SU HEALTH & SAFETY OFFICE  
 BLACKSBURG, VA 24061  
 Contact: JACK NUNES  
 Contact address: VPI&SU HEALTH & SAFETY OFFICE  
 BLACKSBURG, VA 24061  
 Contact country: US  
 Contact telephone: (703) 231-8758  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Facility is not located on Indian land. Additional information is not known.  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: STATE OF VA  
 Owner/operator address: OWNERSTREET  
 OWNRTCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: State  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VPI&SU VIRGINIA SEAFOOD AES (Continued)**

**1004790831**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 10/15/2008  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

FINDS:

Registry ID: 110005254526

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

92 L.D. AMORY & COMPANY INC  
 101 S KING ST  
 HAMPTON, VA 23669

VA UST U003692760  
 VA AST N/A

UST:

Facility:

Facility Id: 5026727  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000195716

Owner:

Facility Id: 5026727  
 Owner Id: 33117  
 Owner Name: L.D. Amory & Company Inc  
 Owner Address: 101 S King St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Reg  
 AST Status: Reg

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: R1  
 Install Date: 01-JAN-1980  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: R1  
 Install Date: 01-JAN-1980  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R1
Install Date:	01-JAN-1980
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R2
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R2
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R2
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R3  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: R3  
 Install Date: 01-JAN-1970  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: R3  
 Install Date: 01-JAN-1970  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R3
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R4
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R4
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026727
Own Id:	33117
Tank Number:	R4
Install Date:	01-JAN-1970
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Pipe Materials: Other Note Not reported

AST:

Facility:

Facility ID: 5026727  
 Facility Type: INDUSTRIAL  
 CEDS Facility ID: 200000195716

Owner:

Facility Id: 5026727  
 Owner Id: 33117  
 Owner Name: L.D. Amory & Company Inc  
 Owner Address: 101 S King St  
 Owner Address2: Not reported  
 Owner City: Hampton  
 Owner State: VA  
 Owner Zip: 23669  
 Ust Status: Reg  
 Ast Status: Reg

Fed Regulated: No  
 Tank Number: 1  
 Tank Type: AST  
 Tank Capacity: 20500  
 Tank Contents: DIESEL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: 1  
 Install Date: 15-FEB-1959  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs Y  
 Containment: Sorbent Y  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	Y
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5026727
Own Id:	33117
Tank Number:	1
Install Date:	15-FEB-1959
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	Y
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5026727
Own Id:	33117
Tank Number:	1
Install Date:	15-FEB-1959
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Number: 2  
 Tank Type: AST  
 Tank Capacity: 21500  
 Tank Contents: HEATING OIL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: 2  
 Install Date: 25-SEP-1970  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N  
 Release Prevention: None N  
 Release Prevention: Unknown Y  
 Release Prevention: Other N  
 Release Prevention: Other Note Not reported

Tank Foundation:

Tank Type: AST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: 2  
 Install Date: 25-SEP-1970  
 Tank Status: CURR IN USE  
 Tank Foundation: Steel N  
 Tank Foundation: Earthen N  
 Tank Foundation: Concrete Imp N  
 Tank Foundation: Unknown N  
 Tank Foundation: Other N  
 Tank Foundation: Other Note Not reported  
 Tank Roof: Float N  
 Tank Roof: Cone Y  
 Tank Roof: Breather N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5026727
Own Id:	33117
Tank Number:	2
Install Date:	25-SEP-1970
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	3
Tank Type:	AST
Tank Capacity:	21500
Tank Contents:	FUEL OIL
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5026727
Own Id:	33117
Tank Number:	3
Install Date:	15-SEP-1970
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	Y
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5026727
Own Id:	33117
Tank Number:	3
Install Date:	15-SEP-1970
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	Y
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5026727
Own Id:	33117
Tank Number:	3
Install Date:	15-SEP-1970
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Fed Regulated: No  
 Tank Number: 7  
 Tank Type: AST  
 Tank Capacity: 1000  
 Tank Contents: DIESEL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: 7  
 Install Date: 21-DEC-1993  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N  
 Release Prevention: None N  
 Release Prevention: Unknown Y  
 Release Prevention: Other N  
 Release Prevention: Other Note Not reported

Tank Foundation:

Tank Type: AST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: 7  
 Install Date: 21-DEC-1993

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**L.D. AMORY & COMPANY INC (Continued)**

**U003692760**

Tank Status: CURR IN USE  
 Tank Foundation: Steel N  
 Tank Foundation: Earthen N  
 Tank Foundation: Concrete Imp Y  
 Tank Foundation: Unknown N  
 Tank Foundation: Other N  
 Tank Foundation: Other Note Not reported  
 Tank Roof: Float N  
 Tank Roof: Cone N  
 Tank Roof: Breather N  
 Tank Roof: Dbldck N  
 Tank Roof: Pontoon N  
 Tank Roof: Balloon N  
 Tank Roof: Lifter N  
 Tank Roof: Pan N  
 Tank Roof: Other N  
 Tank Roof: Other Note Not reported

Tank Material:  
 Tank Type: AST  
 Fac Id: 5026727  
 Own Id: 33117  
 Tank Number: 7  
 Install Date: 21-DEC-1993  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

92

**L.D. AMORY & CO., INC.**  
**101 S. KING STREET**  
**HAMPTON, VA 23669**

**VA LUST S105945363**  
**VA LTANKS N/A**  
**VA SPILLS**  
**VA NPDES**  
**VA TIER 2**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 20000195716  
**Facility Status: Closed**  
 Completed Date: 04/09/1993  
 Pollution Complaint Num: 19931987  
 Fed Regulated Tank: Yes  
 Phase Code: RR

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & CO., INC. (Continued)**

**S105945363**

Event Description: Release Reported  
 Comments: HOT SOILS IN FORMER UST AREA, POSSIBLE CONTAMINATION AROUND AST TOO.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000195716  
**Facility Status: Closed**  
 Completed Date: 08/17/1994  
 Pollution Complaint Num: 19931987  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000195716  
**Facility Status: Closed**  
 Completed Date: 04/09/1993  
 Pollution Complaint Num: 19943712  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000195716  
**Facility Status: Closed**  
 Completed Date: 08/17/1994  
 Pollution Complaint Num: 19943712  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000195716  
**Case Status: Closed**  
 Pollution Complaint #: 19943712  
 Reported: 09-APR-1993

Region: TRO  
 CEDS Facility Id: 200000195716  
**Case Status: Closed**  
 Pollution Complaint #: 19931987  
 Reported: 09-APR-1993

SPILLS TD:

Region: TD  
 PC Number: 94-1173  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**L.D. AMORY & CO., INC. (Continued)**

**S105945363**

Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	1/7/1994
Source:	FM 2-INCH PIPE
Summary:	Not reported
Comments:	Not reported
Report Notes:	LEAKING SEAL IN FM 2" PIPE CAUSED AMMONIA SPILL
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**L.D. AMORY & CO., INC. (Continued)**

**S105945363**

Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 1/7/1994  
 Incident Time: 19:04  
 Incident Type: CHEM/HAZ  
 Stream: Not reported  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

**CEDS:**

Facility ID: 01-1359  
 Class: Application  
 Minor/Major: Major  
 Industrial: Industrial  
 Permit Date: Not reported  
 Outfall Num: Not reported  
 Lat/Long (dms): Not reported  
 Event Desc: Permit expires  
 Project Status: Maintenance Dredging

**TIER 2:**

CAS Number: 7664-41-7  
 SIC Code: Not reported  
 NAICS: 99999  
 Entered Chemical Name: AMMONIA, [ANHYDROUS]  
 Average Amt Code: Not reported  
 Owner Name: CHARLES R. AMORY, JR.  
 Owner Phone: 757-722-1415  
 Contact Type: Owner / Operator

CAS Number: 68476-34-6  
 SIC Code: Not reported  
 NAICS: 99999  
 Entered Chemical Name: DIESEL #2  
 Average Amt Code: Not reported  
 Owner Name: CHARLES R. AMORY, JR.  
 Owner Phone: 757-722-1415  
 Contact Type: Owner / Operator

CAS Number: 7664-41-7  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: AMMONIA, [ANHYDROUS]  
 Average Amt Code: 1  
 Owner Name: CHARLES R. AMORY, JR.  
 Owner Phone: 757-722-1415  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL #2  
 Average Amt Code: 1  
 Owner Name: CHARLES R. AMORY, JR.  
 Owner Phone: 757-722-1415



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

**L.D. AMORY & CO., INC. (Continued)**

**S105945363**

Contact Type: Not reported

**93 AMES CLEANERS - LAUNDERERS OF HAMPTON IN  
554 E MERCURY BLVD  
HAMPTON, VA 23663**

**RCRA-SQG 1000374304  
FINDS VAD093558997**

RCRA-SQG:

Date form received by agency: 11/04/1986  
 Facility name: AMES CLEANERS - LAUNDERERS OF HAMPTON IN  
 Facility address: 554 E MERCURY BLVD  
 HAMPTON, VA 23663  
 EPA ID: VAD093558997  
 Contact: THOMAS AMES  
 Contact address: 554 E MERCURY BLVD  
 HAMPTON, VA 23663  
 Contact country: US  
 Contact telephone: (804) 722-4301  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Facility is not located on Indian land. Additional information is not known.  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: AMES CLEANERS - LAUNDERERS OF HAMPTON IN  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999

Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMES CLEANERS - LAUNDERERS OF HAMPTON IN (Continued)**

**1000374304**

Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

**Facility Has Received Notices of Violations:**

Regulation violated: SR - 9VAC 20-60-370.E.4.e.(2)  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 03/13/1997  
 Date achieved compliance: 04/14/1997  
 Violation lead agency: State  
 Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter  
 Enforcement action date: 03/19/1997  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 9VAC 20-60:540.F.1.d;370.E.4.d  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 03/13/1997  
 Date achieved compliance: 04/14/1997  
 Violation lead agency: State  
 Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter  
 Enforcement action date: 03/19/1997  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-370.E.3.a.(2)  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 03/13/1997  
 Date achieved compliance: 04/14/1997  
 Violation lead agency: State  
 Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter  
 Enforcement action date: 03/19/1997

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMES CLEANERS - LAUNDERERS OF HAMPTON IN (Continued)**

**1000374304**

Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 03/13/1997  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 04/14/1997  
 Evaluation lead agency: State

FINDS:

Registry ID: 110001899385

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

93

**AMES CLEANERS & FORMALS INC**  
**554 E MERCURY BLVD**  
**HAMPTON, VA 23663**

**VA DRYCLEANERS S106480089**  
**N/A**

DRYCLEANERS:

DEQ Region: TRO  
 Registration Number: 60392  
 SIC: 7216  
 FIPS: 650  
 Oper Status: Operating  
 Mailing Address: 554 East Mercury Boulevard  
 Mailing City,St,Zip: Hampton, VA 23663  
 SI Number: 283  
 SEQ Description: DRY-TO-DRY(FIRBIMATI  
 Plant Classification: True Minor

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**AMES CLEANERS & FORMALS INC (Continued)**

**S106480089**

FAC Inserted Date: 12/1/1999 5:16:14 PM  
 FAC Changed Date: 2/27/2007 11:02:12 AM

---

**94 VICINITY OF HAMPTON UNIVERSITY  
 VICINITY OF HAMPTON UNIVERSITY  
 FT MONROE, VA**

**ERNS 97407086  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

**95 THE RENDEZVOUS REST  
 WEBSTER STREET @ FULTON STREET  
 HAMPTON, VA 23663**

**VA UST U003691894  
 N/A**

UST:

Facility:

Facility Id:	5020402
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000067307

Owner:

Facility Id:	5020402
Owner Id:	27531
Owner Name:	MARY J. TURNER
Owner Address:	58 FULTON STREET
Owner Address2:	Not reported
Owner City, State, Zip:	HAMPTON, VA 23663
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number: 1

Tank Capacity: 500

Tank Contents: GASOLINE

**Tank Status: CLS IN GRD**

Tank Type: UST

Tank Material:

Tank Type:	UST
Fac Id:	5020402
Own Id:	27531
Tank Number:	1
Install Date:	08-MAY-1956
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THE RENDEZVOUS REST (Continued)**

**U003691894**

Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown Y  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5020402  
 Own Id: 27531  
 Tank Number: 1  
 Install Date: 08-MAY-1956  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5020402  
 Own Id: 27531  
 Tank Number: 1  
 Install Date: 08-MAY-1956  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

96 PHEOBUS 76  
 608 E. MERCURY BLVD.  
 HAMPTON, VA 23663

VA LUST U003691432  
 VA LTANKS N/A  
 VA UST

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066548  
**Facility Status: Closed**  
 Completed Date: 06/13/1989  
 Pollution Complaint Num: 19891725  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL & GW CONTAMINATION FOUND (FP TOO). LAB DATA ATTACHED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066548  
**Facility Status: Closed**  
 Completed Date: 01/09/2001  
 Pollution Complaint Num: 19891725  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066548  
**Case Status: Closed**  
 Pollution Complaint #: 19891725  
 Reported: 13-JUN-1989

UST:

Facility:

Facility Id: 5016403  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000066548

Owner:

Facility Id: 5016403  
 Owner Id: 32659  
 Owner Name: FARM FRESH, INC  
 Owner Address: P.O. BOX 1289  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23501  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHEOBUS 76 (Continued)**

**U003691432**

Tank Material:

Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	1
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	1
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016403

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHEOBUS 76 (Continued)**

**U003691432**

Own Id:	32659
Tank Number:	1
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	2
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	2
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHEOBUS 76 (Continued)**

**U003691432**

Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	2
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	3
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PHEOBUS 76 (Continued)**

**U003691432**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	3
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	3
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHEOBUS 76 (Continued)**

**U003691432**

Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	4
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	4
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHEOBUS 76 (Continued)**

**U003691432**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016403
Own Id:	32659
Tank Number:	4
Install Date:	09-MAY-1979
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

97

**H&H RADIATOR & AIR CONDITIONING**  
**1255 W. PEMBROKE AVE.**  
**HAMPTON, VA 23661**

**VA UST U003691520**  
**N/A**

UST:

Facility:

Facility Id:	5016913
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000065395

Owner:

Facility Id:	5016913
Owner Id:	32448
Owner Name:	H&H RADIATOR AND AIR CONDITIONIN
Owner Address:	1255 W. PEMBROKE AVE.
Owner Address2:	Not reported
Owner City, State, Zip:	HAMPTON, VA 23661
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**H&H RADIATOR & AIR CONDITIONING (Continued)**

**U003691520**

Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016913
Own Id:	32448
Tank Number:	1
Install Date:	07-MAY-1951
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016913
Own Id:	32448
Tank Number:	1
Install Date:	07-MAY-1951
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

H&H RADIATOR & AIR CONDITIONING (Continued)

U003691520

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5016913  
 Own Id: 32448  
 Tank Number: 1  
 Install Date: 07-MAY-1951  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: Not reported  
 Tank Contents: UNKNOWN  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5016913  
 Own Id: 32448  
 Tank Number: 2  
 Install Date: 07-MAY-1951  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown Y  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5016913  
 Own Id: 32448  
 Tank Number: 2  
 Install Date: 07-MAY-1951  
 Tank Status: CLS IN GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**H&H RADIATOR & AIR CONDITIONING (Continued)**

**U003691520**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016913
Own Id:	32448
Tank Number:	2
Install Date:	07-MAY-1951
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5016913
Own Id:	32448
Tank Number:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**H&H RADIATOR & AIR CONDITIONING (Continued)**

**U003691520**

Install Date:	07-MAY-1951
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016913
Own Id:	32448
Tank Number:	3
Install Date:	07-MAY-1951
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016913
Own Id:	32448
Tank Number:	3
Install Date:	07-MAY-1951
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**H&H RADIATOR & AIR CONDITIONING (Continued)**

**U003691520**

Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

97

**H & H RADIATOR & AIR COND SVC INC**  
**1255 W PEMBROKE AVE**  
**HAMPTON, VA 23661**

**RCRA-SQG 1000116620**  
**FINDS VAD065377673**

RCRA-SQG:

Date form received by agency: 10/23/1986  
 Facility name: H & H RADIATOR & AIR COND SVC INC  
 Facility address: 1255 W PEMBROKE AVE  
 HAMPTON, VA 23661  
 EPA ID: VAD065377673  
 Contact: FLOYD HENDRICKS  
 Contact address: 1255 W PEMBROKE AVE  
 HAMPTON, VA 23661  
 Contact country: US  
 Contact telephone: (804) 722-2587  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Facility is not located on Indian land. Additional information is not known.  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: HENDRICKS JR FE  
 Owner/operator address: 1255 W PEMBROKE AVE  
 HAMPTON, VA 23661  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 722-2587  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**H & H RADIATOR & AIR COND SVC INC (Continued)**

**1000116620**

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined

Waste code: D008  
 Waste name: LEAD

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 04/22/1987  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

FINDS:

Registry ID: 110005224426

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

98 JONES MARINA  
 529 BRIDGE ST  
 HAMPTON, VA 23669

VA LUST U003690046  
 VA LTANKS N/A  
 VA UST

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065739  
**Facility Status: Closed**  
 Completed Date: 02/16/1998  
 Pollution Complaint Num: 19982325  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: PETROL RELEASE

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065739  
**Facility Status: Closed**  
 Completed Date: 03/02/1998  
 Pollution Complaint Num: 19982325  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: BASED ON INFO RCVD, CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065739  
**Case Status: Closed**  
 Pollution Complaint #: 19982325  
 Reported: 16-FEB-1998

UST:

Facility:

Facility Id: 5007265  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065739

Owner:

Facility Id: 5007265  
 Owner Id: 35411  
 Owner Name: CHESAPEAKE CHARTER SERVICE OF VA  
 Owner Address: 519 BRIDGE ST  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5007265  
 Owner Id: 38853  
 Owner Name: HAMPTON MARINA LLC  
 Owner Address: 519 BRIDGE ST  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JONES MARINA (Continued)**

**U003690046**

Federally Regulated:	Yes
Tank Number:	G2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007265
Own Id:	38853
Tank Number:	G2
Install Date:	01-JAN-1945
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5007265
Own Id:	38853
Tank Number:	G2
Install Date:	01-JAN-1945
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JONES MARINA (Continued)**

**U003690046**

Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5007265  
 Own Id: 38853  
 Tank Number: G2  
 Install Date: 01-JAN-1945  
 Tank Status: CLS IN GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: G3  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5007265  
 Own Id: 38853  
 Tank Number: G3  
 Install Date: 01-JAN-1945  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5007265

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**JONES MARINA (Continued)**

**U003690046**

Own Id:	38853
Tank Number:	G3
Install Date:	01-JAN-1945
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
 Pipe Material:	
Tank Type:	UST
Fac Id:	5007265
Own Id:	38853
Tank Number:	G3
Install Date:	01-JAN-1945
Tank Status:	CLS IN GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	G4
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
 Tank Material:	

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JONES MARINA (Continued)**

**U003690046**

Tank Type:	UST
Fac Id:	5007265
Own Id:	38853
Tank Number:	G4
Install Date:	01-JAN-1945
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5007265
Own Id:	38853
Tank Number:	G4
Install Date:	01-JAN-1945
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5007265
Own Id:	38853

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JONES MARINA (Continued)**

**U003690046**

Tank Number: G4  
 Install Date: 01-JAN-1945  
 Tank Status: CLS IN GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R1  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5007265  
 Own Id: 35411  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5007265  
 Own Id: 35411  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**JONES MARINA (Continued)**

**U003690046**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007265
Own Id:	35411
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	Not reported
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Number:	Not reported
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

98

**519 BRIDGE STREET PIER  
 HAMPTON, VA**

**VA LUST S105952900  
 VA LTANKS N/A  
 VA SPILLS**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000220495  
**Facility Status: Closed**  
 Completed Date: 05/05/2005  
 Pollution Complaint Num: 20055171  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000220495  
**Facility Status: Closed**  
 Completed Date: 06/30/2005  
 Pollution Complaint Num: 20055171  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further investigation or corrective action warranted

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000220495  
**Case Status: Closed**  
 Pollution Complaint #: 20055171  
 Reported: 05-MAY-2005

SPILLS TD:

Region: TD  
 PC Number: 98-7954  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105952900

Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	4/28/1998
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	VESSEL SINKING, PUMPING OPERATIONS IN PROGRESS PROBABLY WILL NOT LEAK
Reported By Company:	HAMPTON FD
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7578105020
Report By Name:	CAPT WITHERSPOON
PI Date:	4/28/1998
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

99      **PHOEBOS PACKING CO / SAM RUST SEAFOOD INC**      **VA UST**      **U003688903**  
**102 N. MALLORY STREET**      **VA FINANCIAL ASSURANCE**      **N/A**  
**HAMPTON, VA 23663**

UST:

Facility:

Facility Id: 5000616  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000091629

Owner:

Facility Id: 5000616  
 Owner Id: 28040  
 Owner Name: SAM RUST SEAFOOD INC  
 Owner Address: 620 REGIONAL DRIVE  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23670  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 4500  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5000616  
 Own Id: 28040  
 Tank Number: R1  
 Install Date: 22-FEB-1983  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5000616  
 Own Id: 28040  
 Tank Number: R1  
 Install Date: 22-FEB-1983  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBOS PACKING CO / SAM RUST SEAFOOD INC (Continued)**

**U003688903**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5000616
Own Id:	28040
Tank Number:	R1
Install Date:	22-FEB-1983
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5000616
FRP Financial Assurance:	Full
Owner Name:	PHOEBOS PACKING CO / SAM RUST SEAFOOD INC
ROF Own Id:	28040
Tank Type:	UST
Mechanism:	Letter of Credit
Gallonage:	Not reported
Per Occurrence:	5000
Third Party:	15000
Annual Aggregate:	20000
In Compliance:	Not reported
Total Capacity:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBOS PACKING CO / SAM RUST SEAFOOD INC (Continued)**

**U003688903**

CEDS Facility Name: Sam Rust Seafood, Incorporated 102 North Mallory S  
 CEDS Facility Id: 200000091629  
 Tank Type Count: 1  
 Location: Not reported

100

**PHOEBUS BP AMOCO  
 20 W COUNTY ST  
 HAMPTON, VA 23663**

**VA LUST U003690478  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065027  
**Facility Status: Closed**  
 Completed Date: 01/03/1989  
 Pollution Complaint Num: 19890737  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: FREE PRODUCT IN MONITORING WELL, POSSIBLY FROM LEAK DETECTOR.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065027  
**Facility Status: Closed**  
 Completed Date: 10/31/1994  
 Pollution Complaint Num: 19890737  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065027  
**Case Status: Closed**  
 Pollution Complaint #: 19890737  
 Reported: 03-JAN-1989

UST:

Facility:  
 Facility Id: 5009994  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065027

Owner:  
 Facility Id: 5009994  
 Owner Id: 43017  
 Owner Name: Vui Thanh Nguyen  
 Owner Address: 20 West County Street  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23663  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5009994

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Owner Id:	40064
Owner Name:	ExxonMobil Corporation c/o Gilbarco Veeder Root
Owner Address:	7300 W Friendly Ave MS F76
Owner Address2:	PO Box 22087
Owner City, State, Zip:	Greensboro, NC 27420
UST Status:	Reg
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	1
Install Date:	01-NOV-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	1
Install Date:	01-NOV-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	1
Install Date:	01-NOV-1982
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	2
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	2
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	2
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Tank Number:	3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	3
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	3
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	3
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	4
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	43017
Tank Number:	4
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	5
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009994

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Own Id:	40064
Tank Number:	5
Install Date:	01-JAN-1982
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	40064
Tank Number:	5
Install Date:	01-JAN-1982
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009994
Own Id:	40064
Tank Number:	5
Install Date:	01-JAN-1982

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS BP AMOCO (Continued)**

**U003690478**

Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5009994
FRP Financial Assurance:	Full
Owner Name:	Phoebus BP Amoco
ROF Own Id:	40064
Tank Type:	UST
Mechanism:	Financial Test
Gallorage:	Not reported
Per Occurence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Phoebus BP Amoco
CEDS Facility Id:	200000065027
Tank Type Count:	2
Location:	Not reported

Facility ID:	5009994
FRP Financial Assurance:	Full
Owner Name:	Phoebus BP Amoco
ROF Own Id:	43017
Tank Type:	UST
Mechanism:	Insurance
Gallorage:	Not reported
Per Occurence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$1,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Phoebus BP Amoco
CEDS Facility Id:	200000065027
Tank Type Count:	4
Location:	Not reported

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

101 HAMPTON UNIV RCRA-SQG 1000350037  
 BLDG 220 TURNER HALL FINDS VAD137776001  
 HAMPTON, VA 23668 NY MANIFEST

RCRA-SQG:

Date form received by agency: 10/31/1995  
 Facility name: HAMPTON UNIV  
 Facility address: BLDG 220 TURNER HALL  
 HAMPTON, VA 23668  
 EPA ID: VAD137776001  
 Contact: Not reported  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Private  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: HAMPTON UNIV  
 Owner/operator address: BLDG 220  
 HAMPTON, VA 23668  
 Owner/operator country: Not reported  
 Owner/operator telephone: (757) 727-5396  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIV (Continued)**

**1000350037**

Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 07/21/1986  
 Facility name: HAMPTON UNIV  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: NONE  
 Waste name: None

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D003  
 Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

Waste code: D005  
 Waste name: BARIUM

Waste code: D006  
 Waste name: CADMIUM

Waste code: D007  
 Waste name: CHROMIUM

Waste code: D008  
 Waste name: LEAD

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIV (Continued)**

**1000350037**

1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: P022  
 Waste name: CARBON DISULFIDE

Waste code: U001  
 Waste name: ACETALDEHYDE (I)

Waste code: U002  
 Waste name: ACETONE (I)

Waste code: U003  
 Waste name: ACETONITRILE (I,T)

Waste code: U004  
 Waste name: ACETOPHENONE

Waste code: U006  
 Waste name: ACETYL CHLORIDE (C,R,T)

Waste code: U007  
 Waste name: ACRYLAMIDE

Waste code: U012  
 Waste name: ANILINE (I,T)

Waste code: U019  
 Waste name: BENZENE (I,T)

Waste code: U020  
 Waste name: BENZENESULFONIC ACID CHLORIDE (C,R)

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIV (Continued)**

**1000350037**

Waste code:	U031
Waste name:	1-BUTANOL (I)
Waste code:	U044
Waste name:	CHLOROFORM
Waste code:	U122
Waste name:	FORMALDEHYDE
Waste code:	U134
Waste name:	HYDROFLUORIC ACID (C,T)
Waste code:	U188
Waste name:	PHENOL
Waste code:	U196
Waste name:	PYRIDINE
Waste code:	U211
Waste name:	CARBON TETRACHLORIDE

Facility Has Received Notices of Violations:

Regulation violated:	SR - 9 VAC 20-60-370.E.1.a.(1)
Area of violation:	Generators - Pre-transport
Date violation determined:	07/27/1998
Date achieved compliance:	07/27/1998
Violation lead agency:	State
Enforcement action:	Not reported
Enforcement action date:	Not reported
Enf. disposition status:	Not reported
Enf. disp. status date:	Not reported
Enforcement lead agency:	Not reported
Proposed penalty amount:	Not reported
Final penalty amount:	Not reported
Paid penalty amount:	Not reported

Regulation violated:	SR - 9 VAC 20-60-380.C.2
Area of violation:	Generators - Manifest
Date violation determined:	07/27/1998
Date achieved compliance:	07/27/1998
Violation lead agency:	State
Enforcement action:	Not reported
Enforcement action date:	Not reported
Enf. disposition status:	Not reported
Enf. disp. status date:	Not reported
Enforcement lead agency:	Not reported
Proposed penalty amount:	Not reported
Final penalty amount:	Not reported
Paid penalty amount:	Not reported

Regulation violated:	SR - 9 VAC 20-60-600.E
Area of violation:	Generators - Pre-transport
Date violation determined:	07/27/1998
Date achieved compliance:	10/15/1998
Violation lead agency:	State
Enforcement action:	INSPECTOR FACT FINDING LETTER - Warning letter
Enforcement action date:	08/05/1998

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIV (Continued)**

**1000350037**

Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-340  
 Area of violation: Generators - General  
 Date violation determined: 07/27/1998  
 Date achieved compliance: 10/15/1998  
 Violation lead agency: State  
 Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter  
 Enforcement action date: 08/05/1998  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.1.b  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 15.1.G.1.g.  
 Area of violation: LDR - General  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.4.e.(2)(a-c)  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIV (Continued)**

**1000350037**

Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.4.e(3)  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 9.8.D.1.  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.3.a.(2)  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.5.A.1.  
 Area of violation: Generators - Records/Reporting  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIV (Continued)**

**1000350037**

Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.1.  
 Area of violation: Generators - General  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - VHWMR 6.4.E.1.c.  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 10/31/1995  
 Date achieved compliance: 04/05/1996  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 12/04/1995  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Evaluation Action Summary:  
 Evaluation date: 06/13/2006  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 07/27/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Manifest  
 Date achieved compliance: 07/27/1998  
 Evaluation lead agency: State

Evaluation date: 07/27/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 10/15/1998  
 Evaluation lead agency: State

Evaluation date: 07/27/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 10/15/1998  
 Evaluation lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIV (Continued)**

**1000350037**

Evaluation date: 07/27/1998  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 07/27/1998  
 Evaluation lead agency: State

Evaluation date: 10/31/1995  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Records/Reporting  
 Date achieved compliance: 04/05/1996  
 Evaluation lead agency: State

Evaluation date: 10/31/1995  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 04/05/1996  
 Evaluation lead agency: State

Evaluation date: 10/31/1995  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: LDR - General  
 Date achieved compliance: 04/05/1996  
 Evaluation lead agency: State

Evaluation date: 10/31/1995  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 04/05/1996  
 Evaluation lead agency: State

**FINDS:**

Registry ID: 110008185631

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**NY MANIFEST:**

EPA ID: VAD137776001  
 Country: USA  
 Mailing Name: HAMPTON UNIV  
 Mailing Contact: HAMPTON UNIV  
 Mailing Address: BLDG 220 TURNER HALL  
 Mailing Address 2: Not reported  
 Mailing City: HAMPTON  
 Mailing State: VA  
 Mailing Zip: 23668  
 Mailing Zip4: Not reported  
 Mailing Country: USA  
 Mailing Phone: 757-727-5000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIV (Continued)**

**1000350037**

NY MANIFEST:

No Manifest Records Available

102

**HAMPTON NATIONAL CEMETARY  
 CEMETARY ROAD @ MARSHALL AVENU  
 HAMPTON, VA 23669**

**VA UST U003691906  
 N/A**

UST:

Facility:

Facility Id: 5020550  
 Facility Type: FEDERAL: NON-MILITARY  
 CEDS Facility ID: 200000091158

Owner:

Facility Id: 5020550  
 Owner Id: 33611  
 Owner Name: Hampton National Cemetery  
 Owner Address: CEMETARY ROAD @ MARSHALL AVENU  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 600  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5020550  
 Own Id: 33611  
 Tank Number: 1  
 Install Date: 01-JUN-1994  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5020550  
 Own Id: 33611

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON NATIONAL CEMETARY (Continued)**

**U003691906**

Tank Number:	1
Install Date:	01-JUN-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020550
Own Id:	33611
Tank Number:	1
Install Date:	01-JUN-1994
Tank Status:	CURR IN USE
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	600
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON NATIONAL CEMETARY (Continued)**

**U003691906**

Fac Id:	5020550
Own Id:	33611
Tank Number:	2
Install Date:	01-JUN-1994
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020550
Own Id:	33611
Tank Number:	2
Install Date:	01-JUN-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020550
Own Id:	33611
Tank Number:	2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON NATIONAL CEMETARY (Continued)**

**U003691906**

Install Date:	01-JUN-1994
Tank Status:	CURR IN USE
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

103

**WOOD FUNERAL HOME  
 4304 VICTORIA BLVD  
 HAMPTON, VA**

**VA LUST S104742024  
 VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000067801
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	01/23/1998
Pollution Complaint Num:	19982306
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	CONTAM SOIL FOUND

Region:	TD
Region Code:	TRO
Facility ID:	200000067801
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	05/08/1998
Pollution Complaint Num:	19982306
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLOSED.

LTANKS:

Region:	TRO
CEDS Facility Id:	200000067801
<b>Case Status:</b>	<b>Closed</b>
Pollution Complaint #:	19982306
Reported:	23-JAN-1998

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

104 7 ELEVEN 22246  
 3800 SHELL RD  
 HAMPTON, VA 23669

VA LUST S105462069  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063749  
**Facility Status: Closed**  
 Completed Date: 10/18/2010  
 Pollution Complaint Num: 20115037  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063749  
**Facility Status: Closed**  
 Completed Date: 12/02/2010  
 Pollution Complaint Num: 20115037  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063749  
**Facility Status: Closed**  
 Completed Date: 04/19/2002  
 Pollution Complaint Num: 20025086  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063749  
**Facility Status: Closed**  
 Completed Date: 05/08/2002  
 Pollution Complaint Num: 20025086  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000063749  
**Case Status: Closed**  
 Pollution Complaint #: 20025086  
 Reported: 19-APR-2002

Region: TRO  
 CEDS Facility Id: 200000063749  
**Case Status: Closed**

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

**7 ELEVEN 22246 (Continued)**

**S105462069**

Pollution Complaint #: 20115037  
 Reported: 18-OCT-2010

**105 FORMER DRUG STORE  
 15 S MALLORY ST  
 HAMPTON (County), VA**

**VA SPILLS S108924436  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2007-T-0951  
 Incident Date: 3/13/2007  
 Time In: 12:23:00 PM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: 3/13/2007  
 Incident Time: Not reported  
 Petroleum: False  
 Solid Waste: False  
 Haz Waste: True  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: VARIOUS PHARMACEUTICAL CORROSIVES  
 Possible Receptors: Not reported  
 Qty Released: 0  
 Unit: Not reported  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: JRS  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: VAP000016405  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER DRUG STORE (Continued)**

**S108924436**

Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	FORMER DRUG STORE SOLD, NEW OWNERS FOUND MERCURY & CORRESIVES SPILLED IN BUILDING
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	POTOMAC ENVIRONMENTAL
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	8049668200
Report By Name:	ED TOBER
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

106

**V. A. MEDICAL CENTER  
 100 EMANCIPATION DRIVE  
 HAMPTON, VA 23667**

**MLTS 1006333260  
 N/A**

**MLTS:**

License Number:	45-07569-01
First License Date:	8/1/1961
License Date:	3/17/2003
Lic. Expiration Date:	7/31/2011
Contact Name:	B.W. STORY
Contact Phone:	804-722-9961
Institution Code:	7569
Department/Bldg:	NUCLEAR MEDICINE SERVICE::
States Allowing Use:	Not reported
Store Material Use:	No
Redistribution Use:	No
Incinerate Use:	No
Burial Use:	No
Last Inspection Date:	2/1/2001
Next Inspection Date:	2/1/2004
Licensee Contact:	PH.D.
Inspector Name:	T. CHAUDHURI

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>106</b>	<b>HAMPTON VETERANS AFFAIRS MEDICAL CENTER VAMC HAMPTON, VA 23667</b>	<b>RCRA-SQG NY MANIFEST</b>	<b>1000214293 VA9360010293</b>
------------	---	---------------------------------	------------------------------------

RCRA-SQG:

Date form received by agency: 05/04/2010  
 Facility name: HAMPTON VETERANS AFFAIRS MEDICAL CENTER  
 Facility address: 100 EMANCIPATION DRIVE  
 HAMPTON, VA 23667  
 EPA ID: VA9360010293  
 Contact: SCOTT BROWN  
 Contact address: 100 EMANCIPATION DRIVE  
 HAMPTON, VA 23667  
 Contact country: US  
 Contact telephone: (757) 728-3121  
 Contact email: SCOTT.BROWN@VA.GOV  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: DEPARTMENT OF VETERANS AFFAIRS  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Federal  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/01/1930  
 Owner/Op end date: Not reported

Owner/operator name: DEPARTMENT OF VETERANS AFFAIRS  
 Owner/operator address: 100 EMANCIPATION DRIVE  
 HAMPTON, VA 23667

Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Federal  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/1930  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**1000214293**

Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Universal Waste Summary:

Waste type: Batteries  
 Accumulated waste on-site: No  
 Generated waste on-site: Not reported

Waste type: Lamps  
 Accumulated waste on-site: No  
 Generated waste on-site: Not reported

Waste type: Pesticides  
 Accumulated waste on-site: No  
 Generated waste on-site: Not reported

Waste type: Thermostats  
 Accumulated waste on-site: No  
 Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 03/23/1989  
 Facility name: HAMPTON VETERANS AFFAIRS MEDICAL CENTER  
 Site name: VETERANS ADMIN MEDICAL CENTER  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D003  
 Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

Waste code: D005  
 Waste name: BARIUM

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**1000214293**

Waste code:	D009
Waste name:	MERCURY
Waste code:	D010
Waste name:	SELENIUM
Waste code:	D011
Waste name:	SILVER
Waste code:	D013
Waste name:	LINDANE
Waste code:	D024
Waste name:	M-CRESOL
Waste code:	F002
Waste name:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste code:	F003
Waste name:	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste code:	F005
Waste name:	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste code:	P001
Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste code:	P012
Waste name:	ARSENIC OXIDE AS2O3
Waste code:	P030
Waste name:	CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**1000214293**

Waste code:	P042
Waste name:	1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)-
Waste code:	P075
Waste name:	NICOTINE, & SALTS
Waste code:	P098
Waste name:	POTASSIUM CYANIDE
Waste code:	U002
Waste name:	ACETONE (I)
Waste code:	U010
Waste name:	AZIRINO[2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[[(AMINOCARBONYLOXY]METHYL]- 1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA,8AALPHA,8BALPHA)]-
Waste code:	U015
Waste name:	AZASERINE
Waste code:	U019
Waste name:	BENZENE (I,T)
Waste code:	U035
Waste name:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-
Waste code:	U044
Waste name:	CHLOROFORM
Waste code:	U058
Waste name:	CYCLOPHOSPHAMIDE
Waste code:	U059
Waste name:	DAUNOMYCIN
Waste code:	U122
Waste name:	FORMALDEHYDE
Waste code:	U150
Waste name:	MELPHALAN
Waste code:	U151
Waste name:	MERCURY
Waste code:	U157
Waste name:	BENZ[J]ACEANTHRYLENE, 1,2-DIHYDRO-3-METHYL-
Waste code:	U206
Waste name:	GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-, D-
Waste code:	U218
Waste name:	ETHANETHIOAMIDE
Waste code:	U237
Waste name:	2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]-

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**1000214293**

Waste code: U238  
 Waste name: CARBAMIC ACID, ETHYL ESTER

Waste code: U403  
 Waste name: DISULFIRAM (OR) THIOPEROXYDICARBONIC DIAMIDE, TETRAETHYL

Violation Status: No violations found

**NY MANIFEST:**

EPA ID: VA9360010293  
 Country: USA  
 Mailing Name: VETERANS ADMINISTRATION MEDICAL CENTER  
 Mailing Contact: VETERANS ADMINISTRATION MEDICAL CENTER  
 Mailing Address: BUILDING 15  
 Mailing Address 2: Not reported  
 Mailing City: HAMPTON  
 Mailing State: VA  
 Mailing Zip: 23667  
 Mailing Zip4: Not reported  
 Mailing Country: USA  
 Mailing Phone: 804-722-9961

Document ID: NYA5963571  
 Manifest Status: Completed copy  
 Trans1 State ID: Not reported  
 Trans2 State ID: P48576ME  
 Generator Ship Date: 890525  
 Trans1 Recv Date: 890525  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 890601  
 Part A Recv Date: 890608  
 Part B Recv Date: 890608  
 Generator EPA ID: VA9360010293  
 Trans1 EPA ID: NYD046765574  
 Trans2 EPA ID: Not reported  
 TSDF ID: NYD000632372  
 Waste Code: P030 - CYANIDES N.O.S.  
 Quantity: 00010  
 Units: P - Pounds  
 Number of Containers: 001  
 Container Type: DM - Metal drums, barrels  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Year: 89

Document ID: NYB1420992  
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC  
 Trans1 State ID: VA-TL66-5  
 Trans2 State ID: NY-10742P  
 Generator Ship Date: 900424  
 Trans1 Recv Date: 900424  
 Trans2 Recv Date: 900424  
 TSD Site Recv Date: 900430  
 Part A Recv Date: 900725  
 Part B Recv Date: 900613  
 Generator EPA ID: VA9360010293

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**1000214293**

Trans1 EPA ID: NYD980769947  
 Trans2 EPA ID: Not reported  
 TSDf ID: NYD000632372  
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
 Quantity: 00040  
 Units: P - Pounds  
 Number of Containers: 001  
 Container Type: DF - Fiberboard or plastic drums (glass)  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Year: 90

Document ID: NYB2366802  
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC  
 Trans1 State ID: 10742PNY  
 Trans2 State ID: Not reported  
 Generator Ship Date: 911114  
 Trans1 Recv Date: 911114  
 Trans2 Recv Date: Not reported  
 TSD Site Recv Date: 911126  
 Part A Recv Date: Not reported  
 Part B Recv Date: 911212  
 Generator EPA ID: VA9360010293  
 Trans1 EPA ID: NYD980769947  
 Trans2 EPA ID: Not reported  
 TSDf ID: NYD000632372  
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES  
 Quantity: 00025  
 Units: P - Pounds  
 Number of Containers: 002  
 Container Type: DM - Metal drums, barrels  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Waste Code: Not reported  
 Quantity: 00005  
 Units: P - Pounds  
 Number of Containers: 001  
 Container Type: DM - Metal drums, barrels  
 Handling Method: T Chemical, physical, or biological treatment.  
 Specific Gravity: 100  
 Year: 91

106

**VETERANS AFFAIRS MEDICAL CENTER  
 100 EMANCIPATION DRIVE  
 HAMPTON, VA 23667**

**VA UST U003698958  
 VA AST N/A**

UST:

Facility:

Facility Id: 5021474  
 Facility Type: FEDERAL: NON-MILITARY  
 CEDS Facility ID: 200000067466

Owner:

Facility Id: 5021474  
 Owner Id: 30296  
 Owner Name: Department of Veterans Affairs  
 Owner Address: 100 Emancipation Dr

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Owner Address2:	Not reported
Owner City, State, Zip:	Hampton, VA 23667
UST Status:	Reg
AST Status:	Reg
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	2200
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	1
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	1
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	Y
Pipe Release Detection: Other Note	Suction: not valve at tank
Pipe Material:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	1
Install Date:	01-JAN-1981
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	5000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	2
Install Date:	24-MAY-1975
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	2
Install Date:	24-MAY-1975
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	2
Install Date:	24-MAY-1975
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	Y
Pipe Materials: Other Note	PAINTED

Tank Number: 3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Capacity:	5000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	3
Install Date:	23-MAY-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	3
Install Date:	23-MAY-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

VETERANS AFFAIRS MEDICAL CENTER (Continued)

U003698958

Pipe Material:

Tank Type: UST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 3  
 Install Date: 23-MAY-1982  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note PAINTED

Tank Number: 4  
 Tank Capacity: 2000  
 Tank Contents: DIESEL  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 4  
 Install Date: 01-JAN-1982  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 4  
 Install Date: 01-JAN-1982  
 Tank Status: CURR IN USE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Emergency Generator-Not Required

Pipe Material:

Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	01-JAN-1982
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	5
Tank Capacity:	550
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Install Date:	01-JAN-1987
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	5
Install Date:	01-JAN-1987
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Emergency Generator-Not required
Pipe Material:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	5
Install Date:	01-JAN-1987
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 6  
 Tank Capacity: 1000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 6  
 Install Date: 01-JAN-1987  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 6  
 Install Date: 01-JAN-1987  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Emergency Generator-Not Required

Pipe Material:

Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	6
Install Date:	01-JAN-1987
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	7
Tank Capacity:	12000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	7
Install Date:	01-JAN-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	7
Install Date:	01-JAN-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Emergency Generator-Not required
Pipe Material:	
Tank Type:	UST
Fac Id:	5021474
Own Id:	30296
Tank Number:	7
Install Date:	01-JAN-1998
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

AST:

Facility:

Facility ID: 5021474  
 Facility Type: FEDERAL: NON-MILITARY  
 CEDS Facility ID: 200000067466

Owner:

Facility Id: 5021474  
 Owner Id: 30296  
 Owner Name: Department of Veterans Affairs  
 Owner Address: 100 Emancipation Dr  
 Owner Address2: Not reported  
 Owner City: Hampton  
 Owner State: VA  
 Owner Zip: 23667  
 Ust Status: Reg  
 Ast Status: Reg

Fed Regulated: No  
 Tank Number: 1  
 Tank Type: AST  
 Tank Capacity: 30000  
 Tank Contents: FUEL OIL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 1  
 Install Date: 15-JUL-1970  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike N  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	1
Install Date:	15-JUL-1970
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	1
Install Date:	15-JUL-1970
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Fed Regulated: No  
 Tank Number: 2  
 Tank Type: AST  
 Tank Capacity: 30000  
 Tank Contents: FUEL OIL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 2  
 Install Date: 15-JUL-1970  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N  
 Release Prevention: None Y  
 Release Prevention: Unknown N  
 Release Prevention: Other N  
 Release Prevention: Other Note Not reported

Tank Foundation:

Tank Type: AST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 2  
 Install Date: 15-JUL-1970  
 Tank Status: CURR IN USE  
 Tank Foundation: Steel N  
 Tank Foundation: Earthen N  
 Tank Foundation: Concrete Imp N  
 Tank Foundation: Unknown N  
 Tank Foundation: Other N  
 Tank Foundation: Other Note Not reported  
 Tank Roof: Float N  
 Tank Roof: Cone N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	2
Install Date:	15-JUL-1970
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Fed Regulated:	No
Tank Number:	3
Tank Type:	AST
Tank Capacity:	152707
Tank Contents:	FUEL OIL
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	3
Install Date:	20-MAY-1976
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	3
Install Date:	20-MAY-1976
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	3
Install Date:	20-MAY-1976
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Fed Regulated: No  
 Tank Number: 4  
 Tank Type: AST  
 Tank Capacity: 1000  
 Tank Contents: FUEL OIL  
 Tank Status: DISMANTLED

Tank Containment:  
 Tank Type: AST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 4  
 Install Date: 01-SEP-2007  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial Y  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled Y  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N  
 Release Prevention: None N  
 Release Prevention: Unknown N  
 Release Prevention: Other N  
 Release Prevention: Other Note Not reported

Tank Type: AST  
 Fac Id: 5021474  
 Own Id: 30296  
 Tank Number: 4  
 Install Date: 15-JUL-1970  
 Tank Status: DISMANTLED

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	15-JUL-1970
Tank Status:	DISMANTLED

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	15-JUL-1970
Tank Status:	DISMANTLED
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Fed Regulated:	No
Tank Number:	4
Tank Type:	AST
Tank Capacity:	2000
Tank Contents:	DIESEL
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	Y
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	Y
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	15-JUL-1970
Tank Status:	DISMANTLED
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	15-JUL-1970
Tank Status:	DISMANTLED
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	15-JUL-1970
Tank Status:	DISMANTLED
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	4
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	Y
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Fed Regulated:	No
Tank Number:	5
Tank Type:	AST
Tank Capacity:	1500
Tank Contents:	FUEL OIL
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	5
Install Date:	07-FEB-1973
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	5
Install Date:	07-FEB-1973
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	5
Install Date:	07-FEB-1973
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	6
Tank Type:	AST
Tank Capacity:	4000
Tank Contents:	DIESEL
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	6
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	Y
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	Y
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

**Tank Foundation:**

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	6
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

**Tank Material:**

Tank Type:	AST
Fac Id:	5021474
Own Id:	30296
Tank Number:	6
Install Date:	01-SEP-2007
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VETERANS AFFAIRS MEDICAL CENTER (Continued)**

**U003698958**

Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	Y
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

106

**US - DEPARTMENT OF VETERAN AFFAIRS MEDICAL CENTER  
 100 EMANCIPATION DRIVE  
 HAMPTON, VA 23667**

**FINDS  
 VA LUST  
 VA LTANKS  
 VA SPILLS  
 VA TIER 2**

**1008166750  
 N/A**

**FINDS:**

Registry ID: 110020671441

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**CRITERIA AND HAZARDOUS AIR POLLUTANT INVENTORY**

**LUST REG TD:**

Region:	TD
Region Code:	TRO
Facility ID:	200000067466
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	11/08/1995

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**US - DEPARTMENT OF VETERAN AFFAIRS MEDICAL CENTER (Continued)**

**1008166750**

Pollution Complaint Num: 19962298  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: PETROL CONTAM.SOILS FOUND DURING CORE DRILLING (WAS FRM PREV. LK).

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067466  
**Facility Status: Closed**  
 Completed Date: 08/20/1999  
 Pollution Complaint Num: 19962298  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000067466  
**Case Status: Closed**  
 Pollution Complaint #: 19962298  
 Reported: 08-NOV-1995

**SPILLS:**

Fips City/County: Hampton City  
 Status: Closed  
 Reference Id: 6013  
 IR Number: 2011-T-0894  
 Associated IR: Not reported  
 Incident Date: 02-Oct-2010  
 Call Received Date: 04-Oct-2010  
 Closure Comments: Pleasure craft from across from Hampton University.No known RP.Local government to resolve.No further PREP action required at this time.  
 Threat To: Not reported  
 Terrorism (Y/N): N  
 Characterize Incident: Accidental  
 Incident Type: \* Petroleum  
 Incident Subtype: \* Art. 11 Excepted \* Petroleum  
 Materials: \* Gasoline (-1--1 Unknown) \* Motor oil (-1--1 Unknown)  
 Effect To Receptor: Impacted  
 Water Body: East Hampton River  
 Low Quantity To Water: -1  
 High Quantity To Water: -1  
 Quantity Units: Unknown  
 Other Receptors: Not reported  
 RP Company: Not reported  
 RP Name: Not reported  
 Property Owner: Not reported  
 Property Company: Not reported  
 Duration Of Event (Hrs): 0  
 Impacts: Not reported  
 Other Impacts: Not reported  
 Steps Taken: Not reported  
 Steps Taken Description: Not reported  
 System Components: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**US - DEPARTMENT OF VETERAN AFFAIRS MEDICAL CENTER (Continued)**

**1008166750**

Other System Components: Not reported  
 Cause Of Event: Not reported  
 Corrective Action Taken: Not reported  
 Weather Status: N/A  
 Precipitation (Wet): 0  
 Discharge Type: N/A  
 Discharge Volume: 0  
 Unknown Discharge (Y/N): N  
 Site Name: Hampton University  
 Closure Date: 25-Oct-2010 03:22 PM  
 Orig. Call Incident Description: CALLER IS REPORTING A SPILL OF GASOLINE AND MOTOR OIL FROM A VESSEL DUE TO THE VESSEL SINKING.FIRE DEPARTMENT ON SCENE AND BOOMS APPLIED AND ABSORBENTS APPLIED. CALLER STATES THE VESSEL WILL BE RAISED ON MONDAY.  
 Original Call Material Description: AUTOMOTIVE GAS, MISC OIL  
 Original Call Location Description: HAMPTON UNIVERSITY 100 EMANCIPATION DRIVE  
 Incident Ongoing at time of Call: Not reported  
 Agencies Notified (Y/N): Y  
 Other Agencies: NRC 955825, VEOC HMVA 9564, LFD  
 Permitted (Y/N): N  
 Call Reported By Company Name: HAMPTON FIRE DEPARTMENT  
 Call RP Company Name: Not reported  
 Call RP Name: Not reported  
 Call Property Owner Company Name: Not reported  
 Call Property Owner Name: Not reported  
 Site Summary: Not reported

TIER 2:

CAS Number: 68476-30-2  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: NO.2 FUEL OIL  
 Average Amt Code: 6  
 Owner Name: VAMC HAMPTON  
 Owner Phone: 757-722-9967  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: NO.2 DIESEL FUEL  
 Average Amt Code: 5  
 Owner Name: VAMC HAMPTON  
 Owner Phone: 757-722-9967  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 8062  
 NAICS: Not reported  
 Entered Chemical Name: NO 2 DIESEL FUEL  
 Average Amt Code: 5  
 Owner Name: VAMC HAMPTON  
 Owner Phone: 757-722-9961  
 Contact Type: Not reported

CAS Number: 8006-61-9  
 SIC Code: 8062

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**US - DEPARTMENT OF VETERAN AFFAIRS MEDICAL CENTER (Continued)**

**1008166750**

NAICS:	Not reported
Entered Chemical Name:	GASOLINE
Average Amt Code:	4
Owner Name:	VAMC HAMPTON
Owner Phone:	757-722-9961
Contact Type:	Not reported
CAS Number:	68476-30-2
SIC Code:	8062
NAICS:	Not reported
Entered Chemical Name:	NO 2 FUEL OIL
Average Amt Code:	6
Owner Name:	VAMC HAMPTON
Owner Phone:	757-722-9961
Contact Type:	Not reported
CAS Number:	Not reported
SIC Code:	99999
NAICS:	Not reported
Entered Chemical Name:	NO 2 DIESEL FUEL
Average Amt Code:	5
Owner Name:	VAMC HAMPTON
Owner Phone:	757-722-9961
Contact Type:	Not reported
CAS Number:	68476-30-2
SIC Code:	99999
NAICS:	Not reported
Entered Chemical Name:	NO 2 FUEL OIL
Average Amt Code:	6
Owner Name:	VAMC HAMPTON
Owner Phone:	757-722-9961
Contact Type:	Not reported
CAS Number:	68476-30-2
SIC Code:	Not reported
NAICS:	99999
Entered Chemical Name:	NO.2 FUEL OIL
Average Amt Code:	Not reported
Owner Name:	VAMC HAMPTON
Owner Phone:	757-722-9967
Contact Type:	Owner / Operator
CAS Number:	68476-34-6
SIC Code:	Not reported
NAICS:	99999
Entered Chemical Name:	NO.2 DIESEL FUEL
Average Amt Code:	Not reported
Owner Name:	VAMC HAMPTON
Owner Phone:	757-722-9967
Contact Type:	Owner / Operator
CAS Number:	8006-61-9
SIC Code:	Not reported
NAICS:	99999
Entered Chemical Name:	GASOLINE
Average Amt Code:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**US - DEPARTMENT OF VETERAN AFFAIRS MEDICAL CENTER (Continued)**

**1008166750**

Owner Name: VAMC HAMPTON  
 Owner Phone: 757-722-9967  
 Contact Type: Owner / Operator

CAS Number: Not reported  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: GASOLINE  
 Average Amt Code: 4

Owner Name: VAMC HAMPTON  
 Owner Phone: 757-722-9967  
 Contact Type: Not reported

**106 100 EMANCIPATION DRIVE  
 100 EMANCIPATION DRIVE  
 HAMPTON, VA**

**ERNS 2010955825  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**106 100 EMANCIPATION  
 100 EMANCIPATION  
 HAMPTON, VA**

**ERNS 2004733605  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**106 VA MEDICAL SCHOOL  
 100 EMANCIPATION DRIVE  
 HAMPTON (County), VA**

**VA SPILLS S106654494  
 N/A**

SPILLS TD:  
 Region: TD  
 PC Number: Not reported  
 Incident Response: 2005-T-0504  
 Incident Date: 8/31/2004  
 Time In: Not reported  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: WILLIAM JAMES  
 RP Company: Not reported  
 RP Address: 117 O'CONNOR PLACE  
 RP City,St,Zip: HAMPTON, VA  
 Resp Party Phone: 7577221597  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VA MEDICAL SCHOOL (Continued)

S106654494

Incident Date:	8/31/2004
Incident Time:	6:30:00 AM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	OIL
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	CHESAPEAKE BAY
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	5DL
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>9/22/2004</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	SHEEN FROM A BARGE TIED UP AT A FACILITY; BARGE BROKE
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	VA MEDICAL CENTER
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7577229961
Report By Name:	THOMAS POE
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

106 VA HOSPITAL - HAMPTON VA MED CENTER  
 100 EMANCIPATION DR  
 HAMPTON (County), VA

VA SPILLS S108923381  
 N/A

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2006-T-1279
Incident Date:	5/25/2006
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	SCOTT BROWN
Facility Phone:	7577823121
Resp Party:	VETERANS ADMINISTRATION MEDICAL CENTER
RP Company:	SCOTT BROWN
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	7577283121
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	5/24/2006
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	True
Wetland:	False
Terrorism:	False
Material Released:	SYRINGES
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	DJT
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VA HOSPITAL - HAMPTON VA MED CENTER (Continued)**

**S108923381**

Date Received: Not reported  
 Source: Not reported  
 Summary: HRSD MAINTENANCE CREW FOUND SYRINGES W/ NEEDLES ATTACHED IN SEWER LINE AT PUMP STATION; SEWER LINE & PUMP STATION RECEIVE WASTE ONLY FROM HOSPITAL  
 Comments: SEE ORIGINAL REPORT FOR MORE INFO  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: HRSD  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7574492391  
 Report By Name: RON JOHNSON / TERRI MOORE  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

107

**GAS N GO  
 209 S MALLORY ST  
 HAMPTON, VA 23663**

**VA LUST U003692622  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000076721  
**Facility Status: Closed**  
 Completed Date: 06/14/2004  
 Pollution Complaint Num: 20045199  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000076721  
**Facility Status: Closed**  
 Completed Date: 05/12/2006  
 Pollution Complaint Num: 20045199  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000076721  
**Case Status: Closed**  
 Pollution Complaint #: 20045199  
 Reported: 14-JUN-2004

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GAS N GO (Continued)**

**U003692622**

UST:

Facility:

Facility Id: 5025838  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000076721

Owner:

Facility Id: 5025838  
 Owner Id: 43320  
 Owner Name: Neil Inc  
 Owner Address: 1789 Templeton Ln  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23454  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5025838  
 Own Id: 43320  
 Tank Number: 1  
 Install Date: 01-OCT-1995  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5025838  
 Own Id: 43320  
 Tank Number: 1  
 Install Date: 01-OCT-1995  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GAS N GO (Continued)**

**U003692622**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025838
Own Id:	43320
Tank Number:	1
Install Date:	01-OCT-1995
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	ENVIRON
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025838
Own Id:	43320
Tank Number:	2
Install Date:	01-OCT-1995
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GAS N GO (Continued)**

**U003692622**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5025838
Own Id:	43320
Tank Number:	2
Install Date:	01-OCT-1995
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	Y
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025838
Own Id:	43320
Tank Number:	2
Install Date:	01-OCT-1995
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GAS N GO (Continued)**

**U003692622**

Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note ENVIRON

Tank Number: 3  
 Tank Capacity: 5000  
 Tank Contents: KEROSENE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5025838  
 Own Id: 43320  
 Tank Number: 3  
 Install Date: 01-OCT-1995  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5025838  
 Own Id: 43320  
 Tank Number: 3  
 Install Date: 01-OCT-1995  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory Y  
 Tank Release Detection: Stat Invent Recon Y  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GAS N GO (Continued)**

**U003692622**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	Y
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025838
Own Id:	43320
Tank Number:	3
Install Date:	01-OCT-1995
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	ENVIRON

VA FINANCIAL ASSURANCE:

Facility ID:	5025838
FRP Financial Assurance:	No
Owner Name:	Gas N Go
ROF Own Id:	43320
Tank Type:	UST
Mechanism:	Letter of Credit
Gallorage:	Not reported
Per Occurrence:	Not reported
Third Party:	Not reported
Annual Aggregate:	Not reported
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Gas N Go
CEDS Facility Id:	200000076721
Tank Type Count:	3
Location:	209 S Mallory St



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

107 MAIDA DEVELOPMENT CO  
 201 S MALLORY ST  
 HAMPTON, VA 23663

VA UST U003691555  
 N/A

UST:

Facility:

Facility Id: 5017612  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000066027

Owner:

Facility Id: 5017612  
 Owner Id: 36120  
 Owner Name: MAIDA DEVELOPMENT CO  
 Owner Address: 20 LIBBY ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23663  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1R  
 Tank Capacity: 280  
 Tank Contents: HAZARD  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5017612  
 Own Id: 36120  
 Tank Number: 1R  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5017612  
 Own Id: 36120  
 Tank Number: 1R  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**U003691555**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	1R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2R
Tank Capacity:	280
Tank Contents:	HAZARD
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	2R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT CO (Continued)**

**U003691555**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	2R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	2R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT CO (Continued)**

**U003691555**

Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3R
Tank Capacity:	280
Tank Contents:	HAZARD
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:	
Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	3R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	3R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT CO (Continued)**

**U003691555**

Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5017612  
 Own Id: 36120  
 Tank Number: 3R  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 4R  
 Tank Capacity: 280  
 Tank Contents: HAZARD  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5017612  
 Own Id: 36120  
 Tank Number: 4R  
 Install Date: 06-MAY-1974  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**U003691555**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	4R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	4R
Install Date:	06-MAY-1974
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MAIDA DEVELOPMENT CO (Continued)

U003691555

Pipe Materials: Other Note	Not reported
Tank Number:	R5
Tank Capacity:	1000
Tank Contents:	KEROSENE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	R5
Install Date:	01-OCT-1970
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	R5
Install Date:	01-OCT-1970
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**U003691555**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5017612
Own Id:	36120
Tank Number:	R5
Install Date:	01-OCT-1970
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

107

**MAIDA DEVELOPMENT  
 201 S MALLORY ST  
 HAMPTON, VA 23663**

**FINDS 1014910346  
 N/A**

**FINDS:**

Registry ID: 110043707389

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**107 MAIDA DEVELOPMENT COMPANY  
 201 S. MALLORY STREET  
 HAMPTON, VA 23663**

**VA TIER 2 S110068915  
 N/A**

TIER 2:

CAS Number:	1314-13-2
SIC Code:	334415
NAICS:	Not reported
Entered Chemical Name:	Zinc Oxide
Average Amt Code:	3
Owner Name:	Edward Maida
Owner Phone:	7577230785
Contact Type:	Not reported
CAS Number:	7664-93-9
SIC Code:	334414
NAICS:	Not reported
Entered Chemical Name:	Sulfuric Acid
Average Amt Code:	2
Owner Name:	Edward Maida
Owner Phone:	7577230785
Contact Type:	Not reported
CAS Number:	12047-27-7
SIC Code:	334415
NAICS:	Not reported
Entered Chemical Name:	Barium Titanate
Average Amt Code:	1
Owner Name:	Edward Maida
Owner Phone:	7577230785
Contact Type:	Not reported
CAS Number:	7664-93-9
SIC Code:	334415
NAICS:	Not reported
Entered Chemical Name:	Sulfuric Acid
Average Amt Code:	2
Owner Name:	Edward Maida
Owner Phone:	7577230785
Contact Type:	Not reported
CAS Number:	1314-13-2
SIC Code:	334415
NAICS:	Not reported
Entered Chemical Name:	Zinc Oxide
Average Amt Code:	3
Owner Name:	Edward Maida
Owner Phone:	7577230785
Contact Type:	Not reported
CAS Number:	1309-64-4
SIC Code:	334415
NAICS:	Not reported
Entered Chemical Name:	Antimony Trioxide
Average Amt Code:	1
Owner Name:	Edward Maida
Owner Phone:	7577230785
Contact Type:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT COMPANY (Continued)**

**S110068915**

CAS Number: 7664-93-9  
 SIC Code: 334415  
 NAICS: Not reported  
 Entered Chemical Name: Sulfuric Acid  
 Average Amt Code: 2  
 Owner Name: Edward Maida  
 Owner Phone: 7577230785  
 Contact Type: Not reported

CAS Number: 1314-13-2  
 SIC Code: 334414  
 NAICS: Not reported  
 Entered Chemical Name: Zinc Oxide  
 Average Amt Code: 3  
 Owner Name: Edward Maida  
 Owner Phone: 7577230785  
 Contact Type: Not reported

107

**115 SOUTH MALLORY ST  
 HAMPTON, VA**

**VA SPILLS S105947965  
 N/A**

**SPILLS TD:**

Region: TD  
 PC Number: 94-155  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: Not reported  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105947965

Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/27/1993
Source:	UST
Summary:	Not reported
Comments:	Not reported
Report Notes:	CONTAMINATED SOIL ENCOUNTERED DURING REMOVAL OF AN UST.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	7/27/1993
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

107

**WILSON PROPERTY**  
**115 S. MALLORY STREET**  
**HAMPTON, VA 23663**

**VA LUST U003692774**  
**VA LTANKS N/A**  
**VA UST**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000067772
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	07/27/1993
Pollution Complaint Num:	19940156
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	HIGH SOIL TPH DURING UST REMOVAL & SOIL STAINING THROUGHOUT uPROPERTY.
Region:	TD
Region Code:	TRO
Facility ID:	200000067772
<b>Facility Status:</b>	<b>Closed</b>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILSON PROPERTY (Continued)**

**U003692774**

Completed Date: 09/27/1994  
 Pollution Complaint Num: 19940156  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067772  
**Case Status: Closed**  
 Pollution Complaint #: 19940156  
 Reported: 27-JUL-1993

UST:

Facility:

Facility Id: 5026799  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000067772

Owner:

Facility Id: 5026799  
 Owner Id: 34282  
 Owner Name: JIM WILSON REALTY  
 Owner Address: 701 STARLING AVENUE; SUITE 101  
 Owner Address2: Not reported  
 Owner City, State, Zip: MARTINSVILLE, VA 24115  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5026799  
 Own Id: 34282  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILSON PROPERTY (Continued)**

**U003692774**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5026799
Own Id:	34282
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5026799
Own Id:	34282
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

107 PAUL'S RESTAURANT  
30 E MELLEEN STREET  
HAMPTON (County), VA

VA SPILLS S106050002  
N/A

SPILLS TD:  
 Region: TD  
 PC Number: Not reported  
 Incident Response: 2003-T-1703  
 Incident Date: 3/12/2003  
 Time In: Not reported  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: True  
 Solid Waste: False  
 Haz Waste: False  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: OIL  
 Possible Receptors: Not reported  
 Qty Released: 0  
 Unit: Not reported  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 3/13/2003**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PAUL'S RESTAURANT (Continued)**

**S106050002**

Date Received: Not reported  
 Source: Not reported  
 Summary: COOKING OIL IS BEING DUMPED INTO DUMPSTERS INSTEAD OF THE OIL CANS THAT THEY HAVE FOR IT  
 Comments: REFERRED TO HAMPTON ENVIR HEALTH  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: ANONYMOUS  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

108

**DORAN JOHN T PROPERTY  
 1554 PEMBROKE AVE  
 HAMPTON, VA 23661**

**VA LUST S107614919  
 VA LTANKS N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000222968  
**Facility Status: Closed**  
 Completed Date: 12/22/2005  
 Pollution Complaint Num: 20065094  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000222968  
**Facility Status: Closed**  
 Completed Date: 12/27/2005  
 Pollution Complaint Num: 20065094  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000222968  
**Case Status: Closed**  
 Pollution Complaint #: 20065094  
 Reported: 22-DEC-2005

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

109 THE AMERICAN THEATRE VA LUST S109609729  
 125 E MELLEEN ST VA LTANKS N/A  
 HAMPTON, VA 23663

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000851499  
**Facility Status: Closed**  
 Completed Date: 06/17/2009  
 Pollution Complaint Num: 20095121  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

LTANKS:  
 Region: TRO  
 CEDS Facility Id: 200000851499  
**Case Status: Closed**  
 Pollution Complaint #: 20095121  
 Reported: 17-JUN-2009

109 PEACHS TEXACO VA UST U003691883  
 107 EAST MELLEEN STREET VA FINANCIAL ASSURANCE N/A  
 HAMPTON, VA 23663

UST:  
 Facility:  
 Facility Id: 5020337  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065708  
 Owner:  
 Facility Id: 5020337  
 Owner Id: 34504  
 Owner Name: JAMES W. PEACH  
 Owner Address: 107 EAST MELLEEN STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: PHOEBUS, VA 23663  
 UST Status: Reg  
 AST Status: Not reported  
 Facility Id: 5020337  
 Owner Id: 46420  
 Owner Name: Jim Peach Service Center, Inc.  
 Owner Address: 107 East Mellen Street  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23663  
 UST Status: Reg  
 AST Status: N/A  
 Federally Regulated: Yes  
 Tank Number: 1  
 Tank Capacity: 6000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Tank Material:  
 Tank Type: UST  
 Fac Id: 5020337  
 Own Id: 46420  
 Tank Number: 1  
 Install Date: 03-AUG-1990  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5020337  
 Own Id: 46420  
 Tank Number: 1  
 Install Date: 03-AUG-1990  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5020337

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Own Id:	46420
Tank Number:	1
Install Date:	03-AUG-1990
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5020337
Own Id:	46420
Tank Number:	2
Install Date:	03-AUG-1990
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	STICO STEEL

Release:

Tank Type:	UST
Fac Id:	5020337
Own Id:	46420
Tank Number:	2
Install Date:	03-AUG-1990
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	46420
Tank Number:	2
Install Date:	03-AUG-1990
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	46420
Tank Number:	3
Install Date:	03-AUG-1990
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	46420
Tank Number:	3
Install Date:	03-AUG-1990
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	46420
Tank Number:	3
Install Date:	03-AUG-1990
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

PEACHS TEXACO (Continued)

U003691883

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Tank Number:	R3
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

PEACHS TEXACO (Continued)

U003691883

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

PEACHS TEXACO (Continued)

U003691883

Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R5
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020337

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

PEACHS TEXACO (Continued)

U003691883

Own Id:	34504
Tank Number:	R5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020337
Own Id:	34504
Tank Number:	R5
Install Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PEACHS TEXACO (Continued)**

**U003691883**

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5020337
FRP Financial Assurance:	Min
Owner Name:	PEACHS TEXACO
ROF Own Id:	34504
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$1,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Jim Peach Texaco 107 East Mellen Street
CEDS Facility Id:	200000065708
Tank Type Count:	5
Location:	107 East Mellen Street

Facility ID:	5020337
FRP Financial Assurance:	Full
Owner Name:	PEACHS TEXACO
ROF Own Id:	46420
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$1,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Jim Peach Texaco 107 East Mellen Street
CEDS Facility Id:	200000065708
Tank Type Count:	3
Location:	107 East Mellen Street

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

110 MAIDA DEVELOPMENT COMPANY  
 20 LIBBY STREET  
 HAMPTON, VA

VA VCP S106120327  
 N/A

VRP:

Facility ID: VRP00306  
 Site Status: Enrolled in Program  
 Site Status 2: Monitor RP Progress  
 DEQ Region: Tidewater  
 Sizs in Acres: 3  
 Site Type: Industry  
 Corrective Action Desc: Not reported  
 Owner Name: Maida Development Company  
 Owner Contact: Not reported  
 Owner Address: Not reported  
 Owner Phone: Not reported  
 Operator Name: Not reported  
 Operator Owner: Not reported  
 Operator Phone: Not reported  
 Participant Name: Maida Development Company  
 Relationship to Site: Not reported  
 Participant Contact: Edward T. Maida  
 Participant Phone: Not reported  
 Participant Title: Not reported  
 Participant Affiliation: Maida Development Compnay  
 Participant Address: P.O. Box 3529, 20 Libby Street  
 Participant City,St,Zip: Hampton, VA 23219  
 Additional Parts: Not reported  
 Participation Notes: Eligibility letter sent to region 01/14/02. Waited for applicant authorization letter before sending final verification.  
 Participant Rep/Contractor: T. Britt McMillian, P.G.  
 Participant Rep/Contractor Phone: 757-873-8700  
 Participant Rep/Contractor Title: Associate  
 Participant Rep/Contractor Affiliation: Malcolm Pirnie  
 Participant Rep/Contractor Address: 701 Town Center Drive, Suite 600  
 Participant Rep/Contractor City,St,Zip: Newport News, VA 23606-4296  
 Metal Contaminants Present in Soil: Not reported  
 Organic Contaminants Present in Soil: PCE  
 Metal Contaminants Present in GW: Not reported  
 Organic Contaminants Present GW: PCE, MTBE  
 DEQ Staff Case Manager's Initials: WEL  
 Cleanup Standards: Not reported  
 No Further VRP Action Date: Not reported  
 Date Participant Notified of NFA: Not reported  
 Certification Date: Not reported  
 Deed Received Date: Not reported  
 Terms of NFA Determination: Not reported  
 Date VRP Eligibility Declared by Participant: 2001-12-11  
 Date VRP Eligibility Determined by DEQ Region: 2002-02-20  
 Dt Office Of Waste Permitting Verified Site Eligblty: Not reported  
 Date VRP Eligibility Determined by VRP: 2002-03-25  
 Date Signed Agreement Submitted By Participant: Not reported  
 Date Agreement Executed by DEQ: Not reported  
 Registration Fee Amount Submitted by Participant: 5000  
 Date Registration Fee Submitted by Participant: 2002-04-02  
 Site Characterization Document Number: Not reported  
 DEQ Concurrence with Site Characterization Date: Not reported  
 Remedial Action Work Plan Document Number: Not reported  
 DEQ Concurs with Remedial Action Work Plan Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT COMPANY (Continued)**

**S106120327**

Completion Report Document Number: Not reported  
 DEQ Concurr with Completion Report Date: Not reported  
 Submittal Date for Document Number 1: Not reported  
 Title of Submitted Document Number 1: Not reported  
 Submittal Date for Document Number 2: Not reported  
 Title of Submitted Document Number 2: Not reported  
 Submittal Date for Document Number 3: Not reported  
 Title of Submitted Document Number 3: Not reported  
 Submittal Date for Document Number 4: Not reported  
 Title of Submitted Document Number 4: Not reported  
 Submittal Date for Document Number 5: Not reported  
 Title of Submitted Document Number 5: Not reported  
 Submittal Date for Document Number 6: Not reported  
 Title of Submitted Document Number 6: Not reported  
 Submittal Date for Document Number 7: Not reported  
 Title of Submitted Document Number 7: Not reported  
 Submittal Date for Document Number 8: Not reported  
 Title of Submitted Document Number 8: Not reported  
 DEQ Response Incident ID Number: Not reported  
 EPA CERCLIS ID: Not reported  
 EPA RCRA ID NUMBER: Not reported  
 DEQ Pollution Complaint Number: Not reported  
 Latest Action Relative To Site: Verbal update by consultant  
 Latest Action Relative To Site Date: 2011-03-14  
 Next VRP Step Needed Relating To Site: Submit Demonstration of Completion and/or Update Report  
 Pending Since: Not reported  
 Date Next Step Should Be Completed: Not reported  
 Lat/Long: 0 / 0  
 Brownfield Tax Incentive: 2003-04-08  
 Ground Water Use Restriction: False  
 Res. User Restriction: False  
 Excavation Restriction: False  
 Unrestricted: False  
 Other Condition of Issuance: False  
 GPS Lat: Not reported  
 GPS Long: Not reported  
 GPS Desc: Not reported

Notes: 3/14/11 - Telephone update provided by consultant. Final ISCO complete. Remedial goals not yet achieved. Revised risk assessment being considered. An email reply was sent to the consultant. 4/5/10 - Update provided by consultant. 4th ISCO injection performed Feb 2010. 7/30/09 - Update provided by consultant. ISCO injection occurred in Mar 09. Next step is GW sampling. 5/22/08 - Update provided by consultant. GW sampling event detected oxidant still in GW. No reason to analyze, they will check again next month 8/2/07 - Review and acknowledgement of RAWP. 7/17/07 - Received RAWP. 7/13/07 - Sent acknowledgment letter for review of GW data and proposed ISCO schedule 7/6/07 - Received Letter report re GW sampling and ISCO schedule. 6/8/07 - Email from Britt McMillan - Offsite well installed and is non-detect. ISCO to proceed July/August. 1/8/07 - Comment letter sent regarding latest data submittal from 11/06. Requested confirmatory sampling to ensure adjacent residential area is not impacted. 11/06/06 - Site Meeting. Consultant showed site maps (aerial photos) with soil and groundwater data and explained the nature and extent of contamination. Walked the site, saw the manufacturing area, the MWs, and the creek across the street (discharge ZONE). He proposed starting a series of ChemOx injections

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

**MAIDA DEVELOPMENT COMPANY (Continued)**

**S106120327**

and estimated three treatments. We talked about MTBE from the adjacent gas station and how it will need to be figured into the RA calculations, not be required to chase it off site. 9/06/06 - Teleconference with Consultant. Discussed recent submittal of RA data and proposed future site remediation work. RA was revised per DEQ comments - Needs review by RA staff. ChemOx injections are Proposed for Fall 2006 to remediate PCE and TCE GW contam. MTBE contam. On site (MW-1 impacted), suspected source is gas station across street. Suggested submit a work plan prior to commencing remediation. 8/24/06 - Response to SCR/RA comments recv'd. 8/10/06 - Assignment of project officer Meeting with consultant on 3-27-02. Visited site and met with company reps. and different consultant 6/25/02 to discuss Characterization plans and ultimate goals of the participant. Phone call from consultant in Feb. 03 that field work expected to start soon. Participant requested assistance form DEQ regarding MTBE migration from onsite source. TRO is coordinating with consultant to obtain relevant data to pursue possible investigation of offsite service station.

**110 MAIDA DEVELOPMENT CO  
20 LIBBY ST  
HAMPTON, VA 23663**

**TRIS 1014633423  
23663MDDVL20**

TRIS:

[Click this hyperlink](#) while viewing on your computer to access 1 additional US\_TRIS: record(s) in the EDR Site Report.

**110 MAIDA DEVELOPMENT CO  
20 LIBBY ST.  
HAMPTON, VA 23663**

**RCRA-SQG 1000184397  
FINDS VAD000019448  
RI MANIFEST**

RCRA-SQG:

Date form received by agency: 11/16/2009  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Facility address: 20 LIBBY STREET  
 HAMPTON, VA 23663  
 EPA ID: VAD000019448  
 Mailing address: PO BOX 3529  
 HAMPTON, VA 23663  
 Contact: NOWELL J ZOUMPLIS  
 Contact address: Not reported  
 Not reported  
 Contact country: US  
 Contact telephone: (757) 723-0785  
 Telephone ext.: 1084  
 Contact email: NZOUMPLIS@MAIDA.COM  
 EPA Region: 03  
 Land type: Private  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: EDWARD T. MAIDA  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/1990  
 Owner/Op end date: Not reported

Owner/operator name: MAIDA DEVELOPMENT  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/01/1947  
 Owner/Op end date: Not reported

Owner/operator name: MAIDA DEVELOPMENT COMPANY  
 Owner/operator address: Not reported  
 Not reported  
 Owner/operator country: Not reported  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/01/1947  
 Owner/Op end date: Not reported

Owner/operator name: MAIDA DEVELOPMENT COMPANY  
 Owner/operator address: 201 SOUTH MALLORY STREET  
 HAMPTON, VA 23663  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/1947  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 02/02/2006  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Classification: Small Quantity Generator

Date form received by agency: 11/10/2005  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Classification: Small Quantity Generator

Date form received by agency: 04/01/2004  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Classification: Large Quantity Generator

Date form received by agency: 06/11/2002  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Classification: Large Quantity Generator

Date form received by agency: 03/15/2001  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Classification: Large Quantity Generator

Date form received by agency: 07/01/1998  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Site name: MAIDA DEVELOPMENT CO  
 Classification: Large Quantity Generator

Date form received by agency: 03/27/1996  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Site name: MAIDA DEVELOPMENT CO  
 Classification: Large Quantity Generator

Date form received by agency: 04/15/1994  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Site name: MAIDA DEVELOPMENT CO  
 Classification: Large Quantity Generator

Date form received by agency: 02/29/1992  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Classification: Large Quantity Generator

Date form received by agency: 03/01/1990  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Site name: MAIDA DEVELOPMENT CO  
 Classification: Large Quantity Generator

Date form received by agency: 08/18/1980  
 Facility name: MAIDA DEVELOPMENT COMPANY  
 Site name: MAIDA DEVELOPMENT CO  
 Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSLEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D004  
 Waste name: ARSENIC

Waste code: D005  
 Waste name: BARIUM

Waste code: D006  
 Waste name: CADMIUM

Waste code: D007  
 Waste name: CHROMIUM

Waste code: D008  
 Waste name: LEAD

Waste code: D011  
 Waste name: SILVER

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROETHYLENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROETHYLENE, TRICHLOROETHYLENE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Waste code: F005  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:

Regulation violated: SR - 40 CFR 273.13(d)(1)  
 Area of violation: Generators - General  
 Date violation determined: 11/10/2005  
 Date achieved compliance: 11/10/2005  
 Violation lead agency: State  
 Enforcement action: VERBAL INFORMAL  
 Enforcement action date: 12/14/2005  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 40 CFR 265.173  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 09/14/2000  
 Date achieved compliance: 09/14/2000  
 Violation lead agency: State  
 Enforcement action: VERBAL INFORMAL  
 Enforcement action date: 09/21/2000  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 40 CFR 265.35  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 09/14/2000  
 Date achieved compliance: 09/20/2000  
 Violation lead agency: State  
 Enforcement action: VERBAL INFORMAL  
 Enforcement action date: 09/21/2000  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-370.E.3.b  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 08/18/1997  
 Date achieved compliance: 10/08/1997  
 Violation lead agency: State

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter  
 Enforcement action date: 09/16/1997  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-370.E.3.a(2)  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 08/18/1997  
 Date achieved compliance: 10/08/1997

Violation lead agency: State  
 Enforcement action: INSPECTOR FACT FINDING LETTER - Warning letter  
 Enforcement action date: 09/16/1997  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 9 VAC 20-60-370.E.1.b  
 Area of violation: Generators - Pre-transport  
 Date violation determined: 08/18/1997  
 Date achieved compliance: 08/18/1997

Violation lead agency: State  
 Enforcement action: Not reported  
 Enforcement action date: Not reported  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: Not reported  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 9.1.G.4.b.  
 Area of violation: Generators - General  
 Date violation determined: 01/06/1994  
 Date achieved compliance: 03/07/1994

Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 01/06/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: SR - 6.4.E.3.  
 Area of violation: Generators - General  
 Date violation determined: 01/06/1994  
 Date achieved compliance: 03/07/1994

Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Enforcement action date: 01/06/1994  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: Not reported  
 Area of violation: Generators - General  
 Date violation determined: 02/13/1991  
 Date achieved compliance: 01/13/1992  
 Violation lead agency: State  
 Enforcement action: INITIAL 3008(A) COMPLIANCE  
 Enforcement action date: 01/13/1992  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: Not reported  
 Area of violation: Generators - General  
 Date violation determined: 02/13/1991  
 Date achieved compliance: 01/13/1992  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 04/26/1991  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: FR - 40 CFR 268.7(a) 40 CFR 268.50  
 Area of violation: LDR - General  
 Date violation determined: 02/13/1991  
 Date achieved compliance: 01/06/1994  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 04/26/1991  
 Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Regulation violated: Not reported  
 Area of violation: Generators - General  
 Date violation determined: 05/28/1987  
 Date achieved compliance: 12/15/1987  
 Violation lead agency: State  
 Enforcement action: WRITTEN INFORMAL  
 Enforcement action date: 06/17/1987

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Enf. disposition status: Not reported  
 Enf. disp. status date: Not reported  
 Enforcement lead agency: State  
 Proposed penalty amount: Not reported  
 Final penalty amount: Not reported  
 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 11/10/2005  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 11/10/2005  
 Evaluation lead agency: State

Evaluation date: 02/01/2002  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 09/14/2000  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 09/14/2000  
 Evaluation lead agency: State

Evaluation date: 09/14/2000  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 09/20/2000  
 Evaluation lead agency: State

Evaluation date: 08/18/1997  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 10/08/1997  
 Evaluation lead agency: State

Evaluation date: 08/18/1997  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - Pre-transport  
 Date achieved compliance: 08/18/1997  
 Evaluation lead agency: State

Evaluation date: 01/06/1994  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 03/07/1994  
 Evaluation lead agency: State

Evaluation date: 02/13/1991  
 Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: LDR - General  
 Date achieved compliance: 01/06/1994  
 Evaluation lead agency: State

Evaluation date: 02/13/1991

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Evaluation: NON-FINANCIAL RECORD REVIEW  
 Area of violation: Generators - General  
 Date achieved compliance: 01/13/1992  
 Evaluation lead agency: State

Evaluation date: 05/28/1987  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Generators - General  
 Date achieved compliance: 12/15/1987  
 Evaluation lead agency: State

**FINDS:**

Registry ID: 110000342353

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

CRITERIA AND HAZARDOUS AIR POLLUTANT INVENTORY

**MANIFEST:**

GEN Cert Date: 8/8/1994  
 Transporter Recpt Date: Not reported  
 Number Of Containers: 0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAIDA DEVELOPMENT CO (Continued)**

**1000184397**

Container Type:	Not reported
Waste Code1:	D011
Waste Code2:	D011
Waste Code3:	F005
Comment:	Not reported
Fee Exempt Code:	Not reported
TSD Name:	BOLIDEN METECH, INC.
TSD ID:	RID073890214
TSD Date:	Not reported
Date Imported:	9/22/1994
Transporter 2 Name:	Not reported
Transporter 2 ID:	DCD981735244
Manifest Docket Number:	RIC0029752
Waste Description:	LEAD, SILVER
Quantity:	39186
WT/Vol Units:	P
Item Number:	1
Transporter Name:	EASTERN CHEMICAL WASTE SYSTEMS
Transporter EPA ID:	DCD981735244
GEN Cert Date:	6/13/1994
Transporter Recpt Date:	Not reported
Transporter 2 Recpt Date:	Not reported
TSD Recpt Date:	Not reported
EPA ID:	VAD000019448
Transporter 2 ID:	Not reported
Manifest Docket Number:	RIC0030063
Waste Description:	HAZ WASTE SOLID SILVER NOS
Quantity:	12122
WT/Vol Units:	P
Item Number:	2
Transporter Name:	EASTERN CHEMICAL WASTE SYSTEMS
Transporter EPA ID:	DCD981735244
GEN Cert Date:	8/8/1994
Transporter Recpt Date:	Not reported
Transporter 2 Recpt Date:	Not reported
TSD Recpt Date:	Not reported
EPA ID:	VAD000019448
Transporter 2 ID:	DCD981735244
Manifest Docket Number:	RIC0030063
Waste Description:	HAZ WASTE LEAD, SILVER SOLID NOS
Quantity:	28880
WT/Vol Units:	P
Item Number:	1
Transporter Name:	EASTERN CHEMICAL WASTE SYSTEMS
Transporter EPA ID:	DCD981735244
GEN Cert Date:	8/8/1994
Transporter Recpt Date:	Not reported
Transporter 2 Recpt Date:	Not reported
TSD Recpt Date:	Not reported
EPA ID:	VAD000019448
Transporter 2 ID:	DCD981735244
Manifest Docket Number:	rih0013185
Waste Description:	FLAM LIQ
Quantity:	830



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

MAIDA DEVELOPMENT CO (Continued)

1000184397

WT/Vol Units: P  
 Item Number: 0  
 Transporter Name: TRI-STATE MOTOR TRANSIT  
 Transporter EPA ID: MOD095038998  
 GEN Cert Date: 3/14/2002  
 Transporter Recpt Date: Not reported  
 Transporter 2 Recpt Date: Not reported  
 TSDf Recpt Date: Not reported  
 EPA ID: VAD000019448  
 Transporter 2 ID: Not reported

Manifest Docket Number: rih0013185  
 Waste Description: ETHANOL/TOLUENE/SILVER  
 Quantity: 86  
 WT/Vol Units: P  
 Item Number: 2  
 Transporter Name: TRI-STATE MOTOR TRANSIT  
 Transporter EPA ID: MOD095038998  
 GEN Cert Date: 3/14/2002  
 Transporter Recpt Date: Not reported  
 Transporter 2 Recpt Date: Not reported  
 TSDf Recpt Date: Not reported  
 EPA ID: VAD000019448  
 Transporter 2 ID: Not reported

111

PHOEBUS WOMANS CLUB  
 113 EAST HOWARD STREET  
 HAMPTON, VA 23663

VA LUST S105985831  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066579  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972224  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS DURING UST REMOVAL

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066579  
**Facility Status: Closed**  
 Completed Date: 03/27/1998  
 Pollution Complaint Num: 19972224  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066579  
**Case Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS WOMANS CLUB (Continued)**

**S105985831**

Pollution Complaint #: 19972224  
 Reported: 26-JUL-1996

111

**HAMPTON CITY - PHOEBUS VOLUNTEER FIRE STATION 2  
 122 SOUTH HOPE STREET  
 HAMPTON, VA 23663**

**VA LUST  
 VA LTANKS**

**S105988056  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066578  
**Facility Status: Closed**  
 Completed Date: 07/26/1996  
 Pollution Complaint Num: 19972225  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOILS FOUND DURING UST REMOVAL

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066578  
**Facility Status: Closed**  
 Completed Date: 03/27/1998  
 Pollution Complaint Num: 19972225  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066578  
**Facility Status: Closed**  
 Completed Date: 07/15/1991  
 Pollution Complaint Num: 19920120  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH ASSOCIATED WITH H.O. UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066578  
**Facility Status: Closed**  
 Completed Date: 05/20/1992  
 Pollution Complaint Num: 19920120  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066578  
**Case Status: Closed**  
 Pollution Complaint #: 19972225

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON CITY - PHOEBUS VOLUNTEER FIRE STATION 2 (Continued)**

**S105988056**

Reported: 26-JUL-1996  
 Region: TRO  
 CEDS Facility Id: 200000066578  
**Case Status: Closed**  
 Pollution Complaint #: 19920120  
 Reported: 15-JUL-1991

111

**PHOEBUS VOLUNTEER FIRE STATION #2  
 122 SOUTH HOPE STREET  
 HAMPTON, VA 23663**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003692685  
 N/A**

UST:

Facility:

Facility Id: 5026415  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066578

Owner:

Facility Id: 5026415  
 Owner Id: 36544  
 Owner Name: City of Hampton Dept of General Svcs  
 Owner Address: 30 Kings Way  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 500  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5026415  
 Own Id: 36544  
 Tank Number: R1  
 Install Date: 01-JAN-1930  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS VOLUNTEER FIRE STATION #2 (Continued)**

**U003692685**

Release:

Tank Type:	UST
Fac Id:	5026415
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1930
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026415
Own Id:	36544
Tank Number:	R1
Install Date:	01-JAN-1930
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5026415
FRP Financial Assurance:	Min
Owner Name:	PHOEBUS VOLUNTEER FIRE STATION #2

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PHOEBUS VOLUNTEER FIRE STATION #2 (Continued)**

**U003692685**

ROF Own Id: 36544  
 Tank Type: UST  
 Mechanism: Not reported  
 Gallonage: Not reported  
 Per Occurrence: 20000  
 Third Party: 60000  
 Annual Aggregate: 80000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Hampton City - Phoebus Volunteer Fire Station 2  
 CEDS Facility Id: 200000066578  
 Tank Type Count: 1  
 Location: Not reported

112

**SMITH FLORYIFT  
 207 MELLEEN ST  
 HAMPTON, VA 23663**

**VA UST U003690669  
 N/A**

UST:

Facility:

Facility Id: 5010830  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000067050

Owner:

Facility Id: 5010830  
 Owner Id: 33656  
 Owner Name: HAMPTON ROADS FLOWER MART INC  
 Owner Address: 245 ARMISTEAD AVE.  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23669  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5010830  
 Own Id: 33656  
 Tank Number: 1  
 Install Date: 18-APR-1961  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**SMITH FLORYIFT (Continued)**

**U003690669**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5010830
Own Id:	33656
Tank Number:	1
Install Date:	18-APR-1961
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5010830
Own Id:	33656
Tank Number:	1
Install Date:	18-APR-1961
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

112 C&J OF PHOEBUS, INC  
 201 EAST MELLEEN STREET  
 HAMPTON, VA 23663

VA UST U003690189  
 N/A

UST:

Facility:

Facility Id: 5008426  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000064359

Owner:

Facility Id: 5008426  
 Owner Id: 35676  
 Owner Name: C&J OF PHOEBUS, INC  
 Owner Address: 201 EAST MELLEEN STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23663  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5008426  
 Own Id: 35676  
 Tank Number: R1  
 Install Date: 16-APR-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5008426  
 Own Id: 35676  
 Tank Number: R1  
 Install Date: 16-APR-1971  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**C&J OF PHOEBUS, INC (Continued)**

**U003690189**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
 Pipe Material:	
Tank Type:	UST
Fac Id:	5008426
Own Id:	35676
Tank Number:	R1
Install Date:	16-APR-1971
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
 Tank Material:	
Tank Type:	UST
Fac Id:	5008426
Own Id:	35676
Tank Number:	R2
Install Date:	16-APR-1971
Tank Status:	REM FROM GRD



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**C&J OF PHOEBUS, INC (Continued)**

**U003690189**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5008426
Own Id:	35676
Tank Number:	R2
Install Date:	16-APR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5008426
Own Id:	35676
Tank Number:	R2
Install Date:	16-APR-1971
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**C&J OF PHOEBUS, INC (Continued)**

**U003690189**

Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R3
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5008426
Own Id:	35676
Tank Number:	R3
Install Date:	16-APR-1966
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5008426
Own Id:	35676
Tank Number:	R3
Install Date:	16-APR-1966
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**C&J OF PHOEBUS, INC (Continued)**

**U003690189**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5008426
Own Id:	35676
Tank Number:	R3
Install Date:	16-APR-1966
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

113

**ST MARY'S STAR OF SEA SCHOOL**  
**14 N WILLARD ST**  
**HAMPTON, VA 23663**

**VA LUST S104742178**  
**VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000091701
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	04/08/1999
Pollution Complaint Num:	19992365
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	CONTAM SOIL FOUND DURING LIGHT POST INSTALLATION.
Region:	TD
Region Code:	TRO
Facility ID:	200000091701
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	04/16/1999
Pollution Complaint Num:	19992365

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**ST MARY'S STAR OF SEA SCHOOL (Continued)**

**S104742178**

Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED AFTER SITE VISIT BY LKM.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000091701  
**Case Status: Closed**  
 Pollution Complaint #: 19992365  
 Reported: 08-APR-1999

113  
**18 NORTH WILLARD AVE  
 18 NORTH WILLARD AVE  
 HAMPTON, VA**

**ERNS 2004720953  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

114  
**ENGLISH CONSTRUCTION CO INC  
 13 HOME PLACE  
 HAMPTON, VA 23663**

**VA AST A100238718  
 N/A**

AST:

Facility:

Facility ID: 5016353  
 Facility Type: CONTRACTOR  
 CEDS Facility ID: 200000064982

Owner:

Facility Id: 5016353  
 Owner Id: 35899  
 Owner Name: ENGLISH CONSTRUCTION CO INC  
 Owner Address: PO BOX P7000  
 Owner Address2: Not reported  
 Owner City: LYNCHBURG  
 Owner State: VA  
 Owner Zip: 24505  
 Ust Status: Not reported  
 Ast Status: Not reported

Fed Regulated: Yes  
 Tank Number: E  
 Tank Type: AST  
 Tank Capacity: 3000  
 Tank Contents: GASOLINE  
 Tank Status: DISMANTLED

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

115

**4 IVY HOME ROAD  
 HAMPTON, VA**

**VA LUST S105953615  
 VA LTANKS N/A  
 VA SPILLS**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064899  
**Facility Status: Closed**  
 Completed Date: 07/19/2005  
 Pollution Complaint Num: 20065005  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064899  
**Facility Status: Closed**  
 Completed Date: 12/28/2005  
 Pollution Complaint Num: 20065005  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064899  
**Case Status: Closed**  
 Pollution Complaint #: 20065005  
 Reported: 19-JUL-2005

SPILLS TD:

Region: TD  
 PC Number: 98-5352  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105953615

Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	6/30/1998
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	6/30/1998
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	RP WASHING APPROX 25 DUMP TRUCKS EARLY WITHOUT A PERMIT
Reported By Company:	DEQ
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	VIRGINIA BEACH, VA
Reported By Phone:	7575182105
Report By Name:	MARK SAVER
PI Date:	6/30/1998
Incident Time:	Not reported
Incident Type:	SOLID WASTE
Stream:	STORM DRAIN
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

115 E.T. LAWSON & SON INC.  
 4 IVY HOME RD  
 HAMPTON, VA 23669

VA AST A100143791  
 N/A

AST:

Facility:

Facility ID: 5030994  
 Facility Type: BULK STORAGE  
 CEDS Facility ID: 200000064899

Owner:

Facility Id: 5030994  
 Owner Id: 34413  
 Owner Name: Lawson I E Jr  
 Owner Address: 6 Cedar Point Dr  
 Owner Address2: Not reported  
 Owner City: Hampton  
 Owner State: VA  
 Owner Zip: 23669  
 Ust Status: Not reported  
 Ast Status: Not reported

Fed Regulated: No  
 Tank Number: 1  
 Tank Type: AST  
 Tank Capacity: 173290  
 Tank Contents: HEATING OIL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 1  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial Y  
 Release Detection: None N  
 Release Detection: Other Y  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom Y  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	1
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	Y
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	1
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	10
Tank Type:	AST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Capacity: 20000  
 Tank Contents: DIESEL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 10  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N  
 Release Prevention: None N  
 Release Prevention: Unknown N  
 Release Prevention: Other Y  
 Release Prevention: Other Note Not reported

Tank Foundation:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 10  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Tank Foundation: Steel Y  
 Tank Foundation: Earthen N  
 Tank Foundation: Concrete Imp N  
 Tank Foundation: Unknown N  
 Tank Foundation: Other N  
 Tank Foundation: Other Note Not reported  
 Tank Roof: Float N  
 Tank Roof: Cone N  
 Tank Roof: Breather N  
 Tank Roof: Dbldck N  
 Tank Roof: Pontoon N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	10
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	13
Tank Type:	AST
Tank Capacity:	2000
Tank Contents:	USED OIL
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	13
Install Date:	01-JUN-1991
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	13
Install Date:	01-JUN-1991
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	13
Install Date:	01-JUN-1991
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Fed Regulated:	No
Tank Number:	2
Tank Type:	AST
Tank Capacity:	18000
Tank Contents:	KEROSENE
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	2
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	2
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Foundation: Earthen N  
 Tank Foundation: Concrete Imp N  
 Tank Foundation: Unknown N  
 Tank Foundation: Other N  
 Tank Foundation: Other Note Not reported  
 Tank Roof: Float N  
 Tank Roof: Cone N  
 Tank Roof: Breather N  
 Tank Roof: Dbldeck N  
 Tank Roof: Pontoon N  
 Tank Roof: Balloon N  
 Tank Roof: Lifter N  
 Tank Roof: Pan Y  
 Tank Roof: Other N  
 Tank Roof: Other Note Not reported

Tank Material:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 2  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Fed Regulated: No  
 Tank Number: 3  
 Tank Type: AST  
 Tank Capacity: 20000  
 Tank Contents: KEROSENE  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 3  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	3
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	3
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Fed Regulated: No  
 Tank Number: 4  
 Tank Type: AST  
 Tank Capacity: 20000  
 Tank Contents: KEROSENE  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 4  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N  
 Release Prevention: None N  
 Release Prevention: Unknown N  
 Release Prevention: Other Y  
 Release Prevention: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Foundation:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 4  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Tank Foundation: Steel Y  
 Tank Foundation: Earthen N  
 Tank Foundation: Concrete Imp N  
 Tank Foundation: Unknown N  
 Tank Foundation: Other N  
 Tank Foundation: Other Note Not reported  
 Tank Roof: Float N  
 Tank Roof: Cone N  
 Tank Roof: Breather N  
 Tank Roof: Dbldeck N  
 Tank Roof: Pontoon N  
 Tank Roof: Balloon N  
 Tank Roof: Lifter N  
 Tank Roof: Pan Y  
 Tank Roof: Other N  
 Tank Roof: Other Note Not reported

Tank Material:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 4  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Fed Regulated: No  
 Tank Number: 5  
 Tank Type: AST  
 Tank Capacity: 20000  
 Tank Contents: HEATING OIL  
 Tank Status: CURR IN USE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Containment:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	5
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	5
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	5
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Fed Regulated:	No
Tank Number:	6
Tank Type:	AST
Tank Capacity:	20000
Tank Contents:	HEATING OIL
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	6
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	6
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	6
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Materials: Other Note	Not reported
Fed Regulated:	No
Tank Number:	7
Tank Type:	AST
Tank Capacity:	20000
Tank Contents:	HEATING OIL
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	7
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	7
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported

Tank Material:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	7
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	8
Tank Type:	AST
Tank Capacity:	20000
Tank Contents:	DIESEL
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	8
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	Y
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	8
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	8
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Tank Materials: Composite N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Fed Regulated: No  
 Tank Number: 9  
 Tank Type: AST  
 Tank Capacity: 20000  
 Tank Contents: DIESEL  
 Tank Status: CURR IN USE

Tank Containment:

Tank Type: AST  
 Fac Id: 5030994  
 Own Id: 34413  
 Tank Number: 9  
 Install Date: 01-JAN-1965  
 Tank Status: CURR IN USE  
 Containment: Curbing N  
 Containment: Weirs N  
 Containment: Sorbent N  
 Containment: Culvert N  
 Containment: Diversion N  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N  
 Release Prevention: Double Walled N  
 Release Prevention: Lined Interior N  
 Release Prevention: Poly Jacket N  
 Release Prevention: Exc Liner N  
 Release Prevention: None N  
 Release Prevention: Unknown N  
 Release Prevention: Other Y  
 Release Prevention: Other Note Not reported

Tank Foundation:

Tank Type: AST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**E.T. LAWSON & SON INC. (Continued)**

**A100143791**

Fac Id:	5030994
Own Id:	34413
Tank Number:	9
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	Y
Tank Roof: Other	N
Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5030994
Own Id:	34413
Tank Number:	9
Install Date:	01-JAN-1965
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

116

**WANCHESE FISH CO  
 48 WATER STREET  
 HAMPTON (County), VA**

**VA SPILLS S108922443  
 N/A**

SPILLS TD:  
 Region: TD  
 PC Number: Not reported  
 Incident Response: 2004-T-1054  
 Incident Date: 11/17/2003  
 Time In: 12:44:00 PM  
 Facility Permitted: False



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WANCHESE FISH CO (Continued)**

**S108922443**

Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	11/17/2003
Incident Time:	11:37:00 AM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	BILGE SLOPS
Possible Receptors:	Not reported
Qty Released:	10
Unit:	GALLONS
Qty In Water:	10
Receiving Waters:	MILL CREEK
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	SHEEN ON THE WATER COMING FROM A VESSEL, BOOMS APPLIED
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	HAMPTON FD
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

WANCHESE FISH CO (Continued)

S108922443

Reported By Phone:	7578105020
Report By Name:	CHIEF WITHERSPOON
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0
Region:	TD
PC Number:	Not reported
Incident Response:	2006-T-0313
Incident Date:	9/13/2005
Time In:	10:03:00 AM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	9/13/2005
Incident Time:	9:05:00 AM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	DIESEL
Possible Receptors:	Not reported
Qty Released:	20000
Unit:	GALLONS
Qty In Water:	20000
Receiving Waters:	MILL CREEK
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	DRILL
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>9/14/2005</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WANCHESE FISH CO (Continued)**

**S108922443**

Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	<b>**DRILL** DUE TO HURRICANE OPHELIA PRODUCT SPILLED **DRILL**</b>
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	8004248802
Report By Name:	NRC
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

116

**WANCHESE FISH COMPANY  
 48 WATER STREET  
 HAMPTON (County), VA**

**VA SPILLS S105947436  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2002-T-0460
Incident Date:	9/10/2001
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	True
Haz Waste:	False
Water:	True
Air:	False
Sewage:	False
Fish Killed:	False

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WANCHESE FISH COMPANY (Continued)**

**S105947436**

Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	SHRIMP SHELLS
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	DDD
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	FISH FACTORY DUMPINT BY-PRODUCTS INOT MILL CREEK
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	MR JAY BRODERSEN
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

116

**48 WATER ST.  
 48 WATER ST.  
 HAMPTON, VA 23663**

**ERNS 2008885696  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

116

**48 WATER ST.  
 HAMPTON, VA**

**VA SPILLS S105949641  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105949641

Date Received: 8/13/1992  
 Source: FISHING BOATS AT WANCHESE FISH CO  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: CALLER BELIEVES RP PUMPING OILY BILGE WATER FROM BOATS WHILE AT PIER SIDE. SHE NOTIFIED USCG. ALSO BELIEVES THEY MAY BE PUMPING SEWAGE OVERBOARD. USCG SAYS THEY HAVE REPTS BUT NEED TO CATCH VESSEL IN ACT AND DO NOT HAVE ENOUGH OIL FOR SAMPLE ID AND MATCH.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 8/13/1992  
 Incident Time: Not reported  
 Incident Type: PETROLEUM  
 Stream: HAMPTON RDS HARBOR  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

116

**WANCHESE SEAFOOD**  
**48 WATER ST**  
**HAMPTON, VA 23663**

**VA LUST** S103818920  
**VA LTANKS** N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067637  
**Facility Status: Closed**  
 Completed Date: 02/12/1999  
 Pollution Complaint Num: 19992355  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: TANK CLS RPT SHOWED CONTAM SOILS.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067637  
**Facility Status: Closed**  
 Completed Date: 12/23/1999  
 Pollution Complaint Num: 19992355  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067637  
**Case Status: Closed**  
 Pollution Complaint #: 19992355  
 Reported: 12-FEB-1999

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

116      **48 WATER ST.  
 48 WATER ST.  
 HAMPTON, VA**      **ERNS**      **2007316782  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

116      **WANCHESE FISH COMPANY INC  
 48 WATER ST  
 HAMPTON, VA 23663**      **VA UST**      **U003691818  
 VA AST**      **N/A**

UST:

Facility:

Facility Id: 5019983  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000067637

Owner:

Facility Id: 5019983  
 Owner Id: 38420  
 Owner Name: WANCHESE FISH CO INC  
 Owner Address: 48 WATER STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23663  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5019983  
 Own Id: 38420  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WANCHESE FISH COMPANY INC (Continued)**

**U003691818**

Release:

Tank Type:	UST
Fac Id:	5019983
Own Id:	38420
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019983
Own Id:	38420
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	4000
Tank Contents:	DIESEL



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WANCHESE FISH COMPANY INC (Continued)**

**U003691818**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019983
Own Id:	38420
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019983
Own Id:	38420
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WANCHESE FISH COMPANY INC (Continued)**

**U003691818**

Pipe Material:

Tank Type:	UST
Fac Id:	5019983
Own Id:	38420
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

AST:

Facility:

Facility ID:	5019983
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000067637

Owner:

Facility Id:	5019983
Owner Id:	38420
Owner Name:	WANCHESE FISH CO INC
Owner Address:	48 WATER STREET
Owner Address2:	Not reported
Owner City:	HAMPTON
Owner State:	VA
Owner Zip:	23663
Ust Status:	Not reported
Ast Status:	Not reported

Fed Regulated:	No
Tank Number:	1
Tank Type:	AST
Tank Capacity:	10000
Tank Contents:	DIESEL
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5019983
Own Id:	38420
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	Y
Containment: Weirs	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WANCHESE FISH COMPANY INC (Continued)**

**U003691818**

Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	Y
Containment: Retention	Y
Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	Y
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5019983
Own Id:	38420
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	N/A
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	Not reported
Tank Material:	
Tank Type:	AST
Fac Id:	5019983
Own Id:	38420
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WANCHESE FISH COMPANY INC (Continued)**

**U003691818**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

116

**48 WATER STREET  
 48 WATER STREET  
 HAMPTON, VA**

**ERNS 2003705562  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

116

**48 WATER ST.  
 48 WATER ST.  
 HAMPTON, VA 23663**

**ERNS 2005623543  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

116

**48 WATER STREET, WANCHEESE FISH CO  
 HAMPTON, VA**

**VA SPILLS S106051295  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S106051295

Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	3/27/1993
Source:	LEAKING FROM FISHING VESSEL
Summary:	Not reported
Comments:	Not reported
Report Notes:	SPILL CAUSED BY OVERFILLING OF FUEL TANK, PERSONNEL WASHED DOWN DECK, 5-10 GAL SPILLED IN WATER, NO CLEAN UP PERFORMED.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	3/27/1993
Incident Time:	17:00
Incident Type:	PETROLEUM
Stream:	MILL CREEK
Spill Volume:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**(Continued)**

**S106051295**

Spill Unit:	Not reported
Volume To State Water:	Not reported

---

116	<b>48 WATER ST 48 WATER ST HAMPTON, VA</b>	<b>ERNS</b>	<b>2003705569 N/A</b>
-----	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

116	<b>NEAR: 35 WATER ST. NEAR: 35 WATER ST. HAMPTON, VA</b>	<b>ERNS</b>	<b>2004728006 N/A</b>
-----	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

116	<b>SAMS RESTAURANT 23 WATER ST HAMPTON, VA 23663</b>	<b>VA LUST VA LTANKS</b>	<b>S106707834 N/A</b>
-----	--	------------------------------	---------------------------

**LUST REG TD:**

Region:	TD
Region Code:	TRO
Facility ID:	200000218449
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	12/03/2004
Pollution Complaint Num:	20055092
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported

Region:	TD
Region Code:	TRO
Facility ID:	200000218449
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	06/29/2005
Pollution Complaint Num:	20055092
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case closed, no further corrective action letter sent

**LTANKS:**

Region:	TRO
CEDS Facility Id:	200000218449
<b>Case Status:</b>	<b>Closed</b>
Pollution Complaint #:	20055092

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SAMS RESTAURANT (Continued)**

**S106707834**

Reported: 03-DEC-2004

116

**VA SPILLS S105952411  
 N/A**

**CORNER OF E MELLEN & WATER STREET  
 HAMPTON, VA**

SPILLS TD:

Region:	TD
PC Number:	99-7890
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	4/9/1999
Call Date:	Not reported
Inspector:	KLK
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>4/12/1999</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105952411

Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 4/8/1999  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: WHILE DIGGING HOLE FOR PLACEMENT OF NEW LIGHT POLE, PETROLEUM ODOR WAS NOTED AND A SMALL AMOUNT OF FREE PRODUCT WAS DETECTED.  
 Reported By Company: HAMPTON FIRE MARSHALL  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 757-988-4727  
 Report By Name: CAPTAIN L. WITHRSPOON  
 PI Date: 4/8/1999  
 Incident Time: Not reported  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

117

**HAMPTON UNIVERSITY  
 E QUEEN STREET  
 HAMPTON, VA 23668**

**VA UST U003869036  
 VA AST N/A  
 VA NPDES  
 VA FINANCIAL ASSURANCE**

UST:

Facility:

Facility Id: 5034639  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065440

Owner:

Facility Id: 5034639  
 Owner Id: 40390  
 Owner Name: Hampton University  
 Owner Address: PO Box 6122  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hampton, VA 23668  
 UST Status: Reg  
 AST Status: Reg

Federally Regulated: Yes

Tank Number: 1C  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5034639  
 Own Id: 40390  
 Tank Number: 1C  
 Install Date: 25-JAN-1999



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	1C
Install Date:	25-JAN-1999
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	1C
Install Date:	25-JAN-1999
Tank Status:	CURR IN USE
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2C
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	2C
Install Date:	25-JAN-1999
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	2C
Install Date:	25-JAN-1999
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred N  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5034639  
 Own Id: 40390  
 Tank Number: 2C  
 Install Date: 25-JAN-1999  
 Tank Status: CURR IN USE  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R1  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5034639  
 Own Id: 40390  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	550
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5034639
Own Id:	40390
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Pipe Release Detection: Stat Invent Recon      N  
 Pipe Release Detection: Groundwater            N  
 Pipe Release Det: Int Secondary Containment    N  
 Pipe Release Det: Interior Double Walled       N  
 Pipe Release Detection: Other Method           N  
 Pipe Release Detection: Other Note             Not reported

Pipe Material:

Tank Type:    UST  
 Fac Id:    5034639  
 Own Id:    40390  
 Tank Number:                                        R2  
 Install Date:                                        Not reported  
 Tank Status:                                         REM FROM GRD  
 Pipe Type:    NO VALVE: SUCTION  
 Pipe Materials: Bare Steel                        Y  
 Pipe Materials: Galvanized Steel                N  
 Pipe Materials: Copper                            N  
 Pipe Materials: Fiberglass                        N  
 Pipe Materials: Cath Protect                    N  
 Pipe Materials: Double Walled                 N  
 Pipe Materials: Secondary Containment        N  
 Pipe Materials: Repaired                        N  
 Pipe Materials: Unknown                        N  
 Pipe Materials: Other                             N  
 Pipe Materials: Other Note                     Not reported

AST:

Facility:

Facility ID:                                         5034639  
 Facility Type:                                        COMMERCIAL  
 CEDS Facility ID:                                 200000065440

Owner:

Facility Id:                                         5034639  
 Owner Id:    40390  
 Owner Name:                                        Hampton University  
 Owner Address:                                    PO Box 6122  
 Owner Address2:                                 Not reported  
 Owner City:                                         Hampton  
 Owner State:                                        VA  
 Owner Zip:    23668  
 Ust Status:                                         Reg  
 Ast Status:                                         Reg

Fed Regulated:                                    No  
 Tank Number:                                        1  
 Tank Type:    AST  
 Tank Capacity:                                    25000  
 Tank Contents:                                    FUEL OIL  
 Tank Status:                                        CURR IN USE

Tank Containment:

Tank Type:    AST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Fac Id:	5034639
Own Id:	40390
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	Y
Containment: Weirs	Y
Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	Y
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	None

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Tank Material:  
 Tank Type: AST  
 Fac Id: 5034639  
 Own Id: 40390  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Fed Regulated: No  
 Tank Number: 2  
 Tank Type: AST  
 Tank Capacity: 20000  
 Tank Contents: FUEL OIL  
 Tank Status: CURR IN USE

Tank Containment:  
 Tank Type: AST  
 Fac Id: 5034639  
 Own Id: 40390  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: CURR IN USE  
 Containment: Curbing Y  
 Containment: Weirs Y  
 Containment: Sorbent Y  
 Containment: Culvert N  
 Containment: Diversion Y  
 Containment: Retention N  
 Containment: Dike Y  
 Containment: Unknown N  
 Containment: Other N  
 Containment: Other Note Not reported  
 Release Detection: Ground Water N  
 Release Detection: Visual Y  
 Release Detection: Vapor N  
 Release Detection: Interstitial N  
 Release Detection: None N  
 Release Detection: Other N  
 Release Detection: Other Note Not reported  
 Release Prevention: Double Bottom N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	2
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	None

Tank Material:

Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	2
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Fed Regulated:	No
Tank Number:	3
Tank Type:	AST
Tank Capacity:	20000
Tank Contents:	FUEL OIL
Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	3
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	Y
Containment: Weirs	Y
Containment: Sorbent	Y
Containment: Culvert	N
Containment: Diversion	Y
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	3
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	None

Tank Material:

Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	3
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	N
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Fed Regulated:	No
Tank Number:	4
Tank Type:	AST
Tank Capacity:	1000
Tank Contents:	FUEL OIL
Tank Status:	CURR IN USE

Tank Containment:

Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	4
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	Y
Containment: Weirs	Y
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	Y
Containment: Retention	N
Containment: Dike	Y
Containment: Unknown	N
Containment: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	Y
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	Y
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported

Tank Foundation:

Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	4
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	Y
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	N
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldeck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N
Tank Roof: Pan	N
Tank Roof: Other	Y
Tank Roof: Other Note	None

Tank Material:

Tank Type:	AST
Fac Id:	5034639
Own Id:	40390
Tank Number:	4
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HAMPTON UNIVERSITY (Continued)**

**U003869036**

Tank Materials: Excav Liner N  
 Tank Materials: Epoxy Coated Interior N  
 Tank Materials: Epoxy Coated Exterior N  
 Tank Materials: Double Walled N  
 Tank Materials: Double Bottomed N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

**CEDS:**

Facility ID: 02-0204  
 Class: Application  
 Minor/Major: Major  
 Industrial: Industrial  
 Permit Date: Not reported  
 Outfall Num: Not reported  
 Lat/Long (dms): 37 0 51 / 76 19 45  
 Event Desc: Permit expires  
 Project Status: Riprap and intake and outfall structures

**VA FINANCIAL ASSURANCE:**

Facility ID: 5034639  
 FRP Financial Assurance: Full  
 Owner Name: Hampton University  
 ROF Own Id: 40390  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 66000  
 CEDS Facility Name: Hampton University  
 CEDS Facility Id: 200000065440  
 Tank Type Count: 16  
 Location: W Of I-64/S Of E Queen St

118

**WILLARD AVENUE PUMP STATION  
 219 NATIONAL AVE.  
 HAMPTON, VA 23663**

**VA UST U003691509  
 VA FINANCIAL ASSURANCE N/A**

**UST:**

**Facility:**

Facility Id: 5016843  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000067726

**Owner:**

Facility Id: 5016843  
 Owner Id: 33681  
 Owner Name: HRSD - Hampton Roads Sanitation District  
 Owner Address: 1436 Air Rail Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23455  
 UST Status: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLARD AVENUE PUMP STATION (Continued)**

**U003691509**

AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	1000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016843
Own Id:	33681
Tank Number:	1
Install Date:	01-APR-1994
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016843
Own Id:	33681
Tank Number:	1
Install Date:	01-APR-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLARD AVENUE PUMP STATION (Continued)**

**U003691509**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016843
Own Id:	33681
Tank Number:	1
Install Date:	01-APR-1994
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	Y
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	2000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016843
Own Id:	33681
Tank Number:	R1
Install Date:	08-MAY-1983
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WILLARD AVENUE PUMP STATION (Continued)**

**U003691509**

Release:

Tank Type:	UST
Fac Id:	5016843
Own Id:	33681
Tank Number:	R1
Install Date:	08-MAY-1983
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016843
Own Id:	33681
Tank Number:	R1
Install Date:	08-MAY-1983
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5016843
FRP Financial Assurance:	Full
Owner Name:	WILLARD AVENUE PUMP STATION



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLARD AVENUE PUMP STATION (Continued)**

**U003691509**

ROF Own Id: 33681  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: HRSD - Willard Ave Pump Station  
 CEDS Facility Id: 200000067726  
 Tank Type Count: 2  
 Location: 219 National Ave.

118

**WILLARD AVE PS  
 219 NATIONAL AVE  
 HAMPTON (County), VA**

**VA SPILLS S108923891  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2007-T-0207  
 Incident Date: 8/24/2006  
 Time In: Not reported  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: 8/24/2006  
 Incident Time: 11:30:00 AM  
 Petroleum: False  
 Solid Waste: False  
 Haz Waste: False  
 Water: True  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: SODIUM HYDROXIDE  
 Possible Receptors: Not reported  
 Qty Released: 100  
 Unit: GALLONS  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLARD AVE PS (Continued)**

**S108923891**

Call Date: 8/24/2006  
 Inspector: 5DL  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 9/28/2006**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: IN THE BLDG MATERIAL WENT THROUGH THE CRACK AND CAME OUT OF THE BLDG  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: VEOC  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 8046742400  
 Report By Name: CHRIS  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

119

**FORT MONROE**

**VA LUST  
 VA LTANKS  
 VA SPILLS**

**S102382107  
 N/A**

**HAMPTON, VA**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 04/26/1993  
 Pollution Complaint Num: 19932123  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SIDE OF H.O. UST COLLAPSED ON 4-23-93, STAINED SOILS.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/27/1993  
 Pollution Complaint Num: 19932123  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORT MONROE (Continued)**

**S102382107**

Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLOSED-NO FURTHER ACTION REQUIRED.
Region:	TD
Region Code:	TRO
Facility ID:	200000067430
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	09/15/1993
Pollution Complaint Num:	19940466
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	HOT SOILS AROUND EMERGENCY GENERATOR UST (WATER TABLE 5 FT. BGS).
Region:	TD
Region Code:	TRO
Facility ID:	200000067430
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	08/10/1994
Pollution Complaint Num:	19940466
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	CASE CLOSED-PLEASE SUBMIT UPDATED NOTIF. FORM TO HQ.
Region:	TD
Region Code:	TRO
Facility ID:	200000067430
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	05/08/2008
Pollution Complaint Num:	20085117
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported
Region:	TD
Region Code:	TRO
Facility ID:	200000067430
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	05/08/2008
Pollution Complaint Num:	20085117
Fed Regulated Tank:	No
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case closed, no further corrective action letter sent
Region:	TD
Region Code:	TRO
Facility ID:	200000067430
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	12/16/1998
Pollution Complaint Num:	19992309
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	CONTAM SOIL FOUND DURING REMOVAL OF EMERG. GENERATOR.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORT MONROE (Continued)**

**S102382107**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/17/1999  
 Pollution Complaint Num: 19992309  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED AFTER REVIEW OF SCR.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 05/09/1995  
 Pollution Complaint Num: 19952387  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL CONTAM. FOUND DURING REMOVAL OF 550-GAL. #23 FUEL OIL UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/21/1995  
 Pollution Complaint Num: 19952387  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 01/26/1990  
 Pollution Complaint Num: 19900942  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL CONTAMINATION ASSOCIATED WITH ABANDONED H.O. UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 11/01/1990  
 Pollution Complaint Num: 19900942  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

Region: TD  
 Region Code: TRO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORT MONROE (Continued)**

**S102382107**

Facility ID: 200000067430  
**Facility Status:** **Closed**  
 Completed Date: 03/13/1990  
 Pollution Complaint Num: 19901198  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: STRONG FUEL ODORS IN SOIL BORINGS TAKEN NEAR UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status:** **Closed**  
 Completed Date: 01/27/1994  
 Pollution Complaint Num: 19901198  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status:** **Closed**  
 Completed Date: 12/06/1996  
 Pollution Complaint Num: 19972311  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: LINE TEST INDICATED LEAK IN PIPING FROM UST TO ISLAND.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status:** **Closed**  
 Completed Date: 11/19/1997  
 Pollution Complaint Num: 19972311  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status:** **Closed**  
 Completed Date: 10/31/2002  
 Pollution Complaint Num: 20035053  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status:** **Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORT MONROE (Continued)**

**S102382107**

Completed Date: 01/30/2003  
 Pollution Complaint Num: 20035053  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment and IAMR review letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 02/25/2003  
 Pollution Complaint Num: 20035095  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 09/17/2003  
 Pollution Complaint Num: 20035095  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 11/30/2011  
 Pollution Complaint Num: 20125068  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 12/13/2011  
 Pollution Complaint Num: 20125068  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 12/30/1991  
 Pollution Complaint Num: 19921165

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORT MONROE (Continued)**

**S102382107**

Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: MERCURY AND LEAD CONCENTRATIONS WERE HIGH

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/30/1994  
 Pollution Complaint Num: 19921165  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 07/24/1992  
 Pollution Complaint Num: 19930228  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: TPH IN SOILS NOTED DURING CONSTRUCTION ACTIVITIES.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/31/1994  
 Pollution Complaint Num: 19930228  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/21/1992  
 Pollution Complaint Num: 19930369  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SATURATED SOILS & HIGH TPH FOUND DURING H.O. UST REMOVAL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 10/31/1994  
 Pollution Complaint Num: 19930369  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORT MONROE (Continued)**

**S102382107**

Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 10/22/1992  
 Pollution Complaint Num: 19930837  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH UNDER TANK DURING CLOSURE ON 10-21-92.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/16/1994  
 Pollution Complaint Num: 19930837  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 10/22/1992  
 Pollution Complaint Num: 19930838  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL CONTAMINATION FOUND DURING REMOVAL OF H.O. UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 08/16/1994  
 Pollution Complaint Num: 19930838  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 11/19/1992  
 Pollution Complaint Num: 19931024  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH DURING ASSESSMENT-NO TANKS KNOWN IN AREA.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORT MONROE (Continued)**

**S102382107**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067430  
**Facility Status: Closed**  
 Completed Date: 03/25/1993  
 Pollution Complaint Num: 19931024  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-CONTAMINATION NOT ENOUGH TO WARRANT FURTHER ACTION.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 20035053  
 Reported: 31-OCT-2002

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19992309  
 Reported: 16-DEC-1998

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19972311  
 Reported: 06-DEC-1996

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19940466  
 Reported: 15-SEP-1993

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19931024  
 Reported: 19-NOV-1992

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19930838  
 Reported: 22-OCT-1992

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19930837  
 Reported: 22-OCT-1992

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORT MONROE (Continued)**

**S102382107**

Pollution Complaint #: 19930369  
 Reported: 21-AUG-1992

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19930228  
 Reported: 24-JUL-1992

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19921165  
 Reported: 30-DEC-1991

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19901198  
 Reported: 13-MAR-1990

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 19900942  
 Reported: 26-JAN-1990

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 20125068  
 Reported: 30-NOV-2011

Region: TRO  
 CEDS Facility Id: 200000067430  
**Case Status: Closed**  
 Pollution Complaint #: 20085117  
 Reported: 08-MAY-2008

**PC-SPILLS:**

Region: Not reported  
 Facility ID: 931024  
 Fiscal Year: 93  
 PC Number: 1024  
 Date Reported: 19921119  
 Incident Region: Tidewater Regional Office  
 Water Affected: Not reported  
 Spilled Material: Petroleum  
 Summary: sat soils of petroleum between Bldgs. T-70 & 84, Fort Monroe; samples taken by RP  
 Amount Spilled: 0.0000  
 Amount to Water: 0.0000  
 Cleaned By: Not reported  
 Personnel: Not reported  
 Project Type: Not reported  
 Release Status: Not reported  
 Tank Type: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORT MONROE (Continued)**

**S102382107**

Lat/Long: Not reported  
**Facility Status: Not reported**  
 Date Closed: Not reported  
 Company: Not reported  
 USGS Quadrangle Map: Not reported  
 Date Complaint Received: Not reported  
 Responsible Party: US Army  
 Responsible Person: Not reported  
 Topographic Quadrangle #: Not reported  
 Complete report filed by VWCB: No, complete report not on file  
 Recovery letter for investigative cost: Not reported

120

**US ARMY GARRISON FORT MONROE  
 3 RUCKMAN ROAD  
 FORT MONROE, VA 23651**

**VA TIER 2 S110069408  
 N/A**

TIER 2:

CAS Number: Not reported  
 SIC Code: Not reported  
 NAICS: 92811  
 Entered Chemical Name: HEATING OIL, LIGHT #2  
 Average Amt Code: Not reported  
 Owner Name: U.S. ARMY, PUBLIC WORKS  
 Owner Phone: 757-788-5363  
 Contact Type: Owner / Operator

CAS Number: Not reported  
 SIC Code: Not reported  
 NAICS: 92811  
 Entered Chemical Name: DIESEL FUEL OIL  
 Average Amt Code: Not reported  
 Owner Name: U.S. ARMY, PUBLIC WORKS  
 Owner Phone: 757-788-5363  
 Contact Type: Owner / Operator

CAS Number: Not reported  
 SIC Code: Not reported  
 NAICS: 92811  
 Entered Chemical Name: GASOLINE  
 Average Amt Code: Not reported  
 Owner Name: U.S. ARMY, PUBLIC WORKS  
 Owner Phone: 757-788-5363  
 Contact Type: Owner / Operator

CAS Number: Not reported  
 SIC Code: Not reported  
 NAICS: 92811  
 Entered Chemical Name: LIQUICHLOR/SODIUM HYPOCHLORITE  
 Average Amt Code: Not reported  
 Owner Name: U.S. ARMY, PUBLIC WORKS  
 Owner Phone: 757-788-5363  
 Contact Type: Owner / Operator

CAS Number: Not reported  
 SIC Code: 92811  
 NAICS: Not reported  
 Entered Chemical Name: GASOLINE  
 Average Amt Code: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**US ARMY GARRISON FORT MONROE (Continued)**

**S110069408**

Owner Name: US ARMY PUBLIC WORKS  
 Owner Phone: 757-788-5372  
 Contact Type: Not reported

CAS Number: 7681-52-9  
 SIC Code: 92811  
 NAICS: Not reported  
 Entered Chemical Name: SODIUM HYPOCHLORITE/LIQUICHLOR  
 Average Amt Code: 3  
 Owner Name: US ARMY PUBLIC WORKS  
 Owner Phone: 757-788-5372  
 Contact Type: Not reported

CAS Number: Not reported  
 SIC Code: 92811  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: US ARMY PUBLIC WORKS  
 Owner Phone: 757-788-5372  
 Contact Type: Not reported

CAS Number: 74-98-6  
 SIC Code: 92811  
 NAICS: Not reported  
 Entered Chemical Name: PROPANE  
 Average Amt Code: 5  
 Owner Name: US ARMY PUBLIC WORKS  
 Owner Phone: 757-788-5372  
 Contact Type: Not reported

CAS Number: Not reported  
 SIC Code: 92811  
 NAICS: Not reported  
 Entered Chemical Name: HEATING OIL #2  
 Average Amt Code: 5  
 Owner Name: US ARMY PUBLIC WORKS  
 Owner Phone: 757-788-5372  
 Contact Type: Not reported

121

**FORT WOOL**

**FUDS 1007211988  
 N/A**

**HAMPTON, VA**

FUDS:  
 Federal Facility ID: VA9799F1583  
 FUDS #: C03VA0103  
 INST ID: 59313  
 Facility Name: FORT WOOL  
 City: HAMPTON  
 State: VA  
 EPA Region: 3  
 County: HAMPTON  
 Congressional District: 02  
 US Army District: Baltimore District (NAB)  
 Fiscal Year: 2009  
 Telephone: 410-962-2809  
 NPL Status: Not Listed

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORT WOOL (Continued)**

**1007211988**

RAB: Not reported  
 CTC: Not reported  
 Current Owner: STATE

FUDS Description Details:

The approximately 15-acre site is an historical fort in the middle of Hampton Roads with no direct land access, near the Hampton Roads Bridge Tunnel. This property is known or suspected to contain military munitions and explosives of concern (e.g., u unexploded ordnance) and therefore may present an explosive hazard. The U.S. abandoned the property and ownership reverted to the Commonwealth of Virginia, who left the property as is.

FUDS History Details:

The land was deeded to the U.S. in December 1838 to build a fortification for harbor defense. The property was declared in excess and was deeded back to the Commonwealth of Virginia in March 1967. This is an historic landmark site with no plans for r redevelopment.

FUDS Current Program Details:

FUDS Future Program Details:

121

**CHAMBERLIN GARAGE  
 FT. MONROE  
 HAMPTON, VA 23651**

**VA UST U003688936  
 N/A**

UST:

Facility:

Facility Id: 5000838  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000090843

Owner:

Facility Id: 5000838  
 Owner Id: 34603  
 Owner Name: CHAMBERLIN HOTEL CO  
 Owner Address: FT. MONROE  
 Owner Address2: Not reported  
 Owner City, State, Zip: HAMPTON, VA 23651  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5000838  
 Own Id: 34603  
 Tank Number: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CHAMBERLIN GARAGE (Continued)**

**U003688936**

Install Date:	13-MAR-1980
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5000838
Own Id:	34603
Tank Number:	1
Install Date:	13-MAR-1980
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5000838
Own Id:	34603
Tank Number:	1
Install Date:	13-MAR-1980
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CHAMBERLIN GARAGE (Continued)**

**U003688936**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

122

**I-664 M.M.M.B.T. TUNNEL  
 NORTH ISLAND MMMBT I-664 TUNNEL  
 NEWPORT NEWS, VA 23607**

**VA UST U003692584  
 N/A**

UST:

Facility:

Facility Id:	5025547
Facility Type:	STATE
CEDS Facility ID:	200000067549

Owner:

Facility Id:	5025547
Owner Id:	30159
Owner Name:	VDOT
Owner Address:	1221 E Broad St
Owner Address2:	Not reported
Owner City, State, Zip:	Richmond, VA 23219
UST Status:	Reg
AST Status:	Not reported

Federally Regulated: Yes

Tank Number:	1N
Tank Capacity:	12000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	1N
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**I-664 M.M.M.B.T. TUNNEL (Continued)**

**U003692584**

Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	1N
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	1N
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**I-664 M.M.M.B.T. TUNNEL (Continued)**

**U003692584**

Tank Number:	1S
Tank Capacity:	12000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	1S
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	1S
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**I-664 M.M.M.B.T. TUNNEL (Continued)**

**U003692584**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	1S
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2N
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	2N
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	2N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**I-664 M.M.M.B.T. TUNNEL (Continued)**

**U003692584**

Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	2N
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3N
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025547

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**I-664 M.M.M.B.T. TUNNEL (Continued)**

**U003692584**

Own Id:	30159
Tank Number:	3N
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	3N
Install Date:	01-AUG-1991
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025547
Own Id:	30159
Tank Number:	3N
Install Date:	01-AUG-1991

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**I-664 M.M.M.B.T. TUNNEL (Continued)**

**U003692584**

Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

122

**VIRGINIA STATE POLICE  
 I-64 AT VDOT NORTH ISLAND FACI  
 HAMPTON, VA 23651**

**VA UST U003690809  
 N/A**

UST:

Facility:

Facility Id:	5011594
Facility Type:	STATE
CEDS Facility ID:	200000067598

Owner:

Facility Id:	5011594
Owner Id:	31448
Owner Name:	VSP - Virginia Department of State Police
Owner Address:	PO Box 27472
Owner Address2:	Not reported
Owner City, State, Zip:	Richmond, VA 23261
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number:	R1
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5011594
Own Id:	31448
Tank Number:	R1
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VIRGINIA STATE POLICE (Continued)**

**U003690809**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5011594
Own Id:	31448
Tank Number:	R1
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5011594
Own Id:	31448
Tank Number:	R1
Install Date:	01-JAN-1975
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VIRGINIA STATE POLICE (Continued)**

**U003690809**

Pipe Materials: Other Note Not reported

122

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES  
 204 NATIONAL AVENUE - I-64  
 HAMPTON, VA 23663**

**VA UST U003691784  
 N/A**

UST:

Facility:

Facility Id: 5019772  
 Facility Type: STATE  
 CEDS Facility ID: 200000067539

Owner:

Facility Id: 5019772  
 Owner Id: 30159  
 Owner Name: VDOT  
 Owner Address: 1221 E Broad St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Richmond, VA 23219  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5019772  
 Own Id: 30159  
 Tank Number: 1  
 Install Date: 01-APR-1998  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner Y  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5019772  
 Own Id: 30159  
 Tank Number: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	1
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019772



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Own Id:	30159
Tank Number:	2
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	Y
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	2
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	2
Install Date:	01-APR-1998

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	I-564-NAVY
Tank Capacity:	2000
Tank Contents:	EMERGENCY GENERATOR
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	I-564-NAVY
Install Date:	01-JAN-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	I-564-NAVY
Install Date:	01-JAN-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	I-564-NAVY
Install Date:	01-JAN-1980
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	NE-VENT-1
Tank Capacity:	2000
Tank Contents:	EMERGENCY GENERATOR
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	NE-VENT-1
Install Date:	01-JAN-1977
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	NE-VENT-1
Install Date:	01-JAN-1977
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	NE-VENT-1
Install Date:	01-JAN-1977
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	NE-VENT-2
Tank Capacity:	8000
Tank Contents:	EMERGENCY GENERATOR
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	NE-VENT-2
Install Date:	01-SEP-1999
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	Y
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	NE-VENT-2
Install Date:	01-SEP-1999
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	Y
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	NE-VENT-2
Install Date:	01-SEP-1999
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	SE-VENT-1
Tank Capacity:	2000
Tank Contents:	EMERGENCY GENERATOR
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SE-VENT-1
Install Date:	01-JAN-1977
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SE-VENT-1
Install Date:	01-JAN-1977
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SE-VENT-1
Install Date:	01-JAN-1977
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Tank Number:	SE-VENT-2
Tank Capacity:	8000
Tank Contents:	EMERGENCY GENERATOR
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SE-VENT-2
Install Date:	19-JAN-2000
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SE-VENT-2
Install Date:	19-JAN-2000
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SE-VENT-2
Install Date:	19-JAN-2000
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	SW-VENT
Tank Capacity:	1500
Tank Contents:	EMERGENCY GENERATOR
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SW-VENT
Install Date:	08-APR-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SW-VENT

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - HRBT NORTH ISLAND TOLL FACILITIES (Continued)**

**U003691784**

Install Date:	08-APR-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019772
Own Id:	30159
Tank Number:	SW-VENT
Install Date:	08-APR-1976
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

123

**CHAMBERLIN HOTEL  
 2 FENWICK RD  
 HAMPTON, VA 23651**

**VA UST U003995762  
 N/A**

UST:

Facility:

Facility Id:	5039575
Facility Type:	LOCAL
CEDS Facility ID:	200000199076

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CHAMBERLIN HOTEL (Continued)**

**U003995762**

Owner:  
 Facility Id: 5039575  
 Owner Id: 42313  
 Owner Name: OPC Hampton  
 Owner Address: 9286 Warwick Blvd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Newport News, VA 23607  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: Not reported  
 Tank Capacity: 150  
 Tank Contents: DIESEL  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

124

**HRBT NORTH ISLAND FUEL STATION  
 I-64 IN JAMES RIVER  
 HAMPTON, VA 23663**

**VA TIER 2 S109940587  
 N/A**

TIER 2:  
 CAS Number: 8006-61-9  
 SIC Code: 9999  
 NAICS: Not reported  
 Entered Chemical Name: Gasoline  
 Average Amt Code: 4  
 Owner Name: Sharon L. Weers Morales  
 Owner Phone: 804-371-6852  
 Contact Type: Not reported

CAS Number: 68512-90-3  
 SIC Code: 9999  
 NAICS: Not reported  
 Entered Chemical Name: Diesel Fuel  
 Average Amt Code: 4  
 Owner Name: Sharon L. Weers Morales  
 Owner Phone: 804-371-6852  
 Contact Type: Not reported

CAS Number: Not reported  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: HOWELL P GODFREY  
 Owner Phone: 757-592-1040  
 Contact Type: Not reported

CAS Number: Not reported  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: GASOLINE  
 Average Amt Code: 4  
 Owner Name: HOWELL P GODFREY  
 Owner Phone: 757-592-1040

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**HRBT NORTH ISLAND FUEL STATION (Continued)**

**S109940587**

Contact Type: Not reported

**124 HRBT VENT BUILDING: NORTHEAST  
 I-64 IN JAMES RIVER  
 HAMPTON, VA 23663**

**VA TIER 2 S109940588  
 N/A**

TIER 2:

CAS Number: 68512-90-3  
 SIC Code: 9999  
 NAICS: Not reported  
 Entered Chemical Name: Diesel Fuel  
 Average Amt Code: 4  
 Owner Name: Sharon L. Weers Morales  
 Owner Phone: 804-371-6852  
 Contact Type: Not reported

CAS Number: Not reported  
 SIC Code: 99999  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: HOWELL P GODFREY  
 Owner Phone: 757-592-1040  
 Contact Type: Not reported

**125 ARMANAS DONNA PROPERTY  
 1526 LEA VIEW AVE  
 NORFOLK, VA 23503**

**VA LUST S108758324  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000847054  
**Facility Status: Closed**  
 Completed Date: 07/18/2007  
 Pollution Complaint Num: 20085002  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000847054  
**Facility Status: Closed**  
 Completed Date: 07/19/2007  
 Pollution Complaint Num: 20085002  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000847054  
**Case Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ARMANAS DONNA PROPERTY (Continued)**

**S108758324**

Pollution Complaint #: 20085002  
 Reported: 18-JUL-2007

126

**DREITLEIN MICHAEL SITE  
 9632 11TH VIEW ST  
 NORFOLK, VA 23705**

**VA LUST  
 VA LTANKS**

**S105300230  
 N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000206145  
**Facility Status: Closed**  
 Completed Date: 02/13/1998  
 Pollution Complaint Num: 19987499  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000206145  
**Facility Status: Closed**  
 Completed Date: 10/28/1998  
 Pollution Complaint Num: 19987499  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed/no further action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000206145  
**Case Status: Closed**  
 Pollution Complaint #: 19987499  
 Reported: 13-FEB-1998

126

**WILLOUGBY SPIT 1112 TOLER PLACE  
 NORFOLK, VA**

**VA SPILLS**

**S106122907  
 N/A**

**SPILLS TD:**

Region: TD  
 PC Number: 98-8557  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S106122907

Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	NA
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	5/17/1998
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	UNKNOWN SHEEN SIGHTING 1 MILE LONG
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	8004248802
Report By Name:	NRC
PI Date:	5/17/1998
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

(Continued)

S106122907

Volume To State Water: 0

127	<b>968 W OCEAN VIEW</b> <b>968 W OCEAN VIEW</b> <b>NORFOLK, VA</b>	ERNS	90181931 N/A
-----	--	------	-----------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

127	<b>REAR OF 974 WEST OCEAN VIEW AVE. STRECHES TO 1000 OCEAN VIEW</b> <b>REAR OF 974 WEST OCEAN VIEW AVE. STRECHES TO 1000 OCEAN VIEW</b> <b>NORFOLK, VA</b>	ERNS	94356100 N/A
-----	--	------	-----------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

127	<b>998 WEST OCEAN VIEW AVENUE</b> <b>NORFOLK, VA</b>	VA SPILLS	S111331321 N/A
-----	---	-----------	-------------------

SPILLS:

Fips City/County:	Norfolk City
Status:	Closed
Reference Id:	11165
IR Number:	2012-T-0742
Associated IR:	Not reported
Incident Date:	09-Sep-2011
Call Received Date:	12-Sep-2011
Closure Comments:	City of Norfolk resolved.No DEQ assistance requested.
Threat To:	Not reported
Terrorism (Y/N):	N
Characterize Incident:	Unknown
Incident Type:	* Waste
Incident Subtype:	* Solid Waste * Waste
Materials:	Not reported
Effect To Receptor:	Not reported
Water Body:	Not reported
Low Quantity To Water:	Not reported
High Quantity To Water:	Not reported
Quantity Units:	Not reported
Other Receptors:	Not reported
RP Company:	unknown property owner
RP Name:	Not reported
Property Owner:	Not reported
Property Company:	Not reported
Duration Of Event (Hrs):	0
Impacts:	Not reported
Other Impacts:	Not reported
Steps Taken:	Not reported
Steps Taken Description:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S111331321

System Components: Not reported  
 Other System Components: Not reported  
 Cause Of Event: Not reported  
 Corrective Action Taken: Not reported  
 Weather Status: N/A  
 Precipitation (Wet): 0  
 Discharge Type: N/A  
 Discharge Volume: 0  
 Unknown Discharge (Y/N): N  
 Site Name: Norfolk - Beached Sailboat & Subsequent Fire  
 Closure Date: 06-Oct-2011 12:10 PM  
 Orig. Call Incident Description: CALLER IS REPORTING A FIRE ON A BEACHED SAILBOAT DUE TO UNKNOWN REASONS. IT IS UNKNOWN IF ANY MATERIALS HAVE BEEN RELEASED AT THIS TIME. INVESTIGATION UNDERWAY.  
 Original Call Material Description: NONE  
 Original Call Location Description: 998 WEST OCEAN VIEW AVE NORFOLK VA  
 Incident Ongoing at time of Call: Not reported  
 Agencies Notified (Y/N): Not reported  
 Other Agencies: NRC 989100, VEOC HMVA 13687  
 Permitted (Y/N): N  
 Call Reported By Company Name: FIRE MARSHALL  
 Call RP Company Name: unknown property owner  
 Call RP Name: Not reported  
 Call Property Owner Company Name: Not reported  
 Call Property Owner Name: Not reported  
 Site Summary: beached sailboat that burned up

128 1525 BAYVILLE ST. DOCK NO. A45  
 1525 BAYVILLE ST. DOCK NO. A45  
 NORFOLK, VA 23503

ERNS 99645361  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

129 WILLOUGHBY MARINA  
 1651 BAYVILLE ST  
 NORFOLK, VA 23503

VA LUST S105988615  
 VA LTANKS N/A

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000067768  
**Facility Status: Closed**  
 Completed Date: 08/19/2006  
 Pollution Complaint Num: 20075016  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000067768  
**Facility Status: Closed**



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**S105988615**

Completed Date: 01/04/2007  
 Pollution Complaint Num: 20075016  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067768  
**Facility Status: Closed**  
 Completed Date: 08/21/1995  
 Pollution Complaint Num: 19962225  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: 550-GALLON GAS/IOL MIX UST TAKING ON WATER.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067768  
**Facility Status: Closed**  
 Completed Date: 01/22/2003  
 Pollution Complaint Num: 19962225  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - No Letter Sent  
 Comments: Case Closed

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067768  
**Facility Status: Closed**  
 Completed Date: 08/07/2003  
 Pollution Complaint Num: 20045023  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067768  
**Facility Status: Closed**  
 Completed Date: 01/04/2007  
 Pollution Complaint Num: 20045023  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000067768  
**Case Status: Closed**  
 Pollution Complaint #: 20045023  
 Reported: 07-AUG-2003

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**S105988615**

Region: TRO  
 CEDS Facility Id: 200000067768  
**Case Status: Closed**  
 Pollution Complaint #: 20075016  
 Reported: 19-AUG-2006

129

**1651 BAYVILLE STREET  
 NORFOLK, VA**

**VA SPILLS S105985710  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: 98-1787  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: FISHERMAN WHARF  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: No  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: 8/18/1997  
 Call Date: Not reported  
 Inspector: JTT  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105985710

Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 8/18/1997  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: SEWAGE WAS COMING OUT OF BATHROOM @ LOCATION ABOVE, BELIEVE IT IS COMING FROM RP DUE TO GREASE BUILD UP.  
 Reported By Company: WILLOUGHBY BAY MARINA  
 Reported By Address: 1651 BAYVILLE STREET  
 Reported By Street: 1651 BAYVILLE STREET  
 Reported By City,St,Zip: NORFOLK  
 Reported By Phone: 7575882663  
 Report By Name: RUTH  
 PI Date: 8/16/1997  
 Incident Time: Not reported  
 Incident Type: SEWAGE  
 Stream: Not reported  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

129

1651 BAYVILLE ST, FISHERMANS WHARF RESTAURANT  
 NORFOLK, VA

VA SPILLS S105944106  
 N/A

SPILLS TD:

Region: TD  
 PC Number: 95-7462  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944106

Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	3/7/1995
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	PERIODIC SEWAGE OVERFLOW AT MANHOLE AND RUNNING INTO BAY, CAUSE MAY BE RESTAURANTS WASHING GREASE INTO SEWER LINE -- SEE FILE
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	3/7/1995
Incident Time:	Not reported
Incident Type:	SEWAGE
Stream:	WILLOUGHBY BAY
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

129 WILLOUGHBY MARINA  
 1651 BAYVILLE ST  
 NORFOLK, VA 23503

VA UST  
 VA FINANCIAL ASSURANCE

U003977059  
 N/A

UST:

Facility:

Facility Id: 5002183  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000067768

Owner:

Facility Id: 5002183  
 Owner Id: 35568  
 Owner Name: Willoughby Bay Marina Inc  
 Owner Address: 1651 Bayville St  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23503  
 UST Status: Reg  
 AST Status: Not reported

Facility Id: 5002183  
 Owner Id: 41860  
 Owner Name: Cal-Best Inc.  
 Owner Address: 1651 Bayville St.  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23503  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5002183  
 Owner Id: 41171  
 Owner Name: Lance Garyer  
 Owner Address: PO Box 1122  
 Owner Address2: Not reported  
 Owner City, State, Zip: Hermosa Beach, CA 90254  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: 5C  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5002183  
 Own Id: 41860  
 Tank Number: 5C  
 Install Date: 05-AUG-2003  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite Y  
 Tank Materials: Double Walled N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**U003977059**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	41860
Tank Number:	5C
Install Date:	05-AUG-2003
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	Y
Pipe Release Detection: Other Note	MECH
Pipe Material:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	41860
Tank Number:	5C
Install Date:	05-AUG-2003
Tank Status:	PERM OUT OF USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WILLOUGHBY MARINA (Continued)**

**U003977059**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	6C
Tank Capacity:	4000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	41860
Tank Number:	6C
Install Date:	05-AUG-2003
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	41860
Tank Number:	6C
Install Date:	05-AUG-2003
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**U003977059**

Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	Y
Pipe Release Detection: Other Note	MECH
Pipe Material:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	41860
Tank Number:	6C
Install Date:	05-AUG-2003
Tank Status:	PERM OUT OF USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R1
Install Date:	01-DEC-1969
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**U003977059**

Release:

Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R1
Install Date:	01-DEC-1969
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R1
Install Date:	01-DEC-1969
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	3000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**U003977059**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R2
Install Date:	01-DEC-1969
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	Y
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R2
Install Date:	01-DEC-1969
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

WILLOUGHBY MARINA (Continued)

U003977059

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5002183  
 Own Id: 35568  
 Tank Number: R2  
 Install Date: 01-DEC-1969  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R3  
 Tank Capacity: 3000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5002183  
 Own Id: 35568  
 Tank Number: R3  
 Install Date: 01-DEC-1969  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior Y  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5002183  
 Own Id: 35568  
 Tank Number: R3  
 Install Date: 01-DEC-1969  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**U003977059**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R3
Install Date:	01-DEC-1969
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R4
Tank Capacity:	550
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**U003977059**

Install Date:	01-APR-1983
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R4
Install Date:	01-APR-1983
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5002183
Own Id:	35568
Tank Number:	R4
Install Date:	01-APR-1983
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY MARINA (Continued)**

**U003977059**

Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5002183  
 FRP Financial Assurance: Min  
 Owner Name: Willoughby Marina  
 ROF Own Id: 35568  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Willoughby Marina  
 CEDS Facility Id: 200000067768  
 Tank Type Count: 4  
 Location: 1651 Bayville St

Facility ID: 5002183  
 FRP Financial Assurance: Full  
 Owner Name: Willoughby Marina  
 ROF Own Id: 41860  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Willoughby Marina  
 CEDS Facility Id: 200000067768  
 Tank Type Count: 2  
 Location: 1651 Bayville St

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

130 1107 LITTLE BAY AVE. ERNS 2005621212  
 1107 LITTLE BAY AVE. N/A  
 NORFOLK, VA 23503

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

131 1040 LITTLE BAY AVE VA SPILLS S105944385  
 NORFOLK, VA N/A

SPILLS TD:

Region: TD  
 PC Number: 95-7705  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: Not reported  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944385

Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 5/9/1995  
 Source: UNK  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: BLUE-PURPLE SHEEN .25 MI X 200'  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 5/6/1995  
 Incident Time: 8:48  
 Incident Type: PETROLEUM  
 Stream: LITTLE CREEK HARBOR  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

131 1000 BLOCK OF LITTLE BAY (LITTLE BAY)  
 1000 BLOCK OF LITTLE BAY (LITTLE BAY)  
 NORFOLK, VA

ERNS 91209676  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132 1525 BAYVILLE ST.  
 1525 BAYVILLE ST.  
 NORFOLK, VA 23503

ERNS 2000540314  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.



MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EPA ID Number	EDR ID Number
--------	-----------	----------	----------------	------	-------------	---------------	---------------

132				1525 BAYVILLE ST. 1525 BAYVILLE ST. NORFOLK, VA 23503	ERNS	2008916514 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE ST 1525 BAYVILLE ST NORFOLK, VA	ERNS	94391874 N/A	
-----	--	--	--	---	------	-----------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE ST. 1525 BAYVILLE ST. NORFOLK, VA 23503	ERNS	2008909344 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE ST 1525 BAYVILLE ST NORFOLK, VA 23503	ERNS	92283346 N/A	
-----	--	--	--	---	------	-----------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE ST 1525 BAYVILLE ST NORFOLK, VA	ERNS	2003644056 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EPA ID Number	EDR ID Number
--------	-----------	----------	----------------	------	-------------	---------------	---------------

132				1525 BAYVILLE ST. 1525 BAYVILLE ST. NORFOLK, VA 23503	ERNS	2006804316 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE ST 1525 BAYVILLE ST NORFOLK, VA 0	ERNS	2002611128 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE STREET 1525 BAYVILLE STREET NORFOLK, VA 23503	ERNS	2000540305 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE ST. 1525 BAYVILLE ST. NORFOLK, VA 23503	ERNS	2009916514 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

132				1525 BAYVILLE ST. 1525 BAYVILLE ST. NORFOLK, VA 23503	ERNS	2007301179 N/A	
-----	--	--	--	---	------	-------------------	--

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

132

VA SPILLS S105947985  
 N/A

**1525 BAYVILLE STREET  
 NORFOLK, VA**

SPILLS:

Fips City/County:	Norfolk City
Status:	Closed
Reference Id:	11722
IR Number:	2012-T-0990
Associated IR:	Not reported
Incident Date:	14-Oct-2011
Call Received Date:	14-Oct-2011
Closure Comments:	SAILBOAT HAS SUNK AT MARINA. NO MORE SHEEN IN THE WATER. OWNER IN JAIL. CITY OF NORFOLK TO TAKE LEAD AS WELL AS NOTICE SENT TO VMRC FOR VA BOTTOM AUTHORITY.
Threat To:	Not reported
Terrorism (Y/N):	N
Characterize Incident:	Accidental
Incident Type:	* Petroleum
Incident Subtype:	* Petroleum * Surface Spill
Materials:	Not reported
Effect To Receptor:	Impacted
Water Body:	Willoughby Bay
Low Quantity To Water:	Not reported
High Quantity To Water:	Not reported
Quantity Units:	Unknown
Other Receptors:	Not reported
RP Company:	Unknown
RP Name:	Unknown, Unknown
Property Owner:	Not reported
Property Company:	Not reported
Duration Of Event (Hrs):	0
Impacts:	Not reported
Other Impacts:	Not reported
Steps Taken:	Not reported
Steps Taken Description:	Not reported
System Components:	Not reported
Other System Components:	Not reported
Cause Of Event:	Not reported
Corrective Action Taken:	Not reported
Weather Status:	N/A
Precipitation (Wet):	0
Discharge Type:	N/A
Discharge Volume:	0
Unknown Discharge (Y/N):	N
Site Name:	Willoughby Bay
Closure Date:	24-Oct-2011 03:12 PM
Orig. Call Incident Description:	CALLER STATED A VESSEL HAS SUNK IN THE MARINA. THERE IS AN OIL SHEEN IN THE WATER DUE TO THIS INCIDENT
Original Call Material Description:	DIESEL.MOTOR OIL
Original Call Location Description:	WILLOUGHBY BAY 1525 BAYVILLE ST NORFOLK VA
Incident Ongoing at time of Call:	Not reported
Agencies Notified (Y/N):	Y
Other Agencies:	NRC 992511, VEOC HMVA 14198, VEOC HMVA 14198
Permitted (Y/N):	N
Call Reported By Company Name:	WILLOUGHBY HARBOR MARINA
Call RP Company Name:	Unknown
Call RP Name:	Unknown, Unknown
Call Property Owner Company Name:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105947985

Call Property Owner Name: Not reported  
 Site Summary: CALLER STATED A 40' SAILING VESSEL HAS SUNK IN THE MARINA. THERE IS A SHEEN IN THE WATER.

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: Not reported  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**(Continued)**

**S105947985**

Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/30/1993
Source:	UNKNOWN
Summary:	Not reported
Comments:	Not reported
Report Notes:	UNKNOWN SHEEN SIGHTING SHEEN SIZE 200' X UNKNOWN RAINBOW
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	7/30/1993
Incident Time:	17:52
Incident Type:	PETROLEUM
Stream:	LITTLE BAY OF MOUTH OF HMRDS
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

---

132	<b>1525 BAYVILLE ST          1525 BAYVILLE ST          NORFOLK, VA 23503</b>	<b>ERNS</b>	<b>93332082 N/A</b>
-----	--	-------------	-------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

132	<b>1525 BAYVILLE ST.          1525 BAYVILLE ST.          NORFOLK, VA 23503</b>	<b>ERNS</b>	<b>2009909344 N/A</b>
-----	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

132	<b>1525 BAYVILLE ST.          1525 BAYVILLE ST.          NORFOLK, VA 23503</b>	<b>ERNS</b>	<b>2007300514 N/A</b>
-----	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

132

**1525 BAYVILLE ST.  
 NORFOLK, VA**

**VA SPILLS**

**S105946542  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	95-1800
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**(Continued)**

**S105946542**

Date Received:	9/5/1994
Source:	SINKING BOAT
Summary:	Not reported
Comments:	Not reported
Report Notes:	32 FT. PLEASURE CRAFT (SQUEAKER III) SANK. CAUSE UNKNOWN, BOOMS DEPLOYED. TRIED TO RAISE VESSEL.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	9/5/1994
Incident Time:	13:00
Incident Type:	PETROLEUM
Stream:	WILLOUGHBY BAY
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

---

<b>132</b>	<b>1525 BAYVILLE ST. 1525 BAYVILLE ST. NORFOLK, VA 23503</b>	<b>ERNS</b>	<b>2008875641 N/A</b>
------------	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

<b>132</b>	<b>1525 BAYVILLE ST. 1525 BAYVILLE ST. NORFOLK, VA 23503</b>	<b>ERNS</b>	<b>2007317693 N/A</b>
------------	--	-------------	---------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

<b>132</b>	<b>WILLOUGHBY HARBOR MARINA 1525 BAYVILLE STREET NORFOLK (County), VA</b>	<b>VA SPILLS</b>	<b>S108924783 N/A</b>
------------	---	------------------	---------------------------

<b>SPILLS TD:</b>	
Region:	TD
PC Number:	Not reported
Incident Response:	2008-T-1262
Incident Date:	6/28/2008
Time In:	6:12:00 PM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WILLOUGHBY HARBOR MARINA (Continued)**

**S108924783**

RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	6/28/2008
Incident Time:	6:00:00 PM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	SHEEN
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	WILLOUGHBY BAY
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>7/7/2008</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	UNKNOWN SHEEN FROM UNKNOWN SOURCE
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	WILLOUGHBY HARBOR MARINA
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7575834150
Report By Name:	CANDACE HENDERSON
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WILLOUGHBY HARBOR MARINA (Continued)**

**S108924783**

Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0
Region:	TD
PC Number:	Not reported
Incident Response:	2007-T-1336
Incident Date:	6/23/2007
Time In:	5:25:00 PM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	6/23/2007
Incident Time:	9:20:00 AM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	GASOLINE OR OIL
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	WILLOUGHBY HARBOR
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	6/26/2007
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>6/26/2007</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY HARBOR MARINA (Continued)**

**S108924783**

Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: A POTENTIAL RELEASE OF MATERIALS INTO THE HARBOR FROM A VESSEL DUE TO THE VESSEL SINKING  
 Comments: SEE COMPLIANT FORM FOR MORE INFO  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: WILLOUGHBY HARBOR MARINA  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7575834150  
 Report By Name: MICHAEL HILL  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

132

**REBEL MARINE SERVICES  
 1553 BAYVILLE STREET  
 NORFOLK, VA 23503**

**FINDS 1014847882  
 N/A**

FINDS:

Registry ID: 110041876841

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

---

132	<b>BAY HARBOR BROKERAGE, INC.</b> <b>1553 BAYVILLE STREET</b> <b>NORFOLK, VA 23503</b>	<b>FINDS 1014847980</b> <b>N/A</b>
-----	--	---------------------------------------

FINDS:

Registry ID: 110041885564

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

133	<b>1441 BAYVILLE ST</b> <b>NORFOLK, VA</b>	<b>VA SPILLS S106478714</b> <b>N/A</b>
-----	---	---

SPILLS TD:

Region:	TD
PC Number:	99-9802A
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S106478714

Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	5/24/1999
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	DISCOVERED 4 DRUMS FROM SUNKEN VESSEL, NOT LEAKING BUT MAY FLOAT AWAY
Reported By Company:	NRC
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	8004248802
Report By Name:	Not reported
PI Date:	5/24/1999
Incident Time:	1:00:00 PM
Incident Type:	OTHER
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

133

1441 BAYVILLE ST  
 1441 BAYVILLE ST  
 NORFOLK, VA 23510

ERNS 99624017  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

134

**909 LITTLE BAY AVENUE  
 NORFOLK, VA**

**VA SPILLS S105947645  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**(Continued)**

**S105947645**

Date Received: 5/11/1993  
 Source: GAS TANK PUNCTURED RELEASING GASOLINE  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: NO CLEAN UP PRODUCT DISAPPATED.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 5/11/1993  
 Incident Time: 17:45  
 Incident Type: PETROLEUM  
 Stream: CHESAPEAKE BAY  
 Spill Volume: 1  
 Spill Unit: Not reported  
 Volume To State Water: 1

135

**WILLOUBY MARINA BAYVILLE ST (ACROSS FROM  
 WILLOUBY MARINA BAYVILLE ST (ACROSS FROM  
 NORFOLK, VA**

**ERNS 92283324  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

136

**581 W OCEAN VIEW AVE  
 NORFOLK, VA**

**VA SPILLS S105944876  
 N/A**

SPILLS TD:  
 Region: TD  
 PC Number: 96-1774  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944876

Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	8/21/1995
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	VESSEL SANK AT DOCK DUE TO VANDALISM.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	8/19/1995
Incident Time:	9:00
Incident Type:	PETROLEUM
Stream:	LITTLE BAY
Spill Volume:	50
Spill Unit:	Not reported
Volume To State Water:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

136

VA SPILLS

S110324089  
 N/A

**605 WEST OCEAN VIEW AVENUE  
 NORFOLK, VA 23503**

SPILLS:

Fips City/County: Norfolk City  
 Status: Closed  
 Reference Id: 3284  
 IR Number: 2010-T-2639  
 Associated IR: Not reported  
 Incident Date: 24-Mar-2010  
 Call Received Date: 25-Mar-2010  
 Closure Comments: City of Norfolk to take lead.9-Summonds issued.Petrochem doing clean up.5-day letter received.

Threat To: Ground Water  
 Terrorism (Y/N): N  
 Characterize Incident: Intentional  
 Incident Type: \* Waste \* Water  
 Incident Subtype: \* Solid Waste \* Waste \* Water  
 Materials: Not reported  
 Effect To Receptor: Impacted  
 Water Body: Willoughby Bay  
 Low Quantity To Water: Not reported  
 High Quantity To Water: Not reported  
 Quantity Units: Unknown  
 Other Receptors: Not reported  
 RP Company: Bo-ling LLC  
 RP Name: Hadjikakos, John  
 Property Owner: Hadjikakos, John  
 Property Company: Bo-ling LLC  
 Duration Of Event (Hrs): 0  
 Impacts: Not reported  
 Other Impacts: Not reported  
 Steps Taken: Not reported  
 Steps Taken Description: Not reported  
 System Components: Not reported  
 Other System Components: Not reported  
 Cause Of Event: Not reported  
 Corrective Action Taken: Not reported  
 Weather Status: N/A  
 Precipitation (Wet): 0  
 Discharge Type: N/A  
 Discharge Volume: 0  
 Unknown Discharge (Y/N): N  
 Site Name: Condominium Complex  
 Closure Date: 17-Aug-2010 12:00 AM  
 Orig. Call Incident Description: CALLER STATED THAT WORKERS ARE STRIPPING PAINT FROM A CONDOMINIUM COMPLEX USING PRESSURE WASHERS AND CHEMICALS LABELED "CORROSIVE". THEY ARE ALLOWING THE PAINT CHIPS AND CHEMICALS TO FLOW INTO WILLOUGHBY BAY. THIS HAS BEEN GOING ON FOR THE LAST FOUR DAYS.  
 Original Call Material Description: CORROSIVE MATERIAL & PAINT  
 Original Call Location Description: CONDOMINIUM COMPLEX605 WEST OCEAN VIEW AVENORFOLK, VA  
 Incident Ongoing at time of Call: Y  
 Agencies Notified (Y/N): Y  
 Other Agencies: NRC 934979, VEOC HMVA 7500  
 Permitted (Y/N): N  
 Call Reported By Company Name: Not reported  
 Call RP Company Name: Bo-ling LLC  
 Call RP Name: Hadjikakos, John



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S110324089

Call Property Owner Company Name: Not reported  
 Call Property Owner Name: Not reported  
 Site Summary: Pressure washing caused paint chips to blow off building and into the bay

137

**HARRISON BOAT HOUSE INCORPORATED**  
**414 W OCEAN VIEW AVE**  
**NORFOLK, VA 23503**

VA LUST S109122385  
 N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065465  
**Facility Status: Closed**  
 Completed Date: 02/01/1999  
 Pollution Complaint Num: 19992330  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOIL NOTED DURING UST REMOVAL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065465  
**Facility Status: Closed**  
 Completed Date: 02/25/1999  
 Pollution Complaint Num: 19992330  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: BASED ON INFO RCVD, CASE CLOSED.

137

**HARRISON BOAT HOUSE & FISHING PIER**  
**414 W OCEAN VIEW AVE**  
**NORFOLK, VA 23503**

VA UST U003690186  
 N/A

UST:

Facility:

Facility Id: 5008406  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065465

Owner:

Facility Id: 5008406  
 Owner Id: 39306  
 Owner Name: HARRISON BOAT HOUSE & FISHING PIER  
 Owner Address: 414 W OCEAN VIEW AVE  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23503  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 2  
 Tank Capacity: 250

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISON BOAT HOUSE & FISHING PIER (Continued)**

**U003690186**

Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5008406
Own Id:	39306
Tank Number:	2
Install Date:	20-APR-1976
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5008406
Own Id:	39306
Tank Number:	2
Install Date:	20-APR-1976
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISON BOAT HOUSE & FISHING PIER (Continued)**

**U003690186**

Pipe Material:

Tank Type: UST  
 Fac Id: 5008406  
 Own Id: 39306  
 Tank Number: 2  
 Install Date: 20-APR-1976  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R1  
 Tank Capacity: 2000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5008406  
 Own Id: 39306  
 Tank Number: R1  
 Install Date: 20-APR-1976  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5008406  
 Own Id: 39306  
 Tank Number: R1  
 Install Date: 20-APR-1976  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HARRISON BOAT HOUSE & FISHING PIER (Continued)**

**U003690186**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5008406
Own Id:	39306
Tank Number:	R1
Install Date:	20-APR-1976
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

138

**BP - WILLOUGHBY  
 357 W OCEAN VIEW AVE  
 NORFOLK, VA 23503**

**VA LUST U003690472  
 VA LTANKS N/A  
 VA UST**

**VA FINANCIAL ASSURANCE**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000065040
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	10/11/1995
Pollution Complaint Num:	19962275

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP - WILLOUGHBY (Continued)**

**U003690472**

Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: 1000 GAL. W.O. UST FAILED LINE TEST. SUSPECT 10-15 GAL. LOST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065040  
**Facility Status: Closed**  
 Completed Date: 12/22/1995  
 Pollution Complaint Num: 19962275  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065040  
**Facility Status: Closed**  
 Completed Date: 07/11/1996  
 Pollution Complaint Num: 19972203  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL SAMPLE CONTAM. W/TPH.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065040  
**Facility Status: Closed**  
 Completed Date: 07/30/1996  
 Pollution Complaint Num: 19972203  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000065040  
**Case Status: Closed**  
 Pollution Complaint #: 19972203  
 Reported: 11-JUL-1996

**UST:**

Facility:  
 Facility Id: 5009983  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065040  
 Owner:  
 Facility Id: 5009983  
 Owner Id: 41721  
 Owner Name: Young Properties LLC  
 Owner Address: 213 63rd Street

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP - WILLOUGHBY (Continued)**

**U003690472**

Owner Address2:	Not reported
Owner City, State, Zip:	Virginia Beach, VA 23451
UST Status:	Reg
AST Status:	N/A
Facility Id:	5009983
Owner Id:	40064
Owner Name:	ExxonMobil Corporation c/o Gilbarco Veeder Root
Owner Address:	7300 W Friendly Ave MS F76
Owner Address2:	PO Box 22087
Owner City, State, Zip:	Greensboro, NC 27420
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	1
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	1
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP - WILLOUGHBY (Continued)**

**U003690472**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Ball Float

Pipe Material:

Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	1
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible Piping

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	2
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP - WILLOUGHBY (Continued)**

**U003690472**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	2
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Ball Float

Pipe Material:

Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	2
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP - WILLOUGHBY (Continued)**

**U003690472**

Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible Piping
Tank Number:	3
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	3
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	3
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP - WILLOUGHBY (Continued)**

**U003690472**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Ball Float

Pipe Material:

Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	3
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible Piping

Tank Number:	4
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	4
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP - WILLOUGHBY (Continued)**

**U003690472**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	4
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Ball Float
Pipe Material:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	41721
Tank Number:	4
Install Date:	01-FEB-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible Piping

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP - WILLOUGHBY (Continued)**

**U003690472**

Tank Number:	R5
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	40064
Tank Number:	R5
Install Date:	01-FEB-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009983
Own Id:	40064
Tank Number:	R5
Install Date:	01-FEB-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP - WILLOUGHBY (Continued)**

**U003690472**

Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5009983  
 Own Id: 40064  
 Tank Number: R5  
 Install Date: 01-FEB-1982  
 Tank Status: REM FROM GRD  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5009983  
 FRP Financial Assurance: Full  
 Owner Name: BP - Willoughby  
 ROF Own Id: 40064  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: BP - Willoughby  
 CEDS Facility Id: 200000065040  
 Tank Type Count: 2  
 Location: 357 W Ocean View Ave

Facility ID: 5009983  
 FRP Financial Assurance: Full  
 Owner Name: BP - Willoughby  
 ROF Own Id: 41721  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: BP - Willoughby  
 CEDS Facility Id: 200000065040  
 Tank Type Count: 4

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP - WILLOUGHBY (Continued)**

**U003690472**

Location: 357 W Ocean View Ave

138

**EXXON CO USA #24679  
 357 W OCEAN VIEW AVE-TANKS  
 NORFOLK, VA 23503**

**RCRA-CESQG 1004790016  
 FINDS VAD988194403**

RCRA-CESQG:

Date form received by agency: 02/14/1994  
 Facility name: EXXON CO USA #24679  
 Facility address: 357 W OCEAN VIEW AVE  
 NORFOLK, VA 235030000  
 EPA ID: VAD988194403  
 Mailing address: PO BOX 2180  
 HOUSTON, TX 772522180  
 Contact: ALDA S POOL  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: (713) 656-7709  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: EXXON CO USA  
 Owner/operator address: PO BOX 4415  
 HOUSTON, TX 77210  
 Owner/operator country: Not reported  
 Owner/operator telephone: (713) 656-7761  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON CO USA #24679 (Continued)**

**1004790016**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 03/28/1991  
 Facility name: EXXON CO USA #24679  
 Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined  
  
 Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005242193

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

139

**WILLOUGHBY ELEMENTARY  
 9500 4TH VIEW STREET  
 NORFOLK, VA 23504**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003692328  
 N/A**

UST:

Facility:

Facility Id: 5023287  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000087621

Owner:

Facility Id: 5023287  
 Owner Id: 31434

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY ELEMENTARY (Continued)**

**U003692328**

Owner Name:	Norfolk Public Schools
Owner Address:	966 Bellmore Ave
Owner Address2:	Not reported
Owner City, State, Zip:	Norfolk, VA 23504
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5023287
Own Id:	31434
Tank Number:	1
Install Date:	22-JAN-1967
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5023287
Own Id:	31434
Tank Number:	1
Install Date:	22-JAN-1967
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY ELEMENTARY (Continued)**

**U003692328**

Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023287
Own Id:	31434
Tank Number:	1
Install Date:	22-JAN-1967
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5023287
FRP Financial Assurance:	No
Owner Name:	Willoughby Elementary
ROF Own Id:	31434
Tank Type:	UST
Mechanism:	LOGO Guar/NO State Stdby
Gallorage:	Not reported
Per Occurence:	10000
Third Party:	30000
Annual Aggregate:	40000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Norfolk City of - Willoughby Elementary School
CEDS Facility Id:	200000087621
Tank Type Count:	1
Location:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EDR ID Number  
 EPA ID Number

139 **WILLOUGHBY ELEMENTARY SCHOOL** **FINDS** **1009727829**  
**9500 4TH VIEW ST** **N/A**  
**NORFOLK, VA 23503**

FINDS:

Registry ID: 110026296960

Environmental Interest/Information System

US Geographic Names Information System (GNIS) is the official vehicle for geographic names used by the federal government and the source for applying geographic names to federal maps and other printed and electronic documents.

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

139 **WILLOUGHBY ELEM.** **ICIS** **1011569796**  
**9500 4TH VIEW ST NORFOLK VA 23503** **N/A**  
**NORFOLK, VA 23503**

ICIS:

Enforcement Action ID: 03-2006-0013  
 FRS ID: 110026296960  
 Program ID: NCES 510267001146  
 Action Name: NORFOLK PUBLIC SCHOOLS  
 Facility Name: WILLOUGHBY ELEM.  
 Facility Address: 9500 4TH VIEW ST NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: Norfolk (City)  
 EPA Region #: 3

Enforcement Action ID: 03-2006-0013  
 FRS ID: 110026296960  
 Program ID: GNIS 1779844  
 Action Name: NORFOLK PUBLIC SCHOOLS  
 Facility Name: WILLOUGHBY ELEMENTARY SCHOOL  
 Facility Address: 9500 4TH VIEW ST NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: Norfolk (City)

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLOUGHBY ELEM. (Continued)**

**1011569796**

EPA Region #: 3  
 Enforcement Action ID: 03-2006-0013  
 FRS ID: 110026296960  
 Program ID: FRS 110026296960  
 Action Name: NORFOLK PUBLIC SCHOOLS  
 Facility Name: WILLOUGHBY ELEMENTARY SCHOOL  
 Facility Address: 9500 4TH VIEW ST NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: Norfolk (City)  
 EPA Region #: 3

Program ID: FRS 110026296960  
 Facility Name: WILLOUGHBY ELEMENTARY SCHOOL  
 Address: 9500 4TH VIEW ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported  
 Latitude: 36.9584  
 Longitude: -76.26258

Program ID: GNIS 1779844  
 Facility Name: WILLOUGHBY ELEMENTARY SCHOOL  
 Address: 9500 4TH VIEW ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported  
 Latitude: 36.9584  
 Longitude: -76.26258

Program ID: NCES 510267001146  
 Facility Name: WILLOUGHBY ELEMENTARY SCHOOL  
 Address: 9500 4TH VIEW ST  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported  
 Latitude: 36.9584  
 Longitude: -76.26258

140

**BROADWAY ASSOCIATES  
 263 A VIEW AVENUE  
 NORFOLK, VA 23503**

**FINDS 1011461844  
 N/A**

FINDS:

Registry ID: 110035849124

Environmental Interest/Information System

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**BROADWAY ASSOCIATES (Continued)**

**1011461844**

a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

140

**BROADWAY ASSOCIATES  
263 A VIEW AVENUE NORFOLK VA 23503  
NORFOLK, VA 23503**

**ICIS 1011615085  
N/A**

ICIS:

Enforcement Action ID:	03-2008-0052
FRS ID:	110035849124
Program ID:	FRS 110035849124
Action Name:	BROADWAY ASSOCIATES
Facility Name:	BROADWAY ASSOCIATES
Facility Address:	263 A VIEW AVENUE NORFOLK VA 23503 NORFOLK, Virginia 23503
Enforcement Action Type:	TSCA 16 Action For Penalty
Facility County:	Norfolk City
EPA Region #:	3

Program ID:	FRS 110035849124
Facility Name:	BROADWAY ASSOCIATES
Address:	263 A VIEW AVENUE
Tribal Indicator:	N
Fed Facility:	Not reported
NAIC Code:	Not reported
SIC Code:	Not reported
Latitude:	36.955858
Longitude:	-76.256651

141

**224 A VIEW AVENUE  
NORFOLK, VA**

**VA SPILLS S105950888  
N/A**

SPILLS TD:

Region:	TD
PC Number:	97-7675
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	ALEXANDER WILLIAMS
RP Company:	WILLIAMS OIL COMPANY
RP Address:	1620 ATLANTIC AVENUE
RP City,St,Zip:	CHESAPEAKE, VA 23324
Resp Party Phone:	757-545-9225

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105950888

Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	2/1/1997
Call Date:	Not reported
Inspector:	KLK
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>4/3/1997</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	2/1/1997
Source:	Not reported
Summary:	Not reported
Comments:	REPORT RECEIVED - 4/2/97 LETTER - 4/3/97
Report Notes:	OVERFLOW OF AN ABOVE GROUND STORAGE TANK AT A RESIDENTIAL AREA.
Reported By Company:	WILLIAMS OI COMPANY
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	757-545-9225
Report By Name:	ALEXANDER WILLIAMS
PI Date:	2/1/1997
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	20

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105950888

Spill Unit: GALLONS  
 Volume To State Water: 0

141

**OCEAN VIEW STATION  
 9631 FIRST VIEW STREET  
 NORFOLK, VA 23503**

**VA LUST  
 VA LTANKS  
 VA UST**

**U003691175  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000089928  
**Facility Status: Closed**  
 Completed Date: 04/25/1991  
 Pollution Complaint Num: 19911595  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAMINATED SOIL AT UST REMOVAL

Region: TD  
 Region Code: TRO  
 Facility ID: 200000089928  
**Facility Status: Closed**  
 Completed Date: 08/08/1994  
 Pollution Complaint Num: 19911595  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000089928  
**Case Status: Closed**  
 Pollution Complaint #: 19911595  
 Reported: 25-APR-1991

UST:

Facility:

Facility Id: 5014517  
 Facility Type: FEDERAL: NON-MILITARY  
 CEDS Facility ID: 200000089928

Owner:

Facility Id: 5014517  
 Owner Id: 32232  
 Owner Name: United States Postal Service  
 Owner Address: Mid Atlantic Facilities Service Office  
 Owner Address2: 7027 Albert Pick Blvd Suite 300  
 Owner City, State, Zip: Greensboro, NC 27498  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 10000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OCEAN VIEW STATION (Continued)**

**U003691175**

Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5014517
Own Id:	32232
Tank Number:	R1
Install Date:	01-JAN-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014517
Own Id:	32232
Tank Number:	R1
Install Date:	01-JAN-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

OCEAN VIEW STATION (Continued)

U003691175

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5014517  
 Own Id: 32232  
 Tank Number: R1  
 Install Date: 01-JAN-1982  
 Tank Status: REM FROM GRD  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

141

TINEE GIANT #147-CITGO GAS  
 122 PORTVIEW AVENUE  
 NORFOLK, VA 23503

VA LUST  
 VA LTANKS  
 VA UST

U003689996  
 N/A

VA FINANCIAL ASSURANCE

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000067363  
**Facility Status: Closed**  
 Completed Date: 04/20/1998  
 Pollution Complaint Num: 19982376  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SATURATED SOILS NOTED NEAR ABANDONED UST AREA.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067363  
**Facility Status: Closed**  
 Completed Date: 05/22/1998  
 Pollution Complaint Num: 19982376  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067363  
**Facility Status: Closed**  
 Completed Date: 06/07/1989  
 Pollution Complaint Num: 19891705  
 Fed Regulated Tank: Yes  
 Phase Code: RR



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Event Description: Release Reported  
 Comments: SOIL & GW CONTAMINATION FOUND (DATA INCLUDED).  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000067363  
**Facility Status: Closed**  
 Completed Date: 08/02/1994  
 Pollution Complaint Num: 19891705  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067363  
**Case Status: Closed**  
 Pollution Complaint #: 19891705  
 Reported: 07-JUN-1989

UST:

Facility:

Facility Id: 5006999  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000067363

Owner:

Facility Id: 5006999  
 Owner Id: 28588  
 Owner Name: Coastal Investments Inc  
 Owner Address: 329 Office Square Lane #200  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23462  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5006999  
 Owner Id: 32659  
 Owner Name: FARM FRESH, INC  
 Owner Address: P.O. BOX 1289  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23501  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5006999

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Own Id:	28588
Tank Number:	1
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	28588
Tank Number:	1
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Incon TS-1001 w/SCALD
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	flapper
Pipe Material:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	28588
Tank Number:	1
Install Date:	01-APR-1998

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	ENVIROFLEX
Tank Number:	2
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	28588
Tank Number:	2
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	28588
Tank Number:	2
Install Date:	01-APR-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Incon TS-1001 w/SCALD  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note flapper

Pipe Material:

Tank Type: UST  
 Fac Id: 5006999  
 Own Id: 28588  
 Tank Number: 2  
 Install Date: 01-APR-1998  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment Y  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note ENVIROFLEX

Tank Number: R1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5006999  
 Own Id: 32659  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5006999
Own Id:	32659
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TINEE GIANT #147-CITGO GAS (Continued)**

**U003689996**

VA FINANCIAL ASSURANCE:

Facility ID: 5006999  
 FRP Financial Assurance: Full  
 Owner Name: Tinee Giant #147-Citgo Gas  
 ROF Own Id: 28588  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Tinee Giant #47-Texaco Gas  
 CEDS Facility Id: 200000067363  
 Tank Type Count: 2  
 Location: Not reported

142

**OCEAN VIEW ELEMENTARY  
 9501 MASON CREEK ROAD  
 NORFOLK, VA 23503**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003692337  
 N/A**

UST:

Facility:

Facility Id: 5023297  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066401

Owner:

Facility Id: 5023297  
 Owner Id: 31434  
 Owner Name: Norfolk Public Schools  
 Owner Address: 966 Bellmore Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 7500  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5023297  
 Own Id: 31434  
 Tank Number: R1  
 Install Date: 22-JAN-1975  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OCEAN VIEW ELEMENTARY (Continued)**

**U003692337**

Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5023297
Own Id:	31434
Tank Number:	R1
Install Date:	22-JAN-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023297
Own Id:	31434
Tank Number:	R1
Install Date:	22-JAN-1975
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OCEAN VIEW ELEMENTARY (Continued)**

**U003692337**

Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5023297
FRP Financial Assurance:	No
Owner Name:	Ocean View Elementary
ROF Own Id:	31434
Tank Type:	UST
Mechanism:	LOGO Guar/NO State Stdbly
Gallonage:	Not reported
Per Occurrence:	10000
Third Party:	30000
Annual Aggregate:	40000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Norfolk City - Ocean View Elementary School
CEDS Facility Id:	200000066401
Tank Type Count:	1
Location:	Not reported

142

**NORFOLK CITY SCHOOL DISTRICT (OCEAN VIEW ELEM SCHOOL)  
 9501 MASON CREEK RD  
 NORFOLK, VA 23503**

**FINDS 1008257834  
 N/A**

FINDS:

Registry ID: 110021491982

Environmental Interest/Information System

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s)  
 EPA ID Number

**142 NORFOLK CITY SCHOOL DISTRICT (OCEAN VIEW ELEM SCHOOL)** **ICIS 1011571982**  
**9501 MASON CREEK RD NORFOLK VA 23503** **N/A**  
**NORFOLK, VA 23503**

ICIS:

Enforcement Action ID: 03-2006-0013  
 FRS ID: 110021491982  
 Program ID: NCES 510267001125  
 Action Name: NORFOLK PUBLIC SCHOOLS  
 Facility Name: OCEAN VIEW ELEM.  
 Facility Address: 9501 MASON CREEK RD NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: Norfolk City  
 EPA Region #: 3

Enforcement Action ID: 03-2006-0013  
 FRS ID: 110021491982  
 Program ID: FRS 110021491982  
 Action Name: NORFOLK PUBLIC SCHOOLS  
 Facility Name: NORFOLK CITY SCHOOL DISTRICT (OCEAN VIEW ELEM SCHOOL)  
 Facility Address: 9501 MASON CREEK RD NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: Norfolk City  
 EPA Region #: 3

Program ID: FRS 110021491982  
 Facility Name: NORFOLK CITY SCHOOL DISTRICT (OCEAN VIEW ELEM SCHOOL)  
 Address: 9501 MASON CREEK RD  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported  
 Latitude: 36.95433  
 Longitude: -76.25986

Program ID: NCES 510267001125  
 Facility Name: NORFOLK CITY SCHOOL DISTRICT (OCEAN VIEW ELEM SCHOOL)  
 Address: 9501 MASON CREEK RD  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported  
 Latitude: 36.95433  
 Longitude: -76.25986

**143 8130 OCONNOR CRESCENT** **ERNS 2002618016**  
**8130 OCONNOR CRESCENT** **N/A**  
**NORFOLK, VA 0**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

143 NORFOLK NAVAL STATION  
 8130 O'CONNOR CRESCENT  
 NORFOLK (County), VA

VA SPILLS S105831484  
 N/A

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2003-T-0181  
 Incident Date: 7/27/2002  
 Time In: 11:08:00 AM  
 Facility Permitted: True  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: 7/27/2002  
 Incident Time: 7:12:00 AM  
 Petroleum: True  
 Solid Waste: False  
 Haz Waste: False  
 Water: False  
 Air: False  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: GASOLINE  
 Possible Receptors: Not reported  
 Qty Released: 1  
 Unit: QUARTS  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 8/6/2002**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK NAVAL STATION (Continued)**

**S105831484**

Date Received:	Not reported
Source:	Not reported
Summary:	MATERIAL IS LEAKING OUT OF A PRIVATE VEHICLE IN THE HOUSING AREA OF THE BASE, SORBENTS APPLIED
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	618016
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	8004248802
Report By Name:	NRC
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

144

**8305 O'CONNOR CRESCENT WILLOUGHBY NAVAL HOUSE  
 NORFOLK, VA**

**VA SPILLS S105943612  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	96-7420
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105943612

Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	5/23/1996
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	BLOCKAGE IN SEWER LINE - APPROXIMATELY 2,000 GALLONS RELEASED. MATERIAL DISENTECTED, FORCE MAIN BLOCKAGE CLEARED.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	5/22/1996
Incident Time:	Not reported
Incident Type:	SEWAGE
Stream:	CHESAPEAKE BAY
Spill Volume:	2000
Spill Unit:	Not reported
Volume To State Water:	2000

145

**OCEAN VIEW LODGE NO 335  
 176 BALVIEW AVE.  
 NORFOLK, VA 23503**

**VA UST U003689888  
 N/A**

UST:

Facility:

Facility Id:	5006165
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000066402

Owner:

Facility Id:	5006165
Owner Id:	32233
Owner Name:	OCEAN VIEW LODGE NO 335
Owner Address:	176 BALVIEW AVE.
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23503

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OCEAN VIEW LODGE NO 335 (Continued)**

**U003689888**

UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	600
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5006165
Own Id:	32233
Tank Number:	1
Install Date:	18-APR-1946
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006165
Own Id:	32233
Tank Number:	1
Install Date:	18-APR-1946
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OCEAN VIEW LODGE NO 335 (Continued)**

**U003689888**

Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5006165  
 Own Id: 32233  
 Tank Number: 1  
 Install Date: 18-APR-1946  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note COPPER

146

**US POSTAL SERVICE - OCEAN VIEW - FORMER  
 9550 FIRST VIEW ST  
 NORFOLK, VA 23505**

**VA LUST S105094657  
 VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000204132  
**Facility Status: Closed**  
 Completed Date: 08/01/2001  
 Pollution Complaint Num: 20025006  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000204132  
**Facility Status: Closed**  
 Completed Date: 01/24/2002  
 Pollution Complaint Num: 20025006  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed/no further action letter sent

Region: TD  
 Region Code: TRO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**US POSTAL SERVICE - OCEAN VIEW - FORMER (Continued)**

**S105094657**

Facility ID: 200000204132  
**Facility Status: Closed**  
 Completed Date: 05/22/2003  
 Pollution Complaint Num: 20035154  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000204132  
**Facility Status: Closed**  
 Completed Date: 06/11/2003  
 Pollution Complaint Num: 20035154  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000204132  
**Case Status: Closed**  
 Pollution Complaint #: 20035154  
 Reported: 22-MAY-2003

Region: TRO  
 CEDS Facility Id: 200000204132  
**Case Status: Closed**  
 Pollution Complaint #: 20025006  
 Reported: 01-AUG-2001

147

**AMOCO OIL CO  
 9727 GRANBY & BALVIEW  
 NORFOLK, VA 23503**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003691236  
 N/A**

UST:

Facility:  
 Facility Id: 5014846  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000063917

Owner:  
 Facility Id: 5014846  
 Owner Id: 33990  
 Owner Name: Amoco Oil Company  
 Owner Address: 1 W Pennsylvania Ave Suite 900  
 Owner Address2: Not reported  
 Owner City, State, Zip: Towson, MD 21204  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 2000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMOCO OIL CO (Continued)**

**U003691236**

Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5014846
Own Id:	33990
Tank Number:	1
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014846
Own Id:	33990
Tank Number:	1
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMOCO OIL CO (Continued)**

**U003691236**

Pipe Material:

Tank Type: UST  
 Fac Id: 5014846  
 Own Id: 33990  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 2000  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5014846  
 Own Id: 33990  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5014846  
 Own Id: 33990  
 Tank Number: 2  
 Install Date: Not reported  
 Tank Status: CLS IN GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AMOCO OIL CO (Continued)**

**U003691236**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5014846
Own Id:	33990
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5014846
Own Id:	33990
Tank Number:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**AMOCO OIL CO (Continued)**

**U003691236**

Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014846
Own Id:	33990
Tank Number:	3
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5014846
Own Id:	33990
Tank Number:	3
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AMOCO OIL CO (Continued)**

**U003691236**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5014846
FRP Financial Assurance:	Min
Owner Name:	AMOCO OIL CO
ROF Own Id:	33990
Tank Type:	UST
Mechanism:	Letter of Credit
Gallonage:	Not reported
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Amoco Oil Company 9727 Granby Street
CEDS Facility Id:	200000063917
Tank Type Count:	3
Location:	Not reported

147

**EVANS GARAGE INC  
 120 BALVIEW AVE.  
 NORFOLK, VA 23503**

**VA UST U003691427  
 N/A**

UST:

Facility:

Facility Id:	5016370
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000065000

Owner:

Facility Id:	5016370
Owner Id:	36333
Owner Name:	EVANS GARAGE INC
Owner Address:	120 BALVIEW AVE.
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23503
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number:	1
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EVANS GARAGE INC (Continued)**

**U003691427**

Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016370
Own Id:	36333
Tank Number:	1
Install Date:	06-MAY-1956
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016370
Own Id:	36333
Tank Number:	1
Install Date:	06-MAY-1956
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EVANS GARAGE INC (Continued)**

**U003691427**

Fac Id: 5016370  
 Own Id: 36333  
 Tank Number: 1  
 Install Date: 06-MAY-1956  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note NONE

Tank Number: 2  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5016370  
 Own Id: 36333  
 Tank Number: 2  
 Install Date: 06-MAY-1956  
 Tank Status: CLS IN GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5016370  
 Own Id: 36333  
 Tank Number: 2  
 Install Date: 06-MAY-1956  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EVANS GARAGE INC (Continued)**

**U003691427**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016370
Own Id:	36333
Tank Number:	2
Install Date:	06-MAY-1956
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	NONE

147

**EVANS GARAGE INC  
 120 BALVIEW AVE.  
 NORFOLK, VA 23503**

**VA LUST S105985663  
 VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000065000
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	01/19/1995
Pollution Complaint Num:	19952321
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EVANS GARAGE INC (Continued)**

**S105985663**

Comments: REPORT OF SOIL & GW TPH DURING PHASE II ASSESSMENT.  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000065000  
**Facility Status: Closed**  
 Completed Date: 02/24/1995  
 Pollution Complaint Num: 19952321  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065000  
**Case Status: Closed**  
 Pollution Complaint #: 19952321  
 Reported: 19-JAN-1995

148

**RESIDENCE - 9459 HICKORY ST  
 9459 HICKORY ST  
 NORFOLK, VA 23503**

**VA LUST S109379497  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000850064  
**Facility Status: Closed**  
 Completed Date: 01/28/2000  
 Pollution Complaint Num: 20005159  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000850064  
**Facility Status: Closed**  
 Completed Date: 01/28/2000  
 Pollution Complaint Num: 20005159  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - No Letter Sent  
 Comments: Case closed

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

149 DUFFY MAVIS G  
 9627 GRANBY ST.  
 NORFOLK, VA 23503

VA UST U003689076  
 N/A

UST:

Facility:

Facility Id: 5001343  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000064883

Owner:

Facility Id: 5001343  
 Owner Id: 33491  
 Owner Name: MAVIS G DUFFY  
 Owner Address: 9627 GRANBY ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23503  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: H869852  
 Tank Capacity: Not reported  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5001343  
 Own Id: 33491  
 Tank Number: H869852  
 Install Date: 20-MAR-1982  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5001343  
 Own Id: 33491  
 Tank Number: H869852  
 Install Date: 20-MAR-1982  
 Tank Status: PERM OUT OF USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUFFY MAVIS G (Continued)**

**U003689076**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5001343
Own Id:	33491
Tank Number:	H869852
Install Date:	20-MAR-1982
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	H869899
Tank Capacity:	Not reported
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5001343
Own Id:	33491
Tank Number:	H869899
Install Date:	20-MAR-1982
Tank Status:	PERM OUT OF USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DUFFY MAVIS G (Continued)**

**U003689076**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5001343
Own Id:	33491
Tank Number:	H869899
Install Date:	20-MAR-1982
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5001343
Own Id:	33491
Tank Number:	H869899
Install Date:	20-MAR-1982
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DUFFY MAVIS G (Continued)**

**U003689076**

Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: J040424  
 Tank Capacity: Not reported  
 Tank Contents: GASOLINE  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5001343  
 Own Id: 33491  
 Tank Number: J040424  
 Install Date: 20-MAR-1982  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5001343  
 Own Id: 33491  
 Tank Number: J040424  
 Install Date: 20-MAR-1982  
 Tank Status: PERM OUT OF USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DUFFY MAVIS G (Continued)**

**U003689076**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5001343
Own Id:	33491
Tank Number:	J040424
Install Date:	20-MAR-1982
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

150

**HOLY TRINITY SCHOOL**

**FINDS 1009721851**  
**VA UST N/A**

**NORFOLK NORTH, VA**

FINDS:

Registry ID: 110026210419

Environmental Interest/Information System

US Geographic Names Information System (GNIS) is the official vehicle for geographic names used by the federal government and the source for applying geographic names to federal maps and other printed and electronic documents.

UST:

Facility:

Facility Id:	5020673
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000065550



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HOLY TRINITY SCHOOL (Continued)**

**1009721851**

Owner:

Facility Id: 5020673  
 Owner Id: 36824  
 Owner Name: Holy Trinity School  
 Owner Address: 154 W Government Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23503  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: Not reported  
 Tank Contents: HEATING OIL  
**Tank Status: PERM OUT OF USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5020673  
 Own Id: 36824  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown Y  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5020673  
 Own Id: 36824  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOLY TRINITY SCHOOL (Continued)**

**1009721851**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020673
Own Id:	36824
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020673
Own Id:	36824
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HOLY TRINITY SCHOOL (Continued)**

**1009721851**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5020673
Own Id:	36824
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5020673
Own Id:	36824
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOLY TRINITY SCHOOL (Continued)**

**1009721851**

Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020673
Own Id:	36824
Tank Number:	3
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020673
Own Id:	36824
Tank Number:	3
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HOLY TRINITY SCHOOL (Continued)**

**1009721851**

Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5020673  
 Own Id: 36824  
 Tank Number: 3  
 Install Date: Not reported  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

151

**WILLIAMS MARY PROPERTY  
 136 CHERRY ST  
 NORFOLK, VA 23503**

**VA LUST S109599433  
 VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000851333  
**Facility Status: Closed**  
 Completed Date: 05/21/2009  
 Pollution Complaint Num: 20095112  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000851333  
**Facility Status: Closed**  
 Completed Date: 08/03/2009  
 Pollution Complaint Num: 20095112  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed - WP AAF-SCR rec'd

LTANKS:  
 Region: TRO  
 CEDS Facility Id: 200000851333

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WILLIAMS MARY PROPERTY (Continued)**

**S109599433**

**Case Status:** Closed  
 Pollution Complaint #: 20095112  
 Reported: 21-MAY-2009

152

**SIMMONS MALVINA RESIDENCE  
 9412 ORLEANS ST  
 NORFOLK, VA 23503**

**VA LUST S110068044  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000852357  
**Facility Status: Closed**  
 Completed Date: 10/28/2009  
 Pollution Complaint Num: 20105047  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000852357  
**Facility Status: Closed**  
 Completed Date: 12/08/2009  
 Pollution Complaint Num: 20105047  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - No Letter Sent  
 Comments: Case Closed

153

**9290 HICKORY ST  
 NORFOLK, VA**

**VA SPILLS S105951331  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: 99-7019  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: JERRY MILLER  
 RP Company: MILLER BUILDING CORP.  
 RP Address: BAY VIEW BLVD  
 RP City,St,Zip: NORFOLK  
 Resp Party Phone: 587-8801  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105951331

Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	JTT
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	10/8/1998
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	DOG DUG UP OIL IN BACK YARD. OWNED HOUSE FOR 5 MOS. J. MILLER INDICATED THAT OIL LINES RUPTURED DURING SITE REDEVELOPMENT. SPILL WAS NOT REMEDIATED. MS. SCHENWALK BOUGHT THE HOME AND DISCOVERED THE OIL PROBLEM.
Reported By Company:	Not reported
Reported By Address:	9290 HICKORY ST
Reported By Street:	9290 HICKORY ST
Reported By City,St,Zip:	NORFOLK
Reported By Phone:	7578361867
Report By Name:	PAM SCHENWALK
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0
Region:	TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105951331

PC Number:	99-7019
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	JERRY MILLER
RP Company:	MILLER BUILDING CORP
RP Address:	BAY VIEW BLVD.
RP City,St,Zip:	NORFOLK, VA
Resp Party Phone:	757-587-8801
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	No
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	10/20/1998
Call Date:	Not reported
Inspector:	JTT
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>11/12/1998</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	10/8/1998
Source:	Not reported
Summary:	Not reported
Comments:	MEMO



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

(Continued)

S105951331

Report Notes: DOG DUG UP OIL IN BACK YARD; OWNED HOUSE FOR 5 MONTHS.  
 Reported By Company: Not reported  
 Reported By Address: 9290 HICKORY ST  
 Reported By Street: 9290 HICKORY ST  
 Reported By City,St,Zip: NORFOLK, VA  
 Reported By Phone: 757-836-1867  
 Report By Name: PAM SCHENWALK  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

154

**NORFOLK CITY - FIRE STATION 13**  
**176 MAPLE AVE**  
**NORFOLK, VA 23504**

VA LUST S105993973  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065132  
**Facility Status: Closed**  
 Completed Date: 10/03/2003  
 Pollution Complaint Num: 20045070  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065132  
**Facility Status: Closed**  
 Completed Date: 02/01/2005  
 Pollution Complaint Num: 20045070  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065132  
**Case Status: Closed**  
 Pollution Complaint #: 20045070  
 Reported: 03-OCT-2003

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

155 **HERBERT KATHERINE RESIDENCE**  
**9526 HAMMETT PKWY**  
**NORFOLK, VA 23503**

**VA LUST S105813087**  
**VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000210278  
**Facility Status: Closed**  
 Completed Date: 04/11/2003  
 Pollution Complaint Num: 20035127  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000210278  
**Facility Status: Closed**  
 Completed Date: 08/13/2003  
 Pollution Complaint Num: 20035127  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000210278  
**Case Status: Closed**  
 Pollution Complaint #: 20035127  
 Reported: 11-APR-2003

156 **NORFOLK CITY OF - PUMPING STATION #15**  
**9238 FIRST VIEW ST.**  
**NORFOLK, VA 23503**

**VA LUST S104178758**  
**VA SPILLS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066690  
**Facility Status: Closed**  
 Completed Date: 08/18/1999  
 Pollution Complaint Num: 20005023  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAM SOIL FOUND DURING UST CLS ASSESSMENT.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066690  
**Facility Status: Closed**  
 Completed Date: 04/27/2000  
 Pollution Complaint Num: 20005023  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

NORFOLK CITY OF - PUMPING STATION #15 (Continued)

S104178758

Comments: CASE CLOSED.

SPILLS TD:

Region:	TD
PC Number:	94-3054
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK CITY OF - PUMPING STATION #15 (Continued)**

**S104178758**

Date Received: 3/24/1994  
 Source: PUMP STATION #15  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: GENERATOR WENT OUT IN OCEAN VIEW ACTUAL OVERFLOW OCCURRED AT BAY AVE/GRANBY STREET INTERSECTION NOT DETERMINED YET WHETHER ANY REACHED MASON CREEK OR NOT POWER GLITCH CAUSED INTERNAL CONTROLS TO MALFUNCTION GENERATOR DID NOT COME ON  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 3/24/1994  
 Incident Time: 6:00  
 Incident Type: SEWAGE  
 Stream: MARSH AREA/MASON CREEK  
 Spill Volume: 500  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

156

**PUMPING STATION #15  
 9238 FIRST VIEW ST.  
 NORFOLK, VA 23503**

**VA UST U003690238  
 N/A**

UST:  
 Facility:  
 Facility Id: 5008638  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066690  
 Owner:  
 Facility Id: 5008638  
 Owner Id: 36762  
 Owner Name: City of Norfolk Department of Utilites  
 Owner Address: PO Box 1080  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23510  
 UST Status: Not reported  
 AST Status: Not reported  
 Federally Regulated: Yes  
 Tank Number: R1  
 Tank Capacity: 500  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST  
 Tank Material:  
 Tank Type: UST  
 Fac Id: 5008638  
 Own Id: 36762  
 Tank Number: R1  
 Install Date: 25-APR-1978  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PUMPING STATION #15 (Continued)**

**U003690238**

Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5008638
Own Id:	36762
Tank Number:	R1
Install Date:	25-APR-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5008638
Own Id:	36762
Tank Number:	R1
Install Date:	25-APR-1978
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PUMPING STATION #15 (Continued)**

**U003690238**

Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

157

**NORFOLK NAVAL STATION  
 466 BELLINGER BLVD, SP 381  
 NORFOLK (County), VA**

**VA SPILLS S108922705  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2006-T-0490
Incident Date:	10/26/2005
Time In:	2:39:00 PM
Facility Permitted:	True
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	10/26/2005
Incident Time:	2:22:00 PM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	HYDRAULIC OIL
Possible Receptors:	STORM DRAIN
Qty Released:	50
Unit:	GALLONS
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	5DL
Response Due:	Not reported
Response Receive:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK NAVAL STATION (Continued)**

**S108922705**

**Date Closed:** 11/8/2005  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: EQUIPMENT FAILURE CAUSED RELEASE A VAC TRUCK ON SITE TOMORROW, RELEASE SECURE  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 8004248802  
 Report By Name: NRC  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

157 459 BELLINGER BLVD.  
 459 BELLINGER BLVD.  
 NORFOLK, VA

ERNS 2006790434  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

157 NORFOLK NAVAL STATION  
 459 BELLINGER BLVD, BLDG SP-124  
 NORFOLK (County), VA

VA SPILLS S108923150  
 N/A

SPILLS TD:  
 Region: TD  
 PC Number: Not reported  
 Incident Response: 2006-T-1016  
 Incident Date: 3/10/2006  
 Time In: 11:04:00 AM  
 Facility Permitted: True  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK NAVAL STATION (Continued)**

**S108923150**

RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	3/10/2006
Incident Time:	8:40:00 AM
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	ANTIFREEZE, BATTERY ACID
Possible Receptors:	STORM DRAIN
Qty Released:	1
Unit:	GALLONS
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	5DL
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>3/15/2006</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	A FIRE OCCURRED TO A VEHICLE DUE TO UNKNOWN CAUSES WHICH RELEASED PRODUCT ONTO GROUND AND STORM DRAIN
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	8004248802
Report By Name:	NRC
PI Date:	Not reported
Incident Time:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK NAVAL STATION (Continued)**

**S108923150**

Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

158

**BURNS RESIDENCE  
 9415 HAMMETT PARKWAY  
 NORFOLK (County), VA**

**VA LUST  
 VA LTANKS  
 VA SPILLS**

**S104742249  
 N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000191297  
**Facility Status: Closed**  
 Completed Date: 09/17/1999  
 Pollution Complaint Num: 20005048  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: WATER LEAKED INTO TANK CAUSING OVERFLOW DURING HURRICANE.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000191297  
**Facility Status: Closed**  
 Completed Date: 03/23/2000  
 Pollution Complaint Num: 20005048  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000191297  
**Case Status: Closed**  
 Pollution Complaint #: 20005048  
 Reported: 17-SEP-1999

**SPILLS TD:**

Region: TD  
 PC Number: Not reported  
 Incident Response: 2000-T-0462  
 Incident Date: 9/17/1999  
 Time In: 9:08:00 AM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BURNS RESIDENCE (Continued)**

**S104742249**

Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	HOME HEATING OIL
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	LKM
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>3/23/2000</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	00-5048
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	WATER LEAKED INTO TANK CAUSING OVERFLOW (FLOYD).
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	PETROCHEM
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7576278791
Report By Name:	CHRIS HAYWOOD
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number  
 EPA ID Number

159 123 MAPLE AVE US CDL 1012206466  
 123 MAPLE AVE N/A  
 NORFOLK, VA

US CDL:  
 Seizure Date: 3/23/2005

160 TWIN OAKS DAY CARE CENTER ICIS 1011608702  
 9266 CHELSEA AVE NORFOLK VA 23503 N/A  
 NORFOLK, VA 23503

ICIS:  
 Enforcement Action ID: 03-1989-0468  
 FRS ID: 110010765724  
 Program ID: NCDB C03#89-0328  
 Action Name: TWIN OAK DAY CARE CENTER  
 Facility Name: TWIN OAKS DAY CARE CENTER  
 Facility Address: 9266 CHELSEA AVE NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Norfolk City  
 EPA Region #: 3

Enforcement Action ID: 03-1989-0468  
 FRS ID: 110010765724  
 Program ID: NCDB D03#559  
 Action Name: TWIN OAK DAY CARE CENTER  
 Facility Name: TWIN OAKS DAY CARE CENTER  
 Facility Address: 9266 CHELSEA AVE NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Norfolk City  
 EPA Region #: 3

Enforcement Action ID: 03-1989-0468  
 FRS ID: 110010765724  
 Program ID: FRS 110010765724  
 Action Name: TWIN OAK DAY CARE CENTER  
 Facility Name: TWIN OAKS DAY CARE & KIND INC  
 Facility Address: 9266 CHELSEA AVE NORFOLK VA 23503  
 NORFOLK, Virginia 23503  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Norfolk City  
 EPA Region #: 3

Program ID: FRS 110010765724  
 Facility Name: TWIN OAKS DAY CARE & KIND INC  
 Address: 9266 CHELSEA AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 36.94638  
 Longitude: -76.26217

Program ID: FRS 110010765724

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TWIN OAKS DAY CARE CENTER (Continued)**

**1011608702**

Facility Name: TWIN OAKS DAY CARE & KIND INC  
 Address: 9266 CHELSEA AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 36.94638  
 Longitude: -76.26217

Program ID: NCDB C03#89-0328  
 Facility Name: TWIN OAKS DAY CARE & KIND INC  
 Address: 9266 CHELSEA AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 36.94638  
 Longitude: -76.26217

Program ID: NCDB C03#89-0328  
 Facility Name: TWIN OAKS DAY CARE & KIND INC  
 Address: 9266 CHELSEA AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 36.94638  
 Longitude: -76.26217

Program ID: NCDB D03#559  
 Facility Name: TWIN OAKS DAY CARE & KIND INC  
 Address: 9266 CHELSEA AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 36.94638  
 Longitude: -76.26217

Program ID: NCDB D03#559  
 Facility Name: TWIN OAKS DAY CARE & KIND INC  
 Address: 9266 CHELSEA AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 36.94638  
 Longitude: -76.26217

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>160</b>	<b>TWIN OAKS DAY CARE &amp; KIND INC</b> <b>9266 CHELSEA AVE</b> <b>NORFOLK, VA 23503</b>	<b>FINDS</b>	<b>1004610090</b> <b>N/A</b>
------------	---	--------------	---------------------------------

FINDS:

Registry ID: 110010765724

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

<b>161</b>	<b>OCEAN VIEW WATER TOWER</b> <b>TIDEWATER DR &amp; GRANBY ST</b> <b>NORFOLK (County), VA</b>	<b>VA SPILLS</b>	<b>S108922406</b> <b>N/A</b>
------------	---	------------------	---------------------------------

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2006-T-0198
Incident Date:	8/15/2005
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	CITY OF NORFOLK DEPT OF UTILITIES
RP Company:	WADE WITHAM
RP Address:	400 GRANBY ST
RP City,St,Zip:	NORFOLK, VA
Resp Party Phone:	7576646702
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	8/15/2005
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	True
Water:	False

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

OCEAN VIEW WATER TOWER (Continued)

S108922406

Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	LEAD BASED PAINT/DEBRIS
Possible Receptors:	SOIL
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	LAS
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>2/14/2006</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	VACESQ60501
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	REFURBISHMENT OF OCEAN VIEW ELEVATED STORAGE TANK, INCLUDING PAINT BLASTING. CONCERN REGARDING POTENTIAL LEAD-BASED PAINT REMOVAL, MGMT, & DISPOSAL. ALSO RECENTLY COMPLETED WORK ON BERKELY TANK.
Comments:	LETTERS & REPORTS RECEIVED, LETTER SENT
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	VDEQ
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7575182175
Report By Name:	LISA SILVIA
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

<b>161</b>	<b>CITY OF NORFOLK, DEPT. OF UTILITIES TIDEWATER DR &amp; GRANBY ST. NORFOLK, VA 23503</b>	<b>RCRA-NonGen</b>	<b>1008405727 VACESQG60501</b>
------------	--	--------------------	------------------------------------

RCRA-NonGen:

Date form received by agency: 09/01/2005

Facility name: CITY OF NORFOLK, DEPT. OF UTILITIES

Facility address: TIDEWATER DR & GRANBY ST.  
NORFOLK, VA 23503

EPA ID: VACESQG60501

Contact: Not reported

Contact address: Not reported  
Not reported

Contact country: Not reported

Contact telephone: Not reported

Contact email: Not reported

EPA Region: 03

Land type: Facility is not located on Indian land. Additional information is not known.

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/15/2005

Evaluation: NON-FINANCIAL RECORD REVIEW

Area of violation: Not reported

Date achieved compliance: Not reported

Evaluation lead agency: State

<b>161</b>	<b>CITY OF NORFOLK, DEPT. OF UTILITIES TIDEWATER DR &amp; GRANBY ST. NORFOLK, VA 23503</b>	<b>FINDS</b>	<b>1008908089 N/A</b>
------------	--	--------------	---------------------------

FINDS:

Registry ID: 110022925780

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CITY OF NORFOLK, DEPT. OF UTILITIES (Continued)**

**1008908089**

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

161

**IMPERIAL CLEANERS  
 101 MAPLE AVE  
 NORFOLK (County), VA**

**VA SPILLS S106478095  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2003-T-0383
Incident Date:	8/22/2002
Time In:	4:05:00 PM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	8/22/2002
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	True
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	WASTE PEIC
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	TLK
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**IMPERIAL CLEANERS (Continued)**

**S106478095**

Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	POSSIBLE IMPROPER HAZ WASTE MGT. NO RECORDS OF DISPOSAL SINCE 2000
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	NPD
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	DICKIE BENNETT
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

161

**IMPERIAL CLEANERS  
 101 MAPLE AVENUE  
 NORFOLK, VA 23503**

**RCRA-CESQG 1000152888  
 FINDS VAD981110851**

RCRA-CESQG:

Date form received by agency: 08/10/2000  
 Facility name: IMPERIAL DRY CLEANERS  
 Facility address: 101 MAPLE AVE  
 NORFOLK, VA 23503  
 EPA ID: VAD981110851  
 Mailing address: 234 W 22ND ST  
 NORFOLK, VA 23517  
 Contact: Not reported  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Facility is not located on Indian land. Additional information is not known.  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**IMPERIAL CLEANERS (Continued)**

**1000152888**

hazardous waste

Owner/Operator Summary:

Owner/operator name: ALBANO CLEANERS INC  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 11/20/1985  
 Facility name: IMPERIAL DRY CLEANERS  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**IMPERIAL CLEANERS (Continued)**

**1000152888**

SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/09/2002  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

Evaluation date: 08/10/2000  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

FINDS:

Registry ID: 110001899857

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

161

**IMPERIAL CLEANERS  
 101 MAPLE AVE  
 NORFOLK, VA 23503**

**VA DRYCLEANERS S106480101  
 N/A**

DRYCLEANERS:

DEQ Region: TRO  
 Registration Number: 61194  
 SIC: 7216  
 FIPS: 710  
 Oper Status: Operating  
 Mailing Address: 101 Maple Avenue  
 Mailing City,St,Zip: Norfolk, VA 23503

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**IMPERIAL CLEANERS (Continued)**

**S106480101**

SI Number: 322  
 SEQ Description: TRANSFER  
 Plant Classification: True Minor  
 FAC Inserted Date: 12/1/1999 5:16:30 PM  
 FAC Changed Date: 1/10/2008 2:13:33 PM

162

**BAYSHORE GARDEN APTS  
 9046 FIRST VIEW ST.  
 NORFOLK, VA 23503**

**VA UST U003689981  
 N/A**

UST:

Facility:

Facility Id: 5006983  
 Facility Type: RESIDENTIAL  
 CEDS Facility ID: 200000064100

Owner:

Facility Id: 5006983  
 Owner Id: 39987  
 Owner Name: NHP Bayshore LP  
 Owner Address: C/O Loeb & Loeb  
 Owner Address2: 345 Park Ave  
 Owner City, State, Zip: New York, NY 10154  
 UST Status: Not reported  
 AST Status: Not reported

Facility Id: 5006983  
 Owner Id: 31739  
 Owner Name: S L NUSBAUM REALITY CO  
 Owner Address: P.O. DRAWER 2491  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23510  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 500  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5006983  
 Own Id: 39987  
 Tank Number: R1  
 Install Date: 31-DEC-1943  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BAYSHORE GARDEN APTS (Continued)**

**U003689981**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5006983
Own Id:	39987
Tank Number:	R1
Install Date:	31-DEC-1943
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5006983
Own Id:	39987
Tank Number:	R1
Install Date:	31-DEC-1943
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site  
 Database(s)  
 EPA ID Number  
 EDR ID Number

**BAYSHORE GARDEN APTS (Continued)**

**U003689981**

Pipe Materials: Other Note Not reported

**163 DELAURA FRANK PROPERTY  
 9230 GRANBY ST  
 NORFOLK, VA 23503**

**VA LUST S105974767  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000211807  
**Facility Status: Closed**  
 Completed Date: 07/30/2003  
 Pollution Complaint Num: 20045018  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000211807  
**Facility Status: Closed**  
 Completed Date: 09/04/2003  
 Pollution Complaint Num: 20045018  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further assessment letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000211807  
**Case Status: Closed**  
 Pollution Complaint #: 20045018  
 Reported: 30-JUL-2003

**164 BROWNS CONVENIENCE STORE  
 FIRST VIEW & BAY AVE.  
 NORFOLK, VA 23503**

**VA LUST U003692603  
 VA LTANKS N/A  
 VA UST**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064310  
**Facility Status: Closed**  
 Completed Date: 05/30/1991  
 Pollution Complaint Num: 19911779  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: CONTAMINATION FOUOND DURING UST CLOSURE.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064310

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWNS CONVENIENCE STORE (Continued)**

**U003692603**

**Facility Status:** Closed  
 Completed Date: 08/16/1994  
 Pollution Complaint Num: 19911779  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000064310  
**Case Status:** Closed  
 Pollution Complaint #: 19911779  
 Reported: 30-MAY-1991

**UST:**

**Facility:**

Facility Id: 5025645  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000064310

**Owner:**

Facility Id: 5025645  
 Owner Id: 37965  
 Owner Name: NEW ERA CORPORATION  
 Owner Address: 198 W. OCEAN VIEW AVE.  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23503  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status:** REM FROM GRD  
 Tank Type: UST

**Tank Material:**

Tank Type: UST  
 Fac Id: 5025645  
 Own Id: 37965  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWNS CONVENIENCE STORE (Continued)**

**U003692603**

Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5025645  
 Own Id: 37965  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5025645  
 Own Id: 37965  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWNS CONVENIENCE STORE (Continued)**

**U003692603**

Tank Number:	2
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWNS CONVENIENCE STORE (Continued)**

**U003692603**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BROWNS CONVENIENCE STORE (Continued)**

**U003692603**

Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	3000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5025645

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BROWNS CONVENIENCE STORE (Continued)**

**U003692603**

Own Id:	37965
Tank Number:	4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5025645
Own Id:	37965
Tank Number:	4
Install Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWNS CONVENIENCE STORE (Continued)**

**U003692603**

Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

165

**HINOJOSA RESIDENCE - TS NICOLE  
 305 LENOX AVE  
 NORFOLK, VA 23503**

**VA LUST S110633811  
 VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000854297
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	10/05/2010
Pollution Complaint Num:	20115030
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release Reported

Region:	TD
Region Code:	TRO
Facility ID:	200000854297
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	12/06/2010
Pollution Complaint Num:	20115030
Fed Regulated Tank:	No
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent
Comments:	Case Closed

LTANKS:

Region:	TRO
CEDS Facility Id:	200000854297
<b>Case Status:</b>	<b>Closed</b>
Pollution Complaint #:	20115030
Reported:	05-OCT-2010

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**166 CICHONOWICZ TODD AND REBECCA PROPERTY  
 152 W RANDALL AVE  
 NORFOLK, VA 23503**

**VA LUST S106845862  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000220128  
**Facility Status: Closed**  
 Completed Date: 12/13/2004  
 Pollution Complaint Num: 20055099  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000220128  
**Facility Status: Closed**  
 Completed Date: 04/28/2006  
 Pollution Complaint Num: 20055099  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000220128  
**Case Status: Closed**  
 Pollution Complaint #: 20055099  
 Reported: 13-DEC-2004

**167 EQUITY DEVELOPMENT CORPORATION  
 125 E LORENZO AVE  
 NORFOLK, VA 23503**

**VA LUST S111684590  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000856993  
**Facility Status: Open**  
 Completed Date: 03/06/2012  
 Pollution Complaint Num: 20125107  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

168 OCEANAIR ELEMENTARY  
 600 DUDLEY AVENUE  
 NORFOLK, VA 23503

VA UST U003692338  
 VA FINANCIAL ASSURANCE N/A

UST:

Facility:

Facility Id: 5023298  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000087530

Owner:

Facility Id: 5023298  
 Owner Id: 31434  
 Owner Name: Norfolk Public Schools  
 Owner Address: 966 Bellmore Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 10000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5023298  
 Own Id: 31434  
 Tank Number: R1  
 Install Date: 09-APR-1958  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5023298  
 Own Id: 31434  
 Tank Number: R1  
 Install Date: 09-APR-1958  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OCEANAIR ELEMENTARY (Continued)**

**U003692338**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023298
Own Id:	31434
Tank Number:	R1
Install Date:	09-APR-1958
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5023298
FRP Financial Assurance:	No
Owner Name:	Oceanair Elementary
ROF Own Id:	31434
Tank Type:	UST
Mechanism:	LOGO Guar/NO State Stdbly
Gallonage:	Not reported
Per Occurrence:	10000
Third Party:	30000
Annual Aggregate:	40000
In Compliance:	Not reported
Total Capacity:	0



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**OCEANAIR ELEMENTARY (Continued)**

**U003692338**

CEDS Facility Name: Norfolk City of - Oceanair Elementry School  
 CEDS Facility Id: 200000087530  
 Tank Type Count: 1  
 Location: Not reported

169

**VA SPILLS S110146748  
 N/A**

**215 E BAY AVENUE  
 NORFOLK, VA**

**SPILLS:**

Fips City/County:	Norfolk City
Status:	Closed
Reference Id:	668
IR Number:	2010-T-1132
Associated IR:	Not reported
Incident Date:	13-Oct-2009
Call Received Date:	26-Oct-2009
Closure Comments:	Referred to the city of Norfolk, care of Ms. June Mosler
Threat To:	Not reported
Terrorism (Y/N):	N
Characterize Incident:	Unknown
Incident Type:	* Water
Incident Subtype:	* SSO * Water
Materials:	* Sewage (0-0 Unknown)
Effect To Receptor:	Unknown
Water Body:	Chesapeake Bay
Low Quantity To Water:	Not reported
High Quantity To Water:	Not reported
Quantity Units:	Unknown
Other Receptors:	Not reported
RP Company:	Not reported
RP Name:	Not reported
Property Owner:	Not reported
Property Company:	Not reported
Duration Of Event (Hrs):	0
Impacts:	Not reported
Other Impacts:	Not reported
Steps Taken:	Not reported
Steps Taken Description:	Not reported
System Components:	Not reported
Other System Components:	Not reported
Cause Of Event:	Not reported
Corrective Action Taken:	Not reported
Weather Status:	N/A
Precipitation (Wet):	0
Discharge Type:	N/A
Discharge Volume:	0
Unknown Discharge (Y/N):	N
Site Name:	Not reported
Closure Date:	10-Dec-2009 03:10 PM
Orig. Call Incident Description:	CALLER STATED THAT THE CITY THAT HE RESIDES IN IS RELEASING SEWAGE INTO THE CHESAPEAKE BAY. CAUSES OF THIS INCIDENT ARE UNKNOWN. THERE IS ALSO A STRONG ODOR ASSOCIATED WITH THIS INCIDENT. CALLER STATED THAT HE CONTACTED THE CITY OF NORFOLK A WEEK AGO.
Original Call Material Description:	SEWAGE
Original Call Location Description:	215 E BAY AVENORFOLK,VA
Incident Ongoing at time of Call:	Y
Agencies Notified (Y/N):	Y

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

---

**(Continued)**

**S110146748**

Other Agencies:	NRC 921664, VEOC HMVA 5801
Permitted (Y/N):	N
Call Reported By Company Name:	Not reported
Call RP Company Name:	Not reported
Call RP Name:	Not reported
Call Property Owner Company Name:	Not reported
Call Property Owner Name:	Not reported
Site Summary:	Not reported

---

<b>169</b>	<b>215 E BAY AVE</b> <b>215 E BAY AVE</b> <b>NORFOLK, VA 23503</b>	<b>ERNS</b>	<b>2009921664</b> <b>N/A</b>
------------	--	-------------	---------------------------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

---

<b>170</b>	<b>8812 COMMODORE DR.</b> <b>NORFOLK, VA</b>	<b>VA SPILLS</b>	<b>S105944751</b> <b>N/A</b>
------------	---	------------------	---------------------------------

SPILLS TD:

Region:	TD
PC Number:	96-1637
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944751

Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/26/1995
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	HOME FUEL OIL TANK ROLLED OVER, SPILLED 275 GAL. OF FUEL OIL (45 DAYS AGO)
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	275
Spill Unit:	Not reported
Volume To State Water:	Not reported

171

134 WEST CHESTER STREET  
 134 WEST CHESTER STREET  
 NORFOLK, VA 23503

ERNS 99648132  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**172 VERIZON NORFOLK ESS (VA53001)  
 8910 GRANBY STREET  
 NORFOLK, VA 23503**

**VA TIER 2 S109941774  
 N/A**

TIER 2:

CAS Number: 7664-93-9  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: Lead Acid Batteries  
 Average Amt Code: 4  
 Owner Name: Verizon Virginia Inc.  
 Owner Phone: 978-469-1661  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 978-469-1661  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 888-696-3973  
 Contact Type: Not reported

CAS Number: 7664-93-9  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 888-696-3973  
 Contact Type: Not reported

CAS Number: 7664-93-9  
 SIC Code: 4813  
 NAICS: Not reported  
 Entered Chemical Name: BATTERY SULFURIC ACID  
 Average Amt Code: 3  
 Owner Name: Verizon Virginia Inc.  
 Owner Phone: 978-469-1648  
 Contact Type: Not reported

CAS Number: 8008-20-6  
 SIC Code: 4813  
 NAICS: Not reported  
 Entered Chemical Name: KEROSENE  
 Average Amt Code: 4  
 Owner Name: Verizon Virginia Inc.  
 Owner Phone: 978-469-1648  
 Contact Type: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VERIZON NORFOLK ESS (VA53001) (Continued)**

**S109941774**

CAS Number: 68476-34-6  
 SIC Code: 4813  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: Verizon Virginia Inc.  
 Owner Phone: 978-469-1648  
 Contact Type: Not reported

CAS Number: 68476-34-6  
 SIC Code: 517110  
 NAICS: Not reported  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: 4  
 Owner Name: Verizon Virginia Inc.  
 Owner Phone: 978-469-1661  
 Contact Type: Not reported

CAS Number: 7664-93-9  
 SIC Code: Not reported  
 NAICS: 517110  
 Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: Not reported  
 Owner Name: William Irwin  
 Owner Phone: 800-386-9639  
 Contact Type: Owner / Operator

CAS Number: 7664-93-9  
 SIC Code: Not reported  
 NAICS: 517110  
 Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: Not reported  
 Owner Name: William Irwin  
 Owner Phone: 978-837-3604  
 Contact Type: Owner / Operator

CAS Number: 68476-34-6  
 SIC Code: Not reported  
 NAICS: 517110  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: Not reported  
 Owner Name: William Irwin  
 Owner Phone: 800-386-9639  
 Contact Type: Owner / Operator

CAS Number: 68476-34-6  
 SIC Code: Not reported  
 NAICS: 517110  
 Entered Chemical Name: DIESEL FUEL  
 Average Amt Code: Not reported  
 Owner Name: William Irwin  
 Owner Phone: 978-837-3604  
 Contact Type: Owner / Operator

CAS Number: 7664-93-9  
 SIC Code: 517110  
 NAICS: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VERIZON NORFOLK ESS (VA53001) (Continued)**

**S109941774**

Entered Chemical Name: LEAD ACID BATTERIES  
 Average Amt Code: 4  
 Owner Name: William Irwin  
 Owner Phone: 978-469-1661  
 Contact Type: Not reported

172

**CHESAPEAKE & POTOMAC TELEPHONE CO  
 8910 GRANBY ST  
 NORFOLK, VA 23503**

**RCRA-NonGen 1000377274  
 FINDS VAD980719793**

RCRA-NonGen:

Date form received by agency: 12/19/1980  
 Facility name: CHESAPEAKE & POTOMAC TELEPHONE CO  
 Facility address: 8910 GRANBY ST  
 NORFOLK, VA 23503  
 EPA ID: VAD980719793  
 Mailing address: 1730 PENNSYLVANIA AVE NW RM700  
 WASHINGTON, DC 20006  
 Contact: ELIZABETH B COFFEY  
 Contact address: 8910 GRANBY ST  
 NORFOLK, VA 23503  
 Contact country: US  
 Contact telephone: (202) 392-5406  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: CHESAPEAKE & POTOMAC TELEPHONE CO  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: Yes  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**CHESAPEAKE & POTOMAC TELEPHONE CO (Continued)**

**1000377274**

Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005229074

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

172

**BELL ATLANTIC  
 8910 GRANBY ST.  
 NORFOLK, VA 23503**

**VA UST U003917264  
 VA FINANCIAL ASSURANCE N/A**

**UST:**

Facility:  
 Facility Id: 5005378  
 Facility Type: UTILITY  
 CEDS Facility ID: 200000090737

**Owner:**

Facility Id: 5005378  
 Owner Id: 31843  
 Owner Name: Verizon Virginia Incorporated  
 Owner Address: 3011 Hungary Spring Rd 2nd Fl  
 Owner Address2: Not reported  
 Owner City, State, Zip: Richmond, VA 23228  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BELL ATLANTIC (Continued)**

**U003917264**

Tank Number:	1
Tank Capacity:	4000
Tank Contents:	EMERGENCY GENERATOR
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5005378
Own Id:	31843
Tank Number:	1
Install Date:	04-JUN-1991
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5005378
Own Id:	31843
Tank Number:	1
Install Date:	04-JUN-1991
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Veeder Root TLS-250i
Pipe Release Detection: Leak Deferred	Y
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	Y
Pipe Release Detection: Other Method	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC (Continued)**

**U003917264**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5005378
Own Id:	31843
Tank Number:	1
Install Date:	04-JUN-1991
Tank Status:	CURR IN USE
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2R
Tank Capacity:	275
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5005378
Own Id:	31843
Tank Number:	2R
Install Date:	19-MAR-1961
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5005378
Own Id:	31843
Tank Number:	2R

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BELL ATLANTIC (Continued)**

**U003917264**

Install Date: 19-MAR-1961  
 Tank Status: CLS IN GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5005378  
 Own Id: 31843  
 Tank Number: 2R  
 Install Date: 19-MAR-1961  
 Tank Status: CLS IN GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note REMOVED

Tank Number: R1  
 Tank Capacity: 5000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5005378

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BELL ATLANTIC (Continued)**

**U003917264**

Own Id: 31843  
 Tank Number: R1  
 Install Date: 20-MAR-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5005378  
 Own Id: 31843  
 Tank Number: R1  
 Install Date: 20-MAR-1971  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5005378  
 Own Id: 31843  
 Tank Number: R1  
 Install Date: 20-MAR-1971

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BELL ATLANTIC (Continued)**

**U003917264**

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	COPPER

**VA FINANCIAL ASSURANCE:**

Facility ID:	5005378
FRP Financial Assurance:	Full
Owner Name:	Bell Atlantic
ROF Own Id:	31843
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Bell Atlantic 8910 Granby Street
CEDS Facility Id:	200000090737
Tank Type Count:	6
Location:	Not reported

172

**8900 BLOCK OF GRANBY STREET  
 8900 BLOCK OF GRANBY STREET  
 NORFOLK, VA**

**ERNS 90179061  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

173

**139 HOWE ST  
 139 HOWE ST  
 NORFOLK, VA**

**ERNS 2009908094  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

173      **139 HOWE ST**  
**139 HOWE ST**  
**NORFOLK, VA**

**ERNS**    **2008908094**  
 N/A

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

173      **RESIDENCE**  
**139 HOWE STREET**  
**NORFOLK (County), VA**

**VA SPILLS**    **S109848980**  
 N/A

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2009-T-1040
Incident Date:	6/9/2009
Time In:	7:07:00 PM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	6/9/2009
Incident Time:	3:00:00 PM
Petroleum:	False
Solid Waste:	True
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	SULFURIC ACID
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>6/10/2009</b>
Dt Ref Air C/m:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RESIDENCE (Continued)**

**S109848980**

Air Reg Permit #: Date Ref Waste C/M: Epa Ir/permit #: Date Ref Water C/m: Water Permit #: Date Ref Remediation: Remediation PC #: Date Ref Enforcement: NOV Number: Date Received: Source: Summary:  Comments:  Report Notes: Reported By Company: Reported By Address: Reported By Street: Reported By City,St,Zip: Reported By Phone: Report By Name: PI Date: Incident Time: Incident Type: Stream: Spill Volume: Spill Unit: Volume To State Water:	Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported Not reported UNK DRUM & TOP SEEMS CORRODED WITH HEAVY RAINS IN AREA; REF TO HMO HARING & NORFOLK FD NON-INCIDENT; 5 GAL BUCKET THERE FOR @ LEAST 4 YEARS; POLY TOP BROKEN & BUCKET FULL OF RAIN WATER & LEAVES; ADVISED OWNER TO DUMP BUCKET & DISPOSE WITH NORMAL TRASH Not reported Not reported Not reported Not reported Not reported 7577294009 MR WALSH Not reported Not reported Not reported Not reported 0 Not reported 0
--	--

174

**NORFOLK CITY SCHOOL DISTRICT (CALCOTT ELEMENTARY SCHOOL)  
 137 E WESTMONT AVE  
 NORFOLK, VA 23503**

**FINDS 1010037679  
 N/A**

**FINDS:**

Registry ID: 110028235924

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

174 **CALCOTT ELEMENTARY**  
**137 WESTMONT AVENUE**  
**NORFOLK, VA 23503**

**VA UST**  
**VA FINANCIAL ASSURANCE**

**U003692354**  
**N/A**

UST:

Facility:

Facility Id: 5023314  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000064369

Owner:

Facility Id: 5023314  
 Owner Id: 31434  
 Owner Name: Norfolk Public Schools  
 Owner Address: 966 Bellmore Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1R  
 Tank Capacity: 10000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5023314  
 Own Id: 31434  
 Tank Number: 1R  
 Install Date: 22-JAN-1953  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5023314  
 Own Id: 31434  
 Tank Number: 1R  
 Install Date: 22-JAN-1953  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CALCOTT ELEMENTARY (Continued)**

**U003692354**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023314
Own Id:	31434
Tank Number:	1R
Install Date:	22-JAN-1953
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5023314
FRP Financial Assurance:	No
Owner Name:	CALCOTT ELEMENTARY
ROF Own Id:	31434
Tank Type:	UST
Mechanism:	LOGO Guar/NO State Stdby
Gallonage:	Not reported
Per Occurrence:	10000
Third Party:	30000
Annual Aggregate:	40000
In Compliance:	Not reported
Total Capacity:	0



MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

---

**CALCOTT ELEMENTARY (Continued)**

**U003692354**

CEDS Facility Name: Norfolk City of - Calcott Elementary School  
 CEDS Facility Id: 200000064369  
 Tank Type Count: 1  
 Location: Not reported

---

**174 MARY CALCOTT ELEM.  
 137 WESTMONT AVE  
 NORFOLK, VA 23503**

**FINDS 1008257831  
 N/A**

**FINDS:**

Registry ID: 110036855196

**Environmental Interest/Information System**

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

---

**174 NORFOLK CITY SCHOOL DISTRICT (CALCOTT ELEMENTARY SCHOOL)  
 137 E WESTMONT AVE NORFOLK VA 23503-4847  
 NORFOLK, VA 23503**

**ICIS 1011508943  
 N/A**

**ICIS:**

Enforcement Action ID: 03-2006-0013  
 FRS ID: 110028235924  
 Program ID: FRS 110028235924  
 Action Name: NORFOLK PUBLIC SCHOOLS  
 Facility Name: NORFOLK CITY SCHOOL DISTRICT (CALCOTT ELEMENTARY SCHOOL)  
 Facility Address: 137 E WESTMONT AVE NORFOLK VA 23503-4847  
 NORFOLK, Virginia 23503-4847  
 Enforcement Action Type: TSCA 16 Action For Penalty  
 Facility County: Norfolk City  
 EPA Region #: 3

Program ID: FRS 110028235924  
 Facility Name: NORFOLK CITY SCHOOL DISTRICT (CALCOTT ELEMENTARY SCHOOL)  
 Address: 137 E WESTMONT AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: Not reported  
 Latitude: 36.93644  
 Longitude: -76.258928

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

175 **NORTHSIDE MIIDLE SCHOOL** ICS 1011582522  
**8720 GRANBY ST NORFOLK VA 23503** N/A  
**NORFOLK, VA 23503**

ICIS:

Enforcement Action ID: 03-2006-0013  
FRS ID: 110021491964  
Program ID: RCRAINFO VAD988174165  
Action Name: NORFOLK PUBLIC SCHOOLS  
Facility Name: NORTHSIDE MIIDLE SCHOOL  
Facility Address: 8720 GRANBY ST NORFOLK VA 23503  
NORFOLK, Virginia 23503  
Enforcement Action Type: TSCA 16 Action For Penalty  
Facility County: Norfolk City  
EPA Region #: 3

Enforcement Action ID: 03-2006-0013  
FRS ID: 110021491964  
Program ID: NCES 510267001120  
Action Name: NORFOLK PUBLIC SCHOOLS  
Facility Name: NORTHSIDE MIDDLE  
Facility Address: 8720 GRANBY ST NORFOLK VA 23503  
NORFOLK, Virginia 23503  
Enforcement Action Type: TSCA 16 Action For Penalty  
Facility County: Norfolk City  
EPA Region #: 3

Enforcement Action ID: 03-2006-0013  
FRS ID: 110021491964  
Program ID: FRS 110021491964  
Action Name: NORFOLK PUBLIC SCHOOLS  
Facility Name: NORFOLK CITY SCHOOL DISTRICT (NORTHSIDE MIDDLE SCHOOL)  
Facility Address: 8720 GRANBY ST NORFOLK VA 23503  
NORFOLK, Virginia 23503  
Enforcement Action Type: TSCA 16 Action For Penalty  
Facility County: Norfolk City  
EPA Region #: 3

Program ID: FRS 110021491964  
Facility Name: NORFOLK CITY SCHOOL DISTRICT (NORTHSIDE MIDDLE SCHOOL)  
Address: 8720 GRANBY ST  
Tribal Indicator: N  
Fed Facility: No  
NAIC Code: Not reported  
SIC Code: Not reported  
Latitude: 36.936476  
Longitude: -76.263176

Program ID: NCES 510267001120  
Facility Name: NORFOLK CITY SCHOOL DISTRICT (NORTHSIDE MIDDLE SCHOOL)  
Address: 8720 GRANBY ST  
Tribal Indicator: N  
Fed Facility: No  
NAIC Code: Not reported  
SIC Code: Not reported  
Latitude: 36.936476  
Longitude: -76.263176

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

---

**NORTHSIDE MIIDDLE SCHOOL (Continued)**

**1011582522**

Program ID:	RCRAINFO VAD988174165
Facility Name:	NORFOLK CITY SCHOOL DISTRICT (NORTHSIDE MIDDLE SCHOOL)
Address:	8720 GRANBY ST
Tribal Indicator:	N
Fed Facility:	No
NAIC Code:	Not reported
SIC Code:	Not reported
Latitude:	36.936476
Longitude:	-76.263176

175

**NORFOLK CITY SCHOOL DISTRICT (NORTHSIDE MIDDLE SCHOOL)  
8720 GRANBY ST  
NORFOLK, VA 23503**

**FINDS 1008257832  
N/A**

FINDS:

Registry ID: 110021491964

Environmental Interest/Information System

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

175 **NORTHSIDE MIDDLE  
 8720 GRANBY STREET  
 NORFOLK, VA 23503**

**VA UST U003692340  
 VA FINANCIAL ASSURANCE N/A**

UST:

Facility:

Facility Id: 5023300  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000095498

Owner:

Facility Id: 5023300  
 Owner Id: 31434  
 Owner Name: Norfolk Public Schools  
 Owner Address: 966 Bellmore Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1R  
 Tank Capacity: 8000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5023300  
 Own Id: 31434  
 Tank Number: 1R  
 Install Date: 22-JAN-1957  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5023300  
 Own Id: 31434  
 Tank Number: 1R  
 Install Date: 22-JAN-1957  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORTHSIDE MIDDLE (Continued)**

**U003692340**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
 Pipe Material:	
Tank Type:	UST
Fac Id:	5023300
Own Id:	31434
Tank Number:	1R
Install Date:	22-JAN-1957
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2R
Tank Capacity:	8000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
 Tank Material:	
Tank Type:	UST
Fac Id:	5023300
Own Id:	31434
Tank Number:	2R
Install Date:	22-JAN-1957
Tank Status:	REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NORTHSIDE MIDDLE (Continued)**

**U003692340**

Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5023300
Own Id:	31434
Tank Number:	2R
Install Date:	22-JAN-1957
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023300
Own Id:	31434
Tank Number:	2R
Install Date:	22-JAN-1957
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORTHSIDE MIDDLE (Continued)**

**U003692340**

Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5023300
FRP Financial Assurance:	No
Owner Name:	Northside Middle
ROF Own Id:	31434
Tank Type:	UST
Mechanism:	LOGO Guar/NO State Stdby
Gallorage:	Not reported
Per Occurence:	10000
Third Party:	30000
Annual Aggregate:	40000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Norfolk City of - Northside Middle School
CEDS Facility Id:	200000095498
Tank Type Count:	2
Location:	Not reported

175

**NORTHSIDE MIIDLE SCHOOL  
 8720 GRANBY ST  
 NORFOLK, VA 23503**

**RCRA-SQG 1000448373  
 VAD988174165**

RCRA-SQG:

Date form received by agency:	08/07/1990
Facility name:	NORTHSIDE MIIDLE SCHOOL
Facility address:	8720 GRANBY ST NORFOLK, VA 23503
EPA ID:	VAD988174165
Mailing address:	C/O RISK MGMT PO BOX 1357 NORFOLK, VA 23503
Contact:	FRANK STEADMAN
Contact address:	8720 GRANBY ST NORFOLK, VA 23503
Contact country:	US
Contact telephone:	(804) 441-1825
Contact email:	Not reported
EPA Region:	03
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	NORFOLK PUBLIC SCHOOLS
----------------------	------------------------

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NORTHSIDE MIIDLE SCHOOL (Continued)**

**1000448373**

Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Municipal  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999

Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Municipal  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**NORTHSIDE MIIDLE SCHOOL (Continued)**

**1000448373**

DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D003  
 Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.  
 Violation Status: No violations found

176

**7-ELEVEN #25925  
 8595 TIDEWATER DR  
 NORFOLK, VA 23503**

**RCRA-SQG 1000459902  
 FINDS VAD988191045**

RCRA-SQG:  
 Date form received by agency: 01/29/1991  
 Facility name: 7-ELEVEN #25925  
 Facility address: 8595 TIDEWATER DR  
 NORFOLK, VA 23503  
 EPA ID: VAD988191045  
 Mailing address: REFLECTIONS III SUITE 400  
 VIRGINIA BEACH, VA 23452  
 Contact: GARRY BLAIR  
 Contact address: 8595 TIDEWATER DR  
 NORFOLK, VA 23503  
 Contact country: US  
 Contact telephone: (804) 498-4711  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:  
 Owner/operator name: SOUTHLAND CORPORATION THE  
 Owner/operator address: REFLECTIONS III SUITE 400  
 VIRGINIA BEACH, VA 23452  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 498-4711  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN #25925 (Continued)**

**1000459902**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined  
  
 Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005240603

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

176

**7-ELEVEN STORE 25925  
 8595 TIDEWATER DRIVE  
 NORFOLK, VA 23503**

**VA LUST U003691292  
 VA LTANKS N/A  
 VA UST**

**VA FINANCIAL ASSURANCE**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000090629  
**Facility Status: Closed**  
 Completed Date: 09/16/2010  
 Pollution Complaint Num: 20115018  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25925 (Continued)**

**U003691292**

Region Code: TRO  
 Facility ID: 200000090629  
**Facility Status: Closed**  
 Completed Date: 11/01/2010  
 Pollution Complaint Num: 20115018  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000090629  
**Case Status: Closed**  
 Pollution Complaint #: 20115018  
 Reported: 16-SEP-2010

**UST:**

**Facility:**

Facility Id: 5015618  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000090629

**Owner:**

Facility Id: 5015618  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated  
 Owner Address: PO Box 711  
 Owner Address2: Not reported  
 Owner City, State, Zip: Dallas, TX 75221  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

**Tank Material:**

Tank Type: UST  
 Fac Id: 5015618  
 Own Id: 38838  
 Tank Number: 1  
 Install Date: 01-JUL-1987  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 25925 (Continued)**

**U003691292**

Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5015618  
 Own Id: 38838  
 Tank Number: 1  
 Install Date: 01-JUL-1987  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Overfill Ball Float Valve

Pipe Material:

Tank Type: UST  
 Fac Id: 5015618  
 Own Id: 38838  
 Tank Number: 1  
 Install Date: 01-JUL-1987  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

7-ELEVEN STORE 25925 (Continued)

U003691292

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015618
Own Id:	38838
Tank Number:	2
Install Date:	01-JUL-1987
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015618
Own Id:	38838
Tank Number:	2
Install Date:	01-JUL-1987
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25925 (Continued)**

**U003691292**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5015618
Own Id:	38838
Tank Number:	2
Install Date:	01-JUL-1987
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5015618
Own Id:	38838
Tank Number:	3
Install Date:	01-JUL-1987
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5015618
Own Id:	38838
Tank Number:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25925 (Continued)**

**U003691292**

Install Date:	01-JUL-1987
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Ball Float Valve

Pipe Material:	
Tank Type:	UST
Fac Id:	5015618
Own Id:	38838
Tank Number:	3
Install Date:	01-JUL-1987
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5015618
FRP Financial Assurance:	Full
Owner Name:	7-Eleven Store 25925
ROF Own Id:	38838
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$2,000,000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 25925 (Continued)**

**U003691292**

Third Party: \$2,000,000  
 Annual Aggregate: \$2,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: 7-Eleven #25925  
 CEDS Facility Id: 200000090629  
 Tank Type Count: 6  
 Location: 8595 Tidewater Dr

176

**COTTAGE TOLL EXXON  
 8594 TIDEWATER DR  
 NORFOLK, VA 23503**

**RCRA-NonGen 1000581449  
 FINDS VAD988201745**

RCRA-NonGen:

Date form received by agency: 06/19/1991  
 Facility name: COTTAGE TOLL EXXON  
 Facility address: 8594 TIDEWATER DR  
 NORFOLK, VA 23503  
 EPA ID: VAD988201745  
 Contact: WILLIAM LEONARD  
 Contact address: 8594 TIDEWATER DR  
 NORFOLK, VA 23503  
 Contact country: US  
 Contact telephone: (804) 588-7214  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: EXXON CO  
 Owner/operator address: 2000 TRENTON AVE  
 RICHMOND, VA 23234  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 743-5721  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**COTTAGE TOLL EXXON (Continued)**

**1000581449**

On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008  
 Waste name: LEAD

Waste code: D018  
 Waste name: BENZENE

Waste code: D021  
 Waste name: CHLOROENZENE

Waste code: D027  
 Waste name: 1,4-DICHLOROENZENE

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Waste code: D040  
 Waste name: TRICHLOROETHYLENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005246395

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

176 COTTAGE TOLL CITGO  
 8594 TIDEWATER DR  
 NORFOLK, VA 23503

VA LUST U003690453  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065036  
**Facility Status: Closed**  
 Completed Date: 02/15/1994  
 Pollution Complaint Num: 19942139  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: UST LINE FAILED TIGHTNESS TEST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065036  
**Facility Status: Closed**  
 Completed Date: 04/08/1994  
 Pollution Complaint Num: 19942139  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION WITH REGARD TO REG. UNLEADED UST.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065036  
**Facility Status: Closed**  
 Completed Date: 07/29/1996  
 Pollution Complaint Num: 19972211  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: ELEV TPH IN SOIL SAMPLE AROUND WHERE USED OIL UST WAS REMOVED

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065036  
**Facility Status: Closed**  
 Completed Date: 01/27/1997  
 Pollution Complaint Num: 19972211  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED. NO FURTHER ACTION REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065036  
**Facility Status: Closed**  
 Completed Date: 12/06/1990  
 Pollution Complaint Num: 19910794  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Comments: FOUND OLD LINE & CONTAMINATED SOILS DURING EXCAVATION ACTIVITIES.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065036  
**Facility Status: Closed**  
 Completed Date: 08/12/1994  
 Pollution Complaint Num: 19910794  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065036  
**Case Status: Closed**  
 Pollution Complaint #: 19972211  
 Reported: 29-JUL-1996

Region: TRO  
 CEDS Facility Id: 200000065036  
**Case Status: Closed**  
 Pollution Complaint #: 19910794  
 Reported: 06-DEC-1990

UST:

Facility:

Facility Id: 5009937  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065036

Owner:

Facility Id: 5009937  
 Owner Id: 41721  
 Owner Name: Young Properties LLC  
 Owner Address: 213 63rd Street  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23451  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5009937  
 Owner Id: 40064  
 Owner Name: ExxonMobil Corporation c/o Gilbarco Veeder Root  
 Owner Address: 7300 W Friendly Ave MS F76  
 Owner Address2: PO Box 22087  
 Owner City, State, Zip: Greensboro, NC 27420  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	1
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	1
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	ATG, Ball Float

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5009937  
 Own Id: 41721  
 Tank Number: 1  
 Install Date: 01-JAN-1988  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note Polyflexible piping

Tank Number: 2  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5009937  
 Own Id: 41721  
 Tank Number: 2  
 Install Date: 01-JAN-1988  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5009937  
 Own Id: 41721  
 Tank Number: 2  
 Install Date: 01-JAN-1988  
 Tank Status: CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	ATG

Pipe Material:

Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	2
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	3
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	3
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	ATG, Ball Float
Pipe Material:	
Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	3
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Polyflexible piping

Tank Number:	4
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:	
Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	4
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	4
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	ATG, Ball Float

Pipe Material:

Tank Type:	UST
Fac Id:	5009937
Own Id:	41721
Tank Number:	4
Install Date:	01-JAN-1988
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Polyflexible piping

Tank Number:	5
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009937
Own Id:	40064
Tank Number:	5
Install Date:	01-JAN-1985
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009937
Own Id:	40064
Tank Number:	5
Install Date:	01-JAN-1985
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5009937
Own Id:	40064
Tank Number:	5
Install Date:	01-JAN-1985
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**COTTAGE TOLL CITGO (Continued)**

**U003690453**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5009937  
 FRP Financial Assurance: Full  
 Owner Name: Cottage Toll Citgo  
 ROF Own Id: 40064  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Exxon 24612 - Cottage Toll  
 CEDS Facility Id: 200000065036  
 Tank Type Count: 2  
 Location: Not reported

Facility ID: 5009937  
 FRP Financial Assurance: Full  
 Owner Name: Cottage Toll Citgo  
 ROF Own Id: 41721  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Exxon 24612 - Cottage Toll  
 CEDS Facility Id: 200000065036  
 Tank Type Count: 4  
 Location: Not reported

176

**AMOCO #84818-TANKS  
 8605 TIDEWATER DR  
 NORFOLK, VA 23503**

**RCRA-SQG 1000581195  
 FINDS VAD988199105**

RCRA-SQG:

Date form received by agency: 04/24/1991  
 Facility name: AMOCO #84818-TANKS  
 Facility address: 8605 TIDEWATER DR  
 NORFOLK, VA 23503  
 EPA ID: VAD988199105  
 Mailing address: STE 1500 ONE N CHARLES ST  
 BALTIMORE, MD 21201  
 Contact: TONI DOUGHERTY  
 Contact address: 8605 TIDEWATER DR  
 NORFOLK, VA 23503  
 Contact country: US  
 Contact telephone: (301) 625-7858

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**AMOCO #84818-TANKS (Continued)**

**1000581195**

Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: AMOCO OIL COMPANY  
 Owner/operator address: STE 1500 ONE N CHARLES ST  
 BALTIMORE, MD 21201  
 Owner/operator country: Not reported  
 Owner/operator telephone: (301) 625-7856  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AMOCO #84818-TANKS (Continued)**

**1000581195**

Waste code: D018  
 Waste name: BENZENE  
  
 Violation Status: No violations found

**FINDS:**

Registry ID: 110005244832

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

176

**BP AMOCO STATION #84818  
 8605 TIDEWATER DR  
 NORFOLK, VA 23503**

**VA LUST U003689427  
 VA UST N/A  
 VA FINANCIAL ASSURANCE**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063951  
**Facility Status: Closed**  
 Completed Date: 06/14/2002  
 Pollution Complaint Num: 20035000  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063951  
**Facility Status: Closed**  
 Completed Date: 09/24/2002  
 Pollution Complaint Num: 20035000  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: case closed

**UST:**

**Facility:**

Facility Id: 5003669  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000063951

**Owner:**

Facility Id: 5003669  
 Owner Id: 33990  
 Owner Name: Amoco Oil Company  
 Owner Address: 1 W Pennsylvania Ave Suite 900  
 Owner Address2: Not reported  
 Owner City, State, Zip: Towson, MD 21204

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

UST Status:	Not reported
AST Status:	Not reported
Facility Id:	5003669
Owner Id:	40055
Owner Name:	BP Products North America Incorporated
Owner Address:	PO Box 6038
Owner Address2:	Not reported
Owner City, State, Zip:	Artesia, CA 90702
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	1
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	Y
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	1
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	1
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	2
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	Y
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	2
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	2
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 3  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 40055  
 Tank Number: 3  
 Install Date: 12-AUG-1988  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel Y  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 40055  
 Tank Number: 3  
 Install Date: 12-AUG-1988  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness Y  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory Y  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 40055  
 Tank Number: 3  
 Install Date: 12-AUG-1988  
 Tank Status: REM FROM GRD  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 5  
 Tank Capacity: 550  
 Tank Contents: USED OIL  
**Tank Status:** REM FROM GRD  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 40055  
 Tank Number: 5  
 Install Date: 12-AUG-1988  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel Y  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Release:

Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	5
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	40055
Tank Number:	5
Install Date:	12-AUG-1988
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	Y
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R1
Tank Capacity:	4000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R1
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R1
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Pipe Material:

Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 33990  
 Tank Number: R1  
 Install Date: 13-MAR-1971  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R2  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 33990  
 Tank Number: R2  
 Install Date: 13-MAR-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 33990  
 Tank Number: R2  
 Install Date: 13-MAR-1971  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R2
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R3
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R3
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R3
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R4
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R4
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R4
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R4
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R5
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R5
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R5
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R5
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R6  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 33990  
 Tank Number: R6  
 Install Date: 13-MAR-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5003669  
 Own Id: 33990  
 Tank Number: R6  
 Install Date: 13-MAR-1971  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R6
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R7
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R7
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Release:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R7
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R7
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R8
Tank Capacity:	550
Tank Contents:	USED OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R8
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R8
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Pipe Material:

Tank Type:	UST
Fac Id:	5003669
Own Id:	33990
Tank Number:	R8
Install Date:	13-MAR-1971
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5003669
FRP Financial Assurance:	Min
Owner Name:	BP Amoco Station #84818
ROF Own Id:	33990
Tank Type:	UST
Mechanism:	Letter of Credit
Gallonage:	Not reported
Per Occurrence:	50000
Third Party:	150000
Annual Aggregate:	200000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Amoco 84818
CEDS Facility Id:	200000063951
Tank Type Count:	8
Location:	Not reported

Facility ID:	5003669
FRP Financial Assurance:	Full
Owner Name:	BP Amoco Station #84818
ROF Own Id:	40055
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Amoco 84818
CEDS Facility Id:	200000063951
Tank Type Count:	8
Location:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #84818 (Continued)**

**U003689427**

Facility ID: 5003669  
 FRP Financial Assurance: No  
 Owner Name: BP Amoco Station #84818  
 ROF Own Id: 40055  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$1,000,000  
 Third Party: \$1,000,000  
 Annual Aggregate: \$2,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Amoco 84818  
 CEDS Facility Id: 200000063951  
 Tank Type Count: 8  
 Location: Not reported

177

**ALBIS CLEANERS T A SUBURBAN CLEANERS  
 337 E BAYVIEW BLVD  
 NORFOLK, VA 23503**

**RCRA-CESQG 1000261987  
 FINDS VAD050999291**

**RCRA-CESQG:**

Date form received by agency: 08/16/1985  
 Facility name: ALBIS CLEANERS T A SUBURBAN CLEANERS  
 Facility address: 337 E BAYVIEW BLVD  
 NORFOLK, VA 23503  
 EPA ID: VAD050999291  
 Contact: MURPHY LAWRENCE  
 Contact address: 337 E BAYVIEW BLVD  
 NORFOLK, VA 23503  
 Contact country: US  
 Contact telephone: (804) 583-8093  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Private  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

**Owner/Operator Summary:**

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ALBIS CLEANERS T A SUBURBAN CLEANERS (Continued)**

**1000261987**

Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: LAWRENCE MURPHY  
 Owner/operator address: 337 E BAYVIEW BLVD  
 NORFOLK, VA 23503

Owner/operator country: Not reported  
 Owner/operator telephone: (804) 583-8093

Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ALBIS CLEANERS T A SUBURBAN CLEANERS (Continued)**

**1000261987**

Evaluation Action Summary:

Evaluation date: 10/27/1993  
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

FINDS:

Registry ID: 110001908035

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

177

**ALBIS CLEANER/SUBURBAN CLEANERS  
 337 EAST BAYVIEW BOULEVARD  
 NORFOLK, VA 23503**

**VA DRYCLEANERS S106480166  
 N/A**

DRYCLEANERS:

DEQ Region: TRO  
 Registration Number: 61292  
 SIC: 7216  
 FIPS: 710  
 Oper Status: Operating  
 Mailing Address: 337 East Bayview Boulevard  
 Mailing City, St, Zip: Norfolk, VA 23503  
 SI Number: 380  
 SEQ Description: DRY-TO-DRY MACHINE  
 Plant Classification: True Minor  
 FAC Inserted Date: 12/1/1999 5:16:31 PM  
 FAC Changed Date: 1/10/2008 2:47:54 PM

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

177 BAYVIEW TIDEWATER DEVELOPMENT COMPANY LLC VA UST U003906773  
 330 E BAYVIEW BLVD N/A  
 NORFOLK, VA 23503

UST:

Facility:

Facility Id: 5038832  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000208950

Owner:

Facility Id: 5038832  
 Owner Id: 39600  
 Owner Name: Bayview Tidewater Development Co LLC  
 Owner Address: 200 BROADWAY ST  
 Owner Address2: SUITE 227  
 Owner City, State, Zip: NEW ORLEANS, LA 70188  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 1000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

177 BAYVIEW TIDEWATER DEVELOPMENT COMPANY LLC PROPERTY VA LUST S105788354  
 330 E BAYVIEW BLVD VA LTANKS N/A  
 NORFOLK, VA 23503

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000208950  
**Facility Status: Closed**  
 Completed Date: 12/26/2002  
 Pollution Complaint Num: 20035063  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000208950  
**Facility Status: Closed**  
 Completed Date: 07/22/2003  
 Pollution Complaint Num: 20035063  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000208950  
**Case Status: Closed**

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

---

**BAYVIEW TIDEWATER DEVELOPMENT COMPANY LLC PROPERTY (Continued)**

**S105788354**

Pollution Complaint #: 20035063  
 Reported: 26-DEC-2002

**178 MASON'S CREEK 8500 GRAMBY STREET  
 MASON'S CREEK 8500 GRAMBY STREET  
 NORFOLK, VA**

**ERNS 91218045  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

**179 8510 CIRCLE DRIVE  
 NORFOLK, VA**

**VA SPILLS S105943691  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	97-1705
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105943691

Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/2/1996
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	ANNONYMOUS NEXT DOOR NEIGHBOR COMPAIN. DALE, A MECHANIC, MAINTAINS SEVERAL CARS ON PROPERTY. NO FENCE. HE USED SIX CANS OF PAINT TO SPRAY PAINT TO COATCAR ROOF. ALLOWED ME TO LOOK IN GARAGE-NO AIR COMPRESSOR-3 CANS PAINT. NO PAINT FALLOUT, OVERSPRAY. NO LINGERING FUMES. DEQ DOES NOT REGULATE WELDING, DALE'S PROP. SCHED. FOR INSPECTION BY FIRE DEPT. AND CITY FOR COMPLIANCE W/ CITY ORDINANCES. DISCUSSED W/ COMPLAINANT.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	7/2/1996
Incident Time:	16:16
Incident Type:	AIR
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

180

**CLUFF HAP RESIDENCE**  
**262 LOUVICK ST**  
**NORFOLK, VA 23503**

**VA LUST S108106584**  
**VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000224534  
**Facility Status: Closed**  
 Completed Date: 07/20/2006  
 Pollution Complaint Num: 20075006  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CLUFF HAP RESIDENCE (Continued)**

**S108106584**

Facility ID: 200000224534  
**Facility Status: Closed**  
 Completed Date: 01/07/2009  
 Pollution Complaint Num: 20075006  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000224534  
**Case Status: Closed**  
 Pollution Complaint #: 20075006  
 Reported: 20-JUL-2006

181

**TIDEWATER TRENCHES  
 8500 TIDEWATER DRIVE  
 NORFOLK, VA 23501**

**CERC-NFRAP**

**1003866917  
 VAD988196929**

CERC-NFRAP:

Site ID: 0304360  
 Federal Facility: Not a Federal Facility  
 NPL Status: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

CERCLIS-NFRAP Assessment History:

Action: DISCOVERY  
 Date Started: Not reported  
 Date Completed: 04/11/1991  
 Priority Level: Not reported

Action: ARCHIVE SITE  
 Date Started: Not reported  
 Date Completed: 02/03/1992  
 Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT  
 Date Started: Not reported  
 Date Completed: 02/03/1992  
 Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

182

**FOREST LAWN CEMETERY  
 8100 GRANBY ST  
 NORFOLK, VA 23513**

**VA UST**

**U003692216  
 N/A**

UST:

Facility:

Facility Id: 5022544  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000065187

Owner:

Facility Id: 5022544  
 Owner Id: 36756

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOREST LAWN CEMETERY (Continued)**

**U003692216**

Owner Name:	CITY OF NORFOLK DEVELOPMENT DEPARTMENT
Owner Address:	CITY HALL BUILDING, ROOM 600
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23510
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	G1
Tank Capacity:	1000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5022544
Own Id:	36756
Tank Number:	G1
Install Date:	01-AUG-1967
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5022544
Own Id:	36756
Tank Number:	G1
Install Date:	01-AUG-1967
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FOREST LAWN CEMETERY (Continued)**

**U003692216**

Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5022544
Own Id:	36756
Tank Number:	G1
Install Date:	01-AUG-1967
Tank Status:	CLS IN GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

183

**CROWN - HOLIDAY FOOD STORE - 8338 8340 TIDEWATER D  
 8338 8340 TIDEWATER DR  
 NORFOLK, VA 23518**

**VA LUST S106906394  
 VA LTANKS N/A**

LUST REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000064935
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	04/13/2005
Pollution Complaint Num:	20055156
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported

Region:	TD
Region Code:	TRO
Facility ID:	200000064935
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	05/03/2005
Pollution Complaint Num:	20055156
Fed Regulated Tank:	Yes
Phase Code:	CLOSURE
Event Description:	Case Closure Date - Letter Sent



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CROWN - HOLIDAY FOOD STORE - 8338 8340 TIDEWATER D (Continued)**

**S106906394**

Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064935  
**Case Status: Closed**  
 Pollution Complaint #: 20055156  
 Reported: 13-APR-2005

184

**HRSD-TERMINAL BOULEVARD PUMP STATION  
 7809 NEWPORT AVENUE  
 NORFOLK, VA 23509**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003691422  
 N/A**

UST:

Facility:

Facility Id: 5016322  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000067255

Owner:

Facility Id: 5016322  
 Owner Id: 33681  
 Owner Name: HRSD - Hampton Roads Sanitation District  
 Owner Address: 1436 Air Rail Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23455  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 2500  
 Tank Contents: DIESEL  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5016322  
 Own Id: 33681  
 Tank Number: 1  
 Install Date: 01-FEB-1994  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled Y  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**HRSD-TERMINAL BOULEVARD PUMP STATION (Continued)**

**U003691422**

Release:

Tank Type:	UST
Fac Id:	5016322
Own Id:	33681
Tank Number:	1
Install Date:	01-FEB-1994
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016322
Own Id:	33681
Tank Number:	1
Install Date:	01-FEB-1994
Tank Status:	CURR IN USE
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	Y
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5016322
FRP Financial Assurance:	Full
Owner Name:	HRSD-Terminal Boulevard Pump Station

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HRSD-TERMINAL BOULEVARD PUMP STATION (Continued)**

**U003691422**

ROF Own Id: 33681  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: HRSD - Terminal Boulevard Pump Station  
 CEDS Facility Id: 200000067255  
 Tank Type Count: 1  
 Location: Not reported

185

**VDOT  
 I-64 & GRANBY STREET  
 NORFOLK, VA 23510**

**VA LUST  
 VA LTANKS  
 VA UST**

**U003692704  
 N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067529  
**Facility Status: Closed**  
 Completed Date: 10/04/1990  
 Pollution Complaint Num: 19910514  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: VAPORS ENCOUNTERED DURING CONSTRUCTION ACTIVITIES.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067529  
**Facility Status: Closed**  
 Completed Date: 12/22/1992  
 Pollution Complaint Num: 19910514  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000067529  
**Case Status: Closed**  
 Pollution Complaint #: 19910514  
 Reported: 04-OCT-1990

**UST:**

Facility:  
 Facility Id: 5026444  
 Facility Type: STATE  
 CEDS Facility ID: 200000067529

Owner:  
 Facility Id: 5026444  
 Owner Id: 30159

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT (Continued)**

**U003692704**

Owner Name:	VDOT
Owner Address:	1221 E Broad St
Owner Address2:	Not reported
Owner City, State, Zip:	Richmond, VA 23219
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5026444
Own Id:	30159
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5026444
Own Id:	30159
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT (Continued)**

**U003692704**

Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5026444
Own Id:	30159
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

186

**537 DIXIE DRIVE  
 537 DIXIE DRIVE  
 NORFOLK, VA**

**ERNS 91215670  
 N/A**

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

187

**THE FILM FACTORY FOTEK CORP  
 7862 TIDEWATER DR  
 NORFOLK, VA 23505**

**RCRA-SQG 1000992888  
 FINDS VA0001016104**

RCRA-SQG:

Date form received by agency:	01/23/1995
Facility name:	THE FILM FACTORY FOTEK CORP
Facility address:	7862 TIDEWATER DR NORFOLK, VA 23505
EPA ID:	VA0001016104
Mailing address:	5314 PROVIDENCE RD VIRGINIA BEACH, VA 23464
Contact:	MICHELLE DARLING
Contact address:	5314 PROVIDENCE RD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE FILM FACTORY FOTEK CORP (Continued)**

**1000992888**

VIRGINIA BEACH, VA 23464  
 Contact country: US  
 Contact telephone: (804) 424-0177  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: DR M DAVID GLADSTONE  
 Owner/operator address: 5314 PROVIDENCE RD  
 VIRGINIA BEACH, VA 23464  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 424-0177  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined  
 Waste code: D011  
 Waste name: SILVER

Violation Status: No violations found

FINDS:

Registry ID: 110005215757

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**THE FILM FACTORY FOTEK CORP (Continued)**

**1000992888**

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

187

**CROSSROADS ELEMENTARY  
 7920 TIDEWATER DR  
 NORFOLK, VA 23505**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003692351  
 N/A**

UST:

Facility:

Facility Id: 5023311  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000090916

Owner:

Facility Id: 5023311  
 Owner Id: 31434  
 Owner Name: Norfolk Public Schools  
 Owner Address: 966 Bellmore Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 7500  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5023311  
 Own Id: 31434  
 Tank Number: R1  
 Install Date: 22-JAN-1975  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CROSSROADS ELEMENTARY (Continued)**

**U003692351**

Fac Id: 5023311  
 Own Id: 31434  
 Tank Number: R1  
 Install Date: 22-JAN-1975  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5023311  
 Own Id: 31434  
 Tank Number: R1  
 Install Date: 22-JAN-1975  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R2  
 Tank Capacity: 7500  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CROSSROADS ELEMENTARY (Continued)**

**U003692351**

Tank Material:

Tank Type:	UST
Fac Id:	5023311
Own Id:	31434
Tank Number:	R2
Install Date:	22-JAN-1975
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5023311
Own Id:	31434
Tank Number:	R2
Install Date:	22-JAN-1975
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023311

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CROSSROADS ELEMENTARY (Continued)**

**U003692351**

Own Id: 31434  
 Tank Number: R2  
 Install Date: 22-JAN-1975  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel Y  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5023311  
 FRP Financial Assurance: No  
 Owner Name: CROSSROADS ELEMENTARY  
 ROF Own Id: 31434  
 Tank Type: UST  
 Mechanism: LOGO Guar/NO State Stdby  
 Gallonage: Not reported  
 Per Occurrence: 10000  
 Third Party: 30000  
 Annual Aggregate: 40000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Norfolk City of - Crossroads Elementry School  
 CEDS Facility Id: 200000090916  
 Tank Type Count: 2  
 Location: 7920 Tidewater Dr

187

**CROSSROADS ELEMENTARY SCHOOL  
 7920 TIDEWATER DRIVE  
 NORFOLK, VA 23505**

**RCRA-SQG 1014922012  
 VAR000520189**

RCRA-SQG:

Date form received by agency: 07/13/2011  
 Facility name: CROSSROADS ELEMENTARY SCHOOL  
 Facility address: 7920 TIDEWATER DRIVE  
 NORFOLK, VA 23505  
 EPA ID: VAR000520189  
 Contact: MARY BEERS  
 Contact address: 7920 TIDEWATER DRIVE  
 NORFOLK, VA 23505  
 Contact country: US  
 Contact telephone: (757) 631-3050  
 Contact email: MBEERS@NPS.K12.VA.US  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CROSSROADS ELEMENTARY SCHOOL (Continued)**

**1014922012**

month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

**Owner/Operator Summary:**

Owner/operator name: NORFOLK PUBLIC SCHOOLS  
 Owner/operator address: 800 E. CITY HALL AVE  
 NORFOLK, VA 23501  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Municipal  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/1946  
 Owner/Op end date: Not reported

Owner/operator name: NORFOLK PUBLIC SCHOOLS  
 Owner/operator address: Not reported  
 VA  
 Owner/operator country: US  
 Owner/operator telephone: Not reported  
 Legal status: Municipal  
 Owner/Operator Type: Operator  
 Owner/Op start date: 01/01/1946  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D008  
 Waste name: LEAD

Violation Status: No violations found

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**188 FOWLER ROBERT RESIDENCE  
 7705 FAYVER AVENUE  
 NORFOLK, VA 23505**

**VA LUST S104825506  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000199272  
**Facility Status: Closed**  
 Completed Date: 12/21/2000  
 Pollution Complaint Num: 20015076  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000199272  
**Facility Status: Closed**  
 Completed Date: 03/29/2001  
 Pollution Complaint Num: 20015076  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000199272  
**Case Status: Closed**  
 Pollution Complaint #: 20015076  
 Reported: 21-DEC-2000

**189 SUNOCO SERVICE STATION  
 287 E LITTLE CREEK D  
 NORFOLK, VA 23505**

**RCRA-NonGen 1000329845  
 FINDS VAD000755298**

RCRA-NonGen:

Date form received by agency: 08/18/1980  
 Facility name: SUNOCO SERVICE STATION  
 Facility address: 287 E LITTLE CREEK D  
 NORFOLK, VA 23505  
 EPA ID: VAD000755298  
 Contact: DON GRAY  
 Contact address: 287 E LITTLE CREEK D  
 NORFOLK, VA 23505  
 Contact country: US  
 Contact telephone: (301) 341-0100  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**SUNOCO SERVICE STATION (Continued)**

**1000329845**

Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: SUN OIL COMPANY OF PA  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999

Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

**FINDS:**

Registry ID: 110005217194

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SUNOCO SERVICE STATION (Continued)**

**1000329845**

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

189

**303 E LITTLE CRK RD SENTRY #49  
 NORFOLK, VA**

**VA SPILLS S105948577  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	94-1332
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105948577

Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 12/20/1993  
 Source: UST  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: HIGH SOIL TPH DISCOVERED DURING LINE REPLACEMENT AT CLOSED OUT SITE  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 12/20/1993  
 Incident Time: 15:28  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

189

RACECOAST  
 303 E LITTLE CREEK RD  
 NORFOLK, VA 23505

VA LUST U003689998  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status:** Closed  
 Completed Date: 08/23/2005  
 Pollution Complaint Num: 20065026  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status:** Closed  
 Completed Date: 03/03/2006  
 Pollution Complaint Num: 20065026  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status:** Closed  
 Completed Date: 12/20/1993  
 Pollution Complaint Num: 19941332

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

RACECOAST (Continued)

U003689998

Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HOT SOILS FOUND DURING LINE REPLACEMENT.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status: Closed**  
 Completed Date: 08/20/1994  
 Pollution Complaint Num: 19941332  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status: Closed**  
 Completed Date: 03/21/1997  
 Pollution Complaint Num: 19972209  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SUSPECTED RELEASE

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status: Closed**  
 Completed Date: 03/02/1999  
 Pollution Complaint Num: 19972209  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status: Closed**  
 Completed Date: 06/07/1989  
 Pollution Complaint Num: 19891703  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL & GW CONTAMINATION REPORTED (DATA INCLUDED).

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066961  
**Facility Status: Closed**  
 Completed Date: 11/05/1990  
 Pollution Complaint Num: 19891703  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066961  
**Case Status: Closed**  
 Pollution Complaint #: 19972209  
 Reported: 21-MAR-1997

Region: TRO  
 CEDS Facility Id: 200000066961  
**Case Status: Closed**  
 Pollution Complaint #: 19941332  
 Reported: 20-DEC-1993

Region: TRO  
 CEDS Facility Id: 200000066961  
**Case Status: Closed**  
 Pollution Complaint #: 19891703  
 Reported: 07-JUN-1989

Region: TRO  
 CEDS Facility Id: 200000066961  
**Case Status: Closed**  
 Pollution Complaint #: 20065026  
 Reported: 23-AUG-2005

UST:

Facility:

Facility Id: 5007001  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000066961

Owner:

Facility Id: 5007001  
 Owner Id: 46108  
 Owner Name: SSOPCO I LLC  
 Owner Address: 3161 S Battlefield Blvd  
 Owner Address2: Not reported  
 Owner City, State, Zip: Chesapeake, VA 23322  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5007001  
 Owner Id: 42560  
 Owner Name: Racecoast LLC  
 Owner Address: 2041 N Battlefield Blvd Ste 103  
 Owner Address2: Not reported  
 Owner City, State, Zip: Chesapeake, VA 23324  
 UST Status: N/A  
 AST Status: N/A

Facility Id: 5007001  
 Owner Id: 34357  
 Owner Name: Angus I. Hines Inc

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Owner Address:	PO Box 1080
Owner Address2:	1426 Holland Road Suffolk, 23434
Owner City, State, Zip:	Suffolk, VA 23439
UST Status:	Reg
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	1
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	StiP3 impressed current added 2002
Release:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	1
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	flapper
Pipe Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	1
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Total Containment flex (white)
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	2
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Tank Materials: Other	N
Tank Materials: Other Note	StiP3 impressed current added 2002
Release:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	2
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	flapper
Pipe Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	2
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Total Containment flex (white_

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Tank Number:	3
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	3
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	StiP3 impressed current added 2002
Release:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	46108
Tank Number:	3
Install Date:	01-DEC-1986
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

RACECOAST (Continued)

U003689998

Pipe Release Detection: Other Note flapper

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5007001  
 Own Id: 46108  
 Tank Number: 3  
 Install Date: 01-DEC-1986  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other Y  
 Pipe Materials: Other Note Total Containment flex (blue)

Tank Number: R1  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5007001  
 Own Id: 34357  
 Tank Number: R1  
 Install Date: 16-APR-1972  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5007001  
 Own Id: 34357  
 Tank Number: R1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R1
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Own Id:	34357
Tank Number:	R2
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R2
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R2
Install Date:	16-APR-1972



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	UST
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R3
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	UST
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R3
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R3
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	550
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R4
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R4
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007001
Own Id:	34357
Tank Number:	R4
Install Date:	16-APR-1972
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RACECOAST (Continued)**

**U003689998**

Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5007001  
 FRP Financial Assurance: Full  
 Owner Name: Racecoast  
 ROF Own Id: 34357  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Sentry Food Mart 49  
 CEDS Facility Id: 200000066961  
 Tank Type Count: 4  
 Location: Not reported

Facility ID: 5007001  
 FRP Financial Assurance: Full  
 Owner Name: Racecoast  
 ROF Own Id: 46108  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$1,000,000  
 Third Party: \$1,000,000  
 Annual Aggregate: \$1,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Sentry Food Mart 49  
 CEDS Facility Id: 200000066961  
 Tank Type Count: 3  
 Location: Not reported

190

**GREEN CLEAN - 501 E LITTLE CREEK RD  
 501 E LITTLE CREEK RD  
 NORFOLK, VA 23505**

**VA LUST S110649491  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854620  
**Facility Status: Closed**  
 Completed Date: 12/13/2010  
 Pollution Complaint Num: 20115057  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GREEN CLEAN - 501 E LITTLE CREEK RD (Continued)**

**S110649491**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854620  
**Facility Status: Closed**  
 Completed Date: 03/28/2011  
 Pollution Complaint Num: 20115057  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000854620  
**Case Status: Closed**  
 Pollution Complaint #: 20115057  
 Reported: 13-DEC-2010

190

**GREEN CLEAN PROPERTY  
 501 E LITTLE CREEK RD  
 NORFOLK, VA 23505**

**VA UST U004178858  
 N/A**

UST:

Facility:

Facility Id: 5041862  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000854620

Owner:

Facility Id: 5041862  
 Owner Id: 46655  
 Owner Name: Green Clean LLC  
 Owner Address: P O Box 1550  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23471  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Number: 3  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site Database(s) EDR ID Number  
 EPA ID Number

**GREEN CLEAN PROPERTY (Continued)**

**U004178858**

**Tank Status:** REM FROM GRD  
 Tank Type: UST

**191 DENBY PARK DAY CARE CENTER INC FINDS 1004609984**  
**369 FORTH WORTH AVE N/A**  
**NORFOLK, VA 23505**

**FINDS:**

Registry ID: 110010615584

**Environmental Interest/Information System**

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

**191 DENBY PARK DAY CARE CENTER INC ICIS 1011601101**  
**369 FORTH WORTH AVE NORFOLK VA 23505 N/A**  
**NORFOLK, VA 23505**

**ICIS:**

Enforcement Action ID: 03-1989-0266  
 FRS ID: 110010615584  
 Program ID: FRS 110010615584  
 Action Name: DENBY PARK PRIVATE SCHOOL  
 Facility Name: DENBY PARK DAY CARE CENTER INC  
 Facility Address: 369 FORTH WORTH AVE NORFOLK VA 23505  
 NORFOLK, Virginia 23505  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Norfolk City  
 EPA Region #: 3

Program ID: FRS 110010615584  
 Facility Name: DENBY PARK DAY CARE CENTER INC  
 Address: 369 FORTH WORTH AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 36.917192  
 Longitude: -76.263049

Program ID: FRS 110010615584

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DENBY PARK DAY CARE CENTER INC (Continued)**

1011601101

Facility Name: DENBY PARK DAY CARE CENTER INC  
 Address: 369 FORTH WORTH AVE  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 36.917192  
 Longitude: -76.263049

191

**DENBY PARK PRIVATE SCHOOL  
 369 FORT WORTH AVENUE  
 NORFOLK, VA 23505**

**FINDS 1006276655  
 N/A**

**FINDS:**

Registry ID: 110011480094

**Environmental Interest/Information System**

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

192

**7718 GRANBY STREET  
 NORFOLK, VA**

**VA LUST S105945591  
 VA LTANKS N/A  
 VA SPILLS**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000221247  
**Facility Status: Closed**  
 Completed Date: 05/31/2005  
 Pollution Complaint Num: 20055183  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000221247  
**Facility Status: Closed**  
 Completed Date: 06/10/2005  
 Pollution Complaint Num: 20055183  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000221247  
**Case Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105945591

Pollution Complaint #: 20055183  
 Reported: 31-MAY-2005

SPILLS TD:

Region:	TD
PC Number:	94-2419
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**(Continued)**

**S105945591**

NOV Number:	Not reported
Date Received:	2/28/1994
Source:	SPILLAGE DURING FILLING OF 275 GAL AST
Summary:	Not reported
Comments:	Not reported
Report Notes:	OIL SPILLAGE AFFECTED AN ADJACDNT PROPERTY; COVERED WITH GRAVEL; THE SUBJECT AST WAS ALSO MOVED AND PLACED ON COCRETE PAD ON SITE.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

192

**7726 GRANBY ST, EXXON #21658  
 NORFOLK, VA**

**VA SPILLS S105949434  
 N/A**

**SPILLS TD:**

Region:	TD
PC Number:	Not reported
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105949434

Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 7/2/1992  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: HOPE COLLINS OF EXXON ALSO REPORTED. GASOLINE SPILLED WHEN CAR RAMMED A DISPENSER. CONTAINED/ABSORBED.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 7/2/1992  
 Incident Time: 10:40  
 Incident Type: PETROLEUM  
 Stream: STORM DRAINS  
 Spill Volume: 50  
 Spill Unit: Not reported  
 Volume To State Water: 5

192

**EXXON #21658  
 7726 GRANBY ST  
 NORFOLK, VA 23505**

**VA LUST U003690446  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000065086  
**Facility Status: Closed**  
 Completed Date: 05/03/1990  
 Pollution Complaint Num: 19901517  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: FREE PRODUCT IN MONITORING WELL-USTS ARE OUT OF SERVICE.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #21658 (Continued)**

**U003690446**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065086  
**Facility Status: Closed**  
 Completed Date: 04/17/1998  
 Pollution Complaint Num: 19901517  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: AAF APPROVED FOR MW ABANDONMENT

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065086  
**Case Status: Closed**  
 Pollution Complaint #: 19901517  
 Reported: 03-MAY-1990

UST:

Facility:

Facility Id: 5009919  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065086

Owner:

Facility Id: 5009919  
 Owner Id: 41937  
 Owner Name: Raciborski Investment Associates LLC  
 Owner Address: 7726 Granby Street  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23505  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5009919  
 Owner Id: 40064  
 Owner Name: ExxonMobil Corporation c/o Gilbarco Veeder Root  
 Owner Address: 7300 W Friendly Ave MS F76  
 Owner Address2: PO Box 22087  
 Owner City, State, Zip: Greensboro, NC 27420  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 8000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5009919  
 Own Id: 41937  
 Tank Number: 1  
 Install Date: 31-DEC-1982

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #21658 (Continued)**

**U003690446**

Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	1
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Ball Float Valve
Pipe Material:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	1
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #21658 (Continued)**

**U003690446**

Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5009919  
 Own Id: 41937  
 Tank Number: 2  
 Install Date: 31-DEC-1982  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5009919  
 Own Id: 41937  
 Tank Number: 2  
 Install Date: 31-DEC-1982  
 Tank Status: CURR IN USE  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #21658 (Continued)**

**U003690446**

Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Ball Float Valve
Pipe Material:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	2
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	3
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #21658 (Continued)**

**U003690446**

Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	3
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Ball Float Value
Pipe Material:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	3
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #21658 (Continued)**

**U003690446**

Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	4
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	4
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #21658 (Continued)**

**U003690446**

Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Ball Float Valve

Pipe Material:

Tank Type:	UST
Fac Id:	5009919
Own Id:	41937
Tank Number:	4
Install Date:	31-DEC-1982
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	5
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5009919
Own Id:	40064
Tank Number:	5
Install Date:	01-AUG-1990
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #21658 (Continued)**

**U003690446**

Release:

Tank Type:	UST
Fac Id:	5009919
Own Id:	40064
Tank Number:	5
Install Date:	01-AUG-1990
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009919
Own Id:	40064
Tank Number:	5
Install Date:	01-AUG-1990
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R5
Tank Capacity:	1000
Tank Contents:	USED OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #21658 (Continued)**

**U003690446**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009919
Own Id:	40064
Tank Number:	R5
Install Date:	31-DEC-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5009919
Own Id:	40064
Tank Number:	R5
Install Date:	31-DEC-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #21658 (Continued)**

**U003690446**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5009919  
 Own Id: 40064  
 Tank Number: R5  
 Install Date: 31-DEC-1982  
 Tank Status: REM FROM GRD  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

VA FINANCIAL ASSURANCE:

Facility ID: 5009919  
 FRP Financial Assurance: Full  
 Owner Name: Exxon #21658  
 ROF Own Id: 40064  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Exxon 21658  
 CEDS Facility Id: 200000065086  
 Tank Type Count: 4  
 Location: Not reported

Facility ID: 5009919  
 FRP Financial Assurance: Full  
 Owner Name: Exxon #21658  
 ROF Own Id: 41937  
 Tank Type: UST  
 Mechanism: Insurance  
 Gallonage: Not reported  
 Per Occurrence: \$1,000,000  
 Third Party: \$1,000,000  
 Annual Aggregate: \$1,000,000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Exxon 21658  
 CEDS Facility Id: 200000065086  
 Tank Type Count: 4  
 Location: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

192	7726 GRANBY ST 7726 GRANBY ST NORFOLK, VA	ERNS	92272324 N/A
-----	---	------	-----------------

[Click this hyperlink](#) while viewing on your computer to access additional ERNS detail in the EDR Site Report.

192	EXXON CO U S A RA521658 7726 GRANBY ST NORFOLK, VA 23505	RCRA-CESQG FINDS	1000335753 VAD982366007
-----	--	---------------------	----------------------------

RCRA-CESQG:

Date form received by agency: 02/14/1994

Facility name: EXXON CO U S A RA521658

Site name: EXXON CO USA #21658

Facility address: 7726 GRANBY ST  
NORFOLK, VA 235050000

EPA ID: VAD982366007

Mailing address: P.O. BOX 2180  
HOUSTON, TX 772522180

Contact: ALDA S POOL

Contact address: Not reported  
Not reported

Contact country: Not reported

Contact telephone: (713) 656-7709

Contact email: Not reported

EPA Region: 03

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME

Owner/operator address: OPERSTREET  
OPERCITY, AK 99999

Owner/operator country: Not reported

Owner/operator telephone: (215) 555-1212

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: EXXON CO U S A

Owner/operator address: 3225 GALLOWS RD  
FAIRFAX, VA 22037

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON CO U S A RA521658 (Continued)**

**1000335753**

Owner/operator country: Not reported  
 Owner/operator telephone: (281) 293-3579  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 02/11/1988  
 Facility name: EXXON CO U S A RA521658  
 Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005233032

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

---

<b>192</b>	<b>WARDS CORNER</b> <b>7661 GRANBY STREET</b> <b>NORFOLK, VA 23503</b>	<b>VA TIER 2</b> <b>S110608889</b> <b>N/A</b>
------------	--	--

TIER 2:

CAS Number:	7664-93-9
SIC Code:	517212
NAICS:	Not reported
Entered Chemical Name:	Sulfuric acid
Average Amt Code:	2
Owner Name:	Richard A. Craig
Owner Phone:	800-488-7900
Contact Type:	Not reported

CAS Number:	7664-93-9
SIC Code:	517212
NAICS:	Not reported
Entered Chemical Name:	Sulfuric acid
Average Amt Code:	2
Owner Name:	Richard A. Craig
Owner Phone:	908-559-7260
Contact Type:	Not reported

<b>193</b>	<b>MERCHANTS TIRE &amp; AUTO 05005</b> <b>610 E LITTLE CREEK RD</b> <b>NORFOLK, VA 23505</b>	<b>RCRA-NonGen</b> <b>1000581887</b> <b>FINDS</b> <b>VAD988206652</b>
------------	--	--

RCRA-NonGen:

Date form received by agency:	08/08/1997
Facility name:	MERCHANTS TIRE & AUTO 05005
Facility address:	610 E LITTLE CREEK RD NORFOLK, VA 23505
EPA ID:	VAD988206652
Mailing address:	9073 EUCLID AVE MANASSAS, VA 22110
Contact:	Not reported
Contact address:	Not reported
Contact country:	Not reported
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	03
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	OVERTON MARKETS INC
Owner/operator address:	1400 DOMINION NORFOLK, VA 23510
Owner/operator country:	Not reported
Owner/operator telephone:	(804) 640-8200
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**MERCHANTS TIRE & AUTO 05005 (Continued)**

**1000581887**

Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 10/21/1991  
 Facility name: MERCHANTS TIRE & AUTO 05005  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008  
 Waste name: LEAD

Waste code: D018  
 Waste name: BENZENE

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Violation Status: No violations found

FINDS:

Registry ID: 110005248525

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

194

VA SPILLS S105945864  
 N/A

**200 E. LITTLE CREEK ROAD  
 NORFOLK, VA**

SPILLS TD:

Region:	TD
PC Number:	94-3248
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105945864

Date Received: 4/2/1994  
 Source: UNKNOWN  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: OIL IN A STORM DRAIN, 200 E. LITTLE CREEK ROAD, QUANTITY UNKNOWN, SOURCE UNKNOWN  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 4/2/1994  
 Incident Time: 12:00  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: Not reported  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

194

**FORMER DRUG EMPORIUM  
 201 E LITTLE CREEK RD  
 NORFOLK, VA 23518**

VA UST U003692851  
 N/A

UST:

Facility:

Facility Id: 5027557  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065193

Owner:

Facility Id: 5027557  
 Owner Id: 33577  
 Owner Name: AMERICAN REAL ESTATE HOLDING LTD PR  
 Owner Address: 100 SOUTH BEDFORD ROAD  
 Owner Address2: Not reported  
 Owner City, State, Zip: MOUNT KISCO, NY 10549  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 2000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5027557  
 Own Id: 33577  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**FORMER DRUG EMPORIUM (Continued)**

**U003692851**

Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5027557
Own Id:	33577
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5027557
Own Id:	33577
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FORMER DRUG EMPORIUM (Continued)**

**U003692851**

Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

194

**DRUG EMPORIUM - FORMER  
 201 E LITTLE CREEK RD  
 NORFOLK, VA 23518**

**VA LUST S109252819  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065193  
**Facility Status: Closed**  
 Completed Date: 10/25/1995  
 Pollution Complaint Num: 19962294  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: 2,000 GAL. SUSPECTED GAS UST, SHEENS ON GW OBSERVED DURING  
 uEXCAVATION.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065193  
**Facility Status: Closed**  
 Completed Date: 12/21/1995  
 Pollution Complaint Num: 19962294  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

194

**FENTRESS CHARITABLE TRUST PROPERTY  
 211 E LITTLE CREEK RD  
 NORFOLK, VA 23505**

**VA LUST S105985300  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065553  
**Facility Status: Closed**  
 Completed Date: 12/16/1992  
 Pollution Complaint Num: 19931184  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH FOUND DURING ASSESSMENT- ACESS. REPORT RCVD. 12-28-92.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065553  
**Facility Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FENTRESS CHARITABLE TRUST PROPERTY (Continued)**

**S105985300**

Completed Date: 03/19/1993  
 Pollution Complaint Num: 19931184  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065553  
**Facility Status: Closed**  
 Completed Date: 04/02/2004  
 Pollution Complaint Num: 20045154  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065553  
**Facility Status: Closed**  
 Completed Date: 04/12/2004  
 Pollution Complaint Num: 20045154  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065553  
**Case Status: Closed**  
 Pollution Complaint #: 20045154  
 Reported: 02-APR-2004

Region: TRO  
 CEDS Facility Id: 200000065553  
**Case Status: Closed**  
 Pollution Complaint #: 19931184  
 Reported: 16-DEC-1992

194

**HOME HEADQUARTERS PROPERTY**  
**211 E LITTLE CREEK RD**  
**NORFOLK, VA 23505**

**VA UST U003966632**  
**N/A**

UST:

Facility:  
 Facility Id: 5026611  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000065553

Owner:  
 Facility Id: 5026611  
 Owner Id: 32127  
 Owner Name: HOME HEADQUARTERS  
 Owner Address: 1616 MCCORMICK ROAD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

HOME HEADQUARTERS PROPERTY (Continued)

U003966632

Owner Address2:	Not reported
Owner City, State, Zip:	LANDOVER, MD 20785
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	Not reported
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5026611
Own Id:	32127
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5026611
Own Id:	32127
Tank Number:	1
Install Date:	Not reported
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

HOME HEADQUARTERS PROPERTY (Continued)

U003966632

Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5026611  
 Own Id: 32127  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: PERM OUT OF USE  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

194

HILL PROPERTY  
 227 E LITTLE CREEK RD  
 NORFOLK, VA 23505

VA LUST S105118431  
 VA LTANKS N/A

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000065518  
**Facility Status: Closed**  
 Completed Date: 03/18/1992  
 Pollution Complaint Num: 19921683  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH DURING SITE ASSESSMENT.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065518  
**Facility Status: Closed**  
 Completed Date: 06/03/1994  
 Pollution Complaint Num: 19921683  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED./

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**HILL PROPERTY (Continued)**

**S105118431**

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065518  
**Case Status: Closed**  
 Pollution Complaint #: 19921683  
 Reported: 18-MAR-1992

194

**FARM FRESH  
 230 EAST LITTLE CREEK ROAD  
 NORFOLK (County), VA**

**VA SPILLS S109380066  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: Not reported  
 Incident Response: 2009-T-0303  
 Incident Date: 9/20/2008  
 Time In: 11:02:00 AM  
 Facility Permitted: False  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: 9/20/2008  
 Incident Time: 7:00:00 AM  
 Petroleum: False  
 Solid Waste: False  
 Haz Waste: False  
 Water: False  
 Air: True  
 Sewage: False  
 Fish Killed: False  
 Medical Waste: False  
 Wetland: False  
 Terrorism: False  
 Material Released: FREON  
 Possible Receptors: Not reported  
 Qty Released: 900  
 Unit: POUNDS  
 Qty In Water: 0  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: 9/22/2008**  
 Dt Ref Air C/m: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**FARM FRESH (Continued)**

**S109380066**

Air Reg Permit #: Not reported  
 Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: Not reported  
 Source: Not reported  
 Summary: FREON RELEASED FROM COMPRESSOR IN MECHANICAL ROOM; NORFOLK FIRE DEPT RESPONDED; NO PREP ACTION  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: NORFOLK FIRE DEPT  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7574415812  
 Report By Name: PAYNE  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

194

**GIANT GAS STATION #4  
 230 E LITTLE CREEK RD  
 NORFOLK, VA 23505**

**VA UST U003690006  
 N/A**

UST:

Facility:

Facility Id: 5007010  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065297

Owner:

Facility Id: 5007010  
 Owner Id: 32659  
 Owner Name: FARM FRESH, INC  
 Owner Address: P.O. BOX 1289  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23501  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: UNKNOWN  
**Tank Status: CLS IN GRD**  
 Tank Type: UST

Tank Material:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIANT GAS STATION #4 (Continued)**

**U003690006**

Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	1
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	1
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007010
Own Id:	32659

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIANT GAS STATION #4 (Continued)**

**U003690006**

Tank Number:	1
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIANT GAS STATION #4 (Continued)**

**U003690006**

Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	2
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	10000
Tank Contents:	UNKNOWN
<b>Tank Status:</b>	<b>CLS IN GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	3
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GIANT GAS STATION #4 (Continued)**

**U003690006**

Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	Y
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	3
Install Date:	Not reported
Tank Status:	CLS IN GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5007010
Own Id:	32659
Tank Number:	3
Install Date:	Not reported
Tank Status:	CLS IN GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GIANT GAS STATION #4 (Continued)**

**U003690006**

Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	Y
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

195

**KMART #3365  
 741 E LITTLE CREEK ROAD  
 NORFOLK, VA 23507**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003689487  
 N/A**

UST:

Facility:

Facility Id:	5004041
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000091282

Owner:

Facility Id:	5004041
Owner Id:	31293
Owner Name:	Kmart Corporation
Owner Address:	3100 Big Beaver Rd
Owner Address2:	Not reported
Owner City, State, Zip:	Troy, MI 48084
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number:	1R
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5004041
Own Id:	31293
Tank Number:	1R
Install Date:	15-APR-1976
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KMART #3365 (Continued)**

**U003689487**

Release:

Tank Type:	UST
Fac Id:	5004041
Own Id:	31293
Tank Number:	1R
Install Date:	15-APR-1976
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004041
Own Id:	31293
Tank Number:	1R
Install Date:	15-APR-1976
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5004041
FRP Financial Assurance:	No
Owner Name:	KMART #3365

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**KMART #3365 (Continued)**

**U003689487**

ROF Own Id: 31293  
 Tank Type: UST  
 Mechanism: Guarantee  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Kmart #3365  
 CEDS Facility Id: 200000091282  
 Tank Type Count: 1  
 Location: Not reported

195

**EXXON #24626  
 740 E LITTLE CREEK RD  
 NORFOLK, VA 23518**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003690448  
 N/A**

UST:

Facility:

Facility Id: 5009927  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000065037

Owner:

Facility Id: 5009927  
 Owner Id: 41639  
 Owner Name: WND Land, LLC  
 Owner Address: 740 E Little Creek Road  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23518  
 UST Status: N/A  
 AST Status: N/A

Facility Id: 5009927  
 Owner Id: 40064  
 Owner Name: ExxonMobil Corporation c/o Gilbarco Veeder Root  
 Owner Address: 7300 W Friendly Ave MS F76  
 Owner Address2: PO Box 22087  
 Owner City, State, Zip: Greensboro, NC 27420  
 UST Status: Reg  
 AST Status: N/A

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5009927  
 Own Id: 41639  
 Tank Number: 1  
 Install Date: 01-JAN-1983  
 Tank Status: REM FROM GRD



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #24626 (Continued)**

**U003690448**

Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009927
Own Id:	41639
Tank Number:	1
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	ball floats

Pipe Material:

Tank Type:	UST
Fac Id:	5009927
Own Id:	41639
Tank Number:	1
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #24626 (Continued)**

**U003690448**

Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 12000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5009927  
 Own Id: 41639  
 Tank Number: 2  
 Install Date: 01-JAN-1983  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5009927  
 Own Id: 41639  
 Tank Number: 2  
 Install Date: 01-JAN-1983  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #24626 (Continued)**

**U003690448**

Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	ball floats
Pipe Material:	
Tank Type:	UST
Fac Id:	5009927
Own Id:	41639
Tank Number:	2
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	3
Tank Capacity:	8000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009927
Own Id:	41639
Tank Number:	3
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #24626 (Continued)**

**U003690448**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5009927
Own Id:	41639
Tank Number:	3
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	ball floats

Pipe Material:

Tank Type:	UST
Fac Id:	5009927
Own Id:	41639
Tank Number:	3
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #24626 (Continued)**

**U003690448**

Pipe Materials: Other Note	Not reported
Tank Number:	4
Tank Capacity:	1000
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5009927
Own Id:	40064
Tank Number:	4
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5009927
Own Id:	40064
Tank Number:	4
Install Date:	01-JAN-1983
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #24626 (Continued)**

**U003690448**

Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note ball floats

Pipe Material:

Tank Type: UST  
 Fac Id: 5009927  
 Own Id: 40064  
 Tank Number: 4  
 Install Date: 01-JAN-1983  
 Tank Status: REM FROM GRD  
 Pipe Type: GRAVITY  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R5  
 Tank Capacity: 550  
 Tank Contents: KEROSENE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5009927  
 Own Id: 40064  
 Tank Number: R5  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**EXXON #24626 (Continued)**

**U003690448**

Release:

Tank Type:	UST
Fac Id:	5009927
Own Id:	40064
Tank Number:	R5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5009927
Own Id:	40064
Tank Number:	R5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	GRAVITY
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5009927
FRP Financial Assurance:	Full
Owner Name:	Exxon #24626

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON #24626 (Continued)**

**U003690448**

ROF Own Id: 40064  
 Tank Type: UST  
 Mechanism: Financial Test  
 Gallonage: Not reported  
 Per Occurrence: 50000  
 Third Party: 150000  
 Annual Aggregate: 200000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Exxon 24626  
 CEDS Facility Id: 200000065037  
 Tank Type Count: 4  
 Location: Not reported

Facility ID: 5009927  
 FRP Financial Assurance: Full  
 Owner Name: Exxon #24626  
 ROF Own Id: 41639  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 5000  
 Third Party: 15000  
 Annual Aggregate: 20000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Exxon 24626  
 CEDS Facility Id: 200000065037  
 Tank Type Count: 3  
 Location: Not reported

195

**EXXON 24626**  
**740 E LITTLE CREEK RD**  
**NORFOLK, VA 23518**

**VA LUST S105162440**  
**VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000065037  
**Facility Status: Closed**  
 Completed Date: 10/16/2003  
 Pollution Complaint Num: 20045074  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065037  
**Facility Status: Closed**  
 Completed Date: 10/31/2003  
 Pollution Complaint Num: 20045074  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: case closed



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EXXON 24626 (Continued)**

**S105162440**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065037  
**Facility Status: Closed**  
 Completed Date: 11/13/1991  
 Pollution Complaint Num: 19920894  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: ACTUAL DISCOVERY DURING CLOSURE ON 3-20-91.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000065037  
**Facility Status: Closed**  
 Completed Date: 07/28/1994  
 Pollution Complaint Num: 19920894  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000065037  
**Case Status: Closed**  
 Pollution Complaint #: 20045074  
 Reported: 16-OCT-2003

Region: TRO  
 CEDS Facility Id: 200000065037  
**Case Status: Closed**  
 Pollution Complaint #: 19920894  
 Reported: 13-NOV-1991

195

**DOZIERA EXXON SERVICENTER  
 740 E LITTLE CREEK RD-TANKS  
 NORFOLK, VA 23518**

**RCRA-NonGen 1000580769  
 FINDS VAD988194395**

RCRA-NonGen:

Date form received by agency: 02/14/1994  
 Facility name: DOZIERA EXXON SERVICENTER  
 Facility address: 740 E LITTLE CREEK RD-TANKS  
 NORFOLK, VA 23518  
 EPA ID: VAD988194395  
 Mailing address: 740 E LITTLE CREEK RD  
 NORFOLK, VA 23518  
 Contact: Not reported  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DOZIERA EXXON SERVICENTER (Continued)**

**1000580769**

Owner/Operator Summary:

Owner/operator name: EXXON CO USA  
 Owner/operator address: PO BOX 2169  
 HOUSTON, TX 77252  
 Owner/operator country: Not reported  
 Owner/operator telephone: (713) 656-7761  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 03/28/1991  
 Facility name: DOZIERA EXXON SERVICENTER  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 Database(s) EPA ID Number

**DOZIERA EXXON SERVICENTER (Continued)**

**1000580769**

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005242184

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

196 **NORFOLK PAINT COMPANY #2 INCORPORATED**  
**818 E. LITTLE CREEK RD.**  
**NORFOLK, VA 23518**

**VA LUST** **S105984810**  
**VA LTANKS** **N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066328  
**Facility Status: Closed**  
 Completed Date: 01/16/1990  
 Pollution Complaint Num: 19900869  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: HIGH SOIL TPH (CLOSURE REPORT RCVD).

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066328  
**Facility Status: Closed**  
 Completed Date: 08/08/1994  
 Pollution Complaint Num: 19900869  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000066328  
**Case Status: Closed**  
 Pollution Complaint #: 19900869  
 Reported: 16-JAN-1990

197 **SEWELLS PARK APARTMENTS**  
**400 W. LITTLE CREEK RD.**  
**NORFOLK, VA 23505**

**VA UST** **U003691889**  
**N/A**

UST:

Facility:  
 Facility Id: 5020368  
 Facility Type: RESIDENTIAL  
 CEDS Facility ID: 200000066988

Owner:  
 Facility Id: 5020368  
 Owner Id: 33941  
 Owner Name: SEWELLS PARK PROPERTIES  
 Owner Address: BOX 3520  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23514  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 8000  
 Tank Contents: HEATING OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SEWELLS PARK APARTMENTS (Continued)**

**U003691889**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020368
Own Id:	33941
Tank Number:	1
Install Date:	09-MAY-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5020368
Own Id:	33941
Tank Number:	1
Install Date:	09-MAY-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

SEWELLS PARK APARTMENTS (Continued)

U003691889

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5020368  
 Own Id: 33941  
 Tank Number: 1  
 Install Date: 09-MAY-1979  
 Tank Status: REM FROM GRD  
 Pipe Type: NO VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel Y  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5020368  
 Own Id: 33941  
 Tank Number: 2  
 Install Date: 09-MAY-1979  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5020368  
 Own Id: 33941  
 Tank Number: 2  
 Install Date: 09-MAY-1979  
 Tank Status: REM FROM GRD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SEWELLS PARK APARTMENTS (Continued)**

**U003691889**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5020368
Own Id:	33941
Tank Number:	2
Install Date:	09-MAY-1979
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

198

**BONDALE APARTMENTS  
 7603 BONDALE AVENUE  
 NORFOLK, VA 23505**

**VA UST U003698954  
 N/A**

UST:

Facility:

Facility Id:	5020040
Facility Type:	RESIDENTIAL
CEDS Facility ID:	200000064244

Owner:

Facility Id:	5020040
--------------	---------

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BONDALE APARTMENTS (Continued)**

**U003698954**

Owner Id:	29102
Owner Name:	BONDALE APARTMENTS
Owner Address:	7603 BONDALE AVENUE
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23505
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	300
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>PERM OUT OF USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5020040
Own Id:	29102
Tank Number:	1
Install Date:	08-MAY-1961
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5020040
Own Id:	29102
Tank Number:	1
Install Date:	08-MAY-1961
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BONDALE APARTMENTS (Continued)**

**U003698954**

Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5020040
Own Id:	29102
Tank Number:	1
Install Date:	08-MAY-1961
Tank Status:	PERM OUT OF USE
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

199

**SOUTHERN SHOP CNTR-WESTERN AUTO  
 7525 TIDEWATER DRIVE  
 NORFOLK, VA 23505**

**VA UST U003689402  
 N/A**

UST:	
Facility:	
Facility Id:	5003454
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000067101
Owner:	
Facility Id:	5003454
Owner Id:	31105
Owner Name:	AETNA INSTITUTIONAL INVESTORS I
Owner Address:	C/O GOODMAN SEGAR HOGAN INC y9
Owner Address2:	Not reported
Owner City, State, Zip:	NORFOLK, VA 23510
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	
	Yes
Tank Number:	
	R1
Tank Capacity:	
	550

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHERN SHOP CNTR-WESTERN AUTO (Continued)**

**U003689402**

Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003454
Own Id:	31105
Tank Number:	R1
Install Date:	01-JAN-1956
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	Y
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003454
Own Id:	31105
Tank Number:	R1
Install Date:	01-JAN-1956
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SOUTHERN SHOP CNTR-WESTERN AUTO (Continued)**

**U003689402**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5003454  
 Own Id: 31105  
 Tank Number: R1  
 Install Date: 01-JAN-1956  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

200

**PBM PROPERTY**  
**865 E LITTLE CREEK RD**  
**NORFOLK, VA 23518**

**VA LUST S106544793**  
**VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000216225  
**Facility Status: Closed**  
 Completed Date: 07/23/2004  
 Pollution Complaint Num: 20055019  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000216225  
**Facility Status: Closed**  
 Completed Date: 08/02/2004  
 Pollution Complaint Num: 20055019  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000216225  
**Case Status: Closed**  
 Pollution Complaint #: 20055019  
 Reported: 23-JUL-2004

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

201 AMOCO 5176 RCRA-SQG 1000581197  
 7600 GRANBY ST FINDS VAD988199121  
 NORFOLK, VA 23505

RCRA-SQG:

Date form received by agency: 04/24/1991  
 Facility name: AMOCO 5176  
 Facility address: 7600 GRANBY ST  
 NORFOLK, VA 23505  
 EPA ID: VAD988199121  
 Contact: TONI DOUGHERTY  
 Contact address: 7600 GRANBY ST  
 NORFOLK, VA 23505  
 Contact country: US  
 Contact telephone: (301) 625-7858  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: AMOCO OIL COMPANY  
 Owner/operator address: STE 1500 ONE N CHARLES ST  
 BALTIMORE, MD 21201  
 Owner/operator country: Not reported  
 Owner/operator telephone: (301) 625-7856  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999

Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**AMOCO 5176 (Continued)**

**1000581197**

Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005244850

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

201

**BP AMOCO STATION #5176  
 7600 GRANBY ST  
 NORFOLK, VA 23505**

**VA LUST U003689446  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063940  
**Facility Status: Closed**  
 Completed Date: 03/31/1992  
 Pollution Complaint Num: 19921810  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: DURING UST UPGRADING, PETROLEUM ODORS AND SOIL STAINING OBSERVED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063940  
**Facility Status: Closed**  
 Completed Date: 07/28/1994  
 Pollution Complaint Num: 19921810  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #5176 (Continued)**

**U003689446**

Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000063940  
**Case Status: Closed**  
 Pollution Complaint #: 19921810  
 Reported: 31-MAR-1992

UST:

Facility:

Facility Id: 5003752  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000063940

Owner:

Facility Id: 5003752  
 Owner Id: 41195  
 Owner Name: Chicago Franks LLC  
 Owner Address: 9531 Selby Place  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23503  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5003752  
 Owner Id: 40055  
 Owner Name: BP Products North America Incorporated  
 Owner Address: PO Box 6038  
 Owner Address2: Not reported  
 Owner City, State, Zip: Artesia, CA 90702  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 19455  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5003752  
 Own Id: 41195  
 Tank Number: 19455  
 Install Date: 01-JUN-1983  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #5176 (Continued)**

**U003689446**

Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	StiP3
Release:	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19455
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	TLS-300
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19455
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #5176 (Continued)**

**U003689446**

Pipe Materials: Other Note	Not reported
Tank Number:	19457
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19457
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	StiP3
Release:	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19457
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	TLS-300
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #5176 (Continued)**

**U003689446**

Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19457
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	19458
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19458
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	StiP3

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**BP AMOCO STATION #5176 (Continued)**

**U003689446**

Release:

Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19458
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	TLS-300
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19458
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	19459
Tank Capacity:	10000
Tank Contents:	GASOLINE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #5176 (Continued)**

**U003689446**

<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19459
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	StiP3
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5003752
Own Id:	41195
Tank Number:	19459
Install Date:	01-JUN-1983
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	TLS-300
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BP AMOCO STATION #5176 (Continued)**

**U003689446**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5003752  
 Own Id: 41195  
 Tank Number: 19459  
 Install Date: 01-JUN-1983  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID: 5003752  
 FRP Financial Assurance: Full  
 Owner Name: BP Amoco Station #5176  
 ROF Own Id: 41195  
 Tank Type: UST  
 Mechanism: Letter of Credit  
 Gallonage: Not reported  
 Per Occurrence: 10000  
 Third Party: 30000  
 Annual Aggregate: 40000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: BP Amoco Station #5176  
 CEDS Facility Id: 200000063940  
 Tank Type Count: 4  
 Location: Not reported

201

**LENS SERVICE CENTER  
 7601 GRANBY STREET  
 NORFOLK, VA 23505**

**VA LUST U003688855  
 VA LTANKS N/A  
 VA UST  
 VA DRYCLEANERS**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000086677  
**Facility Status: Closed**  
 Completed Date: 04/24/1990  
 Pollution Complaint Num: 19901436  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: SOIL CONTAMINATION FOUND ASSOCIATED WITH USTS.

Region: TD

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LENS SERVICE CENTER (Continued)**

**U003688855**

Region Code: TRO  
 Facility ID: 200000086677  
**Facility Status: Closed**  
 Completed Date: 08/09/1994  
 Pollution Complaint Num: 19901436  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000086677  
**Case Status: Closed**  
 Pollution Complaint #: 19901436  
 Reported: 24-APR-1990

**UST:**

**Facility:**

Facility Id: 5000272  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000086677

**Owner:**

Facility Id: 5000272  
 Owner Id: 34547  
 Owner Name: LEON C AND NORMA T APLET  
 Owner Address: 147 CIRCLE CT.  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23503  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: R1  
 Tank Capacity: 4000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

**Tank Material:**

Tank Type: UST  
 Fac Id: 5000272  
 Own Id: 34547  
 Tank Number: R1  
 Install Date: 16-JAN-1971  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LENS SERVICE CENTER (Continued)**

**U003688855**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R1
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R1
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LENS SERVICE CENTER (Continued)**

**U003688855**

Tank Number:	R2
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R2
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R2
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

LENS SERVICE CENTER (Continued)

U003688855

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R2
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R3
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R3



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LENS SERVICE CENTER (Continued)**

**U003688855**

Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R3
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000272

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LENS SERVICE CENTER (Continued)**

**U003688855**

Own Id:	34547
Tank Number:	R4
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R4
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R4
Install Date:	16-JAN-1971

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LENS SERVICE CENTER (Continued)**

**U003688855**

Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R5
Tank Capacity:	3000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R5
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R5
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LENS SERVICE CENTER (Continued)**

**U003688855**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R5
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R6
Tank Capacity:	6000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R6
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LENS SERVICE CENTER (Continued)**

**U003688855**

Tank Materials: Concrete	N
Tank Materials: Composite	Y
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R6
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R6
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LENS SERVICE CENTER (Continued)**

**U003688855**

Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R7
Tank Capacity:	1000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R7
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R7
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LENS SERVICE CENTER (Continued)**

**U003688855**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R7
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R8
Tank Capacity:	500
Tank Contents:	USED OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R8
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**LENS SERVICE CENTER (Continued)**

**U003688855**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R8
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5000272
Own Id:	34547
Tank Number:	R8
Install Date:	16-JAN-1971
Tank Status:	REM FROM GRD
Pipe Type:	VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**LENS SERVICE CENTER (Continued)**

**U003688855**

**DRYCLEANERS:**

DEQ Region: TRO  
 Registration Number: 61300  
 SIC: 7216  
 FIPS: 710  
 Oper Status: Permanently Shutdown  
 Mailing Address: PO Box 9176  
 Mailing City,St,Zip: Virginia Beach, VA 23450  
 SI Number: 387  
 SEQ Description: DRY-TO-DRY  
 Plant Classification: True Minor  
 FAC Inserted Date: 12/1/1999 5:16:31 PM  
 FAC Changed Date: 2/28/2007 1:49:45 PM

201

**BON AIR CLNRS  
 7601 GRANBY ST  
 NORFOLK, VA 23505**

**RCRA-NonGen 1001125939  
 FINDS VAR000006270**

**RCRA-NonGen:**

Date form received by agency: 07/23/2004  
 Facility name: BON AIR CLNRS  
 Facility address: 7601 GRANBY ST  
 NORFOLK, VA 23505  
 EPA ID: VAR000006270  
 Mailing address: PO BOX 9176  
 VIRGINIA BEACH, VA 23450  
 Contact: DON ROOT  
 Contact address: PO BOX 9176  
 VIRGINIA BEACH, VA 23450  
 Contact country: US  
 Contact telephone: (757) 498-0990  
 Contact email: Not reported  
 EPA Region: 03  
 Land type: Private  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: BON AIR SVCS INC  
 Owner/operator address: PO BOX 9176  
 VIRGINIA BEACH, VA 23450  
 Owner/operator country: Not reported  
 Owner/operator telephone: (757) 498-0990  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
  
 Owner/operator name: BON AIR SVCS INC  
 Owner/operator address: PO BOX 9176  
 VIRGINIA BEACH, VA 23450  
 Owner/operator country: Not reported  
 Owner/operator telephone: (757) 498-0990  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 01/01/0001  
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BON AIR CLNRS (Continued)**

**1001125939**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 12/16/1996  
 Facility name: BON AIR CLNRS  
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: D039  
 Waste name: TETRACHLOROETHYLENE

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 07/15/2004

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BON AIR CLNRS (Continued)**

**1001125939**

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
 Area of violation: Not reported  
 Date achieved compliance: Not reported  
 Evaluation lead agency: State

**FINDS:**

Registry ID: 110001908464

**Environmental Interest/Information System**

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

CEDS (Virginia - Comprehensive Environmental Data System) is the Department of Environmental Quality's (DEQ) electronic data system for maintaining databases on sources of pollutants in all media.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

201

**LENS SERVICE CENTER 7601 GRANBY STREET  
 NORFOLK, VA**

**VA SPILLS S105947321  
 N/A**

**SPILLS TD:**

Region: TD  
 PC Number: 93-1760  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S105947321

Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	3/8/1993
Source:	EMPLOYEES POURING USED MOTOR OIL
Summary:	Not reported
Comments:	Not reported
Report Notes:	CALLER WITNESSED EMPLOYEES POURING USED MOTOR OIL INTO STORM DRAIN SYSTEM. THEY SAID IT WAS THEIR STANDARD PROCEDURE.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	3/1/1993
Incident Time:	9:00
Incident Type:	PETROLEUM
Stream:	Not reported
Spill Volume:	Not reported
Spill Unit:	Not reported
Volume To State Water:	Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

202 ESTABROOK PRINTING & LETTER SP RCRA-NonGen 1000143868  
 141 E LITTLE CREEK RD FINDS VAD003175585  
 NORFOLK, VA 23505

RCRA-NonGen:

Date form received by agency: 08/18/1980  
 Facility name: ESTABROOK PRINTING & LETTER SP  
 Facility address: 141 E LITTLE CREEK RD  
 NORFOLK, VA 23505  
 EPA ID: VAD003175585  
 Contact: ENVIRONMENTAL COORDINATOR  
 Contact address: 141 E LITTLE CREEK RD  
 NORFOLK, VA 23505  
 Contact country: US  
 Contact telephone: (215) 555-1212  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported  
 Owner/operator address: OWNERSTREET  
 OWNERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ESTABROOK PRINTING & LETTER SP (Continued)**

**1000143868**

Violation Status: No violations found

**FINDS:**

Registry ID: 110005218978

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

203

**NORFOLK SECOND POLICE PRECINCT  
 7666 SEWELLS POINT RD  
 NORFOLK, VA 23513**

**VA LUST U003977067  
 VA LTANKS N/A  
 VA UST  
 VA FINANCIAL ASSURANCE**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066934  
**Facility Status: Closed**  
 Completed Date: 07/15/2005  
 Pollution Complaint Num: 20065003  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000066934  
**Facility Status: Closed**  
 Completed Date: 07/15/2005  
 Pollution Complaint Num: 20065003  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000066934  
**Case Status: Closed**  
 Pollution Complaint #: 20065003  
 Reported: 15-JUL-2005

**UST:**

Facility:  
 Facility Id: 5022546  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066934

Owner:

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK SECOND POLICE PRECINCT (Continued)**

**U003977067**

Facility Id:	5022546
Owner Id:	27233
Owner Name:	City of Norfolk
Owner Address:	2840 Dana Street
Owner Address2:	Attn: William Clendenin
Owner City, State, Zip:	Norfolk, VA 23509
UST Status:	Reg
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5022546
Own Id:	27233
Tank Number:	R1
Install Date:	01-SEP-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5022546
Own Id:	27233
Tank Number:	R1
Install Date:	01-SEP-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK SECOND POLICE PRECINCT (Continued)**

**U003977067**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5022546
Own Id:	27233
Tank Number:	R1
Install Date:	01-SEP-1980
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5022546
Own Id:	27233
Tank Number:	R2
Install Date:	01-SEP-1980
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**NORFOLK SECOND POLICE PRECINCT (Continued)**

**U003977067**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5022546
Own Id:	27233
Tank Number:	R2
Install Date:	01-SEP-1980
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5022546
Own Id:	27233
Tank Number:	R2
Install Date:	01-SEP-1980
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**NORFOLK SECOND POLICE PRECINCT (Continued)**

**U003977067**

VA FINANCIAL ASSURANCE:

Facility ID: 5022546  
 FRP Financial Assurance: No  
 Owner Name: Norfolk Second Police Precinct  
 ROF Own Id: 27233  
 Tank Type: UST  
 Mechanism: LOGO Bond Tst/Non-General  
 Gallonage: Not reported  
 Per Occurrence: 20000  
 Third Party: 60000  
 Annual Aggregate: 80000  
 In Compliance: Not reported  
 Total Capacity: 0  
 CEDS Facility Name: Norfolk City - Second Police Precinct  
 CEDS Facility Id: 200000066934  
 Tank Type Count: 2  
 Location: Not reported

204

**ANDERSON KENNETH PROPERTY  
 7507 RUTHVEN RD  
 NORFOLK, VA 23505**

**VA LUST S111339333  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000856375  
**Facility Status: Open**  
 Completed Date: 11/14/2011  
 Pollution Complaint Num: 20125060  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000856375  
**Case Status: Open**  
 Pollution Complaint #: 20125060  
 Reported: 14-NOV-2011

205

**NAVAL BASE RD AND WACO ST.  
 NORFOLK, VA**

**VA SPILLS S105943706  
 N/A**

SPILLS TD:

Region: TD  
 PC Number: 97-1545  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105943706

RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	7/13/1996
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	3 POLE MOUNTED TRANSFORMERS. HURRICAIN DAMAGED POLES, POLES REPAIRED.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	7/13/1996

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105943706

Incident Time: 4:00  
 Incident Type: PETROLEUM  
 Stream: STORM DRAIN  
 Spill Volume: 40  
 Spill Unit: Not reported  
 Volume To State Water: 40

206

VA SPILLS

S105944860

101 N SHORE RD  
 NORFOLK, VA

N/A

SPILLS TD:

Region: TD  
 PC Number: 96-1767  
 Incident Response: Not reported  
 Incident Date: Not reported  
 Time In: Not reported  
 Facility Permitted: Not reported  
 Facility Contact: Not reported  
 Facility Phone: Not reported  
 Resp Party: Not reported  
 RP Company: Not reported  
 RP Address: Not reported  
 RP City,St,Zip: Not reported  
 Resp Party Phone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Owner Contact: Not reported  
 Owner Phone: Not reported  
 Incident Date: Not reported  
 Incident Time: Not reported  
 Petroleum: Not reported  
 Solid Waste: Not reported  
 Haz Waste: Not reported  
 Water: Not reported  
 Air: Not reported  
 Sewage: Not reported  
 Fish Killed: Not reported  
 Medical Waste: Not reported  
 Wetland: Not reported  
 Terrorism: Not reported  
 Material Released: Not reported  
 Possible Receptors: Not reported  
 Qty Released: Not reported  
 Unit: Not reported  
 Qty In Water: Not reported  
 Receiving Waters: Not reported  
 River Basin: Not reported  
 Topo Map Id: Not reported  
 Inspection Dt: Not reported  
 Call Date: Not reported  
 Inspector: Not reported  
 Response Due: Not reported  
 Response Receive: Not reported  
**Date Closed: Not reported**  
 Dt Ref Air C/m: Not reported  
 Air Reg Permit #: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944860

Date Ref Waste C/M: Not reported  
 Epa Ir/permit #: Not reported  
 Date Ref Water C/m: Not reported  
 Water Permit #: Not reported  
 Date Ref Remediation: Not reported  
 Remediation PC #: Not reported  
 Date Ref Enforcement: Not reported  
 NOV Number: Not reported  
 Date Received: 8/18/1995  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: SEWAGE - MOTOR FAILED DUE TO EXCESSIVE MOISTURE. VDH NOTIFIED.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 8/18/1995  
 Incident Time: 8:37  
 Incident Type: SEWAGE  
 Stream: MASON CRK  
 Spill Volume: 300  
 Spill Unit: Not reported  
 Volume To State Water: 300

206

**PUMPING STATION #27  
 101 N. SHORE ROAD  
 NORFOLK, VA 23505**

VA UST U003690236  
 N/A

UST:

Facility:

Facility Id: 5008636  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000066691

Owner:

Facility Id: 5008636  
 Owner Id: 36762  
 Owner Name: City of Norfolk Department of Utilites  
 Owner Address: PO Box 1080  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23510  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 500  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5008636

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**PUMPING STATION #27 (Continued)**

**U003690236**

Own Id:	36762
Tank Number:	R1
Install Date:	25-APR-1984
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5008636
Own Id:	36762
Tank Number:	R1
Install Date:	25-APR-1984
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5008636
Own Id:	36762
Tank Number:	R1
Install Date:	25-APR-1984

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PUMPING STATION #27 (Continued)**

**U003690236**

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

206

**101 N SHORE RD - PUMP STATION 27  
 NORFOLK, VA**

**VA SPILLS S105944947  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	96-1856
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105944947

Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	9/8/1995
Source:	Not reported
Summary:	Not reported
Comments:	Not reported
Report Notes:	SEWAGE OVERFLOW - PUMP STATION 27 FAILED, ONE OF THE COMPUTER CARD BURNED OUT. NOTIFIED VDH.
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	Not reported
PI Date:	9/8/1995
Incident Time:	8:00
Incident Type:	SEWAGE
Stream:	CRAB CREEK
Spill Volume:	1000
Spill Unit:	Not reported
Volume To State Water:	1000

206

**DRS G OWENS & H DORFMAN  
 7400 GRANBY STREET  
 NORFOLK (County), VA**

**VA SPILLS S105405858  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2002-T-1303
Incident Date:	1/22/2002
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

DRS G OWENS & H DORFMAN (Continued)

S105405858

Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	True
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	FIXER (X-RAY)
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	1/23/2002
Call Date:	Not reported
Inspector:	LBF
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>2/21/2002</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	DENTIST / TECHS POURING FIXER DOWN DRAIN
Comments:	LETTER SENT & RECEIVED
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	ANONYMOUS
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

206

115 LOUISIANA DR  
 NORFOLK, VA

VA SPILLS S105943383  
 N/A

SPILLS TD:

Region:	TD
PC Number:	96-7124
Incident Response:	Not reported
Incident Date:	Not reported
Time In:	Not reported
Facility Permitted:	Not reported
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	Not reported
Solid Waste:	Not reported
Haz Waste:	Not reported
Water:	Not reported
Air:	Not reported
Sewage:	Not reported
Fish Killed:	Not reported
Medical Waste:	Not reported
Wetland:	Not reported
Terrorism:	Not reported
Material Released:	Not reported
Possible Receptors:	Not reported
Qty Released:	Not reported
Unit:	Not reported
Qty In Water:	Not reported
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	Not reported
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>Not reported</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

(Continued)

S105943383

Date Received: 3/23/1996  
 Source: Not reported  
 Summary: Not reported  
 Comments: Not reported  
 Report Notes: TRANSFORMER EXPLODED DUE TO ELECTRICAL SHORT VA POWER RESPONDED TO SCENE, IMS CLEANED SPILL.  
 Reported By Company: Not reported  
 Reported By Address: Not reported  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: Not reported  
 Report By Name: Not reported  
 PI Date: 3/23/1996  
 Incident Time: 10:00  
 Incident Type: PETROLEUM  
 Stream: Not reported  
 Spill Volume: 20  
 Spill Unit: Not reported  
 Volume To State Water: Not reported

207

**BARNETT RICHARD M RESIDENCE**  
**7539 VIRGINIAN DR**  
**NORFOLK, VA 23505**

VA LUST S108106660  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000224535  
**Facility Status: Closed**  
 Completed Date: 07/31/2006  
 Pollution Complaint Num: 20075010  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000224535  
**Facility Status: Closed**  
 Completed Date: 05/16/2007  
 Pollution Complaint Num: 20075010  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000224535  
**Case Status: Closed**  
 Pollution Complaint #: 20075010  
 Reported: 31-JUL-2006

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

208 DONALD DIXON SPRAYING AND TREE SERVICE  
 424 NAVAL BASE RD  
 NORFOLK, VA 23505

VA LUST S105974723  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064851  
**Facility Status: Closed**  
 Completed Date: 06/30/2003  
 Pollution Complaint Num: 20035178  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064851  
**Facility Status: Closed**  
 Completed Date: 08/07/2003  
 Pollution Complaint Num: 20035178  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064851  
**Case Status: Closed**  
 Pollution Complaint #: 20035178  
 Reported: 30-JUN-2003

208 DON DIXON SPRAYING & TREE SERVICE  
 424 NAVAL BASE RD  
 NORFOLK, VA 23505

VA UST U003689467  
 N/A

UST:

Facility:  
 Facility Id: 5003886  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000064851

Owner:  
 Facility Id: 5003886  
 Owner Id: 32472  
 Owner Name: DIXON AND VAN INC  
 Owner Address: 424 NAVAL BASE RD.  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23505  
 UST Status: Reg  
 AST Status: Not reported

Facility Id: 5003886  
 Owner Id: 39341  
 Owner Name: DON DIXON SPRAYING & TREE SERVICE  
 Owner Address: 424 NAVAL BASE RD  
 Owner Address2: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DON DIXON SPRAYING & TREE SERVICE (Continued)**

**U003689467**

Owner City, State, Zip:	NORFOLK, VA 23505
UST Status:	Reg
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	4000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003886
Own Id:	32472
Tank Number:	1
Install Date:	18-APR-1974
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5003886
Own Id:	32472
Tank Number:	1
Install Date:	18-APR-1974
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DON DIXON SPRAYING & TREE SERVICE (Continued)**

**U003689467**

Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5003886
Own Id:	32472
Tank Number:	1
Install Date:	18-APR-1974
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5003886
Own Id:	39341
Tank Number:	R1
Install Date:	18-APR-1978
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**DON DIXON SPRAYING & TREE SERVICE (Continued)**

**U003689467**

Release:

Tank Type:	UST
Fac Id:	5003886
Own Id:	39341
Tank Number:	R1
Install Date:	18-APR-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5003886
Own Id:	39341
Tank Number:	R1
Install Date:	18-APR-1978
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

208 STANLEY'S MARINE & INDUSTRIAL SVCS  
 424 NAVAL BASE ROAD  
 NORFOLK (County), VA

VA SPILLS S106042143  
 N/A

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2004-T-0234
Incident Date:	8/1/2003
Time In:	Not reported
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	7/16/2003
Incident Time:	Not reported
Petroleum:	False
Solid Waste:	False
Haz Waste:	True
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	PESTICIDES
Possible Receptors:	GROUND WATER
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	Not reported
Call Date:	Not reported
Inspector:	CGL
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>8/26/2003</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	03-5178
Date Ref Enforcement:	Not reported
NOV Number:	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**STANLEY'S MARINE & INDUSTRIAL SVCS (Continued)**

**S106042143**

Date Received:	Not reported
Source:	Not reported
Summary:	LOW LEVELS OF PESTICIDE CONTAMINATION FOUND IN GROUNDWATER WHILE CONDUCTING PHASE ASSESSMENT
Comments:	LETTERS SENT, RECEIVED, REPORT
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	MCCALLUM TESTING LAB
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7574202520
Report By Name:	DOUGLAS SUTTLE
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0
Region:	TD
PC Number:	Not reported
Incident Response:	2004-T-2031
Incident Date:	5/17/2004
Time In:	2:50:00 PM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported
Owner Phone:	Not reported
Incident Date:	5/17/2004
Incident Time:	2:50:00 PM
Petroleum:	False
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	True
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	DUST
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**STANLEY'S MARINE & INDUSTRIAL SVCS (Continued)**

**S106042143**

Topo Map Id:	Not reported
Inspection Dt:	5/17/2004
Call Date:	Not reported
Inspector:	JAB
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>5/24/2004</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	FUGITIVE DUST EMISSIONS
Comments:	Not reported
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	Not reported
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	Not reported
Report By Name:	ANONYMOUS
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

208

**STANLEY'S MARINA  
 424 NAVAL BASE ROAD  
 NORFOLK (County), VA**

**VA SPILLS S108922992  
 N/A**

SPILLS TD:

Region:	TD
PC Number:	Not reported
Incident Response:	2006-T-0916
Incident Date:	2/3/2006
Time In:	2:16:00 PM
Facility Permitted:	False
Facility Contact:	Not reported
Facility Phone:	Not reported
Resp Party:	Not reported
RP Company:	Not reported
RP Address:	Not reported
RP City,St,Zip:	Not reported
Resp Party Phone:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Contact:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**STANLEY'S MARINA (Continued)**

**S108922992**

Owner Phone:	Not reported
Incident Date:	Not reported
Incident Time:	Not reported
Petroleum:	True
Solid Waste:	False
Haz Waste:	False
Water:	False
Air:	False
Sewage:	False
Fish Killed:	False
Medical Waste:	False
Wetland:	False
Terrorism:	False
Material Released:	DIESEL FUEL
Possible Receptors:	Not reported
Qty Released:	0
Unit:	Not reported
Qty In Water:	0
Receiving Waters:	Not reported
River Basin:	Not reported
Topo Map Id:	Not reported
Inspection Dt:	2/7/2006
Call Date:	Not reported
Inspector:	JRS
Response Due:	Not reported
Response Receive:	Not reported
<b>Date Closed:</b>	<b>2/8/2006</b>
Dt Ref Air C/m:	Not reported
Air Reg Permit #:	Not reported
Date Ref Waste C/M:	Not reported
Epa Ir/permit #:	Not reported
Date Ref Water C/m:	Not reported
Water Permit #:	Not reported
Date Ref Remediation:	Not reported
Remediation PC #:	Not reported
Date Ref Enforcement:	Not reported
NOV Number:	Not reported
Date Received:	Not reported
Source:	Not reported
Summary:	CALLER RECEIVED AN ANONYMOUS CALLER STATING THAT THERE IS A STRONG ODOR OF DIESEL FUEL IN THE AREA, NO OTHER INFO GIVEN
Comments:	SEE COMPLAINT FORM MORE INFO
Report Notes:	Not reported
Reported By Company:	Not reported
Reported By Address:	DEPT OF ENVIRONMENTAL HEALTH
Reported By Street:	Not reported
Reported By City,St,Zip:	Not reported
Reported By Phone:	7576832712
Report By Name:	CECLIA
PI Date:	Not reported
Incident Time:	Not reported
Incident Type:	Not reported
Stream:	Not reported
Spill Volume:	0
Spill Unit:	Not reported
Volume To State Water:	0

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

208 **UNCLE'S BOB SELF STORAGE**  
**385 NAVAL BASE ROAD**  
**NORFOLK (County), VA**

**VA SPILLS** **S106478147**  
**N/A**

SPILLS TD:

Region: TD  
PC Number: Not reported  
Incident Response: 2004-T-1978  
Incident Date: 5/7/2004  
Time In: Not reported  
Facility Permitted: False  
Facility Contact: Not reported  
Facility Phone: Not reported  
Resp Party: Not reported  
RP Company: Not reported  
RP Address: Not reported  
RP City,St,Zip: Not reported  
Resp Party Phone: Not reported  
Owner Name: Not reported  
Owner Address: Not reported  
Owner City,St,Zip: Not reported  
Owner Contact: Not reported  
Owner Phone: Not reported  
Incident Date: 5/7/2004  
Incident Time: 11:00:00 AM  
Petroleum: True  
Solid Waste: False  
Haz Waste: False  
Water: False  
Air: False  
Sewage: False  
Fish Killed: False  
Medical Waste: False  
Wetland: False  
Terrorism: False  
Material Released: ANTIFREEZE,FERTILIZER  
Possible Receptors: STORM DRAIN  
Qty Released: 2800  
Unit: GALLONS  
Qty In Water: 0  
Receiving Waters: Not reported  
River Basin: Not reported  
Topo Map Id: Not reported  
Inspection Dt: Not reported  
Call Date: Not reported  
Inspector: 5DL  
Response Due: Not reported  
Response Receive: Not reported  
**Date Closed: 5/13/2004**  
Dt Ref Air C/m: Not reported  
Air Reg Permit #: Not reported  
Date Ref Waste C/M: Not reported  
Epa Ir/permit #: Not reported  
Date Ref Water C/m: Not reported  
Water Permit #: Not reported  
Date Ref Remediation: Not reported  
Remediation PC #: Not reported  
Date Ref Enforcement: Not reported  
NOV Number: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**UNCLE'S BOB SELF STORAGE (Continued)**

**S106478147**

Date Received: Not reported  
 Source: Not reported  
 Summary: A FIRE OCCURRED AT LOCATION ABOVE, VERY SMALL AMOUNT WAS WASHED DOWN THE STORM DRAIN  
 Comments: Not reported  
 Report Notes: Not reported  
 Reported By Company: Not reported  
 Reported By Address: NORFOLK STORMWATER  
 Reported By Street: Not reported  
 Reported By City,St,Zip: Not reported  
 Reported By Phone: 7578234000  
 Report By Name: JUNE MOSER  
 PI Date: Not reported  
 Incident Time: Not reported  
 Incident Type: Not reported  
 Stream: Not reported  
 Spill Volume: 0  
 Spill Unit: Not reported  
 Volume To State Water: 0

208 308 NAVAL BASE RD APT A  
 308 NAVAL BASE RD APT A  
 NORFOLK, VA

US HIST CDL 1009628502  
 N/A

HIST CDL:  
 Seizure Date: 2005-03-23

208 308 NAVAL BASE RD A  
 308 NAVAL BASE RD A  
 NORFOLK, VA

US CDL 1012206467  
 N/A

US CDL:  
 Seizure Date: 5/17/2005

208 CAROLINA BUILDERS CORP  
 301 NAVAL BASE ROAD & WACO ST  
 NORFOLK, VA 23505

VA UST U003691198  
 N/A

UST:  
 Facility:  
 Facility Id: 5014677  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000063846  
 Owner:  
 Facility Id: 5014677  
 Owner Id: 31693  
 Owner Name: Carolina Builders  
 Owner Address: 3227 Wellington Ct

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CAROLINA BUILDERS CORP (Continued)**

**U003691198**

Owner Address2:	Not reported
Owner City, State, Zip:	Raleigh, NC 27658
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	R1
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5014677
Own Id:	31693
Tank Number:	R1
Install Date:	07-MAY-1978
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014677
Own Id:	31693
Tank Number:	R1
Install Date:	07-MAY-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CAROLINA BUILDERS CORP (Continued)**

**U003691198**

Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5014677
Own Id:	31693
Tank Number:	R1
Install Date:	07-MAY-1978
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5014677
Own Id:	31693
Tank Number:	R2
Install Date:	07-MAY-1978
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CAROLINA BUILDERS CORP (Continued)**

**U003691198**

Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5014677
Own Id:	31693
Tank Number:	R2
Install Date:	07-MAY-1978
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5014677
Own Id:	31693
Tank Number:	R2
Install Date:	07-MAY-1978
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

208 CAROLINA BUILDERS CORPORATION  
 301 NAVAL BASE ROAD & WACO ST  
 NORFOLK, VA 23505

VA LUST S105988091  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063846  
**Facility Status: Closed**  
 Completed Date: 11/09/1995  
 Pollution Complaint Num: 19962299  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: UST REMOVAL. SOIL STAINED AND SATURATED W/OIL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063846  
**Facility Status: Closed**  
 Completed Date: 01/24/1996  
 Pollution Complaint Num: 19962299  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063846  
**Facility Status: Closed**  
 Completed Date: 04/17/1990  
 Pollution Complaint Num: 19901417  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: FREE PRODUCT IN EXCAVATION ASSOCIATED WITH UST REMOVAL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000063846  
**Facility Status: Closed**  
 Completed Date: 08/09/1994  
 Pollution Complaint Num: 19901417  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000063846  
**Case Status: Closed**  
 Pollution Complaint #: 19962299  
 Reported: 09-NOV-1995

Region: TRO  
 CEDS Facility Id: 200000063846  
**Case Status: Closed**

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CAROLINA BUILDERS CORPORATION (Continued)**

**S105988091**

Pollution Complaint #: 19901417  
 Reported: 17-APR-1990

209

**ROYAL MART  
 7501 TIDEWATER DR  
 NORFOLK, VA 23505**

**VA LUST  
 VA LTANKS  
 VA UST  
 VA FINANCIAL ASSURANCE**

**U003691405  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064524  
**Facility Status: Closed**  
 Completed Date: 07/24/1989  
 Pollution Complaint Num: 19900119  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: PRODUCT DETECTED IN MONITORING WELLS.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064524  
**Facility Status: Closed**  
 Completed Date: 05/26/2006  
 Pollution Complaint Num: 19900119  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NO FURTHER ACTION REQUIRED. Originally closed 07/28/1994; re-opened 8/5/04; case closed again 5/26/06, no further corrective action letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064524  
**Facility Status: Closed**  
 Completed Date: 07/12/2000  
 Pollution Complaint Num: 20015004  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064524  
**Facility Status: Closed**  
 Completed Date: 09/21/2000  
 Pollution Complaint Num: 20015004  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed/ltr sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064524

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

**Facility Status:** Closed  
 Completed Date: 04/14/2004  
 Pollution Complaint Num: 20045169  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000064524

**Facility Status:** Closed  
 Completed Date: 05/12/2006  
 Pollution Complaint Num: 20045169  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - No Letter Sent  
 Comments: Tanks & lines tested ight.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000064524  
**Case Status:** Closed  
 Pollution Complaint #: 20015004  
 Reported: 12-JUL-2000

Region: TRO  
 CEDS Facility Id: 200000064524  
**Case Status:** Closed  
 Pollution Complaint #: 19900119  
 Reported: 24-JUL-1989

UST:

Facility:

Facility Id: 5016171  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000064524

Owner:

Facility Id: 5016171  
 Owner Id: 39434  
 Owner Name: ROYAL HOMES INC  
 Owner Address: 2421-F WESTWOOD AVE  
 Owner Address2: Not reported  
 Owner City, State, Zip: RICHMOND, VA 23230  
 UST Status: Reg  
 AST Status: N/A

Facility Id: 5016171  
 Owner Id: 42426  
 Owner Name: Royal Petroleum  
 Owner Address: 2421 Westwood Avenue, Suite F  
 Owner Address2: Not reported  
 Owner City, State, Zip: Richmond, VA 23230  
 UST Status: Reg  
 AST Status: N/A

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Facility Id:	5016171
Owner Id:	35777
Owner Name:	Chevron USA Products Company
Owner Address:	2300 Windy Ridge Pkwy Suite 800
Owner Address2:	Not reported
Owner City, State, Zip:	Marietta, GA 30067
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	42426
Tank Number:	1
Install Date:	06-JAN-1988
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	42426
Tank Number:	1
Install Date:	06-JAN-1988
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Automatic Shutoff
Pipe Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	42426
Tank Number:	1
Install Date:	06-JAN-1988
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	42426
Tank Number:	2
Install Date:	06-JAN-1988
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ROYAL MART (Continued)**

**U003691405**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016171
Own Id:	42426
Tank Number:	2
Install Date:	06-JAN-1988
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Automatic Shutoff

Pipe Material:

Tank Type:	UST
Fac Id:	5016171
Own Id:	42426
Tank Number:	2
Install Date:	06-JAN-1988
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Tank Number:	3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	39434
Tank Number:	3
Install Date:	06-JAN-1988
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	39434
Tank Number:	3
Install Date:	06-JAN-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	39434
Tank Number:	3
Install Date:	06-JAN-1988
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R1
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R1



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R1
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016171

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Own Id:	35777
Tank Number:	R2
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R2
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R2
Install Date:	06-JAN-1979

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R3
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R3
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R3
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R4
Tank Capacity:	5000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R4
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ROYAL MART (Continued)**

**U003691405**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R4
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R4
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**ROYAL MART (Continued)**

**U003691405**

Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R5  
 Tank Capacity: 5000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5016171  
 Own Id: 35777  
 Tank Number: R5  
 Install Date: 06-JAN-1979  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5016171  
 Own Id: 35777  
 Tank Number: R5  
 Install Date: 06-JAN-1979  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**ROYAL MART (Continued)**

**U003691405**

Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5016171
Own Id:	35777
Tank Number:	R5
Install Date:	06-JAN-1979
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

**VA FINANCIAL ASSURANCE:**

Facility ID:	5016171
FRP Financial Assurance:	Full
Owner Name:	Royal Mart
ROF Own Id:	42426
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$1,000,000
Third Party:	\$1,000,000
Annual Aggregate:	\$1,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	Royal Mart
CEDS Facility Id:	200000064524
Tank Type Count:	2
Location:	Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

209 CHEVRON STATION #64838 RCRA-CESQG 1004790157  
 7501 TIDEWATER DR FINDS VAD988196598  
 NORFOLK, VA 23505

RCRA-CESQG:

Date form received by agency: 02/27/1998  
 Facility name: CHEVRON STATION #64838  
 Facility address: 7501 TIDEWATER DR  
 NORFOLK, VA 23505  
 EPA ID: VAD988196598  
 Mailing address: PO BOX 6004  
 SAN RAMON, CA 94583  
 Contact: Not reported  
 Contact address: Not reported  
 Not reported  
 Contact country: Not reported  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Conditionally Exempt Small Quantity Generator  
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: CHEVRON USA INC  
 Owner/operator address: PO BOX 1706  
 ATLANTA, GA 30301  
 Owner/operator country: Not reported  
 Owner/operator telephone: (404) 984-3000  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**CHEVRON STATION #64838 (Continued)**

**1004790157**

Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

Historical Generators:

Date form received by agency: 04/02/1991  
 Facility name: CHEVRON STATION #64838  
 Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D000  
 Waste name: Not Defined

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

FINDS:

Registry ID: 110005243423

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

209 BROWN AND DOWDELL ASSOCIATES  
 7522 TIDEWATER DR  
 NORFOLK, VA 23505

VA UST U003966859  
 N/A

UST:

Facility:

Facility Id: 5039194  
 Facility Type: Not reported  
 CEDS Facility ID: 200000211801

Owner:

Facility Id: 5039194  
 Owner Id: 41752  
 Owner Name: Brown and Dodwell Associates  
 Owner Address: 2328 Sandfiddler Road  
 Owner Address2: Not reported  
 Owner City, State, Zip: Virginia Beach, VA 23456  
 UST Status: N/A  
 AST Status: N/A

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 5000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Number: 2  
 Tank Capacity: 5000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Number: 3  
 Tank Capacity: 5000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Number: 4  
 Tank Capacity: 5000  
 Tank Contents: DIESEL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Number: Heating Oi  
 Tank Capacity: 1000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Number: Kero  
 Tank Capacity: 5000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**BROWN AND DOWDELL ASSOCIATES (Continued)**

**U003966859**

Tank Contents: KEROSENE  
 Tank Status: REM FROM GRD  
 Tank Type: UST

209

**MAACO AUTO PAINT - BERIT INC  
 7522 TIDEWATER DR  
 NORFOLK, VA 23505**

**RCRA-SQG 1000174930  
 FINDS VAD093553089  
 VA LUST  
 VA LTANKS**

RCRA-SQG:

Date form received by agency: 11/25/1986  
 Facility name: MAACO AUTO PAINT - BERIT INC  
 Facility address: 7522 TIDEWATER DR  
 NORFOLK, VA 23505  
 EPA ID: VAD093553089  
 Contact: KENNETH BERNARD  
 Contact address: 7522 TIDEWATER DR  
 NORFOLK, VA 23505  
 Contact country: US  
 Contact telephone: (804) 587-9800  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: SHAPIRO, MERVIN  
 Owner/operator address: 7522 TIDEWATER DR  
 NORFOLK, VA 23505  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAACO AUTO PAINT - BERIT INC (Continued)**

**1000174930**

On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: F001  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F002  
 Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F003  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F005  
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**MAACO AUTO PAINT - BERIT INC (Continued)**

**1000174930**

CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code:	U048
Waste name:	O-CHLOROPHENOL
Waste code:	U057
Waste name:	CYCLOHEXANONE (I)
Waste code:	U080
Waste name:	METHANE, DICHLORO-
Waste code:	U112
Waste name:	ACETIC ACID ETHYL ESTER (I)
Waste code:	U145
Waste name:	LEAD PHOSPHATE
Waste code:	U154
Waste name:	METHANOL (I)
Waste code:	U159
Waste name:	2-BUTANONE (I,T)
Waste code:	U220
Waste name:	BENZENE, METHYL-
Waste code:	U239
Waste name:	BENZENE, DIMETHYL- (I,T)
Violation Status:	No violations found

**FINDS:**

Registry ID: 110005226111

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**LUST REG TD:**

Region:	TD
Region Code:	TRO
Facility ID:	200000211801
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	07/16/2003
Pollution Complaint Num:	20045016
Fed Regulated Tank:	Yes
Phase Code:	RR
Event Description:	Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**MAACO AUTO PAINT - BERIT INC (Continued)**

**1000174930**

Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000211801  
**Facility Status: Closed**  
 Completed Date: 05/18/2005  
 Pollution Complaint Num: 20045016  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action necessary

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000211801  
**Case Status: Closed**  
 Pollution Complaint #: 20045016  
 Reported: 16-JUL-2003

209

**SOUTHERN SHOP CNTR-WESTERN AUTO  
 7525 TIDEWATER DRIVE  
 NORFOLK, VA 23505**

**VA LUST S111684513  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067101  
**Facility Status: Closed**  
 Completed Date: 11/01/2011  
 Pollution Complaint Num: 20125079  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067101  
**Facility Status: Closed**  
 Completed Date: 01/04/2012  
 Pollution Complaint Num: 20125079  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067101  
**Case Status: Closed**  
 Pollution Complaint #: 20125079  
 Reported: 01-NOV-2011

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**209 WALMART SUPERCENTER 5488  
 7530 TIDEWATER DR  
 NORFOLK, VA 23505**

**PA MANIFEST S110051280  
 N/A**

PA MANIFEST:

Manifest Number: 001519124FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 9/4/2008  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D001  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 36  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 001519124FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 9/4/2008  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D018  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 36  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002841941FLE  
 Manifest Type: T

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WALMART SUPERCENTER 5488 (Continued)**

**S110051280**

Generator EPA Id: VAR000513473  
 Generator Date: 8/26/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D035  
 Container Number: 2  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 203.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 001519124FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 9/4/2008  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D035  
 Container Number: 1  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 36  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002837881FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 7/28/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WALMART SUPERCENTER 5488 (Continued)**

**S110051280**

Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D022  
 Container Number: 2  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 330.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002841941FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 8/26/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D001  
 Container Number: 2  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 203.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002837881FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 7/28/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WALMART SUPERCENTER 5488 (Continued)**

**S110051280**

TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D001  
 Container Number: 2  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 330.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002841941FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 8/26/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1  
 Waste Number: D022  
 Container Number: 2  
 Container Type: Fiberboard or plastic drums, barrels, kegs  
 Waste Quantity: 203.00  
 Unit: Pounds  
 Handling Code: Not reported  
 TSP EPA Id: Not reported  
 Date TSP Sig: Not reported

Manifest Number: 002841941FLE  
 Manifest Type: T  
 Generator EPA Id: VAR000513473  
 Generator Date: 8/26/2009 0:00:00  
 Mailing Address: Not reported  
 Mailing City,St,Zip: Not reported  
 Contact Name: Not reported  
 Contact Phone: Not reported  
 TSD Epa Id: PAD085690592  
 TSD Date: Not reported  
 TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC  
 TSD Facility Address: 2869 SANDSTONE DRIVE  
 TSD Facility City: HATFIELD  
 TSD Facility State: PA  
 Facility Telephone: 479-204-2324  
 Page Number: 1  
 Line Number: 1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WALMART SUPERCENTER 5488 (Continued)**

**S110051280**

Waste Number:	D039
Container Number:	2
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	203.00
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Manifest Number:	001519124FLE
Manifest Type:	T
Generator EPA Id:	VAR000513473
Generator Date:	9/4/2008
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD Epa Id:	PAD085690592
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	479-204-2324
Page Number:	1
Line Number:	1
Waste Number:	D005
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	36
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Manifest Number:	002837881FLE
Manifest Type:	T
Generator EPA Id:	VAR000513473
Generator Date:	7/28/2009 0:00:00
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD Epa Id:	PAD085690592
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	479-204-2324
Page Number:	1
Line Number:	1
Waste Number:	D035
Container Number:	2
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	330.00
Unit:	Pounds

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WALMART SUPERCENTER 5488 (Continued)**

**S110051280**

Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Manifest Number:	002837881FLE
Manifest Type:	T
Generator EPA Id:	VAR000513473
Generator Date:	7/28/2009 0:00:00
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD Epa Id:	PAD085690592
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	479-204-2324
Page Number:	1
Line Number:	1
Waste Number:	D039
Container Number:	2
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	330.00
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

209

**WALMART SUPERCENTER 5488  
 7530 TIDEWATER DR  
 NORFOLK, VA 23502**

**VA AST A100299753  
 N/A**

AST:

Facility:

Facility ID:	5040247
Facility Type:	COMMERCIAL
CEDS Facility ID:	200000225303

Owner:

Facility Id:	5040247
Owner Id:	40325
Owner Name:	Walmart Stores East LP
Owner Address:	702 SW 8th St Dept 8016
Owner Address2:	Not reported
Owner City:	Bentonville
Owner State:	AR
Owner Zip:	72716
Ust Status:	Reg
Ast Status:	N/A

Fed Regulated:	No
Tank Number:	1
Tank Type:	AST
Tank Capacity:	800
Tank Contents:	USED OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WALMART SUPERCENTER 5488 (Continued)**

**A100299753**

Tank Status:	CURR IN USE
Tank Containment:	
Tank Type:	AST
Fac Id:	5040247
Own Id:	40325
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Containment: Curbing	N
Containment: Weirs	N
Containment: Sorbent	N
Containment: Culvert	N
Containment: Diversion	N
Containment: Retention	N
Containment: Dike	N
Containment: Unknown	N
Containment: Other	N
Containment: Other Note	Not reported
Release Detection: Ground Water	N
Release Detection: Visual	N
Release Detection: Vapor	N
Release Detection: Interstitial	N
Release Detection: None	N
Release Detection: Other	N
Release Detection: Other Note	Not reported
Release Prevention: Double Bottom	N
Release Prevention: Double Walled	N
Release Prevention: Lined Interior	N
Release Prevention: Poly Jacket	N
Release Prevention: Exc Liner	N
Release Prevention: None	N
Release Prevention: Unknown	N
Release Prevention: Other	N
Release Prevention: Other Note	Not reported
Tank Foundation:	
Tank Type:	AST
Fac Id:	5040247
Own Id:	40325
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Foundation: Steel	N
Tank Foundation: Earthen	N
Tank Foundation: Concrete Imp	Y
Tank Foundation: Unknown	N
Tank Foundation: Other	N
Tank Foundation: Other Note	Not reported
Tank Roof: Float	N
Tank Roof: Cone	N
Tank Roof: Breather	N
Tank Roof: Dbldck	N
Tank Roof: Pontoon	N
Tank Roof: Balloon	N
Tank Roof: Lifter	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WALMART SUPERCENTER 5488 (Continued)**

**A100299753**

Tank Roof: Pan	N
Tank Roof: Other	N
Tank Roof: Other Note	Horizontal
Tank Material:	
Tank Type:	AST
Fac Id:	5040247
Own Id:	40325
Tank Number:	1
Install Date:	Not reported
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Epoxy Coated Interior	N
Tank Materials: Epoxy Coated Exterior	N
Tank Materials: Double Walled	Y
Tank Materials: Double Bottomed	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

209

**WALMART SUPERCENTER # 5488  
 7530 TIDEWATER DRIVE  
 NORFOLK, VA 23502**

**RCRA-SQG 1010337310  
 VAR000513473**

RCRA-SQG:  
 Date form received by agency: 11/01/2010  
 Facility name: WALMART SUPERCENTER # 5488  
 Facility address: 7530 TIDEWATER DRIVE  
 NORFOLK, VA 23505  
 EPA ID: VAR000513473  
 Mailing address: PO BOX 8041  
 BENTONVILLE, AR 727128041  
 Contact: CHRIS STEWART  
 Contact address: PO BOX 8041  
 BENTONVILLE, AR 727128041  
 Contact country: US  
 Contact telephone: (479) 204-0402  
 Contact email: CHRISTOPHER.STEWART@WAL-MART.COM  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:  
 Owner/operator name: WAL-MART STORES EAST, LP  
 Owner/operator address: Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WALMART SUPERCENTER # 5488 (Continued)**

**1010337310**

Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	01/22/2007
Owner/Op end date:	Not reported
Owner/operator name:	WAL-MART STORES EAST, LP
Owner/operator address:	PO BOX 8041 BENTONVILLE, AR 72712
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/22/2007
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/12/2010
Facility name:	WALMART SUPERCENTER # 5488
Classification:	Small Quantity Generator
Date form received by agency:	06/05/2009
Facility name:	WALMART SUPERCENTER # 5488
Site name:	WAL-MART SUPERCENTER # 5488
Classification:	Conditionally Exempt Small Quantity Generator
Date form received by agency:	09/21/2007
Facility name:	WALMART SUPERCENTER # 5488
Site name:	WAL-MART SUPERCENTER #5488
Classification:	Conditionally Exempt Small Quantity Generator
Date form received by agency:	09/28/2006
Facility name:	WALMART SUPERCENTER # 5488
Site name:	WAL-MART SUPERCENTER #5488
Classification:	Conditionally Exempt Small Quantity Generator

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WALMART SUPERCENTER # 5488 (Continued)**

**1010337310**

Hazardous Waste Summary:

Waste code: D001  
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002  
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D003  
 Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

Waste code: D004  
 Waste name: ARSENIC

Waste code: D005  
 Waste name: BARIUM

Waste code: D006  
 Waste name: CADMIUM

Waste code: D007  
 Waste name: CHROMIUM

Waste code: D008  
 Waste name: LEAD

Waste code: D009  
 Waste name: MERCURY

Waste code: D010  
 Waste name: SELENIUM

Waste code: D011  
 Waste name: SILVER

Waste code: D016  
 Waste name: 2,4-D

Waste code: D018  
 Waste name: BENZENE

Waste code: D022



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**WALMART SUPERCENTER # 5488 (Continued)**

**1010337310**

Waste name:	CHLOROFORM
Waste code:	D024
Waste name:	M-CRESOL
Waste code:	D026
Waste name:	CRESOL
Waste code:	D027
Waste name:	1,4-DICHLOROBENZENE
Waste code:	D035
Waste name:	METHYL ETHYL KETONE
Waste code:	D039
Waste name:	TETRACHLOROETHYLENE
Waste code:	P001
Waste name:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste code:	P046
Waste name:	BENZENEETHANAMINE, ALPHA,ALPHA-DIMETHYL-
Waste code:	P075
Waste name:	NICOTINE, & SALTS
Waste code:	U002
Waste name:	ACETONE (I)
Waste code:	U034
Waste name:	ACETALDEHYDE, TRICHLORO-
Waste code:	U035
Waste name:	BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-
Waste code:	U058
Waste name:	CYCLOPHOSPHAMIDE
Waste code:	U072
Waste name:	BENZENE, 1,4-DICHLORO-
Waste code:	U080
Waste name:	METHANE, DICHLORO-
Waste code:	U122
Waste name:	FORMALDEHYDE
Waste code:	U129
Waste name:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA,2ALPHA,3BETA,4ALPHA,5ALPHA,6BETA)-
Waste code:	U132
Waste name:	HEXACHLOROPHENE
Waste code:	U150
Waste name:	MELPHALAN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WALMART SUPERCENTER # 5488 (Continued)**

**1010337310**

Waste code:	U154
Waste name:	METHANOL (I)
Waste code:	U159
Waste name:	2-BUTANONE (I,T)
Waste code:	U165
Waste name:	NAPHTHALENE
Waste code:	U182
Waste name:	PARALDEHYDE
Waste code:	U188
Waste name:	PHENOL
Waste code:	U200
Waste name:	RESERPINE
Waste code:	U205
Waste name:	SELENIUM SULFIDE
Waste code:	U249
Waste name:	ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS OF 10% OR LESS
Waste code:	U279
Waste name:	CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE
Waste code:	U409
Waste name:	CARBAMIC ACID, [1,2-PHENYLENEBIS (IMINOCARBONOTHIOYL)]BIS-, DIMETHYL ESTER (OR) THIOPHANATE-METHYL
Waste code:	U411
Waste name:	PHENOL, 2-(1-METHYLETHOXY)-, METHYLCARBAMATE (OR) PROPOXUR
Violation Status:	No violations found

210

**DOSSIN JEFFREY AND LIA RESIDENCE  
 411 HARITON CT  
 NORFOLK, VA 23505**

**VA LUST S105683863  
 VA LTANKS N/A**

LUSTR REG TD:

Region:	TD
Region Code:	TRO
Facility ID:	200000208312
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	10/25/2002
Pollution Complaint Num:	20035037
Fed Regulated Tank:	No
Phase Code:	RR
Event Description:	Release Reported
Comments:	Release reported

Region:	TD
Region Code:	TRO
Facility ID:	200000208312
<b>Facility Status:</b>	<b>Closed</b>
Completed Date:	12/10/2002
Pollution Complaint Num:	20035037
Fed Regulated Tank:	No

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**DOSSIN JEFFREY AND LIA RESIDENCE (Continued)**

**S105683863**

Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: case closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000208312  
**Case Status: Closed**  
 Pollution Complaint #: 20035037  
 Reported: 25-OCT-2002

210

**JEWISH COMMUNITY CENTER OF TIDEWATER  
 7300 NEWPORT AVE  
 NORFOLK, VA 23505**

**VA LUST S106544832  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000217063  
**Facility Status: Closed**  
 Completed Date: 09/13/2004  
 Pollution Complaint Num: 20055061  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000217063  
**Facility Status: Closed**  
 Completed Date: 01/07/2005  
 Pollution Complaint Num: 20055061  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000217063  
**Case Status: Closed**  
 Pollution Complaint #: 20055061  
 Reported: 13-SEP-2004

211

**PARKDALE PRIVATE SCHOOL INC  
 321 VIRGINIAN DR  
 NORFOLK, VA 23505**

**FINDS 1004610196  
 N/A**

FINDS:

Registry ID: 110010608379

Environmental Interest/Information System  
 NCDB (National Compliance Data Base) supports implementation of the

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PARKDALE PRIVATE SCHOOL INC (Continued)**

**1004610196**

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

211

**PARKDALE PRIVATE SCHOOL INC  
 321 VIRGINIAN DR NORFOLK VA 23505  
 NORFOLK, VA 23505**

**ICIS 1011571897  
 N/A**

ICIS:

Enforcement Action ID: 03-1989-0392  
 FRS ID: 110010608379  
 Program ID: NCDB C03#89-0248  
 Action Name: PARKDALE PRIVATE SCHOOL INC.  
 Facility Name: PARKDALE PRIVATE SCHOOL, INC.  
 Facility Address: 321 VIRGINIAN DR NORFOLK VA 23505  
 NORFOLK, Virginia 23505  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Norfolk City  
 EPA Region #: 3

Enforcement Action ID: 03-1989-0392  
 FRS ID: 110010608379  
 Program ID: FRS 110010608379  
 Action Name: PARKDALE PRIVATE SCHOOL INC.  
 Facility Name: PARKDALE PRIVATE SCHOOL INC  
 Facility Address: 321 VIRGINIAN DR NORFOLK VA 23505  
 NORFOLK, Virginia 23505  
 Enforcement Action Type: TSCA Notice Of Non Compliance  
 Facility County: Norfolk City  
 EPA Region #: 3

Program ID: FRS 110010608379  
 Facility Name: PARKDALE PRIVATE SCHOOL INC  
 Address: 321 VIRGINIAN DR  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 36.91152  
 Longitude: -76.26613

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**PARKDALE PRIVATE SCHOOL INC (Continued)**

**1011571897**

Program ID: FRS 110010608379  
 Facility Name: PARKDALE PRIVATE SCHOOL INC  
 Address: 321 VIRGINIAN DR  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 36.91152  
 Longitude: -76.26613

Program ID: NCDB C03#89-0248  
 Facility Name: PARKDALE PRIVATE SCHOOL INC  
 Address: 321 VIRGINIAN DR  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8211  
 Latitude: 36.91152  
 Longitude: -76.26613

Program ID: NCDB C03#89-0248  
 Facility Name: PARKDALE PRIVATE SCHOOL INC  
 Address: 321 VIRGINIAN DR  
 Tribal Indicator: N  
 Fed Facility: Not reported  
 NAIC Code: Not reported  
 SIC Code: 8351  
 Latitude: 36.91152  
 Longitude: -76.26613

212

**TRUST PROPERTY - 7305 GRANBY STREET  
 7305 GRANBY ST  
 NORFOLK, VA 23505**

**VA LUST S110761874  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854688  
**Facility Status: Closed**  
 Completed Date: 12/03/2010  
 Pollution Complaint Num: 20115055  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000854688  
**Facility Status: Closed**  
 Completed Date: 11/29/2011  
 Pollution Complaint Num: 20115055  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - No Letter Sent  
 Comments: case closed based on limited amount of oil spilled.

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TRUST PROPERTY - 7305 GRANBY STREET (Continued)**

**S110761874**

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000854688  
**Case Status: Closed**  
 Pollution Complaint #: 20115055  
 Reported: 03-DEC-2010

212

**REED RESIDENCE  
 107 ELVIN ROAD  
 NORFOLK, VA 23505**

**VA LUST S104896988  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000191267  
**Facility Status: Closed**  
 Completed Date: 06/25/1999  
 Pollution Complaint Num: 19992421  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: RELEASE FROM HO TANK FOUND DURING REPAIRS TO SEWER LINE.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000191267  
**Facility Status: Closed**  
 Completed Date: 07/20/1999  
 Pollution Complaint Num: 19992421  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED AFTER REVIEW OF INFO.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000191267  
**Case Status: Closed**  
 Pollution Complaint #: 19992421  
 Reported: 25-JUN-1999

213

**GARRICK RESIDENCE  
 7409 YORKTOWN DRIVE  
 NORFOLK, VA 23505**

**VA LUST S104178748  
 N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000191322  
**Facility Status: Closed**  
 Completed Date: 10/21/1999  
 Pollution Complaint Num: 20005104  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**GARRICK RESIDENCE (Continued)**

**S104178748**

Comments: OIL SMELL IN HOUSE PROBABLY FROM AST.  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000191322  
**Facility Status: Closed**  
 Completed Date: 03/29/2000  
 Pollution Complaint Num: 20005104  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED

214

**ROBBINS RESIDENCE  
 298 SUBURBAN PARKWAY  
 NORFOLK, VA 23505**

**VA LUST  
 VA LTANKS**

**S104196514  
 N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000091610  
**Facility Status: Closed**  
 Completed Date: 02/19/1998  
 Pollution Complaint Num: 19982323  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: FP NOTED ON GW TABLE.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091610  
**Facility Status: Closed**  
 Completed Date: 12/03/1998  
 Pollution Complaint Num: 19982323  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED. NEED MW STATUS #.

LTANKS:  
 Region: TRO  
 CEDS Facility Id: 200000091610  
**Case Status: Closed**  
 Pollution Complaint #: 19982323  
 Reported: 19-FEB-1998

MAP FINDINGS

Map ID Direction EDR ID Number  
 Distance Database(s) EPA ID Number  
 Distance (ft.)Site

215 NRHA - ROBERT PARTREA MIDRISE VA UST U003995650  
 701 EASY ST N/A  
 NORFOLK, VA 23505

UST:  
 Facility:  
 Facility Id: 5039566  
 Facility Type: Not reported  
 CEDS Facility ID: 200000066377  
 Owner:  
 Facility Id: 5039566  
 Owner Id: 31444  
 Owner Name: NORFOLK REDEVELOPMENT HOUSING AUTHORITY  
 Owner Address: 201 GRANBY MALL  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23501  
 UST Status: Reg  
 AST Status: N/A  
 Federally Regulated: No  
 Tank Number: Not reported  
 Tank Capacity: 2500  
 Tank Contents: Not reported  
 Tank Status: CLS IN GRD  
 Tank Type: UST

215 EDUCATION ASSOC OF NORFOLK VA UST U003690059  
 7422 TIDEWATER DRIVE. N/A  
 NORFOLK, VA 23505

UST:  
 Facility:  
 Facility Id: 5007356  
 Facility Type: COMMERCIAL  
 CEDS Facility ID: 200000064953  
 Owner:  
 Facility Id: 5007356  
 Owner Id: 35091  
 Owner Name: EDUCATION ASSOC OF NORFOLK  
 Owner Address: 7422 TIDEWATER DRIVE.  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23505  
 UST Status: Not reported  
 AST Status: Not reported  
 Federally Regulated: Yes  
 Tank Number: 1  
 Tank Capacity: 500  
 Tank Contents: HEATING OIL  
 Tank Status: PERM OUT OF USE  
 Tank Type: UST  
 Tank Material:  
 Tank Type: UST  
 Fac Id: 5007356  
 Own Id: 35091



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EDUCATION ASSOC OF NORFOLK (Continued)**

**U003690059**

Tank Number:	1
Install Date:	25-APR-1946
Tank Status:	PERM OUT OF USE
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5007356
Own Id:	35091
Tank Number:	1
Install Date:	25-APR-1946
Tank Status:	PERM OUT OF USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5007356
Own Id:	35091
Tank Number:	1
Install Date:	25-APR-1946
Tank Status:	PERM OUT OF USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**EDUCATION ASSOC OF NORFOLK (Continued)**

**U003690059**

Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown Y  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

215

**7-ELEVEN #19108  
 7431 TIDEWATER DR  
 NORFOLK, VA 23505**

**RCRA-SQG 1000459984  
 FINDS VAD988191870**

RCRA-SQG:

Date form received by agency: 01/29/1991  
 Facility name: 7-ELEVEN #19108  
 Facility address: 7431 TIDEWATER DR  
 NORFOLK, VA 23505  
 EPA ID: VAD988191870  
 Mailing address: REFLECTIONS III STE 400  
 VIRGINIA BEACH, VA 23452  
 Contact: GARRY BLAIR  
 Contact address: 7431 TIDEWATER DR  
 NORFOLK, VA 23505  
 Contact country: US  
 Contact telephone: (804) 498-4711  
 Contact email: Not reported  
 EPA Region: 03  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: OPERNAME  
 Owner/operator address: OPERSTREET  
 OPERCITY, AK 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: (215) 555-1212  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported  
 Owner/operator name: SOUTHLAND CORPORATION THE  
 Owner/operator address: REFLECTIONS III STE 400  
 VIRGINIA BEACH, VA 23452  
 Owner/operator country: Not reported  
 Owner/operator telephone: (804) 498-4711  
 Legal status: Private

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN #19108 (Continued)**

**1000459984**

Owner/Operator Type: Owner  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
 Mixed waste (haz. and radioactive): No  
 Recycler of hazardous waste: No  
 Transporter of hazardous waste: No  
 Treater, storer or disposer of HW: No  
 Underground injection activity: No  
 On-site burner exemption: No  
 Furnace exemption: No  
 Used oil fuel burner: No  
 Used oil processor: No  
 User oil refiner: No  
 Used oil fuel marketer to burner: No  
 Used oil Specification marketer: No  
 Used oil transfer facility: No  
 Used oil transporter: No

**Hazardous Waste Summary:**

Waste code: D000  
 Waste name: Not Defined

Waste code: D018  
 Waste name: BENZENE

Violation Status: No violations found

**FINDS:**

Registry ID: 110005241194

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

215

**7-ELEVEN STORE 19108  
 7431 TIDEWATER DRIVE  
 NORFOLK, VA 23505**

**VA UST  
 VA FINANCIAL ASSURANCE**

**U003689645  
 N/A**

**UST:**

**Facility:**

Facility Id: 5004845  
 Facility Type: GAS STATION  
 CEDS Facility ID: 200000090627

**Owner:**

Facility Id: 5004845  
 Owner Id: 38838  
 Owner Name: 7 Eleven Incorporated

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Owner Address:	PO Box 711
Owner Address2:	Not reported
Owner City, State, Zip:	Dallas, TX 75221
UST Status:	Not reported
AST Status:	Not reported
Federally Regulated:	Yes
Tank Number:	1
Tank Capacity:	15000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	1
Install Date:	01-NOV-2007
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	1
Install Date:	01-NOV-2007
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Automatic Shutoff

Pipe Material:

Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	1
Install Date:	01-NOV-2007
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Polyflexible piping

Tank Number:	2
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	2
Install Date:	01-NOV-2007
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	2
Install Date:	01-NOV-2007
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	Y
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	N
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	Y
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Overfill Automatic Shutoff
Pipe Material:	
Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	2
Install Date:	01-NOV-2007
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	Y
Pipe Materials: Other Note	Polyflexible piping

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Tank Number:	R1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	R1
Install Date:	01-MAR-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Impressed Current System Install Date 05/01/1997
Release:	
Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	R1
Install Date:	01-MAR-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5004845  
 Own Id: 38838  
 Tank Number: R1  
 Install Date: 01-MAR-1982  
 Tank Status: REM FROM GRD  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment Y  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Polyflexible piping

Tank Number: R2  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5004845  
 Own Id: 38838  
 Tank Number: R2  
 Install Date: 01-MAR-1982  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel Y  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Impressed Current System Install Date 05/01/1997

Release:

Tank Type: UST  
 Fac Id: 5004845  
 Own Id: 38838  
 Tank Number: R2



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Install Date: 01-MAR-1982  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge Y  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N  
 Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install Y  
 Tank Release Detection: Overfill Install Y  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak Y  
 Pipe Release Detection: Line Tightness Y  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5004845  
 Own Id: 38838  
 Tank Number: R2  
 Install Date: 01-MAR-1982  
 Tank Status: REM FROM GRD  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment Y  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Polyflexible piping

Tank Number: R3  
 Tank Capacity: 10000  
 Tank Contents: GASOLINE  
**Tank Status: REM FROM GRD**  
 Tank Type: UST  
 Tank Material:  
 Tank Type: UST  
 Fac Id: 5004845

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Own Id:	38838
Tank Number:	R3
Install Date:	01-MAR-1982
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Impressed Current System Install Date 05/01/1997

Release:

Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	R3
Install Date:	01-MAR-1982
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5004845
Own Id:	38838
Tank Number:	R3
Install Date:	01-MAR-1982

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**7-ELEVEN STORE 19108 (Continued)**

**U003689645**

Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	Y
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Polyflexible piping

VA FINANCIAL ASSURANCE:

Facility ID:	5004845
FRP Financial Assurance:	Full
Owner Name:	7-Eleven Store 19108
ROF Own Id:	38838
Tank Type:	UST
Mechanism:	Insurance
Gallonage:	Not reported
Per Occurrence:	\$2,000,000
Third Party:	\$2,000,000
Annual Aggregate:	\$2,000,000
In Compliance:	Not reported
Total Capacity:	0
CEDS Facility Name:	7 Eleven 19108
CEDS Facility Id:	200000090627
Tank Type Count:	10
Location:	Not reported

216

**VDOT - WARDS CORNER AREA HEADQUARTERS  
 609 NAVAL BASE RD  
 NORFOLK, VA 23505**

**VA UST U003691792  
 VA VCP N/A**

UST:

Facility:

Facility Id:	5019782
Facility Type:	STATE
CEDS Facility ID:	200000091828

Owner:

Facility Id:	5019782
Owner Id:	30159
Owner Name:	VDOT
Owner Address:	1221 E Broad St
Owner Address2:	Not reported
Owner City, State, Zip:	Richmond, VA 23219
UST Status:	Not reported
AST Status:	Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 10000

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>CURR IN USE</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	1
Install Date:	01-JUL-1998
Tank Status:	CURR IN USE
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	Y
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:	
Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	1
Install Date:	01-JUL-1998
Tank Status:	CURR IN USE
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5019782  
 Own Id: 30159  
 Tank Number: 1  
 Install Date: 01-JUL-1998  
 Tank Status: CURR IN USE  
 Pipe Type: PRESSURE  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass Y  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled Y  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: 2  
 Tank Capacity: 10000  
 Tank Contents: DIESEL  
**Tank Status: CURR IN USE**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5019782  
 Own Id: 30159  
 Tank Number: 2  
 Install Date: 01-JUL-1998  
 Tank Status: CURR IN USE  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5019782  
 Own Id: 30159  
 Tank Number: 2  
 Install Date: 01-JUL-1998  
 Tank Status: CURR IN USE

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	Y
Tank Release Detection: Autogauge	Y
Tank Release Detection: Tank Tightness	Y
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	Y
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	Y
Tank Release Detection: Overfill Install	Y
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	Y
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	Y
Pipe Release Detection: Line Tightness	Y
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	2
Install Date:	01-JUL-1998
Tank Status:	CURR IN USE
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	Y
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R1
Tank Capacity:	2000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	R1

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Install Date:	11-MAR-1977
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	R1
Install Date:	11-MAR-1977
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	R1
Install Date:	11-MAR-1977
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

Tank Number:	R2
Tank Capacity:	2000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST

Tank Material:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	R2
Install Date:	11-MAR-1977
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	R2
Install Date:	11-MAR-1977
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	R2
Install Date:	11-MAR-1977
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	Y
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	RA1
Tank Capacity:	10000
Tank Contents:	GASOLINE
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	RA1
Install Date:	01-JAN-1988
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	RA1
Install Date:	01-JAN-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	RA1
Install Date:	01-JAN-1988
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	RA2
Tank Capacity:	10000
Tank Contents:	DIESEL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	RA2
Install Date:	01-JAN-1988
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	Y
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	Y
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	RA2
Install Date:	01-JAN-1988
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5019782
Own Id:	30159
Tank Number:	RA2
Install Date:	01-JAN-1988
Tank Status:	REM FROM GRD
Pipe Type:	PRESSURE
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	Y
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VRP:

Facility ID:	VRP00050
Site Status:	No Longer Tracked
Site Status 2:	Referred to VWCB from SCP
DEQ Region:	Tidewater
Sizs in Acres:	Not reported
Site Type:	Unknown
Corrective Action Desc:	Not reported
Owner Name:	Not reported
Owner Contact:	Not reported
Owner Address:	Not reported
Owner Phone:	Not reported
Operator Name:	Not reported
Operator Owner:	Not reported
Operator Phone:	Not reported
Participant Name:	Mostafa Sabbah
Relationship to Site:	Not reported
Participant Contact:	Not reported
Participant Phone:	Not reported
Participant Title:	Director of Engineering
Participant Affiliation:	City of Newport News
Participant Address:	2400 Washington Avenue
Participant City,St,Zip:	Newport News, VA 23607
Additional Parts:	Not reported
Participation Notes:	Not reported
Participant Rep/Contractor:	Not reported
Participant Rep/Contractor Phone:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Participant Rep/Contractor Title:	Not reported
Participant Rep/Contractor Affiliation:	Not reported
Participant Rep/Contractor Address:	Not reported
Participant Rep/Contractor City,St,Zip:	Not reported
Metal Contaminants Present in Soil:	Not reported
Organic Contaminants Present in Soil:	Not reported
Metal Contaminants Present in GW:	Not reported
Organic Contaminants Present GW:	Not reported
DEQ Staff Case Manager's Initials:	Not reported
Cleanup Standards:	Not reported
No Further VRP Action Date:	Not reported
Date Participant Notified of NFA:	Not reported
Certification Date:	Not reported
Deed Received Date:	Not reported
Terms of NFA Determination:	Referred to VWCB from SCP
Date VRP Eligibility Declared by Participant:	Not reported
Date VRP Eligibility Determined by DEQ Region:	Not reported
Dt Office Of Waste Permitting Verified Site Eligblty:	Not reported
Date VRP Eligibility Determined by VRP:	Not reported
Date Signed Agreement Submitted By Participant:	Not reported
Date Agreement Executed by DEQ:	Not reported
Registration Fee Amount Submitted by Participant:	Not reported
Date Registration Fee Submitted by Participant:	Not reported
Site Characterization Document Number:	Not reported
DEQ Concurrence with Site Characterization Date:	Not reported
Remedial Action Work Plan Document Number:	Not reported
DEQ Concurs with Remedial Action Work Plan Date:	Not reported
Completion Report Document Number:	Not reported
DEQ Concurs with Completion Report Date:	Not reported
Submittal Date for Document Number 1:	Not reported
Title of Submitted Document Number 1:	Not reported
Submittal Date for Document Number 2:	Not reported
Title of Submitted Document Number 2:	Not reported
Submittal Date for Document Number 3:	Not reported
Title of Submitted Document Number 3:	Not reported
Submittal Date for Document Number 4:	Not reported
Title of Submitted Document Number 4:	Not reported
Submittal Date for Document Number 5:	Not reported
Title of Submitted Document Number 5:	Not reported
Submittal Date for Document Number 6:	Not reported
Title of Submitted Document Number 6:	Not reported
Submittal Date for Document Number 7:	Not reported
Title of Submitted Document Number 7:	Not reported
Submittal Date for Document Number 8:	Not reported
Title of Submitted Document Number 8:	Not reported
DEQ Response Incident ID Number:	Not reported
EPA CERCLIS ID:	Not reported
EPA RCRA ID NUMBER:	Not reported
DEQ Pollution Complaint Number:	Not reported
Latest Action Relative To Site:	Logged site into database.
Latest Action Relative To Site Date:	1993-09-10
Next VRP Step Needed Relating To Site:	Not reported
Pending Since:	Not reported
Date Next Step Should Be Completed:	Not reported
Lat/Long:	Not reported
Brownfield Tax Incentive:	Not reported
Ground Water Use Restriction:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**VDOT - WARDS CORNER AREA HEADQUARTERS (Continued)**

**U003691792**

Res. User Restriction: Not reported  
 Excavation Restriction: Not reported  
 Unrestricted: Not reported  
 Other Condition of Issuance: Not reported  
 GPS Lat: Not reported  
 GPS Long: Not reported  
 GPS Desc: Not reported  
 Notes: SCP 11/91 Notes: Referred to VWCB (1991). NFA.

216

**WARDS CORNER AREA HEADQUARTERS  
 609 NAVAL BASE RD  
 NORFOLK, VA 23505**

**VA LUST  
 VA LTANKS  
 VA TIER 2**

**S110069599  
 N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091828  
**Facility Status: Closed**  
 Completed Date: 06/22/1998  
 Pollution Complaint Num: 19982407  
 Fed Regulated Tank: Yes  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: ELEV. TPH LEVELS NOTED DURING UST REMOVAL.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000091828  
**Facility Status: Closed**  
 Completed Date: 09/04/1998  
 Pollution Complaint Num: 19982407  
 Fed Regulated Tank: Yes  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED.

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000091828  
**Case Status: Closed**  
 Pollution Complaint #: 19982407  
 Reported: 22-JUN-1998

**TIER 2:**

CAS Number: 8006-61-9  
 SIC Code: 92162  
 NAICS: Not reported  
 Entered Chemical Name: Gasoline  
 Average Amt Code: 4  
 Owner Name: Matt Ehrenzeller  
 Owner Phone: 757-466-8717  
 Contact Type: Not reported

CAS Number: 68512-90-3  
 SIC Code: 92162  
 NAICS: Not reported  
 Entered Chemical Name: Diesel Fuel

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**WARDS CORNER AREA HEADQUARTERS (Continued)**

**S110069599**

Average Amt Code: 4  
 Owner Name: Matt Ehrenzeller  
 Owner Phone: 757-466-8717  
 Contact Type: Not reported

CAS Number: 7647-14-5  
 SIC Code: 92162  
 NAICS: Not reported  
 Entered Chemical Name: Sodium Chloride  
 Average Amt Code: 6  
 Owner Name: Matt Ehrenzeller  
 Owner Phone: 757-466-8717  
 Contact Type: Not reported

217

**RIVERSIDE TERRACE APARTMENTS  
 7211 NEWPORT AVE  
 NORFOLK, VA 23505**

**VA LUST S105462078  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000206757  
**Facility Status: Closed**  
 Completed Date: 08/19/2005  
 Pollution Complaint Num: 20065024  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000206757  
**Facility Status: Closed**  
 Completed Date: 08/04/2006  
 Pollution Complaint Num: 20065024  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

Region: TD  
 Region Code: TRO  
 Facility ID: 200000206757  
**Facility Status: Closed**  
 Completed Date: 05/30/2002  
 Pollution Complaint Num: 20025096  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000206757  
**Facility Status: Closed**  
 Completed Date: 09/24/2002  
 Pollution Complaint Num: 20025096

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**RIVERSIDE TERRACE APARTMENTS (Continued)**

**S105462078**

Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed; no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000206757  
**Case Status: Closed**  
 Pollution Complaint #: 20025096  
 Reported: 30-MAY-2002

Region: TRO  
 CEDS Facility Id: 200000206757  
**Case Status: Closed**  
 Pollution Complaint #: 20065024  
 Reported: 19-AUG-2005

218

**CAFFEY BERTA RESIDENCE  
 468 VIRGINIAN DR  
 NORFOLK, VA 23518**

**VA LUST S107152770  
 VA LTANKS N/A**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000221546  
**Facility Status: Closed**  
 Completed Date: 06/24/2005  
 Pollution Complaint Num: 20055195  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000221546  
**Facility Status: Closed**  
 Completed Date: 06/03/2008  
 Pollution Complaint Num: 20055195  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed, no further corrective action letter sent

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000221546  
**Case Status: Closed**  
 Pollution Complaint #: 20055195  
 Reported: 24-JUN-2005



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

219 TALBOT PARK APARTMENTS  
 118 WARREN STREET  
 NORFOLK, VA 23505

VA LUST U003692813  
 VA UST N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067219  
**Facility Status: Closed**  
 Completed Date: 08/10/1994  
 Pollution Complaint Num: 19952226  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: 8/2,000-GALLON HEATING OIL USTS WERE REMOVED & HOT SOILS FOUND.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067219  
**Facility Status: Closed**  
 Completed Date: 08/11/1994  
 Pollution Complaint Num: 19952226  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: CASE CLOSED-NFA REQUIRED.

UST:

Facility:

Facility Id: 5027231  
 Facility Type: RESIDENTIAL  
 CEDS Facility ID: 200000067219

Owner:

Facility Id: 5027231  
 Owner Id: 28533  
 Owner Name: BMR INVESTMENTS; INC  
 Owner Address: 5269 GREENWICH ROAD; SUITE 201  
 Owner Address2: Not reported  
 Owner City, State, Zip: VIRGINIA BEACH, VA 23462  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 2000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R2
Tank Capacity:	2000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R2
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R3
Tank Capacity:	2000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R3
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Tank Number:	R4
Tank Capacity:	2000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R4
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R4  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R5  
 Tank Capacity: 2000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R5  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R5

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R5
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported
Tank Number:	R6
Tank Capacity:	2000
Tank Contents:	HEATING OIL
<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5027231



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Own Id:	28533
Tank Number:	R6
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R6
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R6
Install Date:	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R7  
 Tank Capacity: 2000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:  
 Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R7  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:  
 Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R7  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N  
 Tank Release Detection: Autogauge N  
 Tank Release Detection: Tank Tightness N  
 Tank Release Detection: Vapor Monitor N  
 Tank Release Detection: Inventory N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Tank Release Detection: Stat Invent Recon N  
 Tank Release Detection: Spill Install N  
 Tank Release Detection: Overfill Install N  
 Tank Release Detection: Groundwater N  
 Tank Release Det: Int Secondary Containment N  
 Tank Release Detection: Int Double Walled N  
 Tank Release Detection: Other Method N  
 Tank Release Detection: Other Note Not reported  
 Pipe Release Detection: Leak Deferred Not reported  
 Pipe Release Detection: Autoleak N  
 Pipe Release Detection: Line Tightness N  
 Pipe Release Detection: Stat Invent Recon N  
 Pipe Release Detection: Groundwater N  
 Pipe Release Det: Int Secondary Containment N  
 Pipe Release Det: Interior Double Walled N  
 Pipe Release Detection: Other Method N  
 Pipe Release Detection: Other Note Not reported

Pipe Material:

Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R7  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

Tank Number: R8  
 Tank Capacity: 2000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5027231  
 Own Id: 28533  
 Tank Number: R8  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
Release:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R8
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported
Pipe Material:	
Tank Type:	UST
Fac Id:	5027231
Own Id:	28533
Tank Number:	R8
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TALBOT PARK APARTMENTS (Continued)**

**U003692813**

Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

220

**THE BALLENTINE  
 7211 GRANBY ST  
 NORFOLK, VA 23505**

**VA UST U003692610  
 N/A**

UST:

Facility:

Facility Id: 5025786  
 Facility Type: RESIDENTIAL  
 CEDS Facility ID: 200000067294

Owner:

Facility Id: 5025786  
 Owner Id: 27001  
 Owner Name: BALLENTINE HOME CORPORATION  
 Owner Address: 7211 GRANBY ST.  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23505  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 27822  
 Tank Capacity: 6000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5025786  
 Own Id: 27001  
 Tank Number: 27822  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel N  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass Y  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

**THE BALLENTINE (Continued)**

**U003692610**

Release:

Tank Type:	UST
Fac Id:	5025786
Own Id:	27001
Tank Number:	27822
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5025786
Own Id:	27001
Tank Number:	27822
Install Date:	Not reported
Tank Status:	REM FROM GRD
Pipe Type:	NO VALVE: SUCTION
Pipe Materials: Bare Steel	N
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	Y
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 THE BALLENTINE  
 7211 GRANBY ST  
 NORFOLK, VA 23505

VA LUST S111684515  
 VA LTANKS N/A

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067294  
**Facility Status: Closed**  
 Completed Date: 01/04/2012  
 Pollution Complaint Num: 20125081  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000067294  
**Facility Status: Closed**  
 Completed Date: 01/05/2012  
 Pollution Complaint Num: 20125081  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000067294  
**Case Status: Closed**  
 Pollution Complaint #: 20125081  
 Reported: 04-JAN-2012

220 GREEK ORTHODOX CHURCH  
 7220 GRANBY ST  
 NORFOLK, VA 23510

VA UST U003692490  
 N/A

UST:

Facility:  
 Facility Id: 5024484  
 Facility Type: UNKNOWN  
 CEDS Facility ID: 200000065345

Owner:  
 Facility Id: 5024484  
 Owner Id: 32124  
 Owner Name: GREEK ORTHODOX CHURCH  
 Owner Address: 7220 GRANBY STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23510  
 UST Status: Reg  
 AST Status: Not reported

Federally Regulated: No

Tank Number: 1  
 Tank Capacity: 7500  
 Tank Contents: HEATING OIL

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GREEK ORTHODOX CHURCH (Continued)**

**U003692490**

<b>Tank Status:</b>	<b>REM FROM GRD</b>
Tank Type:	UST
Tank Material:	
Tank Type:	UST
Fac Id:	5024484
Own Id:	32124
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	Y
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported
<b>Release:</b>	
Tank Type:	UST
Fac Id:	5024484
Own Id:	32124
Tank Number:	1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported



MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**GREEK ORTHODOX CHURCH (Continued)**

**U003692490**

Pipe Material:  
 Tank Type: UST  
 Fac Id: 5024484  
 Own Id: 32124  
 Tank Number: 1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: VALVE: SUCTION  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper Y  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

**221 TURNER RICHARD RESIDENCE  
 424 BRICKBY ROAD  
 NORFOLK, VA 23505**

**VA LUST S105162500  
 VA LTANKS N/A**

LUST REG TD:  
 Region: TD  
 Region Code: TRO  
 Facility ID: 200000205058  
**Facility Status: Closed**  
 Completed Date: 11/08/2001  
 Pollution Complaint Num: 20025047  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000205058  
**Facility Status: Closed**  
 Completed Date: 12/20/2001  
 Pollution Complaint Num: 20025047  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case closed/no further action letter sent

LTANKS:  
 Region: TRO  
 CEDS Facility Id: 200000205058  
**Case Status: Closed**  
 Pollution Complaint #: 20025047  
 Reported: 08-NOV-2001

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

222 **TABERNACLE CHURCH OF NORFOLK**  
**7120 GRANBY STREET**  
**NORFOLK, VA 23505**

**VA LUST** U003692900  
**VA LTANKS** N/A  
**VA UST**

LUST REG TD:

Region: TD  
 Region Code: TRO  
 Facility ID: 200000089976  
**Facility Status: Closed**  
 Completed Date: 10/16/1996  
 Pollution Complaint Num: 19972283  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: ELEV. TPH LEVELS NOTED DURING PROPERTY ASSESSMENT.

Region: TD  
 Region Code: TRO  
 Facility ID: 200000089976  
**Facility Status: Closed**  
 Completed Date: 10/23/1996  
 Pollution Complaint Num: 19972283  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: SITE CLOSED AFTER REVIEWING TANK CLOSURE RPT.

LTANKS:

Region: TRO  
 CEDS Facility Id: 200000089976  
**Case Status: Closed**  
 Pollution Complaint #: 19972283  
 Reported: 16-OCT-1996

UST:

Facility:

Facility Id: 5027867  
 Facility Type: OTHER  
 CEDS Facility ID: 200000089976

Owner:

Facility Id: 5027867  
 Owner Id: 37468  
 Owner Name: TABERNACLE CHURCH OF NORFOLK  
 Owner Address: 7120 GRANBY STREET  
 Owner Address2: Not reported  
 Owner City, State, Zip: NORFOLK, VA 23505  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: No

Tank Number: R1  
 Tank Capacity: 500  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TABERNACLE CHURCH OF NORFOLK (Continued)**

**U003692900**

Tank Material:

Tank Type:	UST
Fac Id:	5027867
Own Id:	37468
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Materials: Bare Steel	N
Tank Materials: Cath Protect Steel	N
Tank Materials: Epoxy Steel	N
Tank Materials: Fiberglass	N
Tank Materials: Concrete	N
Tank Materials: Composite	N
Tank Materials: Double Walled	N
Tank Materials: Lined Interior	N
Tank Materials: Excav Liner	N
Tank Materials: Insulated Tank Jacket	N
Tank Materials: Repaired	N
Tank Materials: Unknown	N
Tank Materials: Other	N
Tank Materials: Other Note	Not reported

Release:

Tank Type:	UST
Fac Id:	5027867
Own Id:	37468
Tank Number:	R1
Install Date:	Not reported
Tank Status:	REM FROM GRD
Tank Release Detection: Leak Deferred	N
Tank Release Detection: Manual Gauge	N
Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5027867

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**TABERNALE CHURCH OF NORFOLK (Continued)**

**U003692900**

Own Id: 37468  
 Tank Number: R1  
 Install Date: Not reported  
 Tank Status: REM FROM GRD  
 Pipe Type: UNKNOWN  
 Pipe Materials: Bare Steel N  
 Pipe Materials: Galvanized Steel N  
 Pipe Materials: Copper N  
 Pipe Materials: Fiberglass N  
 Pipe Materials: Cath Protect N  
 Pipe Materials: Double Walled N  
 Pipe Materials: Secondary Containment N  
 Pipe Materials: Repaired N  
 Pipe Materials: Unknown N  
 Pipe Materials: Other N  
 Pipe Materials: Other Note Not reported

223

**KURZER RESIDENCE - HURRICANE IDA  
 436 THOLE ST  
 NORFOLK, VA 23505**

**VA LUST S110068070  
 VA LTANKS N/A**

**LUST REG TD:**

Region: TD  
 Region Code: TRO  
 Facility ID: 200000852472  
**Facility Status: Closed**  
 Completed Date: 11/17/2009  
 Pollution Complaint Num: 20105078  
 Fed Regulated Tank: No  
 Phase Code: RR  
 Event Description: Release Reported  
 Comments: Release Reported

Region: TD  
 Region Code: TRO  
 Facility ID: 200000852472  
**Facility Status: Closed**  
 Completed Date: 05/24/2010  
 Pollution Complaint Num: 20105078  
 Fed Regulated Tank: No  
 Phase Code: CLOSURE  
 Event Description: Case Closure Date - Letter Sent  
 Comments: Case Closed

**LTANKS:**

Region: TRO  
 CEDS Facility Id: 200000852472  
**Case Status: Closed**  
 Pollution Complaint #: 20105078  
 Reported: 17-NOV-2009

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

224 SUBURBAN PARK ELEMENTARY  
 310 THOLE STREET  
 NORFOLK, VA 23505

VA UST  
 VA FINANCIAL ASSURANCE

U003692333  
 N/A

UST:

Facility:

Facility Id: 5023292  
 Facility Type: LOCAL  
 CEDS Facility ID: 200000091717

Owner:

Facility Id: 5023292  
 Owner Id: 31434  
 Owner Name: Norfolk Public Schools  
 Owner Address: 966 Bellmore Ave  
 Owner Address2: Not reported  
 Owner City, State, Zip: Norfolk, VA 23504  
 UST Status: Not reported  
 AST Status: Not reported

Federally Regulated: Yes

Tank Number: 1  
 Tank Capacity: 8000  
 Tank Contents: HEATING OIL  
**Tank Status: REM FROM GRD**  
 Tank Type: UST

Tank Material:

Tank Type: UST  
 Fac Id: 5023292  
 Own Id: 31434  
 Tank Number: 1  
 Install Date: 22-JAN-1955  
 Tank Status: REM FROM GRD  
 Tank Materials: Bare Steel Y  
 Tank Materials: Cath Protect Steel N  
 Tank Materials: Epoxy Steel N  
 Tank Materials: Fiberglass N  
 Tank Materials: Concrete N  
 Tank Materials: Composite N  
 Tank Materials: Double Walled N  
 Tank Materials: Lined Interior N  
 Tank Materials: Excav Liner N  
 Tank Materials: Insulated Tank Jacket N  
 Tank Materials: Repaired N  
 Tank Materials: Unknown N  
 Tank Materials: Other N  
 Tank Materials: Other Note Not reported

Release:

Tank Type: UST  
 Fac Id: 5023292  
 Own Id: 31434  
 Tank Number: 1  
 Install Date: 22-JAN-1955  
 Tank Status: REM FROM GRD  
 Tank Release Detection: Leak Deferred N  
 Tank Release Detection: Manual Gauge N

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Distance (ft.)Site

EDR ID Number  
 EPA ID Number

Database(s)

**SUBURBAN PARK ELEMENTARY (Continued)**

**U003692333**

Tank Release Detection: Autogauge	N
Tank Release Detection: Tank Tightness	N
Tank Release Detection: Vapor Monitor	N
Tank Release Detection: Inventory	N
Tank Release Detection: Stat Invent Recon	N
Tank Release Detection: Spill Install	N
Tank Release Detection: Overfill Install	N
Tank Release Detection: Groundwater	N
Tank Release Det: Int Secondary Containment	N
Tank Release Detection: Int Double Walled	N
Tank Release Detection: Other Method	N
Tank Release Detection: Other Note	Not reported
Pipe Release Detection: Leak Deferred	Not reported
Pipe Release Detection: Autoleak	N
Pipe Release Detection: Line Tightness	N
Pipe Release Detection: Stat Invent Recon	N
Pipe Release Detection: Groundwater	N
Pipe Release Det: Int Secondary Containment	N
Pipe Release Det: Interior Double Walled	N
Pipe Release Detection: Other Method	N
Pipe Release Detection: Other Note	Not reported

Pipe Material:

Tank Type:	UST
Fac Id:	5023292
Own Id:	31434
Tank Number:	1
Install Date:	22-JAN-1955
Tank Status:	REM FROM GRD
Pipe Type:	UNKNOWN
Pipe Materials: Bare Steel	Y
Pipe Materials: Galvanized Steel	N
Pipe Materials: Copper	N
Pipe Materials: Fiberglass	N
Pipe Materials: Cath Protect	N
Pipe Materials: Double Walled	N
Pipe Materials: Secondary Containment	N
Pipe Materials: Repaired	N
Pipe Materials: Unknown	N
Pipe Materials: Other	N
Pipe Materials: Other Note	Not reported

VA FINANCIAL ASSURANCE:

Facility ID:	5023292
FRP Financial Assurance:	No
Owner Name:	Suburban Park Elementary
ROF Own Id:	31434
Tank Type:	UST
Mechanism:	LOGO Guar/NO State Stdby
Gallonage:	Not reported
Per Occurrence:	10000
Third Party:	30000
Annual Aggregate:	40000
In Compliance:	Not reported
Total Capacity:	0

MAP FINDINGS

Map ID  
Direction  
Distance  
Distance (ft.)Site

EDR ID Number  
EPA ID Number

Database(s)

**SUBURBAN PARK ELEMENTARY (Continued)**

**U003692333**

CEDS Facility Name: Norfolk City of - Suburban Park Elementary School  
CEDS Facility Id: 200000091717  
Tank Type Count: 1  
Location: Not reported

## ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
HAMPTON	1001091821	SUN STATE INC HAMPTON FRT WHL DR	501 B & C HOWMET DR	23661	RCRA-SQG, FINDS
HAMPTON	S110608198	FORMER GORDON'S TRAILER PARK	301 S 1ST ST	23664	VA LUST, VA LTANKS
HAMPTON	S106564191	VDOT - HAMPTON ROADS DISTRICT - BRIDGE TUNNEL I-64	204 I 64 NATIONAL AVENUE	23663	VA LUST, VA NPDES
HAMPTON	1004790056	EXXON CO USA #27022	804 ABERDEEN-TANKS	23661	RCRA-CESQG, FINDS
HAMPTON	U004131505	FORMER WATKINS SUPPLY COMPANY	334 AND 336 W QUEEN ST	23669	VA UST
HAMPTON	U004025537	NRHA - OPEN PARKING LOTS	2 551 AND 553 SETTLERS LANDING RD	23669	VA UST
HAMPTON	S109122408	WATKINS SUPPLY COMPANY	334 AND 336 W QUEEN ST	23669	VA LUST, VA LTANKS
HAMPTON	1004791913	HOME DEPOT # 4612	1413 ARMISTEAD AVE	23669	RCRA-SQG, PA MANIFEST
HAMPTON	1000335756	EXXON CO U S A RA528385	1900 BIG BETHEL ROAD	23666	RCRA-NonGen, FINDS
HAMPTON	U004154034	RACE COAST	3370 COMMANDER SHEPPARD BLVD	23666	VA UST, VA FINANCIAL ASSURANCE
HAMPTON	1004790057	EXXON CO USA #23298	20 W COUNTY ST-TANKS	23663	RCRA-CESQG, FINDS
HAMPTON	1012189079	TARGET STORE # 2501	5001 HOLT AVENUE	23666	RCRA-CESQG
HAMPTON	A100181333	4336 C KECOUGHTAN RD	4336 C KECOUGHTAN RD	23669	VA AST
HAMPTON	U003966862	NASA - LANGLEY RESEARCH CENTER	1 LANGLEY BLVD		VA UST, VA AST
HAMPTON	1012066867	LANGLEY AIR FORCE BASE/NASA LANGLEY RESEARCH CENTER	LANGLEY AIR FORCE BASE/NASA LANGLEY RESEARCH CENTER		FEDERAL FACILITY
HAMPTON	U003691229	AMOCO OIL CO	MILITARY HWY & TODDSL N	23666	VA UST, VA FINANCIAL ASSURANCE
HAMPTON	U003745811	GREAT ATLANTIC PROPERTY MGMT	398 NEWSOME PL	23669	VA UST
HAMPTON	S104263993	DALE CITY AUTO REPAIR SHOP	398 NEWSOME PL	23669	VA LUST, VA LTANKS
HAMPTON	S106200740	NEWSOME PLACE INDUSTRIAL PARK	NEWSOME PLACE DR	23669	VA LUST
HAMPTON	A100320813	2001 N PARK LANE	2001 N PARK LN	23666	VA AST
HAMPTON	U003691211	AMOCO OIL CO	PEMBROKE AVE	23669	VA UST, VA FINANCIAL ASSURANCE
HAMPTON	S104742150	HAMPTON UNIVERSITY PARKING LOT	E QUEEN ST	23668	VA LUST, VA LTANKS
HAMPTON	S110145413	HAMPTON UNIVERSITY PROPERTY - 530 E QUEE	E QUEEN ST	23668	VA LUST, VA LTANKS
HAMPTON	S105094668	US NASA - LANGLEY RESEARCH CENTER - BUIL	14 W TAYLOR AVE	23663	VA LUST
HAMPTON	1014477780	HCS MAINTENANCE FACILITY	14 WIND MILL PT	23669	US BROWNFIELDS
NORFOLK	U003917096	BELL ATLANTIC	11TH ST & E OCEAN VIEW	23503	VA UST, VA FINANCIAL ASSURANCE
NORFOLK	S108170562	VA DOT BP7B04	RT 177	23503	NJ MANIFEST
NORFOLK	A100298360	I-564 - NORFOLK AIR STATION	I 564 NORFOLKAIR STATION	23511	VA AST
NORFOLK	S108999156	ALLSBROOK RADIATOR SERVICE GARAGE	3430 AND 3432 AZALES GARDEN RD	23513	VA LUST, VA LTANKS
NORFOLK	S110068071	GOWEN ENTERPRISES	909 A AND B LITTLE BAY AVE	23503	VA LUST, VA LTANKS
NORFOLK	S111074848	NORFOLK NAVAL BASE	BLDG NAVAL STA	23511	NJ MANIFEST
NORFOLK	1010337393	DELPHINIUS ENGINEERING, INC.	7437 CENTRAL BUSINESS PARK DR.	23513	RCRA-CESQG
NORFOLK	U004051671	VDOT - RIGHT OF WAY	HAMPTON BLVD AND MAPLESHADE AVE	23505	VA UST
NORFOLK	A100353669	NORFOLK NAVAL BASE	9900 HAMPTON BLVD	23505	VA AST
NORFOLK	U003988742	BP SS #7488	LITTLE CREEK RD	23518	VA UST
NORFOLK	S106480120	ALBANO CLEANERS INC - LITTLE CREEK RD	19 MEADOWBROOK	23505	VA DRYCLEANERS
NORFOLK	U003690357	AIRLINES TRANSPORT CO	MILLER STORE RD	23518	VA UST, VA FINANCIAL ASSURANCE
NORFOLK	1004789378	GSE SHOP	NORFOLK INTL AIRPORT	23518	RCRA-CESQG, FINDS
NORFOLK	1007990909	SUPSHIP-USS MT. WHITNEY LCC-20	NORFOLK NAVAL BASE, PIER 11	23511	RCRA-NonGen
NORFOLK	1004790393	CONTINENTAL AIRLINES	NORFOLK INTER'L AIRPORT	23518	RCRA-CESQG, FINDS
NORFOLK	U003698944	B P SERVICE STATION NO 7489	OCEAN VIEW AVE	23503	VA UST



Count: 46 records

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
NORFOLK	1004791942	DELPHINUS ENG.	7607 B SEWELLS POINT RD.	23513	RCRA-NonGen, FINDS
NORFOLK	U004010648	AUGUSTINE ANNINOS PROPERTY	6264 6266 SEWELLS POINT RD	23513	VA UST
NORFOLK	S106097239	EAST BEACH SUBDIVISION	SHORE DR AND PRETTY LAKE	23503	VA LUST, VA LTANKS
NORFOLK	U003995653	HOLLIDAYS FOOD MART C/O URJA CORPORATION	8338 8340 TIDEWATER DR	23518	VA UST
NORFOLK	1004790013	EXXON CO USA #24612	8594 TIDEWATER-TANKS	23503	RCRA-CESQG, FINDS

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## FEDERAL RECORDS

### NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 09/07/2011	Source: EPA
Date Data Arrived at EDR: 10/12/2011	Telephone: N/A
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 05/10/2012
Number of Days to Update: 141	Next Scheduled EDR Contact: 07/23/2012
	Data Release Frequency: Quarterly

### NPL Site Boundaries

#### Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 7  
Telephone: 913-551-7247

EPA Region 4  
Telephone 404-562-8033

EPA Region 8  
Telephone: 303-312-6774

EPA Region 5  
Telephone 312-886-6686

EPA Region 9  
Telephone: 415-947-4246

EPA Region 10  
Telephone 206-553-8665

### Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 09/07/2011	Source: EPA
Date Data Arrived at EDR: 10/12/2011	Telephone: N/A
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 04/05/2012
Number of Days to Update: 141	Next Scheduled EDR Contact: 07/23/2012
	Data Release Frequency: Quarterly

### DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 09/07/2011	Source: EPA
Date Data Arrived at EDR: 10/12/2011	Telephone: N/A
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 04/05/2012
Number of Days to Update: 141	Next Scheduled EDR Contact: 07/23/2012
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

## CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/27/2011	Source: EPA
Date Data Arrived at EDR: 02/27/2012	Telephone: 703-412-9810
Date Made Active in Reports: 03/12/2012	Last EDR Contact: 04/05/2012
Number of Days to Update: 14	Next Scheduled EDR Contact: 06/11/2012
	Data Release Frequency: Quarterly

## CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 12/28/2011	Source: EPA
Date Data Arrived at EDR: 02/27/2012	Telephone: 703-412-9810
Date Made Active in Reports: 03/12/2012	Last EDR Contact: 04/05/2012
Number of Days to Update: 14	Next Scheduled EDR Contact: 06/11/2012
	Data Release Frequency: Quarterly

## LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 09/09/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/16/2011	Telephone: 202-564-6023
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 04/30/2012
Number of Days to Update: 13	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Varies

## CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 08/19/2011	Source: EPA
Date Data Arrived at EDR: 08/31/2011	Telephone: 800-424-9346
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 02/13/2012
Number of Days to Update: 132	Next Scheduled EDR Contact: 05/28/2012
	Data Release Frequency: Quarterly

## RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/10/2011  
Date Data Arrived at EDR: 01/05/2012  
Date Made Active in Reports: 03/12/2012  
Number of Days to Update: 67

Source: Environmental Protection Agency  
Telephone: 800-438-2474  
Last EDR Contact: 04/04/2012  
Next Scheduled EDR Contact: 07/16/2012  
Data Release Frequency: Quarterly

## RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 11/10/2011  
Date Data Arrived at EDR: 01/05/2012  
Date Made Active in Reports: 03/12/2012  
Number of Days to Update: 67

Source: Environmental Protection Agency  
Telephone: 800-438-2474  
Last EDR Contact: 04/04/2012  
Next Scheduled EDR Contact: 07/16/2012  
Data Release Frequency: Quarterly

## RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 11/10/2011  
Date Data Arrived at EDR: 01/05/2012  
Date Made Active in Reports: 03/12/2012  
Number of Days to Update: 67

Source: Environmental Protection Agency  
Telephone: 800-438-2474  
Last EDR Contact: 04/04/2012  
Next Scheduled EDR Contact: 07/16/2012  
Data Release Frequency: Quarterly

## RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 11/10/2011  
Date Data Arrived at EDR: 01/05/2012  
Date Made Active in Reports: 03/12/2012  
Number of Days to Update: 67

Source: Environmental Protection Agency  
Telephone: 800-438-2474  
Last EDR Contact: 04/04/2012  
Next Scheduled EDR Contact: 07/16/2012  
Data Release Frequency: Varies

## RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 11/10/2011  
Date Data Arrived at EDR: 01/05/2012  
Date Made Active in Reports: 03/12/2012  
Number of Days to Update: 67

Source: Environmental Protection Agency  
Telephone: 800-438-2474  
Last EDR Contact: 04/04/2012  
Next Scheduled EDR Contact: 07/16/2012  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 12/30/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/30/2011	Telephone: 703-603-0695
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 03/12/2012
Number of Days to Update: 11	Next Scheduled EDR Contact: 06/25/2012
	Data Release Frequency: Varies

## US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 12/30/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/30/2011	Telephone: 703-603-0695
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 03/12/2012
Number of Days to Update: 11	Next Scheduled EDR Contact: 06/25/2012
	Data Release Frequency: Varies

## ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 10/03/2011	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 10/04/2011	Telephone: 202-267-2180
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 04/03/2012
Number of Days to Update: 38	Next Scheduled EDR Contact: 07/16/2012
	Data Release Frequency: Annually

## HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 10/04/2011	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 10/04/2011	Telephone: 202-366-4555
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 04/03/2012
Number of Days to Update: 38	Next Scheduled EDR Contact: 07/16/2012
	Data Release Frequency: Annually

## DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/29/2011	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 08/09/2011	Telephone: 202-366-4595
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 05/08/2012
Number of Days to Update: 94	Next Scheduled EDR Contact: 08/20/2012
	Data Release Frequency: Varies

## US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/07/2011  
Date Data Arrived at EDR: 12/09/2011  
Date Made Active in Reports: 01/10/2012  
Number of Days to Update: 32

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 03/06/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Quarterly

## US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 06/27/2011  
Date Data Arrived at EDR: 06/27/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 78

Source: Environmental Protection Agency  
Telephone: 202-566-2777  
Last EDR Contact: 04/03/2012  
Next Scheduled EDR Contact: 07/09/2012  
Data Release Frequency: Semi-Annually

## DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 11/10/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 62

Source: USGS  
Telephone: 888-275-8747  
Last EDR Contact: 04/16/2012  
Next Scheduled EDR Contact: 07/30/2012  
Data Release Frequency: Semi-Annually

## FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2009  
Date Data Arrived at EDR: 08/12/2010  
Date Made Active in Reports: 12/02/2010  
Number of Days to Update: 112

Source: U.S. Army Corps of Engineers  
Telephone: 202-528-4285  
Last EDR Contact: 03/12/2012  
Next Scheduled EDR Contact: 06/25/2012  
Data Release Frequency: Varies

## LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005  
Date Data Arrived at EDR: 12/11/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 31

Source: Department of the Navy  
Telephone: 843-820-7326  
Last EDR Contact: 04/03/2012  
Next Scheduled EDR Contact: 06/04/2012  
Data Release Frequency: Varies

## CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/01/2011  
Date Data Arrived at EDR: 01/25/2012  
Date Made Active in Reports: 03/01/2012  
Number of Days to Update: 36

Source: Department of Justice, Consent Decree Library  
Telephone: Varies  
Last EDR Contact: 04/02/2012  
Next Scheduled EDR Contact: 07/16/2012  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 09/28/2011	Source: EPA
Date Data Arrived at EDR: 12/14/2011	Telephone: 703-416-0223
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 03/14/2012
Number of Days to Update: 27	Next Scheduled EDR Contact: 06/25/2012
	Data Release Frequency: Annually

## UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 02/28/2012
Number of Days to Update: 146	Next Scheduled EDR Contact: 06/11/2012
	Data Release Frequency: Varies

## DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 03/26/2012
Number of Days to Update: 137	Next Scheduled EDR Contact: 07/09/2012
	Data Release Frequency: No Update Planned

## ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

## MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/18/2011	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 09/08/2011	Telephone: 303-231-5959
Date Made Active in Reports: 09/29/2011	Last EDR Contact: 03/07/2012
Number of Days to Update: 21	Next Scheduled EDR Contact: 06/18/2012
	Data Release Frequency: Semi-Annually

## TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 09/01/2011	Telephone: 202-566-0250
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 02/28/2012
Number of Days to Update: 131	Next Scheduled EDR Contact: 06/11/2012
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006	Source: EPA
Date Data Arrived at EDR: 09/29/2010	Telephone: 202-260-5521
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 03/28/2012
Number of Days to Update: 64	Next Scheduled EDR Contact: 07/09/2012
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)  
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/27/2012
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/11/2012
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)  
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/27/2012
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/11/2012
	Data Release Frequency: Quarterly

## HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

## HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/10/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/25/2011	Last EDR Contact: 04/30/2012
Number of Days to Update: 77	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Annually

## ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/20/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/10/2011	Telephone: 202-564-5088
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 03/26/2012
Number of Days to Update: 61	Next Scheduled EDR Contact: 07/09/2012
	Data Release Frequency: Quarterly

## PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/01/2010	Source: EPA
Date Data Arrived at EDR: 11/10/2010	Telephone: 202-566-0500
Date Made Active in Reports: 02/16/2011	Last EDR Contact: 04/17/2012
Number of Days to Update: 98	Next Scheduled EDR Contact: 07/30/2012
	Data Release Frequency: Annually

## MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/21/2011	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 07/15/2011	Telephone: 301-415-7169
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 03/12/2012
Number of Days to Update: 60	Next Scheduled EDR Contact: 06/25/2012
	Data Release Frequency: Quarterly

## RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/10/2012	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/12/2012	Telephone: 202-343-9775
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 04/10/2012
Number of Days to Update: 49	Next Scheduled EDR Contact: 07/23/2012
	Data Release Frequency: Quarterly

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/23/2011  
Date Data Arrived at EDR: 12/13/2011  
Date Made Active in Reports: 03/01/2012  
Number of Days to Update: 79

Source: EPA  
Telephone: (215) 814-5000  
Last EDR Contact: 03/13/2012  
Next Scheduled EDR Contact: 06/25/2012  
Data Release Frequency: Quarterly

## RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995  
Date Data Arrived at EDR: 07/03/1995  
Date Made Active in Reports: 08/07/1995  
Number of Days to Update: 35

Source: EPA  
Telephone: 202-564-4104  
Last EDR Contact: 06/02/2008  
Next Scheduled EDR Contact: 09/01/2008  
Data Release Frequency: No Update Planned

## BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2009  
Date Data Arrived at EDR: 03/01/2011  
Date Made Active in Reports: 05/02/2011  
Number of Days to Update: 62

Source: EPA/NTIS  
Telephone: 800-424-9346  
Last EDR Contact: 02/27/2012  
Next Scheduled EDR Contact: 06/11/2012  
Data Release Frequency: Biennially

## COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010  
Date Data Arrived at EDR: 01/03/2011  
Date Made Active in Reports: 03/21/2011  
Number of Days to Update: 77

Source: Environmental Protection Agency  
Telephone: N/A  
Last EDR Contact: 03/16/2012  
Next Scheduled EDR Contact: 06/25/2012  
Data Release Frequency: Varies

## FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010  
Date Data Arrived at EDR: 02/16/2010  
Date Made Active in Reports: 04/12/2010  
Number of Days to Update: 55

Source: FEMA  
Telephone: 202-646-5797  
Last EDR Contact: 04/10/2012  
Next Scheduled EDR Contact: 07/30/2012  
Data Release Frequency: Varies

## PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011  
Date Data Arrived at EDR: 10/19/2011  
Date Made Active in Reports: 01/10/2012  
Number of Days to Update: 83

Source: Environmental Protection Agency  
Telephone: 202-566-0517  
Last EDR Contact: 05/04/2012  
Next Scheduled EDR Contact: 08/13/2012  
Data Release Frequency: Varies

## US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/01/2007  
Date Data Arrived at EDR: 11/19/2008  
Date Made Active in Reports: 03/30/2009  
Number of Days to Update: 131

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 03/23/2009  
Next Scheduled EDR Contact: 06/22/2009  
Data Release Frequency: No Update Planned

## SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011  
Date Data Arrived at EDR: 03/09/2011  
Date Made Active in Reports: 05/02/2011  
Number of Days to Update: 54

Source: Environmental Protection Agency  
Telephone: 615-532-8599  
Last EDR Contact: 04/23/2012  
Next Scheduled EDR Contact: 08/06/2012  
Data Release Frequency: Varies

## COAL ASH DOE: Steam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 08/07/2009  
Date Made Active in Reports: 10/22/2009  
Number of Days to Update: 76

Source: Department of Energy  
Telephone: 202-586-8719  
Last EDR Contact: 04/16/2012  
Next Scheduled EDR Contact: 07/30/2012  
Data Release Frequency: Varies

## FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 12/10/2010  
Date Data Arrived at EDR: 01/11/2011  
Date Made Active in Reports: 02/16/2011  
Number of Days to Update: 36

Source: Environmental Protection Agency  
Telephone: 703-603-8704  
Last EDR Contact: 04/12/2012  
Next Scheduled EDR Contact: 07/23/2012  
Data Release Frequency: Varies

## STATE AND LOCAL RECORDS

### SHWS: This state does not maintain a SHWS list. See the Federal CERCLIS list and Federal NPL list.

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: Department of Environmental Quality  
Telephone: 804-698-4236  
Last EDR Contact: 03/26/2012  
Next Scheduled EDR Contact: 07/09/2012  
Data Release Frequency: N/A

### SWF/LF: Solid Waste Management Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 09/14/2011  
Date Data Arrived at EDR: 09/16/2011  
Date Made Active in Reports: 10/14/2011  
Number of Days to Update: 28

Source: Department of Environmental Quality  
Telephone: 804-698-4238  
Last EDR Contact: 04/10/2012  
Next Scheduled EDR Contact: 06/25/2012  
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## LUST REG SW: Leaking Underground Storage Tank Database

Leaking underground storage tank site locations. Includes: counties of Bland, Buchanan, Carroll, Dickenson, Grayson, Lee, Russell, Scott, Smyth, Tazewell, Washington, Wise, Wythe; cities of Bristol, Galax, Norton.

Date of Government Version: 01/18/2012	Source: Department of Environmental Quality Southwest Regional Office
Date Data Arrived at EDR: 01/19/2012	Telephone: 276-676-4800
Date Made Active in Reports: 03/05/2012	Last EDR Contact: 04/11/2012
Number of Days to Update: 46	Next Scheduled EDR Contact: 07/30/2012
	Data Release Frequency: No Update Planned

## LUST REG NO: Leaking Underground Storage Tank Tracking Database

Leaking underground storage tank site locations. Includes: counties of Arlington, Caroline, Culpeper, Fairfax, Fauquier, King George, Loudoun, Louisa, Madison, Orange, Prince William, Rappahannock, Spotsylvania, Stafford; cities of Alexandria, Fairfax, Falls Church, Fredericksburg, Manassas, Manassas Park.

Date of Government Version: 05/18/2004	Source: Department of Environmental Quality Northern Regional Office
Date Data Arrived at EDR: 05/22/2004	Telephone: 703-583-3800
Date Made Active in Reports: 07/09/2004	Last EDR Contact: 09/06/2011
Number of Days to Update: 48	Next Scheduled EDR Contact: 12/19/2011
	Data Release Frequency: No Update Planned

## LUST REG VA: Leaking Underground Storage Tank List

Leaking underground storage tank site locations. Includes: counties of Albemarle, Augusta, Bath, Clarke, Fluvanna, Frederick, Greene, Highland, Nelson, Page, Rockbridge, Rockingham, Shenandoah, Warren; cities of Buena Vista, Charlottesville, Harrisonburg, Lexington, Staunton, Waynesboro, Winchester.

Date of Government Version: 12/06/2011	Source: Department of Environmental Quality Valley Regional Office
Date Data Arrived at EDR: 12/08/2011	Telephone: 540-574-7800
Date Made Active in Reports: 01/16/2012	Last EDR Contact: 03/05/2012
Number of Days to Update: 39	Next Scheduled EDR Contact: 06/18/2012
	Data Release Frequency: No Update Planned

## LUST REG WC: Leaking Underground Storage Tank List

Leaking underground storage tank site locations. Includes: counties of Alleghany, Bedford, Botetourt, Craig, Floyd, Franklin, Giles, Henry, Montgomery, Patrick, Pulaski, Roanoke; cities of Bedford, Clifton Forge, Covington, Martinsville, Radford, Roanoke, Salem.

Date of Government Version: 03/12/2012	Source: Department of Environmental Quality West Central Regional Office
Date Data Arrived at EDR: 03/14/2012	Telephone: 540-562-6700
Date Made Active in Reports: 04/13/2012	Last EDR Contact: 03/05/2012
Number of Days to Update: 30	Next Scheduled EDR Contact: 06/18/2012
	Data Release Frequency: No Update Planned

## LUST REG TD: Leaking Underground Storage Tank Sites

Leaking underground storage tank site locations. Includes: counties of Accomack, Isle of Wight, James City, Northampton, Southampton, York; cities of Chesapeake, Franklin, Hampton, Newport News, Norfolk, Poquoson, Portsmouth, Suffolk, Virginia Beach, Williamsburg.

Date of Government Version: 03/31/2012	Source: Department of Environmental Quality Tidewater Regional Office
Date Data Arrived at EDR: 04/05/2012	Telephone: 757-518-2198
Date Made Active in Reports: 04/13/2012	Last EDR Contact: 03/19/2012
Number of Days to Update: 8	Next Scheduled EDR Contact: 06/18/2012
	Data Release Frequency: Quarterly

## LUST REG PD: Leaking Underground Storage Tank Sites

Leaking underground storage tank site locations. Includes: counties of Amelia, Brunswick, Charles City, Chesterfield, Dinwiddie, Essex, Gloucester, Goochland, Greenville, Hanover, Henrico, King and Queen, King William, Lancaster, Mathews, Middlesex, New Kent, Northumberland, Powhatan, Prince George, Richmond, Surry, Sussex, Westmoreland; cities of Colonial Heights, Emporia, Hopewell, Petersburg.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/06/2012  
Date Data Arrived at EDR: 03/08/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 36

Source: Department of Environmental Quality Piedmont Regional Office  
Telephone: 804-527-5020  
Last EDR Contact: 03/05/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Quarterly

## LUST REG SC: Leaking Underground Storage Tanks

Leaking underground storage tank site locations. Includes: counties of Amherst, Appomattox, Buckingham, Campbell, Charlotte, Cumberland, Halifax, Lunenburg, Mecklenburg, Nottoway, Pittsylvania, Prince Edward; cities of Danville, Lynchburg.

Date of Government Version: 03/07/2012  
Date Data Arrived at EDR: 03/08/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 36

Source: Department of Environmental Quality, South Central Region  
Telephone: 434-582-5120  
Last EDR Contact: 03/05/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Semi-Annually

## LTANKS: Leaking Petroleum Storage Tanks

Includes releases of petroleum from underground storage tanks and aboveground storage tanks.

Date of Government Version: 03/01/2012  
Date Data Arrived at EDR: 03/08/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 36

Source: Department of Environmental Quality  
Telephone: 804-698-4010  
Last EDR Contact: 03/08/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Quarterly

## UST: Registered Petroleum Storage Tanks

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 03/01/2012  
Date Data Arrived at EDR: 03/08/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 36

Source: Department of Environmental Quality  
Telephone: 804-527-5249  
Last EDR Contact: 03/08/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Semi-Annually

## AST: Registered Petroleum Storage Tanks

Registered Aboveground Storage Tanks.

Date of Government Version: 03/01/2012  
Date Data Arrived at EDR: 03/08/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 36

Source: Department of Environmental Quality  
Telephone: 804-698-4317  
Last EDR Contact: 03/08/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Semi-Annually

## SPILLS: Prep/Spills Database Listing

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment. PREP staff often work to assist local emergency responders, other state agencies, federal agencies, and responsible parties, as may be needed, to manage pollution incidents. Oil spills, fish kills, and hazardous materials spills are examples of incidents that may involve the DEQ's PREP Program.

Date of Government Version: 01/11/2012  
Date Data Arrived at EDR: 03/08/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 36

Source: Department of Environmental Quality  
Telephone: 804-698-4287  
Last EDR Contact: 03/08/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## SPILLS BRL: Prep/Spills Database Listing

A listing of spills locations located in the Blue Ridge Regional area, Lynchburg.

Date of Government Version: 09/18/2009	Source: DEQ, Blue Ridge Regional Office
Date Data Arrived at EDR: 09/18/2009	Telephone: 434-582-6218
Date Made Active in Reports: 10/06/2009	Last EDR Contact: 11/28/2011
Number of Days to Update: 18	Next Scheduled EDR Contact: 03/12/2012
	Data Release Frequency: Varies

## SPILLS PD: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 10/20/2009	Source: Department of Environmental Quality, Piedmont Region
Date Data Arrived at EDR: 10/29/2009	Telephone: 804-527-5020
Date Made Active in Reports: 12/03/2009	Last EDR Contact: 02/06/2012
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/21/2012
	Data Release Frequency: Quarterly

## SPILLS WC: Prep Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/21/2009	Source: Department of Environmental Quality, West Central Region
Date Data Arrived at EDR: 09/29/2009	Telephone: 540-562-6700
Date Made Active in Reports: 10/30/2009	Last EDR Contact: 09/06/2011
Number of Days to Update: 31	Next Scheduled EDR Contact: 12/19/2011
	Data Release Frequency: No Update Planned

## SPILLS SW: Reportable Spills

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 01/21/2010	Source: Department of Environmental Quality, Southwest Region
Date Data Arrived at EDR: 01/22/2010	Telephone: 276-676-4839
Date Made Active in Reports: 02/16/2010	Last EDR Contact: 04/11/2012
Number of Days to Update: 25	Next Scheduled EDR Contact: 07/30/2012
	Data Release Frequency: No Update Planned

## SPILLS TD: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/17/2009	Source: Department of Environmental Quality, Tidewater Region
Date Data Arrived at EDR: 09/23/2009	Telephone: 757-518-2177
Date Made Active in Reports: 10/06/2009	Last EDR Contact: 09/06/2011
Number of Days to Update: 13	Next Scheduled EDR Contact: 12/19/2011
	Data Release Frequency: Quarterly

## SPILLS NO: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/23/2009	Source: Department of Environmental Quality, Northern Region
Date Data Arrived at EDR: 09/29/2009	Telephone: 703-583-3864
Date Made Active in Reports: 10/30/2009	Last EDR Contact: 09/06/2011
Number of Days to Update: 31	Next Scheduled EDR Contact: 12/19/2011
	Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PC-SPILLS: Pollution Complaint Database

Pollution Complaints Database. The pollution reports contained in the PC database include the initial release reporting of Leaking Underground Storage Tanks and all other releases of petroleum to the environment as well as releases to state waters. The database is current through 12/1/93. Since that time, all spill and pollution reporting information has been collected and tracked through the DEQ regional offices.

Date of Government Version: 06/01/1996	Source: Department of Environmental Quality
Date Data Arrived at EDR: 10/22/1996	Telephone: 804-698-4287
Date Made Active in Reports: 11/21/1996	Last EDR Contact: 03/08/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 06/21/2010
	Data Release Frequency: No Update Planned

## SPILLS VA: PREP Database

The Department of Environmental Quality's POLLUTION RESPONSE PROGRAM, known as PREP, provides for responses to air, water, and waste pollution incidents in order to protect human health and the environment.

Date of Government Version: 09/18/2009	Source: Department of Environmental Quality, Valley Regional Office
Date Data Arrived at EDR: 09/23/2009	Telephone: 540-574-7800
Date Made Active in Reports: 10/06/2009	Last EDR Contact: 09/06/2011
Number of Days to Update: 13	Next Scheduled EDR Contact: 12/19/2011
	Data Release Frequency: Quarterly

## ENG CONTROLS: Engineering Controls Sites Listing

A listing of sites with Engineering Controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/20/2012	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/20/2012	Telephone: 804-698-4228
Date Made Active in Reports: 03/05/2012	Last EDR Contact: 04/11/2012
Number of Days to Update: 45	Next Scheduled EDR Contact: 07/16/2012
	Data Release Frequency: Quarterly

## INST CONTROL: Voluntary Remediation Program Database

Sites included in the Voluntary Remediation Program database that have deed restrictions.

Date of Government Version: 01/20/2012	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/20/2012	Telephone: 804-698-4228
Date Made Active in Reports: 03/05/2012	Last EDR Contact: 04/11/2012
Number of Days to Update: 45	Next Scheduled EDR Contact: 07/16/2012
	Data Release Frequency: Quarterly

## VRP: Voluntary Remediation Program

The Voluntary Cleanup Program encourages owners of elected contaminated sites to take the initiative and conduct voluntary cleanups that meet state environmental standards.

Date of Government Version: 01/20/2012	Source: Department of Environmental Quality
Date Data Arrived at EDR: 01/20/2012	Telephone: 804-698-4228
Date Made Active in Reports: 03/05/2012	Last EDR Contact: 04/11/2012
Number of Days to Update: 45	Next Scheduled EDR Contact: 07/16/2012
	Data Release Frequency: Quarterly

## DRYCLEANERS: Drycleaner List

A listing of registered drycleaners.

Date of Government Version: 11/23/2010	Source: Department of Environmental Quality
Date Data Arrived at EDR: 11/24/2010	Telephone: 804-698-4407
Date Made Active in Reports: 12/09/2010	Last EDR Contact: 03/26/2012
Number of Days to Update: 15	Next Scheduled EDR Contact: 07/09/2012
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## BROWNFIELDS: Brownfields Site Specific Assessments

To qualify for Brownfields Assessment, the site must meet the Federal definition of a Brownfields and should have contaminant issues that need to be addressed and a redevelopment plan supported by the local government and community. Virginia's Department of Environmental Quality performs brownfields assessments under a cooperative agreement with the U.S. Environmental Protection Agency at no cost to communities, property owners or, prospective purchasers. The assessment is an evaluation of environmental impacts caused by previous site uses similar to a Phase II Environmental Assessment.

Date of Government Version: 01/31/2012  
Date Data Arrived at EDR: 02/03/2012  
Date Made Active in Reports: 03/05/2012  
Number of Days to Update: 31

Source: Department of Environmental Quality  
Telephone: 804-698-4207  
Last EDR Contact: 05/01/2012  
Next Scheduled EDR Contact: 08/13/2012  
Data Release Frequency: Varies

## ENFORCEMENT: Enforcement Actions Data

A listing of enforcement actions.

Date of Government Version: 03/16/2012  
Date Data Arrived at EDR: 03/19/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 25

Source: Department of Environmental Quality  
Telephone: 804-698-4031  
Last EDR Contact: 03/12/2012  
Next Scheduled EDR Contact: 06/25/2012  
Data Release Frequency: Varies

## CEDS: Comprehensive Environmental Data System

Virginia Water Protection Permits, Virginia Pollution Discharge System (point discharge) permits and Virginia Pollution Abatement (no point discharge) permits.

Date of Government Version: 03/15/2012  
Date Data Arrived at EDR: 03/16/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 28

Source: Department of Environmental Quality  
Telephone: 804-698-4077  
Last EDR Contact: 03/12/2012  
Next Scheduled EDR Contact: 06/25/2012  
Data Release Frequency: Semi-Annually

## AIRS: Permitted Airs Facility List

A listing of permitted Airs facilities.

Date of Government Version: 03/08/2012  
Date Data Arrived at EDR: 03/08/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 36

Source: Department of Environmental Quality  
Telephone: 804-698-4000  
Last EDR Contact: 03/05/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Varies

## TIER 2: Tier 2 Information Listing

A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

Date of Government Version: 12/31/2010  
Date Data Arrived at EDR: 11/04/2011  
Date Made Active in Reports: 11/30/2011  
Number of Days to Update: 26

Source: Department of Environmental Quality  
Telephone: 804-698-4159  
Last EDR Contact: 03/26/2012  
Next Scheduled EDR Contact: 07/09/2012  
Data Release Frequency: Annually

## FINANCIAL ASSURANCE: Financial Assurance Information Listing

A listing of financial assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 03/30/2012  
Date Data Arrived at EDR: 03/30/2012  
Date Made Active in Reports: 04/13/2012  
Number of Days to Update: 14

Source: Department of Environmental Quality  
Telephone: 804-698-4205  
Last EDR Contact: 03/26/2012  
Next Scheduled EDR Contact: 06/18/2012  
Data Release Frequency: Varies



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## COAL ASH: Coal Ash Disposal Sites

A listing of facilities with coal ash impoundments.

Date of Government Version: 07/29/2009	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/31/2009	Telephone: 804-698-4285
Date Made Active in Reports: 08/21/2009	Last EDR Contact: 03/12/2012
Number of Days to Update: 21	Next Scheduled EDR Contact: 06/25/2012
	Data Release Frequency: Varies

## FINANCIAL ASSURANCE 2: Financial Assurance Information listing

Solid waste financial assurance information.

Date of Government Version: 02/07/2012	Source: Department of Environmental Quality
Date Data Arrived at EDR: 02/09/2012	Telephone: 804-698-4123
Date Made Active in Reports: 03/05/2012	Last EDR Contact: 05/07/2012
Number of Days to Update: 25	Next Scheduled EDR Contact: 08/20/2012
	Data Release Frequency: Varies

## TRIBAL RECORDS

### INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 04/16/2012
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/30/2012
	Data Release Frequency: Semi-Annually

### INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 05/07/2012
Number of Days to Update: 52	Next Scheduled EDR Contact: 08/20/2012
	Data Release Frequency: Varies

### INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 12/14/2011	Source: EPA Region 4
Date Data Arrived at EDR: 12/15/2011	Telephone: 404-562-8677
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 04/30/2012
Number of Days to Update: 26	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Semi-Annually

### INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011	Source: EPA Region 6
Date Data Arrived at EDR: 09/13/2011	Telephone: 214-665-6597
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 04/23/2012
Number of Days to Update: 59	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Varies

### INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/18/2011	Source: EPA Region 8
Date Data Arrived at EDR: 08/19/2011	Telephone: 303-312-6271
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 04/30/2012
Number of Days to Update: 25	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/02/2011	Source: EPA Region 10
Date Data Arrived at EDR: 11/04/2011	Telephone: 206-553-2857
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 04/30/2012
Number of Days to Update: 7	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/01/2011	Source: EPA Region 7
Date Data Arrived at EDR: 11/21/2011	Telephone: 913-551-7003
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 04/30/2012
Number of Days to Update: 50	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land  
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 12/05/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/07/2011	Telephone: 415-972-3372
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 04/30/2012
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land  
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/01/2011	Source: EPA Region 1
Date Data Arrived at EDR: 11/01/2011	Telephone: 617-918-1313
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 05/01/2012
Number of Days to Update: 10	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land  
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 11/28/2011	Source: EPA Region 9
Date Data Arrived at EDR: 11/29/2011	Telephone: 415-972-3368
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 04/30/2012
Number of Days to Update: 42	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land  
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 08/18/2011	Source: EPA Region 8
Date Data Arrived at EDR: 08/19/2011	Telephone: 303-312-6137
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 04/30/2012
Number of Days to Update: 25	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land  
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/01/2011	Source: EPA, Region 1
Date Data Arrived at EDR: 11/01/2011	Telephone: 617-918-1313
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 05/01/2012
Number of Days to Update: 10	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Varies

### INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 11/01/2011	Source: EPA Region 7
Date Data Arrived at EDR: 11/21/2011	Telephone: 913-551-7003
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 04/30/2012
Number of Days to Update: 50	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Varies

### INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 07/01/2011	Source: EPA Region 5
Date Data Arrived at EDR: 08/26/2011	Telephone: 312-886-6136
Date Made Active in Reports: 09/13/2011	Last EDR Contact: 04/30/2012
Number of Days to Update: 18	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Varies

### INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/02/2011	Source: EPA Region 10
Date Data Arrived at EDR: 11/04/2011	Telephone: 206-553-2857
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 04/30/2012
Number of Days to Update: 7	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Quarterly

### INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 12/14/2011	Source: EPA Region 4
Date Data Arrived at EDR: 12/15/2011	Telephone: 404-562-9424
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 04/30/2012
Number of Days to Update: 26	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Semi-Annually

### INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/10/2011	Source: EPA Region 6
Date Data Arrived at EDR: 05/11/2011	Telephone: 214-665-7591
Date Made Active in Reports: 06/14/2011	Last EDR Contact: 04/23/2012
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/13/2012
	Data Release Frequency: Semi-Annually

### INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/04/2011  
Date Data Arrived at EDR: 10/04/2011  
Date Made Active in Reports: 11/11/2011  
Number of Days to Update: 38

Source: EPA, Region 1  
Telephone: 617-918-1102  
Last EDR Contact: 04/03/2012  
Next Scheduled EDR Contact: 07/16/2012  
Data Release Frequency: Varies

## INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008  
Date Data Arrived at EDR: 04/22/2008  
Date Made Active in Reports: 05/19/2008  
Number of Days to Update: 27

Source: EPA, Region 7  
Telephone: 913-551-7365  
Last EDR Contact: 04/20/2009  
Next Scheduled EDR Contact: 07/20/2009  
Data Release Frequency: Varies

## EDR PROPRIETARY RECORDS

### Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

### CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 02/20/2012  
Date Data Arrived at EDR: 02/20/2012  
Date Made Active in Reports: 03/15/2012  
Number of Days to Update: 24

Source: Department of Energy & Environmental Protection  
Telephone: 860-424-3375  
Last EDR Contact: 02/20/2012  
Next Scheduled EDR Contact: 06/04/2012  
Data Release Frequency: Annually

### NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2010  
Date Data Arrived at EDR: 07/20/2011  
Date Made Active in Reports: 08/11/2011  
Number of Days to Update: 22

Source: Department of Environmental Protection  
Telephone: N/A  
Last EDR Contact: 04/17/2012  
Next Scheduled EDR Contact: 07/30/2012  
Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/10/2012  
Date Data Arrived at EDR: 02/09/2012  
Date Made Active in Reports: 03/09/2012  
Number of Days to Update: 29

Source: Department of Environmental Conservation  
Telephone: 518-402-8651  
Last EDR Contact: 05/09/2012  
Next Scheduled EDR Contact: 08/20/2012  
Data Release Frequency: Annually

## PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009  
Date Data Arrived at EDR: 01/26/2012  
Date Made Active in Reports: 03/06/2012  
Number of Days to Update: 40

Source: Department of Environmental Protection  
Telephone: 717-783-8990  
Last EDR Contact: 04/23/2012  
Next Scheduled EDR Contact: 08/06/2012  
Data Release Frequency: Annually

## RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2010  
Date Data Arrived at EDR: 06/24/2011  
Date Made Active in Reports: 06/30/2011  
Number of Days to Update: 6

Source: Department of Environmental Management  
Telephone: 401-222-2797  
Last EDR Contact: 02/27/2012  
Next Scheduled EDR Contact: 06/11/2012  
Data Release Frequency: Annually

## WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2010  
Date Data Arrived at EDR: 08/19/2011  
Date Made Active in Reports: 09/15/2011  
Number of Days to Update: 27

Source: Department of Natural Resources  
Telephone: N/A  
Last EDR Contact: 03/19/2012  
Next Scheduled EDR Contact: 07/02/2012  
Data Release Frequency: Annually

**Oil/Gas Pipelines:** This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

### AHA Hospitals:

Source: American Hospital Association, Inc.  
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

### Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services  
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

### Nursing Homes

Source: National Institutes of Health  
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

### Public Schools

Source: National Center for Education Statistics  
Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### Daycare Centers: Licensed Facilities

Source: Department of Social Services

Telephone: 804-692-1900

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

### **STREET AND ADDRESS INFORMATION**

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.